

Index

Note: Page numbers in *italics* refers to figures and **bold** refers to tables.

a

AAPG. *see* American Association of
Petroleum Geologists (AAPG)

ABE process. *see* acetone-butanol-ethanol
(ABE) process

absolute permeability 14, 16

acceptance of polymer solution 201

acetone-butanol-ethanol (ABE)
process 237

Acinetobacter spp. 230

adsorption, polymer 200–201

advancing contact angle 335

aging time 336

AHWI. *see* Amott–Harvey wettability
index (AHWI)

alginate biopolymer 232

alkaline flooding 119, 214

applicability criteria 217, 217

carbonate reservoirs 216

clay influence 216, 216

field implementation 218–219, 218–219

high-viscosity oils 222

implementation technology 219–223

oil activity 214, 215

options for 219–222, 219, 221–222

with precipitate-forming solution 222

process mechanism 214–216

reservoir heterogeneity 215

rock wettability 214–215

salt effect 216

solution preparation 222

well placement 223

American Association of Petroleum
Geologists (AAPG) 93–102

Amott–Harvey wettability index
(AHWI) 346–347, **347–348**

Amott (Amott–Harvey) method 333,
339–348, 339, **339**

sample preparation 340–342

test conditions 342–344, 343

test equipment 344, 344

test procedures 345–346, 345

wettability index calculation 346–348,
347–348

Amott–USBM combination method
352, **353**

sample preparation 352

test equipment 354

test procedures 354–355, 354

USBM and Amott–Harvey index
calculation 355, **355**

anisotropic media 41

anticline 6

traps (fold) 8, 8

apparent density of rock 306–308

data processing 308

equipment and instruments 307

physical and dimensional properties **307**

procedure steps 307–308

vacuum system 308

Methods for Enhanced Oil Recovery: Fundamentals and Practice, First Edition.

Baghir A. Suleimanov and Elchin F. Veliyev.

© 2025 Wiley-VCH GmbH. Published 2025 by Wiley-VCH GmbH.

aquifer 76
 aquifer encroachment 76
 Archie's Law/Archie's relation 24, 27
Arthrobacter spp. 230
 artificial waterflooding 181
 associated gas 89
 average reservoir pressure 69

b

Bacillus spp. 229
 B. cereus 235
 B. licheniformis 235
 basin-center gas 96
 Bessel functions 61, 62
 bioaugmentation 231
 biodegradability 228
 biofilms 233–234
 architecture of 234
 composition and properties 234
 EPS production influences 235
 formation of 233–234
 growth of 233
 microbial self-defense
 mechanism 233
 representative bacterial
 species 235–236
 biogenic gases 236–237
 biological activity 4
 biological weathering 5
 biomasses 233–234
 biopolymers 231–232
 biostimulation 231
 biosurfactants 227–230
 Acinetobacter spp. 230
 adoption across sectors 228
 Arthrobacter spp. 230
 Bacillus spp. 229
 nutrient availability 228–229
 Pseudomonas spp. 229–230
 Rhodococcus spp. 230
 bitumen 127–128, 130
 black oil 36–37, 37
 Boltzmann transformation 65
 borehole design 268
 bottom-hole flowing pressures 67

bottom-hole pressure measurements 57
 boundary effects 41
 bounded reservoir 53
 Bright Water (BW) project 245–247
 Buckingham's equation 47
 bulk volume 322–323
 caliper system 322
 mercury immersion system 322–323,
 326–327, 326
 mercury pycnometer 323–326, 325, **325**
 sample preparation 324
 BW project. *see* Bright Water (BW) project

c

calcite 311
 caliper system 322
 capillary forces, effect on fluid flow 16
 capillary pores, fluid movement in 14
 capillary pressure 27–29
 conventional curve 31, 31
 entry pressure 31
 imbibition and drainage
 hysteresis 31–32, 32
 laboratory measurements 30, **30**
 permeability effects 32–33
 relative permeability and capillary
 pressure relationship 33–36
 in reservoirs 29, 30
 carbonate content of rocks 310–315
 definition of 310–312, **311**
 gasometric method using Clark
 apparatus 312–315, 312, **314–315**
 carbonated water injection 178, 178
 carbonate reservoirs 216
 carbon dioxide (CO₂) 217
 basic properties 167
 dissolution in oil 168–169
 dissolution in water 168
 injection 167–180
 phase diagram 168
 carbon dioxide (CO₂) injection 167–180
 alternating injection of carbon dioxide
 and water slugs 179–180, 180
 applicability criteria 171, 171
 carbonated water injection 178, 178

- CO₂ consumption per unit of production 175
- development systems 180
- field implementation 171–175, 172–177
- immiscible displacement 169–170
- implementation technology 175–180, 178–180
- miscibility pressure 177
- miscible displacement 169–170, 170
- modifications 178, 180
- process mechanism 169–170, 170
- reliable source of supply 176–177
- into reservoir 173
- slug injection 178–179, 179
- transportation method 177
- volume effects 170
- carbonic acid 311
- Carman-Kozeny 48
- Cartesian coordinate system volume element 50
- cavernous reservoirs 7
- cells 70
- cementation 2, 11, 26
- Charles's law 319
- chemical destruction 201
- chemical EOR 197–223. *see also*
 - chemical flooding
- chemical flooding 197
 - alkaline 214–223
 - micellar-polymer 205–213
 - polymer 198–205
- chemical sedimentary rocks 2
- chemical weathering 4
- circular reservoir 83
- Clark apparatus AK-4 312–315, 312
- clastic sedimentary rocks 2
- clays, influence of 216, 216
- cleanup after completion 78
- closed boundaries 87
- colloidal dispersed gels (CDG) 248–253, 249
 - applicability criteria 249
 - completed projects 249–252, **250**, 251–252
 - implementation technology 252–253, 253
 - process mechanism 248–249
- compaction 2, 11
 - mechanical 10
- compartmentalization coefficient 18
- composite reservoirs 44
- compressibility 41, 86
- compressor equipment 139, 268
- condensing gas drive process 144
- condensing gas oil displacement
 - process 151
- connate water saturation (S_{wc}) 20
- connected pores 10
- conservation principle in fluid flow
 - 52–54, 53
- constant flux boundary 54
- constant potential boundaries 53, 86
- constant terminal pressure solution 76
- constant terminal rate (CTR), for radial
 - models 55–75
 - boundary conditions 56
 - dimensionless pressure vs. dimensionless time **62–64**
 - equations 55
 - initial condition 56
 - non-steady-state flow regimes and dimensionless variables 58–59
 - semi-steady state solution 69–73, 70
 - solution and flow regimes 56
 - steady-state solution 56–58, 57
 - unsteady state solution 59–69
 - in well testing 73, 75
- contact angle
 - constants 28, **30**
 - hysteresis **338**
- contact angle method 333–334
- contact angle summary 337–338, 338, **338**
- data reporting requirements 337
- equipment setup 334–335, 335
- results 336–337, **336**
- sample preparation, sessile drop
 - method 334
- test procedures 335–336

contingent resources 94, 95, 97, 101
 continuity equation 51
 continuous steam injection 124–125
 continuous-type deposit 96
 conventional capillary pressure
 curve 31
 conventional deposit 96
 core cleaning 341
 corner of rectangular boundary 83
 cracked reservoirs 7
 critical micelle concentration
 (CMC) 228
 crude oil 89
 cryogenic technology 163
 cyclic steam injection 124
 process mechanism 125
 stages 130

d

Darcy's Law 15, 51, 86
 with continuity equation 51
 fracture flow 46–49, 47, 48
 high-velocity flow 45–46
 permeability of combination
 layers 43–45
 radial flow 41–42
 steady-state solution 58
 Darcy unit system 15
 deep gas-air heater 139
 degree of confidence in estimates
 (G Axis) 108, 109
 degree of proof of reserves 90–91
 delayed action polymers (DAP) 245
 denitrification process 236
 density of rocks 302–310
 apparent density of rock 306–308,
 307, 308
 geometric method 305–306, 306
 methods of liquid weighing 303–304,
 303
 porosimeter method 304–305, 304
 true density of rocks, pycnometric
 method 308–310, 309
 Designer Water 261, 261
 destruction, polymer 201

dextran biopolymer 232
 diagenesis impact 10–12, 11
 Dietz shape factor 72
 differential equations, fluid flow
 50–54
 conservation principle in fluid
 flow 52–54, 53
 discontinuities in porous media 54
 equation of state 51–52
 law of conservation of mass 50–51
 momentum equation 51
 real gas flow in porous media 52
 diffusivity equations 41, 73
 dimensionless external radius 59
 dimensionless form 72
 dimensionless pressure 59
 drop 79
 dimensionless radius 58
 dimensionless time 59
 dimensionless variables 58–59, 61
 direct-flow combustion 131
 discontinuities in porous media 54
 dissolution 4
 dissolved gas 89
 dolomites 13
 double porosity 13
 downhole steam generator 129
 drainage 340
 drainage curve 31, 32
 drawdown equation 68
 dry forward combustion 132–133,
 133
 burnt zone 132
 coke formation zone 133
 combustion zone 132
 phenomena 133
 zoning for 133
 dry gas 39, 40
 Du Noüy ring method 359–360
 dynamic model 286

e

Earth
 internal heat engine 3
 internal structure of 3

Eclipse 293
 economic efficiency 380–386
 calculation example 387–390,
 387–389, 389, 391, 391
 sensitivity to risks 386–387
 effective porosity 10
 effective zoning factor 48
 electrical properties of rocks 24
 El Tordillo field 249
 energy resource 92
 enhanced oil recovery (EOR) 41, 92,
 117, 119, *119–120*, 197–223, 377
 chemical methods 119
 determining optimal time to
 start 377–378, 378
 economic efficiency of 380–391
 mechanism **120**
 methods for *119*
 production of thermal recovery *145*
 projects *144*
 technological efficiency of 378–380,
 379
 tertiary methods 92
 enriched gas injection, oil
 displacement 149–152, *150–151*
 entry pressure 31
 environmental-socio-economic viability
 (E Axis) 106–107, 109
 equation of state 51
 equipotential lines 86
 equivalent liquid permeability 86
 erosion 3, 4–5
 estimated ultimate recovery (EUR) 95,
 100
 Euler's Constant 66
 exact solution 73
 explored reserves 103–104
 exponential integral 66
 extracellular polymeric substances
 (EPS) 231, 234
 extrusive igneous rocks 4

f

fault trap 8, 8
 fermentation process 236–237

field
 defined 96
 modeling 286
 finite acting 63
 first contact miscibility (FCM) 158
 flow net 86
 flow rate 73
 changes 78
 flue gases 157, 158
 fluid distribution, in reservoirs 20–23
 fluid flow, in porous media 41–87
 constant terminal pressure
 solution 76
 constant terminal rate, for radial
 models 55–75
 Darcy's law. *see* Darcy's law
 differential equations 50–54
 ideal gas flow 86–87, 87
 steady-state flow 54–55, 55
 superposition 76–85
 fluid–fluid interactions 16
 fluid–rock interactions 16
 fluids segregation 20
 foam-assisted WAG 182, 185
 forced ignition 138
 Forchheimer equation 46
 forecasted resources 105
 forefront EOR 245
 colloidal dispersed gels, injection of
 248–253
 in depth fluid diversion 245–256
 high pressure air injection 261–268
 low-salinity water, injection of
 256–261
 organic oil recovery methods 268–274
 preformed particle gels, injection of
 254–256
 thermoactive polymers, injection of
 245–248
 formation resistivity factor (*F*) 25, 25
 formation water (FW) 328
 fracture flow 46–49, 47–48
 fracture porosity 13, 13
 fracture shape 48–49
 factor 48

free gas 89
 free water level (FWL) 22
 frost wedging 4

g

gas and oil traps
 lithological traps 8–9
 stratigraphic traps 9, 9
 structural traps 8, 8
 gas cap 20, 21
 gas condensate 37, 38
 gas EOR 261
 gas flooding 143
 CO₂ injection 167–180
 dynamic miscibility 144
 hydrocarbon gas injection 145–157
 miscibility of the first contact 143
 nitrogen injection 157–167
 in USA 145
 water–gas impact on
 formation 180–192
 gas hydrate accumulations 96
 gas injection 116–117, 143
 gas–oil transition zone 21
 gas saturation (S_g) 20, 21
 gas-slip effects 86
 geological hazards 5
 geological heterogeneity of rocks 18
 geological modeling, 286–291, 287–290
 geologic reserves 95
 geometric method 305–306
 apparent mineralogical density 306
 pycnometric method 305–306
 volumetric method 305
 glaciers erosion 5
 goniometer experimental setup 335
 granulometric composition of
 rock 301–302
 gravity erosion 5
 Grupo Neuquén formation 249–250
 gypsum 217

h

Hagen–Poiseuille equations 49
 heat exchange 126

helium grain volume and grain density
 grain volume and grain density
 calculation 319
 sample preparation 316–317
 test equipment 317–318, 317–318
 test procedures 318–319
 helium pore volume 320
 pore volume and porosity
 calculation 322
 sample preparation 320
 test equipment 320–321, 321
 test procedures 321–322
 heterogeneity effects 335
 high-pressure air injection (HPAI) 245,
 261–265
 applicability criteria 264
 field implementation 264–267,
 266–267, 267
 implementation technology 268
 process mechanism 262–264, 263,
 264
 high-pressure gas injection 146–149,
 146–149
 immiscible displacement 146, 146
 miscible displacement 147–149,
 147–149
 Hurst and Van Everdingen solution
 61–63, 76
 hybrid WAG 182, 183
 hydraulic head 86
 hydraulic radius of fracture 49
 hydrocarbon(s)
 bearing formation resistance 27
 classification 89–90
 nomenclature 89–90, 90
 oil reserves, classification 90–92, 91
 recovery 113
 reserves. *see* reserves
 reservoirs 6–7
 reservoirs modeling 286
 hydrocarbon gas injection 145–157
 applicability criteria 153, 154
 development systems 157
 enriched gas injection 149–152,
 150–151

- field implementation 154–155, 154–155
- high-pressure gas injection 146–149, 146–149
- implementation technology 155–157, 156
- liquefied gas injection 152–153, 152, 153
- mechanism of mixing displacement of oil 145
- modifications of method 156–157
- process mechanism 146–153
- transition zone 145
- hydrodynamic modeling 291–292 of EOR 292–293
- hydrodynamic processes 377
- hydrological cycle 3–4, 4
- hydrolysis 4
- hydrophilic domains 335
- hydrophilicity 235
- hydrophobic domains 335
- hydrophobicity 235
- hysteresis, imbibition and drainage 31–32, 32
- i**
- ideal gas flow 41, 86–87, 87
 - equivalent liquid permeability 86
 - gas-slip effects 86
 - isopotentials 86–87, 87
 - source/sink representation 86–87, 87
 - streamlines 86–87, 87
- idealized model 21
- igneous rocks 1
 - extrusive 4
 - intrusive 4
- ignition of oil in reservoir 138–139
- image well theory 41
- imaginary wells 77, 83–85, 84, 85
- imbibition 340
 - curve 32, 32
- immersed bulk volume 330
- immiscible hydrocarbon gas injection, oil displacement 146, 146
- impermeable boundaries 86
- impermeable rocks 6
- improved oil recovery (IOR) 117
- in depth fluid diversion 245–256
- induced porosity 10
- infinite-acting reservoir 53, 63
- infinite radial system 76
- infinite reservoir case 61
- infinite system solution 73
- initial fluid distribution 21
- initial or ultimate reserves 95
- initial water saturation (S_{wi}) 20
- injected gas 89
- in situ* combustion 131–141, 131
 - applicability criteria 135–137
 - borehole design 139–140
 - compressor equipment 139
 - direct-flow combustion 131
 - dry forward combustion 132–133, 133
 - field implementation 137–138
 - ignition of oil in reservoir 138–139
 - implementation technology 138–141, 139–141
 - process mechanism 132–135
 - reverse combustion 131, 134–135, 135
 - screening parameters 136
 - separation of well products 140
 - wellhead of ignition well 139, 140, 141
 - wet forward combustion 132–134, 134
- interfacial tension (IFT) 28–29, 30, 228, 356–357, 356
 - from compositional data 357
 - correction factor 356–357
 - determination methods 357–361, 358
 - Du Noüy ring 359–360, 360
 - force tensiometry 359
 - oil activity on 214, 215
 - Wilhelmy Plate 360–361, 361
- interference tests 78
- interparticle (intergranular) porosity 12, 12
- INTERSECT EOR 293
- intraparticle porosity 13, 13
- intrusive igneous rocks 4
- irreducible water saturation (S_{wir}) 20, 21

isopotential lines 86, 87
 isothermal compressibility 70
 isothermal flows 51

k

kaolinite 217
 Klinkenberg and non-Darcy effects,
 steady-state flow
 inertial flow-corrected pressure
 plot 366, 367
 Klinkenberg plot 364–365, 365
 slippage-corrected pressure plot 365,
 366
 Klinkenberg effect 17
 Klinkenberg permeability 364
 known accumulations 94–96
 Kozeny equation 49

l

laboratory capillary pressure
 measurements 30–31
 Laplace transform 61
 late-transient phase 61
 law of conservation of mass 50–51
 layered heterogeneity 18
 limestone 2, 13
 linear flow model 43, 43
 line source solution 63–67
 liquefied gas injection, oil
 displacement 152–153, 152–153
 liquefied natural gas 89
 liquid hydrocarbons 89
 liquid saturation porosity 327–328,
 328
 porosity calculation 330
 re-saturation porosity quality control
 issues, checks, and diagnostics
 330
 sample preparation 328–329
 test equipment 329, 329
 test procedures 329–330
 liquid weighing
 Melcher's method 304
 saturation method 303–304
 lithological traps 8, 9

logarithmic approximation 82
 LomaAltaSur field 249
 low-pressure gas injection 146
 low-salinity water (LSW) 256–261
 applicability criteria 258–259
 field implementation 259–260, **259**
 implementation technology 260–261,
 261
 process mechanism 257–258

m

macroheterogeneity of rock 18
 magma 2
 Mars, rock cycle on 5
 mass flux 50
 material balance equation 70
 material balance method 105
 mean reservoir pressure 57
 mechanical compaction 10
 mechanical destruction 201
 mechanical weathering 4
 Melcher's method 304
 mercury immersion system 322–323
 test equipment 326–327, 326
 test procedures 327
 mercury pycnometer 323
 test equipment 324–325, 325, **325**
 test procedures 326
 metamorphic rocks 2
 formation of 3
 methanogenic biodegradation 237
 micellar-polymer flooding 205, 206
 applicability criteria 210, 210
 field implementation 210–212,
 211–212
 implementation technology 213
 injection sequence, composition and
 structure of solutions 213
 micellar solutions, types of 208–209,
 208
 process mechanism 205–207, 206
 structure and composition of
 solutions 207–209, 208–209
 well placement 213
 microbial diversity 235

- microbial enhanced oil recovery (MEOR) 225
 - applicability criteria 241, 241
 - biofilms 233–236
 - biogenic gases 236–237
 - biopolymers 231–232
 - biosurfactants 227–230
 - field implementations 242–243
 - implementation technology 243–244
 - microorganisms, environmental
 - impacts of 225–227
 - process mechanism of 237–241, 238, 240
 - solvents and acids 237
 - microbiological destruction 201
 - microheterogeneity of rock 18
 - microorganisms, environmental impacts of
 - pH 226
 - salinity 227
 - temperature 225–226
 - mineral dissolution 10
 - mineralogical changes 10
 - miscible gas injection 41
 - miscible hydrocarbon gas injection, oil
 - displacement 147–149, 147–149
 - mixed regime 92
 - mixed reservoirs 7
 - mixed wettability 333
 - mixing methods 119, **120**
 - mobility coefficient 121
 - modified dimensionless time 73
 - modified sessile drop method 333, 334, 336
 - molasses fermentation 242
 - molds 13, 14
 - montmorillonite 217
 - moon, rock cycle on 5
 - mud invasion 22
 - multicomponent ion exchange (MIE) 258–260
 - multiple wells 76
- n**
- natural gas 89
 - natural water influx 76
 - negative skin factor 68
 - net confining stress (NCS) 363
 - net present value (NPV) 380–381
 - neutrally wet 332
 - nitrogen injection 157–167
 - at Akal field 164
 - applicability criteria 160–161, 161
 - development systems 166
 - disadvantages of method 161
 - field implementation 161–163, 162–163
 - into gas cap 164, 165
 - gravity drainage 165, 166
 - implementation technology 163–167, 164–167
 - maintaining reservoir pressure 166, 167
 - mechanism of displacement of oil 157
 - mixing displacement 164–165, 165–166
 - modifications 164
 - process mechanism 158–160, 159–160
 - no-flow boundaries 86
 - non-Darcy flow coefficient 46
 - nonrepresentative results **338**
 - non-steady-state flow regimes 58–59
 - nonviable projects 109
 - nonwetting liquid 27, 28
 - n*-th flow rate period 80
- o**
- OBM. *see* oil-based muds (OBM)
 - Ohm's Law 24
 - oil and gas traps 7, 7–8
 - lithological traps 8, 9
 - stratigraphic traps 9, 9
 - structural traps 8, 8
 - oil and gas zone 76
 - oil-based muds (OBM) 23
 - oil-bearing rock properties 301
 - accuracy and repeatability of porosity measurements 331–332
 - Amott (Amott–Harvey)
 - method 339–348
 - Amott–USBM combination
 - method 352–355

- oil-bearing rock properties (*Cont.*)
 - bulk volume 322–327
 - carbonate content 310–312
 - collector properties 315–316
 - contact angle method 333–338
 - determination of carbonate content,
 - gasometric method 312–315
 - determining density of rocks 302–310
 - extraction of oil-saturated rock
 - samples 315–316
 - granulometric composition of
 - rock 301–302
 - helium grain volume and grain
 - density 316–319
 - helium pore volume 320–322
 - interfacial tension 356–361
 - liquid saturation porosity 327–330
 - porosity measurements 316–332
 - steady-state liquid permeability
 - measurements 371–374
 - steady-state permeability
 - measurements 361–367
 - unsteady-state permeability
 - measurements 366–370
 - USBM method 348–352
 - wettability tests 332–356
 - oil field 7, 92
 - oil oxidation 262–263, 265
 - oil recovery factors (ORF) 93, 120
 - oil recovery methods
 - primary recovery 113, 114
 - secondary recovery 113–117, 114
 - stages and applied extraction
 - technologies 118
 - sweep efficiency 120–121, 121
 - tertiary recovery 117, 119–120, 119, 120
 - oil reserves, classification 90–92, 91
 - current state of production and field
 - development 91–92, 92
 - degree of proof of reserves 90–91
 - energy resource 92
 - possible ORF 90
 - oil reservoirs 123
 - oil-saturated rock samples 315–316, 315
 - oil saturation (S_o) 20
 - oil viscosity 123, 127
 - oil-water
 - emulsion 214
 - transition zone 22
 - oil-water contact (OWC) 20, 76
 - and transition zone 22
 - oil wet 332
 - oil-wetting index 347
 - oil zone 21–22
 - open boundaries 87
 - optimal time 377–378, 378
 - organic oil recovery (OOR) 268–274, 269
 - organogenic sedimentary rocks 2
 - orthogonal to equipotential lines 86
 - outer boundary 56
 - OWC. *see* oil-water contact (OWC)
 - oxidation 4, 262–263, 265
- p**
- paraffin coating method. *see* Melcher's method
 - pendant drop method 357–359, 359
 - advantages of 358
 - illustration of 359
 - permeability
 - effects on capillary pressure 32–33, 33, 33
 - measuring 14
 - permeability of combination
 - layers 43–45
 - composite reservoirs 44
 - interbedded reservoir rocks 43–44, 43
 - radial flow in multiple beds 44–45, 45
 - petroleum-initially-in-place 94
 - petroleum-in-place 94
 - pH 226
 - theory 258
 - phase permeability 16
 - physical (mechanical) weathering 4
 - physicochemical processes 377
 - pinch-out trap 9
 - plane-fault boundary 83
 - planetary evolution, factors
 - influencing 5
 - polymer-alkali flooding 218, 221

- polymer flooding 119, 197, 198, 204
 - adsorption 200–201
 - applicability criteria 202, 202
 - destruction 201
 - field implementation 202–204, 203
 - implementation technology 204–205, 204
 - non-Newtonian rheology 199–200, 199–200
 - process mechanism 198–201
 - salt effect and water hardness 201
 - surface activity 198
 - thickening of injected water 198
 - polysaccharides 234
 - pore radius 28
 - porosity 25. *see also* rock porosity
 - accuracy and repeatability of 331–332
 - bulk volume 322–327
 - helium grain volume and grain density 316–319
 - helium pore volume 320–322
 - liquid saturation porosity 327–330
 - measurements 316–332
 - tortuosity and 26
 - porous media, fluid flow in 41–87
 - constant terminal rate, for radial models 55–75
 - Darcy's law. *see* Darcy's law
 - differential equations 50–54
 - ideal gas flow 86–87, 87
 - real gas flow in 52
 - steady-state flow 54–55, 55
 - porous media, fluid interactions in 16
 - porous reservoirs 6
 - positive skin factor 68
 - possible oil recovery factor (ORF) 90
 - potentially viable projects 108
 - potential resources 104
 - practical implementation of EOR
 - core analysis 285
 - implementation of 294–295, 294–297
 - phase behavior of formation fluids 284–285
 - screening assessment 281, **282–283**, 284
 - simulation of 286–293
 - technology readiness levels (TRLs) 297–298, **298**, 299
 - preformed particle gels (PPGs) 254–256
 - applicability criteria 254–255
 - field implementation 255
 - implementation technology 255–256, 256
 - process mechanism 254
 - preliminary estimated reserves 104
 - pressure
 - communication, between source rock and reservoir 19
 - drop 76
 - maintenance case 56
 - perturbation 81
 - pressure, volume, temperature (PVT) 284–285
 - primary hydrocarbon recovery 113, 114
 - primary porosity 9–10
 - primary reserves 92
 - production testing 78
 - products 106
 - project 96, 106
 - defined 106
 - nonviable 109
 - potentially viable 108
 - prospective 109
 - viable 108
 - prospective projects 109
 - prospective reserves 95
 - prospective resources 94, 95, 101–102
 - proved plus probable scenario 97
 - Pseudomonas* spp. 229–230
 - P. aeruginosa* 235
 - pycnometric method 305–306, 306
 - data processing 310
 - equipment and instruments 309
 - measurement data **309**
 - procedure steps 309
 - true density of rocks 308–310
- r**
- radial diffusivity equation 59, 70
 - radial flow 41–42
 - in multiple beds 44–45, 45
 - reservoirs 58

- real gas flow in porous media 52
- receding contact angle 335
- recrystallization 11
- rectangular-shaped reservoirs 85
- reef massif, trap confined to 9
- regular production 78
- relative permeability 14, 16
 - capillary pressure and 33–36, 34–36
- re-saturation pore volume 330
- re-saturation porosity 328, **328**, 330
- reserves
 - defined 94
 - graphical representation 95
 - Russian classification 103–105, 103–104
 - SPE/WPC/AAPG classification of 93–102, **102**
- reservoir 131, 143
 - composite 44
 - continuity 78
 - coverage 126
 - defined 96
 - ignition of oil in 138–139
 - management techniques 67
 - modeling 286
 - pressure 136
- reservoir engineering
 - capillary pressure 27–36
 - geological heterogeneity of rocks 18
 - hydrocarbon reservoirs 6–7
 - oil and gas traps 7–9
 - reservoir fluids, types of 36–40
 - resistivity 23–27
 - rock permeability 14–17
 - rock porosity 9–14
 - rocks and types 1–5
 - saturation 19–23
 - sedimentary rocks, forms of occurrence of 5–6
- reservoir fluids
 - black oil 36, 37
 - dry gas 39, 40
 - gas condensate 37, 38
 - volatile oil 37, 38
 - wet gas 37, 39
- reservoir heterogeneity 215
- reservoir oil 217
- reservoir oil–flue gas–propane system 153
- residual oil saturation (S_{or}) 32
- resistivity 23
 - electrical properties of rocks 24
 - empirical relationships and cementation 26
 - formation resistivity factor 25
 - Ohm's Law and resistivity 24–25
 - resistivity index 26–27
 - tortuosity and porosity 25
 - and water saturation 26–27
- resource base 94
- resources **110**
 - defined 94
 - graphical representation 95
 - Russian classification 104
 - uncertainty categories 98, **100**
 - United Nations Framework Classification for Resources (UNFC) 105–110, 107
 - volume 95
- reverse combustion 131, 132, 134–135, 135
- rhamnolipids 229–230
- Rhodococcus* spp. 230
- risk
 - based approach 98, 99
 - defined 98
- rock(s)
 - cycle 2–5, 3
 - erosion 5
 - occurrence, mode of 6
 - types 1–2
- rock permeability 14–15, 136
 - Klinkenberg effect 17
 - types 16–17
- rock porosity
 - close packing 12
 - connected/nonconnected pores 10

- cubic packing 11, 12
- diagenesis impact 10–12
- effective and total 10
- 4 by 4 packing 12
- primary and secondary 9–10
- rhombohedral packing 12
- types of 12–14
- wide packing 12
- routine core analysis (RCA) 316
- Russian classification
 - reserves 103–105, 103–104
 - resources 104
- S**
- salinity 201, 205, 216, 227
- sandiness coefficient 18
- sandstone 2
- saturation method 303–304
- saturation
 - distribution in reservoirs 19–20
 - fluid distribution in reservoirs 20–23
- scenario approach 99–100
- screening assessment 281, **282–283**, 284
- sealing boundary case 56
- secondary hydrocarbon recovery
 - 113–117, 114
 - gas injection 116–117
 - water injection 114–116, 114–116
- secondary porosity 9–10
- secondary reserves 92
- sedimentary rocks 2–3
 - formation of 3
 - forms of occurrence of 5–6, 6
- selective simultaneous WAG (SSWAG) 184
- semi-steady flow regime 69
- semi-steady state solution 69–73, 70
 - drainage area shape factors **74–75**
 - generalized reservoir geometry 72–73
 - isothermal compressibility 70
 - material balance equation 70
 - pressure drop from initial reservoir pressure 71
 - radial diffusivity equation 70
 - volume-weighted average pressure 71
- sequence WAG 183
- sessile drop method 333, 334, 336
- shale 2
- Shewanella oneidensis mr-1* 235
- simulating boundary effects
 - (image wells) 41, 83–85, 84–85
- simulation 286–293
 - geological modeling 286–291
 - hydrodynamic modeling 291–293
- simultaneous WAG (SWAG) 184
- skin factor 67–69, 68
- skin zone 67
- Society of Petroleum Engineers (SPE) 93–102
- Soxhlet apparatus 315
- special core analysis (SCAL) 316
- specific permeability 16
- speculative reserves 95
- spontaneous ignition 138
- static model 286
- steady-state flow 54–55, 55
- steady-state liquid permeability
 - measurements 371, **372**
- sample preparation 371–372
- saturation procedures 372
- test procedures and permeability
 - calculation 372–374, 374
- steady-state permeability measurements
 - evaluation of Klinkenberg and non-Darcy effects 364–366, 365–367
 - gas permeability and Klinkenberg permeability 364
 - sample preparation 361
 - test equipment 362–363, 362
 - test procedures 363–364
- steady-state radial flow equation 67
- steady-state solution 56–58, 57
- steam-assisted gravity drainage (SAGD)
 - technology 125–128, 130
- steam-cyclic stimulation 129
- steam flooding 41

- steam generator 128
 - steam injection 120, 123–130
 - applicability criteria 125–126, 127
 - continuous 124
 - cyclic 124
 - downhole steam generator 129
 - field implementation 126–128
 - implementation technology 128–130, 128–130
 - modifications 127
 - process mechanism 124–125, 124
 - steam-cyclic stimulation 129
 - stratigraphic traps 9, 9
 - streamline analysis 41
 - streamtube 86
 - structural traps 8
 - subcapillary pores 14, 18
 - sulfate-reducing bacteria (SRB) 240
 - supercapillary pores, fluid filtration in 14
 - superimposing 77
 - superposition 75, 76–85
 - approximation of variable-rate
 - pressure histories 78–81, 79, 81
 - imaginary wells 77
 - multiple wells effects 77–78, 77
 - n -th flow rate period 80
 - principle 41, 64, 80
 - rate changes effects 81–83, 82
 - shut in 80
 - simulating boundary effects
 - (image wells) 83–85, 84–85
 - surface roughness effects 338
 - surfactants 228–229. *see also*
 - biosurfactants
 - flooding 119
 - influence 336
 - sweep efficiency 120–121, 121
 - syncline 6
- t**
- technical feasibility and maturity
 - (F Axis) 107–108, 109
 - technical reserves 95
 - technological efficiency 378–380, 379
 - technology readiness levels
 - (TRLs) 297–298
 - tectonic activity, absence on moon and
 - mars 5
 - tectonic plates, movement of 3
 - temperature 225–226
 - Tempest More 293
 - terrigenous rocks 7
 - tertiary hydrocarbon recovery 117, 119–120, 119, 120
 - tertiary reserves 92
 - thermal and gas EOR projects 144
 - thermal destruction 201
 - thermal EOR 172
 - in situ* combustion 131–141, 131
 - steam injection 123–130
 - thermal expansion 4
 - thermal methods 119, 120
 - thermoactive polymers 245–248
 - applicability criteria 247
 - field implementations 247
 - implementation technology 248
 - process mechanism 246
 - 3D models 286–291. *see also* geological
 - modeling
 - three-phase system, fluid
 - components 16
 - tortuosity 25
 - total porosity 10
 - transient conditions 86
 - transient solution 61
 - transportation method 177
 - true density of rocks 308–310
 - data processing 310
 - equipment and instruments 309
 - measurement data 309
 - procedure steps 309
 - true grain density 305
 - two-phase system, fluid
 - combinations 16
- u**
- unbounded (infinite-acting) reservoir 64
 - uncertainty-based approach 98–100, 101

- undisturbed reservoir 75
 - United Nations Framework Classification
 - for Resources (UNFC) 105–110, 107
 - applications 106
 - classes and subclasses 108–109
 - E Axis 106–107
 - F Axis 107–108
 - G Axis 108
 - key components 106–108
 - unsteady-state permeability
 - measurements 366–368, **367**
 - test equipment 368–369, 368, 369
 - test procedures and permeability
 - calculation 369–371, 370
 - unsteady-state solution 59–69
 - general considerations 59–61, 60
 - Hurst and Van Everdingen
 - solution 61–63
 - line source solution 63–67
 - skin factor 67–69, 68
 - USBM method 333, 348–349, **349**
 - index calculation 352, **353**
 - key processes 349–350
 - sample preparation 349
 - test equipment 349
 - test procedures 350–352, 351
- V**
- vaporizing gas drive process 144
 - viable projects 108
 - void space 7, 19
 - volatile oil 37, 38
 - volcanic activity, causes of 3
 - volcanogenic-sedimentary rocks 7
 - volume method 105
 - volumetric method 305
 - volume-weighted average pressure 71
 - vugs 13, 14
- W**
- water
 - drive 76
 - encroachment 76
 - erosion 5
 - flooding 41, 114–116, 114–116, 197
 - gas impact on formation 180–192
 - hardness 201
 - injection 114–116, 114–116
 - resistivity 25
 - saturated rock 19
 - saturated sand 25
 - wet 332
 - wetting index 346–347
 - zone (aquifer) 22
 - water alternating gas (WAG) 186
 - applicability criteria 184–185, 187
 - field implementation 186–189, 188–189
 - gases used in 189
 - immiscible WAG (IWAG) 183
 - implementation technology 189–192, 190–191
 - injection systems 189
 - miscible WAG (MWAG) 183
 - process mechanism 181–184, 182–185
 - tapering or reducing the water–gas ratio 190
 - water saturation (S_w) 20, 22, 26–27
 - weathering 3, 4–5
 - wellbore 41, 61, 68
 - pressure 81
 - radius 62
 - well pressures 73
 - well test analysis 65
 - wet forward combustion 132–134, 134
 - wet gas 37–39, 39
 - wettability 29, 214–215
 - measurement methods 333
 - restoration **338**
 - states 332–333
 - wettability tests 332–333
 - Amott (Amott–Harvey) method 339–348, 339, **339**
 - Amott–USBM combination method 352, **353**

wettability tests (*Cont.*)

contact angle method 333–338

USBM method 348–352, **349**

wetting liquid 27, 28

Wilhelmy Plate method 360–361

wind erosion 5

World Petroleum Council
(WPC) 93–102

X

xanthan gum biopolymer 232

Z

zero option 380

zonal heterogeneity 18

