

Contents

| | |
|--|--------------|
| Preface to the English Edition | <i>xvii</i> |
| Preface to the First German Edition | <i>xi</i> |
| List of Abbreviations | <i>xxi</i> |
| Glossary | <i>xxvii</i> |

| | | |
|----------|-------------------------------------|-----------|
| 1 | Introduction to Microbiology | <i>1</i> |
| 1.1 | Historical | <i>1</i> |
| 1.2 | Importance | <i>2</i> |
| 1.3 | World of Microorganisms | <i>3</i> |
| 1.3.1 | Prions | <i>4</i> |
| 1.3.2 | Viroid | <i>5</i> |
| 1.3.3 | Viruses | <i>5</i> |
| 1.3.4 | Archaea | <i>5</i> |
| 1.3.5 | Bacteria | <i>6</i> |
| 1.3.6 | Chlamydia | <i>6</i> |
| 1.3.7 | Rickettsia | <i>7</i> |
| 1.3.8 | Mycoplasma | <i>7</i> |
| 1.3.9 | Fungi | <i>7</i> |
| 1.3.10 | Protozoa | <i>9</i> |
| 1.4 | The Bacterial Cell | <i>9</i> |
| 1.4.1 | Capsule | <i>11</i> |
| 1.4.2 | Flagella | <i>11</i> |
| 1.4.3 | Fimbriae and Pili | <i>11</i> |
| 1.4.4 | Endotoxins | <i>11</i> |
| 1.4.5 | Exotoxins | <i>12</i> |
| 1.4.6 | Bacterial Morphology | <i>13</i> |
| 1.4.7 | Bacteria Forms | <i>13</i> |
| 1.4.8 | Endospores | <i>13</i> |
| 1.4.9 | Bacterial Physiology | <i>13</i> |
| 1.4.9.1 | Nutrition and Metabolism | <i>14</i> |
| 1.4.9.2 | Ambient Condition | <i>15</i> |
| 1.5 | Taxonomy of Microorganisms | <i>18</i> |
| 1.5.1 | Classification | <i>18</i> |

| | | |
|----------|---|-----------|
| 1.5.2 | Nomenclature | 22 |
| 1.6 | Medical Microbiology | 22 |
| 1.6.1 | Infection Routes | 22 |
| 1.6.1.1 | Direct Routes | 22 |
| 1.6.1.2 | Indirect Route | 24 |
| 1.6.1.3 | Nosocomial Diseases | 24 |
| 1.6.1.4 | Zoonoses | 24 |
| | References | 26 |
| | Further Reading | 27 |
| 2 | General Conditions for the Operation of Microbiological Laboratories | 29 |
| 2.1 | Laws and Technical Regulations | 29 |
| 2.2 | Medical Care for Employees | 33 |
| 2.3 | Operating Description for Microbiological Laboratories | 36 |
| 2.4 | Establishment of Microbiological Laboratories | 37 |
| 2.4.1 | Required Devices/Equipment | 37 |
| 2.5 | Nutrient Media | 39 |
| 2.5.1 | Liquid Nutrient Media (Bouillons) | 40 |
| 2.5.2 | Solid Nutrient Media | 40 |
| 2.5.3 | Selective Nutrient Media | 43 |
| 2.5.4 | Nutrient Media with Chromogenic Substrates | 43 |
| 2.5.4.1 | Failure modes in the Preparation of Solid Culture Media | 43 |
| 2.6 | Media Preparation | 47 |
| 2.6.1 | Required Devices | 48 |
| 2.6.2 | Acetobacter Preservation Agar DSM | 48 |
| 2.6.3 | Bacto <i>Neurospora crassa</i> Agar | 48 |
| 2.6.4 | Baird-Parker Agar | 49 |
| 2.6.5 | BPLS Agar | 49 |
| 2.6.6 | CSA (4.0%) | 50 |
| 2.6.7 | CSA (0.7%) | 50 |
| 2.6.8 | CSB | 50 |
| 2.6.9 | CSB, Double Buffered | 51 |
| 2.6.10 | Cetrimide Agar | 51 |
| 2.6.11 | ChromoCult® Coliform Agar | 52 |
| 2.6.12 | CLP Agar | 52 |
| 2.6.13 | DEV Endo Agar | 52 |
| 2.6.14 | DEV Nutrient Agar | 53 |
| 2.6.15 | DEV Lactose Peptone Broth, Double Concentrated | 53 |
| 2.6.16 | Lactose TTC Agar with Tergitol 7 | 54 |
| 2.6.17 | Lethen Agar | 54 |
| 2.6.18 | MacConkey Agar | 55 |
| 2.6.19 | R2A Agar | 55 |
| 2.6.20 | Sabouraud Agar | 55 |
| 2.6.21 | Standard I Agar | 56 |

| | | |
|--------|--|----|
| 2.6.22 | Standard I Slant Agar | 56 |
| 2.6.23 | VRBD Agar | 57 |
| 2.6.24 | XLD Agar | 57 |
| 2.6.25 | Biotin Maintenance Nutrient Medium | 57 |
| 2.6.26 | Biotin Inoculum | 58 |
| 2.6.27 | Ca-Bio-Nik-Agar | 58 |
| 2.6.28 | Production of the Stock Solutions | 59 |
| 2.6.29 | Calcium Pantothenate Maintenance Nutrient Medium | 59 |
| 2.6.30 | RCM Agar (for Clostridia) | 60 |
| 2.6.31 | Clostridia Culture Medium | 60 |
| 2.6.32 | Meat Extract Agar | 61 |
| 2.6.33 | Fluorocult LMX Broth | 61 |
| 2.6.34 | Folic Acid Cultivation Agar According to Freed | 61 |
| 2.6.35 | Glucose Broth | 62 |
| 2.6.36 | Urea Slant Agar | 62 |
| 2.6.37 | Yeast Extract Agar According to ISO 6222 | 63 |
| 2.6.38 | Lactose Broth | 63 |
| 2.6.39 | Lysine Decarboxylase Culture Medium | 64 |
| 2.6.40 | MacConkey Broth | 64 |
| 2.6.41 | Sodium Chloride Peptone Buffer | 64 |
| 2.6.42 | Peptone water | 65 |
| 2.6.43 | OF Test Nutrient Medium | 65 |
| 2.6.44 | ODC Broth | 66 |
| 2.6.45 | Nitrate Broth | 66 |
| 2.6.46 | Nutrient Gelatin | 66 |
| 2.6.47 | Selenite Cystine Enrichment Broth | 67 |
| 2.6.48 | Protective Medium for Lyophilization | 67 |
| 2.6.49 | SIM Culture Medium | 67 |
| 2.6.50 | Simmons Citrate Agar | 68 |
| 2.6.51 | SLP Agar | 68 |
| 2.6.52 | TBG Broth | 69 |
| 2.6.53 | Thioglycolate Broth | 69 |
| 2.6.54 | Vitamin B ₁₂ -Test Broth | 69 |
| 2.6.55 | Vitamin Folic Acid Test Broth | 70 |
| 2.6.56 | Vitamin Nicotinic Acid Test Broth | 70 |
| 2.6.57 | Vitamin Pantothenic Acid Test Broth | 71 |
| 2.6.58 | Vitamin Biotin Test Broth | 71 |
| 2.6.59 | Wort Agar | 71 |
| 2.6.60 | Yeast Agar | 72 |
| 2.6.61 | Bismuth Sulfite Agar | 72 |
| 2.6.62 | Brolacin Agar | 73 |
| 2.6.63 | Malonate Broth | 73 |
| 2.6.64 | Mannitol Saline Phenol Red Agar | 73 |
| 2.6.65 | Mossel Broth | 74 |
| 2.6.66 | MRS Broth | 74 |

- 2.6.67 MRS Agar with Cysteine 74
- 2.6.68 Rappaport-Vassiliadis Salmonella Broth 75
- 2.6.69 RCM Agar Plus Lithium Chloride 75
- 2.6.70 OM 211 for *Staphylococcus aureus* 76
- 2.6.71 *Klebsiella* maintenance medium 76
- 2.6.72 Inoculation Medium for *Klebsiella pneumoniae* According to Seiffert 77
- 2.6.73 Own Production 77
- 2.6.74 Purchasing 77
- References 78

3 Calibration and Qualification of the Devices 81

- 3.1 Calibration Error 83
- 3.2 Calibration 83
- 3.3 Balance 84
- 3.4 pH Meter 85
- 3.5 Piston Pipettes 85
- 3.6 Stopwatch 86
- 3.7 Devices for Achieving Specific Temperatures 87
 - 3.7.1 Thermometer 87
 - 3.7.2 Incubator 88
 - 3.7.3 Refrigerator/Freezer 89
 - 3.7.4 Hot Air Sterilizer 89
 - 3.7.5 Autoclave 90
- 3.8 Clean Bench 90
 - 3.8.1 Principle 91
- 3.9 Air Sampler 93
- 3.10 Particle Counter 95
- 3.11 Measuring Device for Determining the Water Activity 96
- 3.12 Photometer/Reader 96
- 3.13 Tube Reader for Endotoxin Determinations 98
- 3.14 Fluorescence Reader for Endotoxin Determinations 98
- References 98

4 Stock Collection 101

- 4.1 Reference 101
- 4.2 Shipping 105
- 4.3 Storage 105
- 4.4 Cultivation 106
- References 107

5 Industrial Hygiene 109

- 5.1 Hygiene 109
 - 5.1.1 Pharmaceuticals and Active Substances Manufacturing Ordinance 111
 - 5.1.2 What is the Goal of Industrial Hygiene? 111
 - 5.1.3 Personal Hygiene 111

| | | |
|----------|---|------------|
| 5.1.4 | Inclusion of a Hygiene Register | 111 |
| 5.2 | Microbiological Basics for Hygiene | 112 |
| 5.2.1 | Sources of Contamination During Production | 113 |
| 5.2.2 | Factors Influencing Microbial Purity | 115 |
| 5.2.2.1 | Production | 115 |
| 5.2.2.2 | Consequences | 115 |
| 5.3 | Hygiene Measures | 115 |
| 5.3.1 | To 1: Personal Hygiene | 115 |
| 5.3.1.1 | Wash and Disinfect Hands | 116 |
| 5.3.1.2 | How to Perform a Proper Hand Disinfection? | 116 |
| 5.3.1.3 | Clothing | 117 |
| 5.3.1.4 | Medical Monitoring | 118 |
| 5.3.1.5 | General Behavior | 120 |
| 5.4 | Sterilization, Disinfection, and Aseptic Production | 127 |
| 5.4.1 | Sterilization | 127 |
| 5.4.2 | Sterilization process | 128 |
| 5.4.3 | Disinfection | 128 |
| 5.4.4 | Asepsis | 135 |
| 5.4.5 | Disinfestation | 135 |
| 5.4.6 | Pasteurization | 135 |
| 5.4.7 | Preservation | 136 |
| 5.5 | Hygiene Protocol for Microbiological Laboratories | 136 |
| 5.6 | Pest Control | 137 |
| 5.6.1 | Precautionary Measures | 138 |
| 5.6.2 | Infestation Control | 139 |
| 5.6.3 | Chemical Methods | 139 |
| 5.6.4 | Physical Methods | 139 |
| 5.6.5 | Biological Methods | 139 |
| 5.6.6 | Aftercare | 139 |
| 5.7 | Hygiene Officer | 140 |
| 5.8 | Implementation of Hygiene Training Courses | 140 |
| | References | 143 |
| 6 | Environmental Monitoring | 145 |
| 6.1 | Methods | 145 |
| 6.1.1 | Testing the Room Air | 145 |
| 6.1.2 | Testing Surfaces | 147 |
| 6.1.3 | Testing of Employees | 148 |
| 6.2 | Microbiological Monitoring in the Sterility Test Isolator | 150 |
| 6.2.1 | Example of an Isolator | 151 |
| 6.2.1.1 | Monitoring in the Isolator | 153 |
| 6.2.1.2 | Documentation | 154 |
| 6.3 | Physical Monitoring in Sterile Production | 154 |
| 6.4 | Physical Operation | 155 |
| 6.5 | Evaluation of the Microorganisms | 158 |

- 6.6 Register of Microorganisms 159
 - 6.6.1 Gram-Positive Bacteria 160
 - 6.6.1.1 Staphylococci 160
 - 6.6.1.2 Streptococci 160
 - 6.6.1.3 Enterococci 160
 - 6.6.1.4 Micrococci 161
 - 6.6.1.5 Corynebacteria 162
 - 6.6.1.6 Propionibacteriaceae 162
 - 6.6.1.7 Bacillus 163
 - 6.6.1.8 Paenibacillus 163
 - 6.6.2 Gram-Negative Bacteria 163
 - 6.6.2.1 Enterobacteriaceae 163
 - 6.6.2.2 Pseudomonads 166
 - 6.6.3 Partially Acid-Resistant Rods 169
 - 6.6.4 Yeasts 169
 - 6.6.4.1 *Candida albicans* 169
 - 6.6.4.2 *Cryptococcus neoformans* 169
 - 6.6.4.3 *Rhodotorula* 170
 - 6.6.4.4 *Mucor* 170
 - 6.6.5 Fungi 170
 - References 170
 - Further Reading 172
-
- 7 Quality Control 173**
 - 7.1 Pharmacopeial Methods (Compendial Methods) 173
 - 7.1.1 Determination of TAMC/TYMC and Specified Microorganisms 174
 - 7.1.1.1 Acceptance Criteria for the Microbiological Quality of Non-sterile Substances for Pharmaceutical Use 175
 - 7.1.1.2 Testing for Sterility 177
 - 7.1.1.2.1 Example of Membrane Filtration 178
 - 7.1.1.2.2 Example of Direct Inoculation 178
 - 7.1.1.3 Detection of Fever-Inducing Substances 179
 - 7.1.1.3.1 Historical 185
 - 7.1.1.3.2 Determination Methods 186
 - 7.1.1.3.3 Endotoxin Standard Series 186
 - 7.1.1.3.4 Reference Standards BRP-4.x and EC-6 186
 - 7.1.1.3.5 Control Standard NP-4 and *Escherichia coli* Standards 187
 - 7.1.1.3.6 Controls During the Test 188
 - 7.1.1.3.7 Laboratory Confirmation of Lysate Sensitivity 189
 - 7.1.1.3.8 Testing a Product 189
 - 7.1.1.3.9 Alternative Procedure 197
 - 7.1.1.3.10 In Vitro Pyrogen Test (IPT or Monocyte Activation Test, MAT) 197
 - 7.1.1.3.11 Masking/Demasking 200
 - 7.1.1.4 Checking for Sufficient Preservation 202
 - 7.1.1.4.1 Test Organisms 204

- 7.1.4.2 Performance of the Preservative Load Test 205
- 7.1.5 Determination of Antibiotic Activities 205
 - 7.1.5.1 Example: Determination of the Content of the Active Substance
Gentamycin Sulfate 205
 - 7.1.5.2 Specification 205
 - 7.1.5.3 Sample Preparation 205
- 7.1.6 Determination of Mycoplasmas 208
- 7.1.7 Testing for Mycobacteria 210
- 7.1.8 Evaluation of Bioindicators 211
 - 7.1.8.1 Determination of the Number of Spores on Spore Strips 211
 - 7.1.8.2 Determination of the Spore Count in Ready-to-Use Ampoules Such as
Sterikon® Plus (Figure 7.6) 213
 - 7.1.8.3 Evaluation of Bioindicators After an Autoclave Run 213
- 7.2 Non-Compendial Methods 214
 - 7.2.1 Determination of Vitamin Concentrations 214
 - 7.2.1.1 Operating the Vibrating Mill 216
 - 7.2.1.2 Example for the Determination of Cyanocobalamin in Vitaminized
Gummy Sweets 216
 - 7.2.1.3 Determination of Cyanocobalamin 217
 - 7.2.2 Determination of β -1,3-D-Glucans 220
 - 7.2.3 Testing of Packaging Materials 221
 - 7.2.3.1 Testing Bottles, Vials, and Ampoules 222
 - 7.2.3.2 Testing Pipettors 222
 - 7.2.3.3 Testing Stoppers, Droppers, and Small Lids 222
 - 7.2.3.4 Large Lids 223
 - 7.2.3.5 Blister Packs 223
 - 7.2.3.6 Large Containers 223
 - 7.2.4 Detection of Probiotic Bacteria 224
 - 7.2.4.1 Determination of the Total Aerobic Microbial Count (TAMC) Using the
Plate Castin Method 225
 - 7.2.5 Microscopic Cell Size Measurement 226
 - 7.2.6 Bioburden Determination of Detergents and Disinfectants 227
 - 7.2.6.1 Microbiological Examination of Cleaning Agents and Disinfectants for
Total Bacterial Count and Bacterial Species 227
 - 7.2.7 Inoculation Tests 228
 - 7.2.7.1 Implementation 228
 - 7.2.7.2 Materials Needed 228
- 7.3 Tests Using Animal Models 228
 - 7.3.1 Rabbit: Testing for Pyrogens – Ph. Eur. 2.6.8 231
- 7.4 Cell Culture Methods 231
 - 7.4.1 Historical 232
 - 7.4.2 Operational Description of a Cell Culture Laboratory 233
 - 7.4.3 Safety Instructions 233
 - 7.4.4 Waste 233
 - 7.4.5 Passaging Cells 234

- 7.4.6 Determination of Total Cell Count and Live Cell Count in the Counting Chamber 234
- 7.5 Validation of Pharmacopeial Methods 235
 - 7.5.1 Testing for Sterility 236
 - 7.5.1.1 Description of the Implementation Using the Example of Membrane Filtration 236
 - 7.5.2 Testing for TAMC/TYMC and Specified Microorganisms 238
 - 7.5.2.1 TSB Nutrient Medium 239
 - 7.5.2.2 Sabouraud Glucose Nutrient Medium (Without Antibiotics Such as Chloramphenicol) 239
 - 7.5.2.3 Procedure 240
 - 7.5.2.4 Audit Scope 241
 - 7.5.2.5 Bracketing Concept 241
 - 7.5.2.6 Plate Casting Process 241
 - 7.5.2.7 Membrane Filtration 242
 - 7.5.3 Testing for Endotoxins 246
 - 7.5.3.1 Test for Inhibition and Amplification 246
 - 7.5.3.2 Determination of the Endotoxin Limit Value 247
 - 7.5.3.3 Summary and Evaluation 256
 - 7.5.3.4 Nomenclature for Validation Parameters for the LAL Test 257
 - 7.5.4 Determination of Antibiotic Concentrations 257
 - 7.5.4.1 Determination of Gentamycin Activity by the Turbidimetric Method 258
 - 7.5.4.2 Summary 262
 - References 263
 - Further Reading 266
- 8 Process Validations 267**
 - 8.1 Media Fill 267
 - 8.1.1 Targets 267
 - 8.1.2 Bracketing Concept 268
 - 8.1.3 Examples 268
 - 8.1.4 Training of the Employees Who Evaluate the Media Fill 269
 - 8.1.5 Implementation of the Media-Fill Run 269
 - 8.1.6 Acceptance Criteria 270
 - 8.1.7 Media Fill Fail 272
 - 8.1.8 New Developments in Media-Fill Bouillons 273
 - 8.2 Depyrogenation 274
 - 8.2.1 Result 275
 - 8.2.2 Depyrogenation Tunnel 276
 - 8.2.3 Result 276
 - 8.3 Validation of Sterilization with Dry Heat 276
 - 8.4 Validation of Sterilization Using Moist Heat (Autoclave) 278
 - 8.5 Validation of Sterile Filtration 279
 - 8.5.1 Validation of the Filter Type 280

| | | |
|-----------|--|------------|
| 8.5.2 | Validation of the Filtration System | 280 |
| 8.5.2.1 | Product-Related Validation | 280 |
| 8.5.2.2 | Process-Related Validation | 280 |
| 8.5.3 | Integrity Testing of Membrane Filters | 281 |
| 8.5.3.1 | Bubble Point Test | 281 |
| 8.6 | Container Closure Integrity Test | 282 |
| 8.6.1 | Aim of the Validation | 283 |
| 8.6.2 | Description of the Materials Used and the Method | 283 |
| 8.6.3 | Description of the Vials and the Stoppers | 283 |
| 8.6.4 | Preparation of the Immersion Suspension and Determination of the Bacterial Count | 283 |
| 8.6.5 | Pretreatment of Vials and Stoppers | 284 |
| 8.6.6 | Filling of the Culture Medium, Sealing, and Crimping | 284 |
| 8.6.7 | Leak Test | 284 |
| 8.6.8 | Growth Test After the Leak Test | 284 |
| 8.6.9 | Results | 285 |
| 8.7 | Cleaning Validation | 286 |
| 8.7.1 | Aim of the Cleaning Validation | 287 |
| 8.7.2 | Acceptance Limits | 287 |
| 8.7.3 | Microbiological Methods in Cleaning Validation | 287 |
| 8.7.3.1 | Detection of Endotoxins on Surfaces in Contact with the Product | 288 |
| | References | 289 |
| | Further Reading | 290 |
| 9 | Microbiological Examination of Water | 291 |
| 9.1 | Sampling | 293 |
| 9.2 | Specimen Transport | 294 |
| 9.3 | Use of the Different Water Qualities (Table 9.6) | 297 |
| 9.4 | Purified Water | 297 |
| 9.5 | Highly Purified Water | 301 |
| 9.6 | Water for Injection | 301 |
| 9.6.1 | Rouging/Blacking | 301 |
| 9.7 | Water for Diluting Concentrated Hemodialysis Solutions | 302 |
| 9.8 | Water for the Preparation of Extracts | 302 |
| 9.9 | Drinking Water | 303 |
| 9.9.1.1 | m-CP Agar | 304 |
| 9.10 | Legionella | 305 |
| | References | 308 |
| 10 | Rapid Microbiological Methods | 309 |
| 10.1 | Determination via ATP Content | 309 |
| 10.2 | Determination Via the Incorporation of Fluorescent Markers | 313 |
| 10.2.1 | Scan RDI™ (AES-Chemunex-bioMerieux) | 313 |
| 10.2.2 | Milliflex® Quantum (Merck) | 314 |
| 10.3 | Flow Cytometry | 315 |

References 316
Further Reading 317

11 Automation in the Microbiology Laboratory 319

- 11.1 Automatic Dyeing Machines 319
- 11.2 Devices for Counting Colonies 320
- 11.3 Automatic Nutrient Media Filling Machine 320
- 11.4 Automation of the Endotoxin Test 321
- References 322

12 Quality Assurance 323

- 12.1 Structure of an SOP System 323
- 12.2 Training 324
 - 12.2.1 Example of a Short Microbiological Training Course for Employees from Pharmaceutical Production (Duration 2 × 0.5 Days) 325
- 12.3 Audits and Inspections 326
 - 12.3.1 Conduct During Audits 326
 - 12.3.1.1 Before the Audit 327
 - 12.3.1.2 During the Audit 327
 - 12.3.1.3 After the Audit 327
 - 12.3.2 Self-Inspections 328
 - 12.3.3 Authority Audits 328
 - 12.3.4 Customer Audits 330
 - 12.3.5 Supplier Audits 330
 - 12.3.6 Further Audits 330
- 12.4 Procedure for OOS and OOE Results 330
 - 12.4.1 Testing for Endotoxins 334
 - 12.4.1.1 Sample was contaminated during sample drawing or transport 335
 - 12.4.2 Testing for TAMC and TYMC 335
 - 12.4.3 Testing for Sterility 336
 - 12.4.4 Testing for Pyrogens 337
 - References 337

13 Microorganism Identification 339

- 13.1 Growth Curve 339
- 13.2 Generation Time 340
- 13.3 Preparation of Pure Cultures 340
- 13.4 Sensory and Macroscopic Characteristics 340
- 13.5 Microscopic Examination 341
 - 13.5.1 Microscopes 341
 - 13.5.1.1 Brightfield Microscope 341
 - 13.5.1.2 Phase-Contrast Microscope 344
 - 13.5.1.3 Dark-Field Microscope 344
 - 13.5.1.4 Fluorescence Microscope 345
 - 13.5.2 Microscopic Preparations 345

| | | |
|-----------|---|------------|
| 13.6 | Staining | 347 |
| 13.6.1 | Color Solutions | 347 |
| 13.7 | Principle of the “Colored Row” | 349 |
| 13.8 | Immunological Procedures | 351 |
| 13.9 | Polymerase Chain Reaction | 351 |
| 13.10 | Gas Chromatography (FAME) | 352 |
| 13.11 | FT-IR Spectroscopy | 352 |
| 13.12 | MALDI-TOF | 353 |
| | References | 353 |
| 14 | Cleaning, Sterilization, Decontamination, and Disposal | 355 |
| 14.1 | Cleaning | 355 |
| 14.2 | Sterilization | 355 |
| 14.2.1 | Dry Heat (Hot Air Sterilizer) | 355 |
| 14.2.2 | Moist Heat (Autoclave) | 355 |
| 14.2.3 | Radiation | 357 |
| 14.2.4 | Gases | 357 |
| 14.2.5 | Germination Kinetics | 358 |
| 14.2.6 | Bowie–Dick Test | 358 |
| 14.2.7 | Risk Analysis for Autoclaves | 359 |
| 14.2.7.1 | Operating the Autoclave | 359 |
| 14.3 | Laboratory Cleaning and Disinfection | 360 |
| 14.3.1 | Qualification of a Laboratory Dishwasher | 361 |
| 14.3.1.1 | Disinfection Program | 362 |
| 14.3.2 | Validation | 362 |
| 14.4 | Disposal of Infectious Waste | 362 |
| 14.5 | Disinfection Measures in Case of Accidents | 363 |
| | References | 363 |
| 15 | Contract Testing (<i>Outsourcing</i>) | 365 |
| | References | 366 |
| | Further Reading | 366 |
| 16 | Microbiological Networks | 367 |
| 16.1 | CPM | 367 |
| 16.2 | VAAM Expert Group Quality Management | 367 |
| 16.3 | Subcommittee Microbiology in the VfA | 368 |
| 16.4 | DGHM | 368 |
| | References | 369 |
| 17 | Addresses | 371 |
| | Literature | 379 |
| | Index | 389 |

