

Index

Note: Page numbers in *italics* refers to figures.

a

- activation
 - catalysts 196–197. *see also* deactivation
 - catalyst
 - energy 269–271
- activity 200
 - catalytic 214
 - defined 199
- adaptive neural fuzzy interface system (ANFIS) 295–297, 296
- additive friction stir deposition (AFSD) 112
- additive manufacturing (AM) 97–98, 99
 - arc AM 100–101
 - electron beam AM 100
 - laser AM 98–100
- additives, defined 197
- aging treatments 81
- alkyne semihydrogenation 205
- alloy chemical complexity vs. time 2
- alloying
 - mechanical 168–169, 168
 - reactions 256
- alloying elements 80–81, 88–89
 - aluminum (Al) 80
 - chromium (Cr) 79
 - compositions 91
 - copper (Cu) 80
 - effects, on phase structure 105–106
 - molybdenum (Mo) 79
 - nickel (Ni) 79
 - titanium (Ti) 80
- aluminum (Al) 80
- AM. *see* additive manufacturing (AM)
- ammonia decomposition 201. *see also* dehydrogenation reaction
- ammonoxidation
 - benzyl alcohol oxidation 209–210
 - methane combustion reaction 206–208
 - NH₃ oxidation reaction 208
- ANFIS. *see* adaptive neural fuzzy interface system (ANFIS)
- anode materials, high-entropy 254–258
- anodization 81–82
- anticorrosion design 77–78
 - alloying elements, effect of 78–81
- anti-irradiation mechanism 53–57
- antioxidation 75–77
- antipoisoning properties 195
- APT. *see* atom probe tomography (APT)
- arc AM 100–101
- arc melting (thermal energy) 168, 168
- Arrhenius equation 196
- artificial neuron networks 295–297
- atomic layer deposition 167
- atomic-level characterization 286
- atom probe tomography (APT) 236, 236, 286
- automated spectroscopic techniques 246

b

- ball milling 167, 168, 255, 285
- battery applications 253–254, 254
- Bayesian optimization 247
- BCC. *see* body-centered cubic (BCC) structure
- benzyl alcohol oxidation 209–210
- binder jetting technology (BJT) 111–112
- BJT. *see* binder jetting technology (BJT)
- body-centered cubic (BCC) structure 1, 12
- bottom-up method
 - carbon thermal shock 170–171, 171
 - fast-moving bed pyrolysis 171–172
 - nanodroplet-mediated electrodeposition 172
 - wet chemistry 172, 173

C

calcination 197
 Calculation of PHase Diagrams (CALPHAD) 50, 180, 293
 Cantor alloy 108
 carbon dioxide reduction reaction (CO₂RR) 233
 carbonization 197
 catalysis. *see also* thermal catalysis, applications
 defined 193
 design of HEAs in 194
 thermodynamics and kinetics 195–196
 catalysts
 activation and deactivation 196–197
 performance comparison 214–215
 single-component to multicomponent catalysts transition 200–201
 stabilize high-entropy catalysts, strategies to 201–202
 in thermal reactions, role of 194–195
 catalytic applications 290–291
 catalytic reaction pathways 288–289
 cathode materials, high-entropy 258–263
 cation disorder 259–260
 CFETR. *see* China fusion engineering test reactor (CFETR)
 characterization challenges
 atomic-level characterization 286
 under operating conditions 287
 chemical vapor deposition 167
 China fusion engineering test reactor (CFETR) 52
 chromium (Cr) 79
 clean energy. *see* electrocatalysis
 close-packed crystals 272
 CO₂ hydrogenation reaction 205–206. *see also* hydrogenation reactions
 CO₂-ODP. *see* oxidative dehydrogenation of propane (CO₂-ODP)
 CO₂RR. *see* carbon dioxide reduction reaction (CO₂RR)
 coaxial powder feeding AM 100
 cocktail effect 7, 10–11
 coke resistance 213
 computational methods 92, 222–223
 configurational entropy 253, 256, 258–259, 265
 conversion reactions 255, 258
 copper (Cu) 80
 coprecipitation (CP) methods 256
 corrosion 75–77
 inhibition 76. *see also* antioxidation
 CP methods. *see* coprecipitation (CP) methods
 crevice corrosion 75
 cryo-grinding 169

crystallographic methods 238
 customization 215
 cycling stability 256, 258, 261, 263

d

data-driven approaches 246–248, 293
 d-band theory 228, 228. *see also* high-entropy alloys (HEAs)
 DBTT. *see* ductile-to-brittle transition temperature (DBTT)
 deactivation catalysts 196–197
 deactivation mechanism 197
 dealloying (chemical energy) 168
 decomposition reaction 210–214
 DED. *see* direct energy deposition (DED) technology
 deformation twins (DTs) 47, 48
 defuzzification layer 296–297
 dehydrogenation reaction 210–214
 density functional theory (DFT) 176, 221, 247–248, 247
 design methodology, for functional applications 150–151
 machine learning-assisted design 156–161
 microstructure regulation 151–156
 DFT. *see* density functional theory (DFT)
 diffraction 237–239
 diffusion retardation effect 10
 direct energy deposition (DED) technology 109–110
 direct ink writing (DIW) technology 112
 direct laser deposition (DLD) 98, 100
 direct laser fabrication (DLF) 113
 disordered rock-salt cathodes 258–260
 DIW. *see* direct ink writing (DIW) technology
 DLD. *see* direct laser deposition (DLD)
 DLF. *see* direct laser fabrication (DLF)
 DTs. *see* deformation twins (DTs)
 ductile-to-brittle transition temperature (DBTT) 45

e

EBDM. *see* Electron Beam Directed Manufacturing (EBDM)
 EBSM. *see* electron beam selective melting (EBSM)
 EDS. *see* energy-dispersive X-ray spectroscopy (EDS)
 EELS. *see* electron energy loss spectroscopy (EELS)
 EHEAs. *see* eutectic high-entropy alloys (EHEAs)
 electric vehicles (EVs) 32
 electrocatalysis
 ex/in situ characterization techniques 234–243

- high-entropy alloys in reactions
 - of 227–234
 - high-throughput and data-driven techniques 244–248
 - electrochemical performance 182, 255, 256
 - electrode–electrolyte interface 264
 - electrolyte–electrode compatibility 275–276
 - electron beam AM 100
 - Electron Beam Directed Manufacturing (EBDM) 100
 - electron beam selective melting (EBSM) 100
 - electron energy loss spectroscopy (EELS) 242–243, 243
 - electronic effects 217–218
 - electronic structure tuning 261, 264
 - electron microscopy 234
 - electron pair distribution function (ePDF) 239
 - electron powder bed fusion 109
 - electron spectroscopy
 - electron energy loss spectroscopy 242–243
 - inductively coupled plasma 243
 - x-ray photoelectron spectroscopy 242
 - Ellingham diagram 170–171
 - energy-dispersive X-ray spectroscopy (EDS) 240
 - energy storage applications, HEM for
 - battery applications 253–254
 - high-entropy anode materials 254–258
 - high-entropy battery materials 274–277
 - high-entropy cathode materials 258–263
 - high-entropy liquid electrolytes 273–274
 - high-entropy solid-state electrolytes 263–273
 - entropy 4
 - defined 221
 - driven effects 288
 - effect 211
 - stabilization 256
 - ePDF. *see* electron pair distribution function (ePDF)
 - eutectic high-entropy alloys (EHEAs) 46, 47
 - EVs. *see* electric vehicles (EVs)
 - EXAFS. *see* extended X-ray absorption fine structure (EXAFS)
 - ex/in situ* characterization
 - techniques 234–243
 - diffraction 237–239
 - electron spectroscopy 242–243
 - microscopy 234–237
 - spectroscopy 239
 - x-ray absorption spectroscopy 240–241
 - x-ray spectroscopy 239–240
 - extended X-ray absorption fine structure (EXAFS) 240–241
 - extreme conditions 43–44
 - extreme temperatures, HEM application
 - high temperatures 44–47, 44
 - low temperatures 48–52, 48
- f**
- face-centered cubic (FCC) 1, 12, 48, 51, 52
 - fast-moving bed pyrolysis (FMBP) 171–172
 - FCC. *see* face-centered cubic (FCC)
 - flash sintering 285
 - FMBP. *see* fast-moving bed pyrolysis (FMBP)
 - fuel cell 232–233
 - functional high-entropy alloy and compounds
 - application challenges 290–292
 - characterization challenges 285–287
 - future development of 292–297
 - synthesis challenges 283–285
 - theoretical challenges 287–290
 - functional properties and applications 129–130
- g**
- galvanic corrosion 75
 - garnet-type electrolytes 264–266
 - Gaussian processes 293, 295
 - Gibbs free energy law 166–167
 - grain boundaries 87, 268
 - green inhibitors 77
 - grid energy storage 32
 - growth stress 89
- h**
- Haber–Bosch process 193, 233
 - halide solid-state electrolytes 271–273, 272
 - Hall–Petch effect 19
 - hardening mechanism model 56, 56
 - harsh requirements 43–44
 - HCP. *see* hexagonal close-packed (HCP)
 - HEAs. *see* high-entropy alloys (HEAs)
 - HEAs and compounds 3–4
 - biomedical fields 28–29
 - characteristics of 7–11
 - composition definition 4
 - corrosion resistance 26
 - crystal structures of 12–14
 - crystal to amorphous phases transformation 17–18
 - definition of 3–6
 - energy storage applications 32–33
 - entropy definition 4–5
 - extended definition 5–6
 - extreme environments 26
 - functional materials 27–28
 - high-performance catalysts 30–32
 - microstructure of 18–24
 - phase transformations 14–18
 - solid-solution phase to intermetallics transition 15–17
 - solid-solution to solid-solution phase transition 15

- HECs. *see* high-entropy ceramics (HECs);
high-entropy compounds (HECs)
- HEI. *see* high-entropy intermetallic (HEI)
- helium ions 58, 59, 61
- HEMO catalyst. *see* high-entropy metal oxide
(HEMO) catalyst
- HEMs. *see* high-entropy materials (HEMs)
- HEOs. *see* high-entropy oxides (HEOs)
- HER. *see* hydrogen evolution reaction (HER)
- hexagonal close-packed (HCP) 12, 48
- high-entropy alloys (HEAs). *see also* alloying;
HEAs and compounds
- activation and deactivation 198
 - carbon dioxide reduction reaction 233
 - characterization of 217
 - composition-structure relationship 25
 - corrosion-resistant 2
 - definition of 5
 - designing 221–223
 - development 1–3
 - as electrocatalyst 227–228
 - electronic and ligand effects of 219
 - evolution of 6
 - fibers 64–68, 64
 - fuel cell 232–233
 - historical background 1–3
 - lattice structures and compositions 13
 - nitrate reduction reaction 233–234
 - research progress, on additive
production 106–114
 - second generation 5
 - stability of, strategies 202
 - water splitting 228–232
 - wire preparation methods 65, 65
- high-entropy anode materials 254–258
- high-entropy battery materials
- characterization of HEMs 276–277
 - electrolyte–electrode
compatibility 275–276
 - high-performance HEMs, design
274–275
- high-entropy brasses and bronzes 103
- high-entropy catalysts, typical reactions
- catalyst performance comparison 214–215
 - catalytic active phases, stabilizing 219–221
 - dehydrogenation and decomposition
reaction 210–214
 - designing HEA catalysts 221–223
 - electronic effects and ligand
effects 217–219
 - hydrotreatment reactions 203–206
 - mechanistic insights 221
 - oxidation and ammono-oxidation 206–210
 - strategies to stabilize 201–202
 - structural characteristics influencing
catalysis 215–217
 - in thermal reaction, advantages of 195
- high-entropy cathode materials 258–263
- high-entropy ceramics (HECs) 62–64
- high-entropy compounds (HECs) 158
- high-entropy diborides (HEBs) 158, 159
- high-entropy effect 7, 8
- high-entropy halide solid-state
electrolytes 271–273
- high-entropy intermetallic (HEI)
210–213, 232
- catalyst design 211–212
- high-entropy liquid electrolytes 273–274
- high-entropy materials (HEMs) 193–195
- activity, selectivity, and stability 198
 - anticorrosion design 77–82
 - applications, in nitrogen and carbon looping
reactions 30
 - characterization of 276–277
 - classifications and applications 33
 - defects and dislocations crystal
structure 22–23
 - as electrocatalysts 174–177
 - in electronic components 28
 - for extreme temperatures 44–52
 - fiber 64–68
 - high-performance, design
274–275, 275
 - single-crystal 69
 - under strong irradiations 52–64
 - structural characteristics of 215–217
 - surface electronic properties and steric
effects 204
 - synthesis 172–173
- high-entropy metal oxide (HEMO)
catalyst 209–210
- high-entropy mixing method 174
- high-entropy nanoparticles, development of 3
- high-entropy oxides (HEOs) 146
- electrocatalysis 174–175
- high-entropy solid-state electrolytes
- high-entropy halide solid-state
electrolytes 271–273
 - high-entropy oxide solid-state
electrolytes 264–268
 - high-entropy sulfide solid-state
electrolytes 268–271
- high-melting-point HEAs 46, 46
- high-resolution transmission electron
microscopy (HRTEM) 286
- high-temperature oxidation resistance 82–84
- influencing factors 88–93
 - oxidation mechanism 84–88
- high-temperature sintering 256, 258
- high-throughput (HT) techniques
- characterization 245–246
 - computation 173, 244–245
 - experimentation 297
 - machine learning, exploration of 293

synthesis 245
 techniques 244
 testing 245
 HIP. *see* hot isostatic pressing (HIP)
 hot isostatic pressing (HIP) 114
 HRTEM. *see* high-resolution transmission
 electron microscopy (HRTEM)
 HS. *see* hydrogen storage (HS) properties
 HT techniques. *see* high-throughput (HT)
 techniques
 Hume-Rothery criterion 166. *see also* alloying
 hydrogenation reactions 206
 hydrogen evolution reaction (HER) 175,
 175, 229
 hydrogen spillover effect 205–206
 hydrogen storage (HS) properties 179
 hydrothermal synthesis 170
 hydrotreatment reactions
 CO₂ hydrogenation reaction 205–206
 semihydrogenation of alkynes 203–205

i

ICP. *see* inductively coupled plasma (ICP)
 inductively coupled plasma (ICP) 243
in situ characterization techniques 173,
 234–243, 260, 261, 276
 interfacial stability 275–276
 ionic conductivity 253, 263–265
 ion implantation method 169
 irradiation 52–53
 anti-irradiation mechanism 53–57
 high-entropy ceramics 62–64
 mechanical changes 61–62
 microstructure and defects, evolution
 of 57–61

k

kinetics 195–196
 factors 86–88, 86

l

lanthanide HEAs 103
 laser ablation (laser irradiation) 167, 168
 laser AM 98–100
 laser metal deposition (LMD) 98, 100
 laser powder bed fusion (LPBF) 88, 98, 142
 lattice defects 216
 lattice distortions 238, 275–276
 lattice potential energy (LPE) 10
 lattice structures 255
 lattice thermal conductivity 138
 LIBs. *see* lithium-ion batteries (LIBs)
 ligand effects 218–219
 lightweight HEAs 102–103
 linear oxidation kinetics law 86, 86
 liquid electrolytes, high-entropy 273–274

lithium-ion batteries (LIBs) 32
 LMD. *see* laser metal deposition (LMD)
 local ordering 23–24
 low-activation ferritic-martensitic (RAFM)
 steels 53
 low-temperature milling
 technique 168–169
 LPBF. *see* laser powder bed fusion (LPBF)
 LPE. *see* lattice potential energy (LPE)

m

machine learning (ML) 130, 260, 261
 algorithms 223
 integration 289–290
 models 244, 246
 techniques 173
 machine learning-assisted design 156–161
 magnetic properties, HEMs 139–142, 140
 magnetocaloric effect (MCE) 27
 magnetron sputtering 169
 MAX phases 155
 MCE. *see* magnetocaloric effect (MCE)
 mechanical alloying 168–169
 mechanical grinding 167
 mechanistic insights 221
 medium-range ordering (MRO) 23, 24
 metamorphosis 166
 methane combustion reaction 206–208
 microscopy, advanced types 234–237
 microstructur(e)
 and defects, evolution of 57–61
 defects and dislocations crystal
 structure 22–23
 grain size and morphology 19–20
 of HEAs and compounds 18–24
 local ordering 23–24
 multiphase 20–22
 performance correlations 91–92
 phase distribution 20–22
 regulation 151–156
 migration pathways 264
 ML. *see* machine learning (ML)
 molecular dynamics (MD) simulations 130
 molybdenum (Mo) 79
 MPEA. *see* multiprincipal element alloy
 (MPEA)
 MRO. *see* medium-range ordering (MRO)
 multicomponent catalysts 200–201, 201
 multicomponent design approach 178
 multielement systems 255
 multiprincipal element alloy (MPEA) 48

n

nanodroplet-mediated electrodeposition
 (NMED) 172. *see also* carbon thermal
 shock method

nano high-entropy alloys (nano-HEAs)
 for biomedical fields 180–181
 corrosion resistance 182
 electrochemical performance of 182
 emerging 182
 as irradiation-resistant structural
 material 177–179, 178
 for solid hydrogen storage
 properties 179–180
 nanoindentation 61
 nanopillar 61
 nanoporosity 216
 nanoscale high-entropy materials
 applications of 174–181
 evolution of 165–166, 166
 synthesis and advanced
 characterization 167, 168–174
 neutron diffraction 46, 268
 nickel (Ni) 79
 nitrate reduction reaction (NO_3RR)
 233–234
 nitrogen reduction reaction (NRR)
 176–177, 176
 Nitrogen Temperature Programmed
 Desorption (TPD) 213
 NMED. *see* nanodroplet-mediated
 electrodeposition (NMED)
 NO_3RR . *see* nitrate reduction reaction (NO_3RR)
 NRR. *see* nitrogen reduction reaction (NRR)

O

OER. *see* oxygen evolution reaction (OER)
 operando techniques 286
 optical properties, HEMs 142–145
 optoelectronic applications 145–149
 ORR. *see* oxygen reduction reaction (ORR)
 oxidation 76
 reactions. *see* amoxidation
 oxidation mechanism
 kinetic factors 86–88, 86
 thermodynamic factors 84–86, 85
 oxidative dehydrogenation of propane
 ($\text{CO}_2\text{-ODP}$) 212
 oxide dispersion strengthened (ODS)
 steels 53
 oxide solid-state electrolytes
 264–268
 oxygen evolution reaction (OER) 153, 175,
 175, 230
 oxygen partial pressures 90–91
 oxygen reduction reaction (ORR) 232
 oxygen vacancies 209

P

pair distribution function (PDF) 238, 268
 parabolic oxidation law 86, 86

PBR. *see* Pilling-Bedworth ratio (PBR)
 PDF. *see* pair distribution function (PDF)
 PDH. *see* propane dehydrogenation (PDH)
 phase segregation 283–284
 phase stability 288
 phase structure, of HEAs 103–104, 103
 alloying elements, effect of 105–106
 printing parameters, influence
 of 104, 104
 phase transformations 14–18
 crystal to amorphous phases
 transformation 17–18
 solid-solution phase to intermetallics
 transition 15–17
 solid-solution to solid-solution phase
 transition 15
 photoemission spectroscopy 173
 photolithography (electromagnetic
 radiation) 168
 photothermal therapy (PTT) 181
 physical vapor deposition (PVD) 169
 Pilling-Bedworth ratio (PBR) 88
 poisoning 197, 200
 porosity 216, 222
 practical application development
 92–93
 precious group of HEAs 103
 precipitate-hardening effect 21
 processing methods 81
 aging treatments 81
 anodization 81–82
 propane dehydrogenation (PDH) 210
 protective oxide 88
 protective technologies 92
 PTT. *see* photothermal therapy (PTT)
 purification 199
 PVD. *see* physical vapor deposition (PVD)

R

radiation-resistance mechanisms 179
 Raman spectroscopy 173, 246
 RASP. *see* rotationally accelerated shot peening
 (RASP)
 reaction mechanisms 216
 reduction, defined 197
 refractory HEAs (RHEAs) 102, 131
 RHEAs. *see* refractory HEAs (RHEAs)
 rotationally accelerated shot peening
 (RASP) 19

S

SAAs. *see* surface atom arrangements (SAAs)
 SAED. *see* selected area electron diffraction
 (SAED)
 scaling relations 289
 scanning electron microscopy (SEM) 234

- scanning transmission electron microscopy (STEM) 234–235
- Seebeck effect 27
- selected area electron diffraction (SAED) 239
- selective electron beam melting (SEBM)
technology 109
- selective laser melting (SLM) 98, 99,
106–109, 107, 108
- selective laser sintering (SLS)
technology 109
- selectivity
catalytic 214–215
defined 199, 200
- self-healing process 54
- SEM. *see* scanning electron microscopy (SEM)
- semihydrogenation of alkynes 203–205
- severe lattice distortion 7–9, 90
- SFE. *see* stacking fault energy (SFE)
- short-range ordering (SRO) 23, 24
- single-crystal HEA 69, 70, 71
- sintering 197
flash 285
high-temperature 256, 258
resistance 206
- slow diffusion 90
- sluggish diffusion 7, 9–10
- sol-gel synthesis 167, 174, 258
- solid-state electrolytes (SSEs) 263–273,
266, 267
- solution combustion syntheses 258
- solvothermal synthesis 170, 285
- spark plasma sintering 264
- spectroscopic techniques 221
- spectroscopy 239
- sputter deposition method 169–170
- SRO. *see* short-range ordering (SRO)
- SSEs. *see* solid-state electrolytes (SSEs)
- stability
catalytic 215
defined 199
- stacked laminar faults (SFs) 69
- stacking fault energy (SFE) 19
- statistical methods 293–295
- STEM. *see* scanning transmission electron microscopy (STEM)
- sulfide solid-state electrolytes 268–271
- superconductivity 132–134, 133, 134
- surface atom arrangements (SAAs) 30, 31
- surface defects, minimization in
synthesis 170
- surface segregation effects 31
- synergistic effect 199
- synergy effect 11
- synthesis challenges
nanostructure and composition 284–285
phase segregation and
immiscibility 283–284
- t**
- TEM. *see* transmission electron microscopy (TEM)
- temperature 90
- test environment, influence of 90–91
- theoretical challenges
catalytic reaction pathways 288–289
entropy-driven effects 288
machine learning integration 289–290
phase stability 288
- theoretical models 92
- thermal catalysis, applications
background 193–194
catalyst activation and
deactivation 196–197
catalysts in thermal reactions, role
of 194–195
definition 193–194
kinetics 195–196
selectivity and activity 198–200
thermodynamics 195–196
- thermal conduction, in HEMs 130–132
- thermal cycling 84
- thermodynamics 195–196, 293, 295
factors 84–86, 85
- thermoelectrics 27
applications 134–138, 135, 137, 138
- 3D printed high-entropy materials (HEM)
aerospace industry 115–116
coating application 118
energy industry 114–115
medical applications 117
nuclear application 116–117
- 3D printing. *see also see* additive manufacturing (AM)
boron, carbon, and nitrogen gap
compounds 103
classification 102–103
of HEAs 101
high-entropy brasses and bronzes 103
lanthanide HEAs 103
lightweight HEAs 102–103
precious group of HEAs 103
refractory HEAs 102
3D transition metal HEAs 102
- 3D transition metal HEAs 102
- titanium (Ti) 80
- top-down method
magnetron sputtering 168, 169
mechanical alloying 168–169, 168
sputter deposition method 168, 169–170
- TPD. *see* Nitrogen Temperature Programmed Desorption (TPD)
- traditional alloys, evolution of 6
- transmission electron microscopy (TEM) 234–235, 235, 256, 257, 259

transmission X-ray microscopy (TXM) 256, 259, 260
 TXM. *see* transmission X-ray microscopy (TXM)
 type I, II and III alloys 85

u

ultrafast Joule heating methods 256
 ultrasonication 170
 uniform corrosion 75

v

valence electron concentration (VEC) 103
 valence electron count (VEC) 133, 134
 VEC. *see* valence electron concentration (VEC);
 valence electron count (VEC)
 volcano plot 289
 Volmer reaction 229
 volume swelling 54, 56
 volumetric energy density (VED) 113

w

WAAM. *see* wire arc AM (WAAM)
 water electrolysis 229–230

water splitting 228–232, 229, 231
 wet-chemical methods 170, 174, 256
 wet chemistry 172, 173
 wire arc AM (WAAM) 100

x

XANES. *see* x-ray absorption near-edge
 structure (XANES)
 XAS. *see* x-ray absorption spectroscopy (XAS)
 XPS. *see* x-ray photoelectron
 spectroscopy (XPS)
 x-ray absorption near-edge structure
 (XANES) 241
 x-ray absorption spectroscopy (XAS) 173,
 240–241, 256, 286
 x-ray diffraction (XRD) 237–239, 286
 x-ray photoelectron spectroscopy (XPS) 242,
 276, 287
 x-ray spectroscopy 239–240
 XRD. *see* x-ray diffraction (XRD)

z

zero strain material 260
 zero thermal expansion (ZTE) 154
 ZTE. *see* zero thermal expansion (ZTE)