

Index

Note: Page numbers in *italics* refers to figures and page numbers in **bold** refers to tables on the corresponding page.

a

ACQ. *See* aggregation-caused

quenching (ACQ)

active materials, anodic

hard carbons 241–246

organic anodes 239–241

acyclic diene metathesis (ADMET)

polycondensation 15–18

aggregation-caused quenching

(ACQ) 82, 130

aggregation-induced emission

(AIE) 82, 117

aggregation-induced emission

enhancement (AIEE) 131

AIE. *See* aggregation-induced

emission (AIE)

AIE-active materials, NIR luminescent
properties

aza-substitution method 103–104

extended π -conjugated systems 103

polymers and applications 104–106,
105, 106

AIE-active molecules, excitation-driven
complexes

BPI and FBPI 97, 98

excitation-driven complexes 97, 98

planar design 98–99, 98

regioregular conjugated polymer

101–102, 101

solid-state luminescent polymers

99–100, 100

stimuli-responsiveness 102, 102

AIEE. *See* aggregation-induced emission
enhancement (AIEE)

ambipolar polymers 268–269, 269

anodic active materials

hard carbons 241–246

organic anodes 239–241

anthanthrone-containing materials

328–329, 330, **333**

anthracene-containing materials

325–326, 327, **333**

antimicrobial therapy 357–359, 358

anti-tumor therapy 359–361, 360

antiviral therapy 361–363, 362

aromatics without metal catalysts

46–47

arsenic-carbon (As–C) bonds

conventional methodologies 112–113

organoarsenic electrophile 113–114

organoarsenic nucleophile 114

trichloroarsine (AsCl₃) 114–115

arsenic-containing conjugated

polymers

arsaalkene polymer 133, 134

arsenic-carbon (As–C) bonds 112–115

arsole polymers 129–133, 132, 133

organic compounds 112

Conjugated Polymer Synthesis and Materials Applications, First Edition. Edited by Yoshiki Chujo.

© 2026 Wiley-VCH GmbH. All rights reserved, including rights for text and data mining and training of artificial intelligence technologies or similar technologies. Published 2026 by Wiley-VCH GmbH.

arsenic-containing conjugated
 polymers (*Cont.*)
 overview 111
 π -conjugated polymers 133–134
 π -conjugated systems 115–121
 poly(vinylene-arsine)s 121–129
 triphenylarsine polymer 133, 134
 arsenic-containing π -conjugated systems
 α -type benzothiophene-fused
 arsinine 120
 arsenic-bridged diphenyl sulfone
 119, 120
 arsole derivatives 115–118, 117, 118
 benzothiophene-fused
 phosphinine 120
 dibenzoarsole 119, 119
 heteropins 119
 photoluminescence spectra 119, 120
 arsole polymers
 aggregation-caused quenching
 (ACQ) 130
 aggregation-induced emission
 enhancement (AIEE) 131
 cyclic voltammetry (CV) 132
 dithienoarsole dibromide 129
 donor–acceptor-type dithienoarsole
 polymers 130
 electropolymerization 132, 133
 organic photovoltaic devices 132
 photosensitizers 131, 132
 post-element transformation
 technique 132, 133
 atomic force microscopy (AFM) 262

b

BAm. *See* boron-fused azomethine (BAm)
 bandgap (BG) 257
 benzene derivatives 247
 benzopyrrolodione (BPD) 265
 β -silicon carbide (β -SiC) 246
 BIAN-based binder systems 239
 BIANODA 248–249, 248
 binder materials in LIBs
 graphite anodes 234–236
 Si anodes 236–239
 bioimaging and PTT 199–200, 200

biological imaging
 fluorescence imaging 351–353,
 352, 353
 NIR imaging 353–357
 biosensing and biological detection
 341–346
 colorimetric sensing 349–350, 349
 electrochemical sensing 346–349
 fluorescence signal
 amplification 341–346
 bipolaron 261
 2,2'-bipyridine 305, 306
 1,3-bis[2-(4-ethynylphenyl)
 ethynyl]benzene derivative 313
 bis-imino-acenaphthenequinone
 (BIAN) 234, 235
 bis-*o*-carborane-modified aromatic
 systems 160–161
 1,2-bis(*tert*-butylmethylphosphino)
 benzene (BenzP*) 310
 2,3-bis(*tert*-butylmethylphosphino)
 quinoxaline (QuinoxP*) 310
 bithiophene imide 276
 blue-colored fluorescence 308
 boron azobenzene (BAz)
 derivatives 104
 boron element-blocks
 overview 81–83
 rigid and planar structures 82
 boron-fused azomethine (BAm) 99,
 99, 100
 boron ketoimines
 AIE-active conjugated polymers
 89–90, 90
 color changes in mechanochromic
 luminescence behaviors 85, 86
 environmental sensitivity 94–95, 95
 heat-insensitive mechanochromic
 luminescent materials 86–89, 89
 luminescent complex to AIE-active
 one 83–84
 mechanochromic luminescent
 sensor 95–97, 96
 photoluminescence (PL) spectra 84
 solidification-induced emission
 enhancement 84

solid-state luminescent
 properties 90–92
 thermochromic and mechanochromic
 luminescent polymers 93–94, 93, 94
 bowl-shaped π -conjugated
 molecules 214–220, 214–220
 Buchwald–Hartwig amination 45–46
 Buchwald–Hartwig coupling
 reaction 6–8
 butadiyne-bridged tetramers 226, 226

C

carborane-containing conjugated
 polymers
 aggregation-induced emission
 (AIE) 149, 150
 chemical structures 142
 electric devices 145–146, 146
 electrochemical polymerization
 143–144, 145
 hydrogen storage 141–142
 luminescent materials and
 devices 148–149, 148
 OPV properties 146–148, 147
 overview 141–142
 photochemistry of *o*-carboranes
 150–158
 pyrroles 144, 145
 thermal stability of composites
 142–143, 143
 thiophenes 144, 145
 carboxymethyl cellulose (CMC) 231
 catalyst-transfer polymerization
 (CTP) 31
 C–C coupling reactions 4
 C–H activation–annulation
 polycondensation 17, 18
 chain-growth polymerization 46–47, 47
 charge carriers 258
 formation 258–261, 260
 C–H bond functionalization 6–13
 C–H/C–H homo-coupling reaction 12
 circular dichroism (CD) 302
 circularly polarized luminescence
 (CPL) 224, 224, 302

CMC. *See* carboxymethyl
 cellulose (CMC)
 CMD. *See* concerted metallation–
 deprotonation (CMD) pathway
 co-catalyzed hydroarylation
 polyaddition 17, 18
 colorimetric sensing 349–350, 349
 concerted metallation–deprotonation
 (CMD) pathway 9
 conjugated polymers (CPs) 232, 233
 antimicrobial therapy 357–359, 358
 anti-tumor therapy 359–361, 360
 antiviral therapy 361–363, 362
 band structure 261–262
 biomedical applications 339–363
 biosensing and biological detection
 341–346
 Buchwald–Hartwig amination 45–46
 catalysts for CTP 34, 35
 catalyst-transfer polymerization
 (CTP) 31, 32
 chain-growth mechanism 31, 32
 chain-growth
 polymerization 46–47, 47
 charge carriers 258
 charge carriers formation 258–261
 chemical structures of 340
 colorimetric sensing 349–350, 349
 direct arylation polymerization
 (C–H activation) 45–46
 electrochemical sensing 346–349,
 347, 348
 ion transport 262
 KCTP method 35–39, 37
 lithium-ion batteries (LIBs) 234–239
 metal π -binding in CTP 32–34
 morphology and multilevel
 microstructures 262–264
 NCTP reaction 41–42, 42
 organolithium reagents 39–41, 40
 overview 31–32
 semiconducting 257–258
 SMCTP reaction 42–44, 43
 Stille CTP 44–45, 45
 corannulene–carbazole (CCZ) 213

corannulene-containing polymer
208–213, 208–213
CPL. *See* circularly polarized
luminescence (CPL)
CPs. *See* conjugated polymers (CPs)
cross-dehydrogenative-coupling
polycondensation 12
crosslinked p-BIAN 238
CTP. *See* catalyst-transfer
polymerization (CTP)
Cu- and Fe-catalyzed
polycondensation 13–15
curved π -conjugated molecules 207, 208
CV. *See* cyclic voltammetry (CV)
cyclic voltammetry (CV) 132
cyclopentadithiophene-based
polymers 267, 267

d

degree of graphitization 243
dehalogenative homo-coupling
polycondensation 4
dehydrochlorination polymerization 308
density functional theory (DFT) 97, 235
deprotonative method 36
dibenzoarsepin 119, 119
4,10-dibromanthranthrone (ANT) 328
diketopyrrolopyrrole 276
2,5-dimethyl-3,6-bis(4-aminobenzyl)
pyrazine (DMBAP) 247, 248
dipyridinoarsoles 117
direct alkenylation polycondensation 13
direct arylation polycondensation 10, 11
direct arylation polymerization
(C–H activation) 45–46
dithienoarsole dibromide 129
dithienosilole monomer 42
donor–acceptor-type dithienoarsole
polymers 130
double positive charge 261

e

electric vehicles (EVs) 242
electrochemical sensing 346–349,
347, 348

electrofluorochromic materials
212, 212
electrolyte additives 247–249
electropolymerization 132, 133
energy storage devices
anodic active materials 239–246
binder materials in LIBs 234–239
as electrolyte additives 247–249
 π -conjugated polymers as
electrocatalysts 249–251, 249–251
epichlorohydrin (EPI) 237
3,4-ethylenedioxythiophene
(EDOT) 9, 247
EVs. *See* electric vehicles (EVs)
excitation-driven complexes, AIE-active
molecules
BPI and FBPI 97, 98
excitation-driven complexes 97, 98
planar design 98–99, 98
regioregular conjugated polymer
101–102, 101
solid-state luminescent polymers
99–100, 100
stimuli-responsiveness 102, 102
excitation-driven molecules 170

f

FBKIs. *See* fused boron ketoiminates
(FBKIs)
field effect transistors (FETs) 61
fluorescence signal amplification
DNA detection 341–343, 342
protein detection 345–346
RNA detection 344–345, 344
free amine groups 247
fumaronitrile (FN) 247
fused boron ketoiminates
(FBKIs) 91–92, 92

g

gel permeation chromatography
(GPC) 32
GPC. *See* gel permeation
chromatography (GPC)
graphite anodes 234–236

h

- hard carbons 241–246, 244
- helical poly(acetylene)s 301
- helicene-based polymers 220–225, 220–225
- highest occupied molecular orbital (HOMO) 233, 257
- hole-transporting materials 330–334, 331
- hole transport layer (HTL) 325
- HOMO-LUMO gap 226
- HTL. *See* hole transport layer (HTL)
- hyperbranched β -cyclodextrin polymer (β -CDP) 237

i

- imide-based organic electrochemical transistors
 - acceptor–acceptor 277
 - bithiophene imide 276
 - diketopyrrolopyrrole 276
 - isoindigo 276
 - ladder type 276–277
 - naphthalene diimide 275–276
- indacenodithiophene-based polymers 264–266
- isoindigo 276
- isoindigo-based polymers 266–269
- isoindigo-based p-type polymers 266

k

- Kumada–Corriu catalyst-transfer polymerization (KCTP) 35–39
 - alkyl Grignard reagents 35, 36
 - 4-bromo-2,5-bis (hexyloxy) phenylmagnesium chloride 38
 - alkyl Grignard reagents 35, 36f
 - alkylthiophene 36
 - conjugated polymers 36, 37
 - metal-capped living polymer chains 39, 39
 - poly(3-alkylselenophenes) (P3ASe) 38
- Kumada cross-coupling 32

l

- LEDs. *See* light-emitting diodes (LEDs)
- LIBs. *See* lithium-ion batteries (LIBs)
- light-emitting diodes (LEDs) 257
- LiPAA. *See* lithium poly(acrylate) (LiPAA)
- lithium-ion batteries (LIBs) 231
- lithium poly(acrylate) (LiPAA) 236
- lithium titanium oxide (LTO) 242
- low-bandgap conjugated polymers (LBG-CPs)
 - aldol condensation 191–193, 192, 193
 - application in OPDs 193–197, 195
 - application in OTEs 197–199, 198
 - benzobisthiadiazole (BTT) and derivatives 184–185, 185
 - benzofurandione (BFDO) and derivatives 187–188, 187
 - benzothiadiazole (BT) and derivatives 183–184, 183, 184
 - bioimaging and PTT 199–200, 200
 - BODIPY unit 188
 - D–A interaction for bandgap reduction 178–179, 178
 - diketopyrrolopyrrole (DPP) 185
 - illustration 178
 - isoindigo (IID) and derivatives 185–187, 186
 - overview 177–178
 - perspectives 200–201
 - stabilized quinoidal resonance 179–181, 180
 - Stille coupling 181–183, 181, 182
 - Suzuki coupling reaction 188–191, 189, 191
 - thieno[3,4-b]thiadiazole (TT) 183
- lowest unoccupied molecular orbitals (LUMOs) 74, 103, 104, 232, 233, 257
- LTO. *See* lithium titanium oxide (LTO)
- luminescent behaviors, mechanochromic
 - chemical structure 94, 95
 - color changes in 85, 86

luminescent behaviors,
 mechanochromic (*Cont.*)
 fused boron ketoiminates
 (FBKIs) 91–92, 92
 heat-insensitive 86–89, 89
 luminochromic materials,
 stimuli-responsive
 bis-*o*-carborane-modified
 anthracene 164
 bis-*o*-carborane-modified
 benzobithiophenes 164–165
 film-type sensors 167–168, 168
 phase changes and luminochromic
 behaviors 165–166, 165, 166
 rotation of *o*-carborane 168–170, 169
 LUMOs. *See* lowest unoccupied molecular
 orbitals (LUMOs)

m

magnetic circularly polarized
 luminescence (MCPL) 311
 MALDI-TOF mass spectrometry 220
 MCPL. *See* magnetic circularly polarized
 luminescence (MCPL)
 mechanochromic luminescent behaviors
 chemical structure 94, 95
 color changes in 85, 86
 fused boron ketoiminates
 (FBKIs) 91–92, 92
 heat-insensitive 86–89, 89
 metal-capped living polymer
 chains 39, 39
meta-phenylene-linked polymers 306
 Migita–Kosugi–Stille coupling
 reaction 4
 mixed ionic–electronic conductors
 (MIECs) 262
 Mizoroki–Heck coupling reaction 4–7
 molecular weight distributions
 (MWDs) 32
 multilevel microstructure 264

n

naphthalene diimide 275–276
 NCTP. *See* Negishi catalyst-transfer
 polymerization (NCTP)

Negishi catalyst-transfer polymerization
 (NCTP) 41–42, 42

Ni-catalyzed Grignard coupling 2, 3

Ni-catalyzed polycondensation 2–4

NIR imaging

 CPs for NIR-II fluorescence imaging
 354–355, 354

 CPs for NIR PA imaging 356–357,
 356

 CPs for NIR two-photon imaging
 355–356, 355

NIR luminescent properties, AIE-active
 materials

 aza-substitution method 103–104

 extended π -conjugated systems
 103

 polymers and applications 104–106,
 105, 106

N-methylpyrrole (MPL) 247

NNO-tridentate ligand 102

N-(triphenylphosphoranylidene)
 aniline 247

n-type polymers 267–268, 268

o

OER. *See* oxygen evolution
 reaction (OER)

OFETs. *See* organic field effect transistors
 (OFETs)

OMIECs. *See* organic mixed ionic–
 electronic conductors (OMIECs)

OPDs. *See* organic photodetector
 (OPDs)

optical microscopy (OM) 262

OPV. *See* organic photovoltaics (OPV)

organic anodes 239–241

organic field effect transistors (OFETs)

 ambipolar polymers 268–269, 269

 backbone modifications 270

 cyclopentadithiophene-based

 polymers 267, 267

 design principle 271

 device architecture 270

 future aspects 270–271

 indacenodithiophene-based

 polymers 264–266

isoidindigo-based polymers 266–269
 n-type polymers 267–268, 268
 p-type polymers 264–267
 side chain modifications 270
 thiophene-based polymers 264
 organic mixed ionic–electronic
 conductors (OMIECs) 262
 organic photodetector (OPDs)
 193–197, 195
 organic photovoltaic devices 132
 organic photovoltaics
 (OPV) 146–148, 147
 organic solar cells (OSCs)
 anthanthrone-containing
 materials 328–329, 330, 333
 anthracene-containing
 materials 325–326, 327, 333
 hole-transporting materials
 330–334, 331
 organic thermoelectrics (OTE)
 197–199, 198
 applications 285
 n-type TE CPs 283–285, 284
 p-type CPs 281–283, 281
 TE figure-of-merit 280
 ORR. *See* oxygen reduction
 reaction (ORR)
 oxidative direct arylation
 polycondensation 12
 oxygen evolution reaction (OER) 233
 oxygen reduction reaction (ORR) 233

p

PAI. *See* photoacoustic imaging (PAI)
 p-arylene-ethynylenes 63
 Pd-catalyzed polycondensation 4–6
 perovskite solar cells (PSCs) 324
 π -conjugated polymers 81, 246
 BIAN-based conjugated polymer 249
 cyclic voltammetry 250
 helical substituted
 poly(acetylene)s 300–303
 N-doped graphene 249
 N-doped graphene materials 249

platinum-containing
 poly(aryleneethynylene)s
 306–314
 poly(aryleneethynylene)s 303–306
 photoacoustic imaging (PAI) 339
 photochemistry of *o*-carboranes
 angular dependency of electron
 acceptor 155
 bis-*o*-carborane-modified aromatic
 systems 160–161
 bond elongation at carbon–carbon
 bond 151–153, 152
 CT emission of aryl-modified
 153–155, 154
 ortho- and *nido*-carboranes
 161–162, 162
 solid-state luminescent materials
 150–151, 158–160, 159
 stimuli-responsive luminochromic
 materials 164–170
 thermal rearrangement from *ortho*- to
 meta-carborane 162–163, 163
 twisted intramolecular charge
 transfer (TICT) process 156–157,
 156, 158
 photodynamic/photothermal therapy
 (PDT/PTT) 339
 photoresponsive polymers 303
 photosensitizers 131, 132
 planar chiral [2.2]paracyclophane
 optically active through-space
 conjugated cyclic oligomers
 73–75, 73–75
 optically active through-space
 conjugated polymers 65–73,
 65–72
 overview 61–62
 pseudo-*para*-disubstituted
 [2.2]paracyclophanes 62–64, 63, 64
 pnictogen (Pn) 112
 poly(acrylic acid) (PAA) 236
 poly((3-alkylthio)thiophene) (P3ATT)
 synthesis 36
 polyaniline 237

- poly(aryleneethynylene)s 307, 308, 309
 - poly(bisiminoacenaphthenequinone (p-BIAN)) 237
 - polycyclic aromatic compounds (PACs) 324
 - chemical structures 324
 - poly(3,4-ethylenedioxythiophene) (PEDOT) 237
 - polyhedral oligomeric silsesquioxane (POSS) 87
 - polymer photosensitizer 131, 132
 - poly(*meta*-phenyleneethynylene)s 308
 - poly[2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylene vinylene] (MEH-PPV) 88, 88
 - poly(*n*-butyl methacrylate) (PBMA) 102
 - poly(10)/PEDOT-based electrochromic device 145, 146
 - poly(phenyleneethynylene)s 303, 304, 304
 - poly(*p*-phenylenevinylene) (PPV) 105, 259
 - polythiophene (PT) 259
 - poly(vinylene-arsine)s
 - cross-linked 128–129, **129**
 - polymerization and acetylenic compounds **122–123**
 - poly(vinylene-phosphine)s 127–128
 - poly(vinylene-stibine)s 127–128
 - properties of 125–127, **126**
 - ring-collapsed radical alternating copolymerization (RCRAC) 121
 - synthesis of 121, 124–125
 - poly(vinylidene fluoride) (PVDF) 231
 - POPs. *See* porous organic polymers (POPs)
 - porous organic polymer (PBM), synthetic scheme of 240
 - porous organic polymers (POPs) 142, 245
 - post-element transformation technique 132, 133
 - “poudre de succession” 111
 - PSCs. *See* perovskite solar cells (PSCs)
 - pseudo-*meta*-diethynyl[2.2]paracyclophane 74
 - pseudo-*para*-disubstituted [2.2]paracyclophanes
 - conjugated oligomers and polymers 63, 63
 - stacked π -electron systems 64
 - synthetic route to 62, 62
 - UV-vis absorption spectra 63, 64
 - Pt-containing
 - poly(aryleneethynylene)s 308
 - p type organic electrochemical transistors
 - glycolated polythiophenes 272–273
 - PEDOT:PSS 271–272
 - polythiophene-based polyelectrolyte 272
 - p-type donor–acceptor copolymer 273–274
 - p-type polymers
 - chemical structures 265
 - cyclopentadithiophene-based polymers 267
 - indacenodithiophene-based polymers 264–266
 - isoindigo-based polymers 266–267
 - thiophene-based polymers 264
 - PVDF-coated HCs 244
- I**
- RCRAC. *See* ring-collapsed radical alternating copolymerization (RCRAC)
 - real one-dimensional (1D) crystal lattice 258
 - regioregular PRTs 2, 3
 - rhodium (Rh) catalysts 300
 - ring-collapsed radical alternating copolymerization (RCRAC) 121, 124, 128
 - ring-opening metathesis polymerization (ROMP) 17, 224, 224
 - ROMP. *See* ring-opening metathesis polymerization (ROMP)
 - Ru-catalyzed ring-opening metathesis polymerization 17

S

SAXS. *See* small-angle X-ray scattering (SAXS)

SBR. *See* styrene-butadiene rubber (SBR)

scanning electron microscopy (SEM) 263

self-healing polymers (SHPs) 237

“Sergeants-and-Soldiers Principle” 302

Si anodes 236–239

small-angle X-ray scattering (SAXS) 243

SMCTP. *See* Suzuki–Miyaura catalyst-transfer polymerization (SMCTP)

sol–gel reaction 87

solid electrolyte interface (SEI) 234

Sonogashira coupling reaction 5, 6

Sonogashira couplings 211, 211

Sonogashira–Hagihara cross-coupling 73, 74

steric hindrances 169

Stille catalyst-transfer polymerization (Stille CTP) 44–45, 45

Stille cross-coupling reactions 211, 211

Stille CTP. *See* Stille catalyst-transfer polymerization (Stille CTP)

stimuli-responsive luminochromic materials

- bis-*o*-carborane-modified anthracene 164
- bis-*o*-carborane-modified benzobithiophenes 164–165
- film-type sensors 167–168, 168
- phase changes and luminochromic behaviors 165–166, 165, 166
- rotation of *o*-carborane 168–170, 169

styrene-butadiene rubber (SBR) 231

substituted acetylene polymers 300, 301

supramolecular polymers 214–220, 214–220

Su–Schrieffer–Heeger (SSH) model 259

Suzuki coupling reaction 188–191, 189, 191

Suzuki–Miyaura catalyst-transfer polymerization (SMCTP) 42–44, 43

Suzuki–Miyaura coupling reaction 5

t

TBDOPV copolymers (TBDOPV-T) 198

TE figure-of-merit 280

terphenylenes 304

2,2,6,6-tetramethyl piperidinyll magnesium chloride–lithium chloride complex solution (TMPMgCl · LiCl) 36, 37

thieno[3,2-*b*]thiophene (TT) 264

thienopyrroledione (TPD) 265

thiophene-based polymers 264, 264

three-dimensional (3D) conjugated molecules

- corannulene-containing polymer 208–213, 208–213
- curved π -conjugated molecules 207, 208
- helicene-based polymers 220–225, 220–225
- overview 207
- supramolecular polymers 214–220, 214–220

time-dependent density functional theory (TD-DFT) 74, 153

time-resolved spectroscopy 262

TPE-POSS-containing films 88, 88

transition electron microscopy (TEM) 263

transition metal-catalyzed polycondensation

- ADMET polycondensation 15–18
- C–H bond functionalization 6–13
- Cu- and Fe-catalyzed polycondensation 13–15
- Ni-catalyzed polycondensation 2–4
- overview 1–2
- Pd-catalyzed polycondensation 4–6

trans-polyacetylene (*trans*-PA) molecule 258

twisted intramolecular charge transfer (TICT) process 156–157, 156, 158

u

Ullmann homo-coupling
polycondensation 13, 14
ultraviolet (UV)-visible absorption
spectroscopy 302

v

van der Waals interactions 231, 303
vat dyes 328

x

X-ray diffraction analysis (XRD) 243

z

Ziegler–Natta catalyst 300

