

Index

Note: Page numbers in *italics* and **bold** refers to figures and tables respectively.

a

- AB stacking 132
- acoustic phonon model 456
 - Debye model 459–460
 - Einstein's solid model 456–458, 458
- acoustic transport 10, 15, 38–40, 67, **67**
- activity coefficient 220
- adhesion energy 95–96, 188
 - molecular perspective of 100
 - between n-hexadecane and SiO₂ 104–105
 - between OMCTS and SiO₂ 102–103
- adhesion interaction strength 95
- adhesion theory of friction 41
- AFM. *see* atomic force microscopy (AFM)
- alkanes 79, 150, 156, 162, 186, 194
 - extreme directional alignment of straight linear chain 104
 - interaction coefficients 154
 - VdW molecular and gas properties of **151**
- allotropes of carbon 131, 131
- α -relaxation 49, 119
- Ampère's law 347
- angiosperm woods 178
- angular momentum 306, 345–346, 349
 - orbital 348
 - spin 348
- anharmonicity of Morse potential 432–433
- anodic aluminum oxide (AAO) porous sieve membranes 237, 238
- Anodisc™ 237
- anomalous diffusion 461
 - power law exponent for 61
 - regimes 461
- antibonding orbitals 357
- AOs. *see* atomic orbitals (AOs)
- apparent slip
 - effective slip length as sum of 205
 - molecular conformations at 194–196
- apparent solute rejection parameter 228
- Archimedes number 53
- armchair nanotubes 62
- Arrhenius equation 12–13
- artificial atoms 66, 309, 331
- aspect ratio 233
- astrophysics 65
- asymmetric molecules 438
- atomic force microscopy (AFM) 41, 42, 196, 327
- atomic orbitals (AOs) 297, 353
- "Atomic Theory" (Dalton) 272
- atomistic physics 65
- atoms 1, 4, 7, 65, 127, 385, 466
 - binary mix of 454
 - Bohr model of atom 276–278
 - carbon 358–359
 - clusters 387
 - dispersion relation 278–281, 280, 281
 - electron 272–274, 273
 - electrons, energy states, and distribution in 340–350
 - hydrogen 358
 - hydrogen emission spectrum 274–275, 275
 - structure 272, 272
 - surface 123–124
 - vibrational behavior of 456
 - wave-particle duality 278–281, **279**, 280, 281
 - zero-dimensional realm of 8

average cohesive energy per atom 127
average energy 424, 457

b

background radiation 251
ballistic electron transport 31, 313
ballistic transport 8, 34, 312
 current-voltage relation for 35
 electron scattering vs. 312–314
Balmer series 275
bandgap 330–331, 360, 363–364, 366,
 383–386, 383, **384**, 385, **386**
 direct 415, 415
 energy 386
 indirect 415, 415
Band theory (Bloch) 318
BEC. *see* Bose-Einstein Condensate (BEC)
bending stresses on vascular plants and
 drought embolism 176–179, 176, 179
benzene 108, 361, 362
 bonding situation 359
 energy diagrams and structures of 360
 Hückel Hamiltonian for 360–361
 π electronic structure of 361
 sp^2 hybridization of 359
 β relaxation 119
bias voltage 37, 314, 327
 applied 314, 378
 external 399
 zero 314
binding energy 107, 132, 354–355, 432. *see*
 also adhesion energy
 cohesive 124, 127
 of molecules 92
 surface 92–94
biology 65, 68
blackbody radiator 249, 250–253, 250, **252**,
 266, 412
 irradiation flux of 255
 Planck's energy distribution law for 257
 radiation sources as 413
 spectral irradiation 251
body-centered cubic (bcc) lattices
 452, 452
Bohr model 272, 341
 of atom 276–278
 derivation of 278
Bohr radius 84, 278, 297, 342–343, 387
Boltzmann approximation 389–390

Boltzmann distribution 172, 259, 457
Boltzmann factor 259, 390, 437, 457
bonding 92, 350, 351, 357, 359, 431, 453
 hybrid molecular orbitals 357–358, 357
 hydrogen 80, 205
 orbitals 357
 σ -bonding 351–354, 351, 352, 353, 354
 σ to π -bonding 355–357, 355, 356, 357
 vibrational 430
bond vibrations 207, 354
 dissociation energy 431–435, 432
 ground-state electronic energy
 431–435, 432
 infrared spectrum of diatomic molecules
 430–431, 431
 intermolecular 21
 in molecules 426
 quantum harmonic oscillator 426–429,
 427, 428, 429
 stiffness of vibrating bonds and vibrational
 bond temperature 436
Bose-Einstein Condensate (BEC)
 259–260, 263
Bose-Einstein distribution 259, 260, 261,
 262, **263**
bosons 259–263, 259, 262, 265
 noninteracting 265
 statistical distribution of identical 260
boundary layer (BL) model 194, 195,
 201, 205
 discrepancy, reasons for 204
 effective viscosity of water 202
 true slip length 203
Brillouin zone 385, 451, 454
bubble nucleation 147
 critical cavitation pressure for 171
 free energy of 167–170, 170
 probability of 171–175
Buckingham potential 106, 108
built-in voltage 396–398, 401, 405, 410
bulk cohesion energy
 molecular perspective of 97
 of n-hexadecane 99–100
 of OMCTS 97–99
bulk diffusive transport 8
bulk diffusivity 191–192
bulk-layer for thick films 119
bulk mechanical response 111–114
bulk modulus 54, 124–125

C

- cadmium telluride (CdTe) 415, 417
- capillary actions 175–177
- capillary-driven method 239
- capillary piston-die rheometer 12, 13, 15
- carbon monoxide (CO) 21, 80, 308, 438
- carbon nanotubes (CNT) 202
 - nanoconduit flow through 205–211, 206
 - oscillatory disturbance 207–208
 - parabolic velocity profile 208, 208
 - phonon-induced oscillations 208
 - phonons 209–210
 - single-walled CNT 206
- Cassie-Baxter state 199–200
- “cause and effect” problem 278
- cavitation 163–166
 - laser-induced 166
 - phenomenon 160, 166
 - pressure 170–171
 - probability for 173
 - properties of water based on CNT **173**
 - in static fluids 165
- CdTe. *see* cadmium telluride (CdTe)
- centrifugal distortion 440–441
- “chain-backbone” regime 118
- characteristic length scales for electron
 - transport 31–34, 33
- chemical potential 168, 213, 260, 262–265, 264, 265
 - drain 316
 - gradient 219–220
 - variations of 164
- chemistry 1, 65, 68, 80
 - polymer 119
 - surface 131
- chromophores 309, 362–365, 363, 364
- classical nucleation theory (CNT) 167
- classical quantum mechanics 349
- classical thermal transport 16–17
- Clausius-Mossotti equation 86
- CNT. *see* carbon nanotubes (CNT); classical nucleation theory (CNT)
- coefficient of slip 187–189, 191–192, 200–202
- cohesion energy 95, 188. *see also* bulk cohesion energy
- cohesion-tension hypothesis 176
- colligative property 215
- Colloidal Sciences 5
- combined deductive rational
 - engineering 5–6
- combined wave function 321
- complex linear viscoelastic modulus 47
- compressibility 124
 - factor 158–159
 - of *fcc* bulk metals **125**
 - reduced compressibility charts 160
- concentration polarization (CP) 224, 228–229
 - mass transfer coefficient 226
 - module 229–230, 232
 - solute 225–226
- condensed material phases, electronic states
 - and transport in 377–389
- condensed matter physics 65–66, 385
- conductance 28, 38, 315, 366
 - constant 29
 - electric 27–28
 - hydraulic 180
 - of 1D system 32
 - quantum 31–32, 35, 313, 315
 - staircase-like 36
 - stomatal 183
 - thermal 27
- conduit reinforcement parameter 177
- confined-phase polymer 120–121
- conjugated polymers 309, 359, 366, 366
 - OLED material 367–369, 368, 369
 - organic photovoltaic material 369–371, 370
- conjugated system 359
- constitutive relation 16
- constructive interference 282–284
- contact angle 95, 134, 142, 189, 191–192, 198, 204, 207
 - equilibrium 96
 - measurements 134
 - polymer 239
- contact distance 141, 191
- correspondence principle 428
- cosmology 65
- Coulomb blockade 333–334, 336
- Coulomb energy 85, 381
- Coulomb parabola 333
- covalent bonding 350
- CP. *see* concentration polarization (CP)
- creep function 44–45
- creeping flow 52, 54
- creep-recovery response function 44, 45

- critical angle 204
- critical molecular response times
 - dissipative two-dimensional shear response 47–50
 - in nanoconstrained systems 40–50
 - shear response to stress 45–47
 - stress–Maxwell model, longitudinal response to 42–45, 42
- critical point 147, 155, 158, 160, 164
- cross-flow filtration process 225
- cross-linking 3
 - chemical 2
 - via ester linkage to midchain 183, 184
- crosslink polymers 111
- crystalline silicon (c-Si) 415, 417
 - inorganic solar cells of 404
 - I*-*V* characteristics of 409
- cutin monomers 183, 184
- d**
 - Darcy's Law 179–185, 233
 - dark saturation current 408
 - Davisson-Germer diffraction
 - experiment 270, 270
 - Deborah number (De) 47
 - de Broglie duality 269
 - de Broglie wavelength of electrons 28, 31, 38, 334, 338
 - Debye frequency 456, **456**, 459–460
 - Debye interaction 81–82, 85
 - Debye–Langevin equation 83
 - Debye model 455, 459–460
 - Debye relaxation equation 88
 - Debye wavevector 460
 - deductive rational approach principles 4, 5, 64–65
 - deductive rational engineering 4–5
 - defect scattering 313
 - degenerate energies 297, 342, 346, 437, 445, 455
 - de Gennes' scaling analysis 116
 - degree of polymerization 111
 - degrees of freedom 8, 12, 21, 41, 67, 424, 458
 - molecular 21
 - of polyatomic molecules **445**
 - reduction in 7
 - rotational 445
 - translational 19, 21, 445
 - vibrational 24, 445
 - delocalized π electrons 359–362, 359, 360, 362
 - δ -relaxations 119
 - density of states 27, 36, 325, **326**, 377–382, 379, **381**, 382, **382**, 459
 - carrier-specific 389
 - of electronic system 325
 - 1D 37
 - depletion layer 398–403, 399, 400
 - depletion region 396–398, 401
 - desalination 206, 211, 216–218
 - brackish water 223
 - membranes 233
 - results using aromatic polyamide FT-30® membrane 228, 233
 - solute retention 231
 - destructive interference 280, 282–283
 - diatomic molecules 20–21, 354, 424, 444
 - dissociation energy and ground-state electronic energy of 431–435, 432
 - infrared spectrum of 430–431, 431
 - rotational molecular mode in 436–444
 - Dieterici EOS 158, 160
 - diffraction phenomenon 287
 - diffusion length 407, 409
 - minority carrier 401, 407–408
 - of *p*-*n* junction 405
 - diffusive electron transport 36, 312
 - diffusive transport 8, 31, 462
 - dimensional constraints 31, 38, 60–64, 61, 66
 - dimensionality 38–40, 67
 - space 8
 - uniqueness of lower 8–10
 - dimensionless sorption coefficient 222
 - dipolar-dipolar interaction 80
 - dipolar–nonpolar interaction 80
 - Dirac equation 350
 - direct bandgap material 415, 415
 - discrete energy levels 259, 263, 312, 330, 423
 - dispersion forces 85, 87, 97
 - dispersion interaction 84, 98, 162, 197
 - London's 84, 150
 - VdW 93, 96
 - dispersion relation 278–281, 280, 281, 292, 314, 378, 449, 455
 - energy 311, 385
 - linear 459

- particle 280
- phonon 450, 451
- dissipative two-dimensional shear response 47–50, 48, **49**
- dissociation energy. *see also* binding energy
 - atom-atom 354
 - of diatomic molecules 431–435, 432
- distribution
 - in atoms 340–350
 - Bose-Einstein 260–261
 - Fermi-Dirac 37
 - isotropic 3
 - Maxwell-Boltzmann 19, 23
 - nonsymmetric electron 80
 - Planck's distribution law 456, 459
 - velocity 20
 - weight 115
- dominant phonon approximation 24
- donor- π -bridged-acceptor
 - chromophores 364
- dopant concentrations 398
- doped inorganic semiconductors 389
 - depletion layer in p-n junction and external bias 398–403, 399, 400
 - doped semiconductors 391–394, 392
 - semiconductor bandgap engineering 389–391, **390**
 - semiconductor p-n Junction 394–398, 395
- doped semiconductors 391–394, 392
- double-layer LED architecture 369
- double-slit interference 283–285, 284
- drain 314–316, 332, 336, 338
- drought embolism 178
 - bending stresses on 176–179
- Drude model 29–31, **30**, 420
- DSC. *see* dye-sensitized solar cells (DSC)
- ductility 358
- Dulong-Petit law 455, 460
- Dupré equation 96, 199
- dye-sensitized solar cells (DSC) 363–364, 417
- dynamic viscosity 21, 51, 179, 180, 185, 187, 189
- e**
- EDS. *see* energy-dispersive X-ray spectroscopy (EDS)
- eigenfunction 289–290
- eigenvalues 289, 297, 361, 449
 - of angular momentum 345
 - energy 290, 427
 - solution of total energy 296
- Einstein, Podolsky, and Rosen (EPR) paradox 299
- Einstein relation 190, 407
- Einstein's solid model 456–458, 458
- elastic rubbers 111
- elastic shear modulus 11, 45
- elastomers 111
- electric conductors 331
- electrochemical potentials 37, 314, 378
- electroluminescence (EL) 367
- electroluminescent layer (EL) 367, 369
- electromagnetic (EM) fields 423
 - radiation 1, 249, 268, 363
 - waves 272, 279, 448
- electron(s) 34, 258–260, 271–274, 273, 285, 271, 333, 340–350
 - addition energy 334, 338–340
 - affinity 368–369
 - bands 318, 330
 - density 127, 358, 380–381, 389
 - electron orbital-shape 345–346
 - energy degeneracies, spin-orbit coupling, and fine structure 346–349, 346, 347, 348
 - hole pairs 367, 387, 403, 405, 412–413
 - hydrogen atom 341–342
 - mean free path 31
 - orbital-shape 345–346
 - probability and electron distribution 342–344, 342, 343, 344
 - relativistic effects 349–350
 - scattering 32, 66, 312–314, 312
 - shells 31
 - translational energy 380
 - tunnel phenomenon 319
 - wave function and energies 295–298
- electron distribution 309, 342–344, 342, 343, 344, 350–358, 351, 378
 - molecular 154
 - nonsymmetric 80
 - probability and 342–344
- electron-electron scattering 31, 313
- electronic bands and bandgap 383–386, 383, **384**, 385, **386**

- electronic states and transport 377
 - density of states 377–382, 379, **381**, 382, **382**
 - electronic bands and bandgap 383–386, 383, **384**, 385, **386**
 - semiconductor bandgap engineering 386–389, 387, **387**
 - electron(ic) transport 67, **67**, 336, 363, 383, 389
 - characteristic length scales for 31–34
 - characteristic length scales for electron transport 31–34, 33
 - Drude model 29–31
 - electron scattering vs. ballistic transport 312–314, 312
 - of lower dimensional systems 27, 29
 - multimode quantum and quantum conductance 315–318, 316
 - one-dimensional electron transport 34–38, 35, 36
 - in one-dimensional quantum wire 309
 - quantum wire energy components 310–312, 311
 - single-mode quantum wire 314–315, 315
 - zero, one-, and two-dimensional systems 28
 - electron-phonon scattering 31, 312–313
 - electron tunnelling 309, 318–319, 377
 - finite 1D potential well 319–321, 319
 - quantum 318
 - scanning tunneling microscopy 326–329, 327, 328, 329
 - tunneling effect 321–326
 - electro-optics (EO) 364
 - emissive layer 367
 - energetic transport 67, **67**
 - energy
 - in bulk systems 448–449
 - degeneracies 341, 346–349, 346, 347, 348
 - diagrams and structures of benzene 360
 - dispersion relation 311, 385
 - eigenvalue 290, 427
 - states 259–260, 340–350
 - energy discretization 309, 312
 - for electrons 313
 - of nanoparticles 330–332, 330, 331
 - energy-dispersive X-ray spectroscopy (EDS) 237
 - entropic constraints 66–67
 - EO. *see* electro-optics (EO)
 - Equipartition Theorem 424
 - ester-linked linear polymerization 183, 184
 - ethylene (C₂H₄) 4, 105, 358–359, 361, 363
 - Eucken's gas kinetic formula 21, 23
 - excess free energy 127
 - excess polarizability 86
 - excimer 109
 - excitons 365, 367, 387
 - Frenkel 406
 - molecular 368
 - Wannier–Mott 405
 - external bias, depletion layer in 398–403, 399, 400
 - external constraints 66
 - external forward bias 399
- f**
- face-centered cubic (fcc) lattices 124, 452, 452, 453
 - Fermi-Dirac distribution 36–38, 259, 261, **262**, **263**
 - Fermi-Dirac function 379
 - Fermi energy 32, 261, 314, 378, 384, 386, 392
 - Fermi levels 399
 - fermions 37, 259–260, 262
 - FET. *see* field effect transistors (FET)
 - Fick's law 17, 55, 220, 222
 - field effect transistors (FET) 335–336, 335
 - fine structure 341, 346–349, 346, 347, 348
 - constant 347
 - finite 1D potential well 319, 319
 - boundaries, Schrödinger solutions within 320–321, 321
 - finite particle box, Schrödinger solutions within 321, 322
 - finite particle box 320
 - Schrödinger solutions within 321
 - Schrödinger solutions within boundaries encompassing 320–321, 321
 - “Flatland: A Romance of Many Dimensions” (Abbott) 8–10, 9
 - Flory-Fox equation 111, 113
 - flow enhancement 202–203, 203, 205
 - flux 16, 224
 - diffusive 17, 218
 - gas permeation 55
 - heat 16
 - impermeable particles 56
 - osmotic 222

photon 412, 414
 solute 226
 volumetric 182
 forward bias 399, 401, 403, 405
 Fourier's classical thermal conduction
 theory 460
 Fourier's law 16–17, 61, 218, 461
 Franck-Hertz experiment 271, 271, 363
 free energy 79, 92
 of bubble nucleation 167–170, 168
 excess 127
 Gibbs 213, 263
 London dispersion interaction 150
 minimization 118
 surface 131
 free surface effects on VdW solids 105–110
 free volume 13–14, 50, 54, 56, 59–60, 112–
 113, 150, 162
 Frenkel excitons 406
 Frenkel's mobility equation of
 two-dimensional gas of adsorbates 190
 frequency of vibration 430
 furan-thiophene chromophore (FTC)-type
 chromophore 364

g

GaAs. *see* gallium arsenide (GaAs)
 gallium arsenide (GaAs) 385–387, 415
 gas bulk critical and molecular
 properties 155
 compressibility factor 158–159
 contrasted dispersion energy
 calculations 161
 critical temperatures and pressures of
 selected materials 157
 Dieterici EOS 158
 reduced compressibility charts 160
 reduced pressure-volume diagram of pure
 substance 159
 VdW rescaling parameters for selected
 material classes 162
 visualization of gas coefficients
 data and molecular electronic
 polarizabilities 156
 volume parameter 162
 gases
 Debye interaction 81
 dispersion forces 85
 dispersion interaction 84

 Keesom interaction 80
 magnitude of dipole moments 81
 polarization interactions 82
 properties of molecules and condensed
 media electric permittivity 82
 rotational polarization 83
 VdW interactions in 80, 86
 gate electrode 336
 germanium (Ge) 383, 386
 Girifalco-Good-Fowkes equation 97, 137
 glass transition 12–13, 15, 111–114, 112,
 121, 147, 239
 glassy state regime 111
 graphene 62–64, 136–139, 207
 graphite, surface energy of 132–135
 ground-state electronic energy of diatomic
 molecules 431–435, 432

h

Hagen-Poiseuille law 185
 Hamaker constant 100–102, 191
 Hamiltonian operator 295–296, 360, 449
 harmonic oscillator model 424, 427,
 430, 445
 harmonic potential 426–427
 in bulk systems 448–449
 oscillatory particle in 428
 Hartree energy scale 354
 heat capacity 19, 424
 Debye's model of 456
 Einstein's photoelectron model of 455
 ratio 21
 volumetric 17–19
 heat conduction 24, 63, 455–456, 456, 460
 conduction quantum for 1D 27
 phonon approximation for 24
 scaling law for rate of 61
 Hertz spark experiment 266, 266
 heterocyclic aromatics 362
 heterogeneous slip 197–200
 hexadecane 105, 107, 195–196
 hexagonal close-packed (HCP) system
 92, 92, 452, 452, 453
 HF. *see* hydrogen-fluoride (HF)
 Highest Occupied MO (HOMO) 353
 language 370
 levels 362–365, 363, 364
 highly oriented pyrolytic graphite
 (HOPG) 131, 132

holes 122, 313, 367, 386, 407, 409
 HOMO. *see* Highest Occupied MO (HOMO)
 homogeneous nucleation process of vapor
 bubbles 167
 homopolymer molecules 111
 Hooke's law 10–11
 HOPG. *see* highly oriented pyrolytic graphite (HOPG)
 Huang–Bocquet's quasi-universal
 relationship 203
 Huygens–Fresnel principle 38, 39
 Huygens' principle 8, 39, 282
 hybrid molecular orbitals 357–358, 357
 hydraulic conductivity 177, 180
 hydraulic loss 177–178
 hydraulic transport in capillaries and
 boundary conditions 175
 bending stresses on vascular plants and
 drought embolism 176–179
 molecular conformations at interfaces and
 apparent slip 194–196
 Poiseuille flow in capillaries 185–193
 surface roughness and heterogeneous
 slip 197–200
 symbols **181–182**
 water transport 179–185
 hydrochloric acid (HCl) 438
 hydrogen (H₂) 20, 57, 425
 atom 295–298, 341–342
 emission spectrum 274–275, 275
 interactions 80, 148
 hydrogenated amorphous silicon
 (a-Si:H) 415
 hydrogen-fluoride (HF) 357
 hydrophilic surface 198
 hydrophobic surface 198
 hydrostatic pressure 124, 128, 158, 180
 hydrostatic-pressure assisted method 238
 hydrostatic tension 158
 hyperfine structure 347

i

icosahedrons (IHs) 126
 IDT. *see* interdigitated transducer (IDT)
 IHs. *see* icosahedrons (IHs)
 impregnation height over time 238, 240
 impurity scattering 313
 indirect bandgap material 415, 415

indium tin oxide (ITO) 368
 infrared (IR) 430
 microscopy 209
 regime 275, 459
 spectrum of diatomic molecules
 430–431, 431
 interaction parameter 80–81, 99,
 161–162
 dispersion 150
 material-dependent 93
 molecular pair 80
 partial VdW 80
 interdigitated transducer (IDT) 40
 interfacial boundary layer 14
 interfacial constraints 12, 54–60, 59, 66,
 105, 111
 on glass transition in thin films 118–123,
 118, 122
 in metal nanoclusters 123–131
 interfacial energy 95–96, 166, 199, 222
 liquid-vapor 169
 of spherical bubble of volume 169
 interfacial systems 79
 interference of waves 281
 intermediate radial regime 14
 internal constraints 66
 intrinsic semiconductors 389
 ionization potential 368
 ion scattering 313
 IR. *see* infrared (IR)
 isolated atoms 330, 385
 isotropic stress 124
 isotropic thermal conductivity 16
 ITO. *see* indium tin oxide (ITO)

j

Josephson junction (JJ) qubits 302
 jump model 13, 14

k

Keesom interaction 80–81
 kinematic viscosity 105, 195
 Klein-Gordon equation 350
 Knudsen number (Kn) 24
 Knudsen's extension of gas theory 25
 KP model. *see* Kronig-Penney model
 (KP model)
 Kronig-Penney model (KP model) 384–385

L

Landauer formula 35
 Laplace pressure 125, 167
 lattice constant 385
 lattice spacing 331, 405, 449, 454
 bulk equilibrium 388
 of crystal surface 270
 lattice vibrations 31, 448
 acoustic phonon model 456–460
 harmonic potential and energies in bulk systems 448–449
 phonon dispersion 449–456
 thermal conduction in nano-constrained systems 460–462, 462
 Law of Corresponding States 158
 LDA. *see* local density approximation (LDA)
 leaf-specific conductance 183
 LED. *see* light emitting diode (LED)
 Legendre polynomials 437
 Lennard-Jones (LJ) interaction pair
 potential 106, 148, 149, **149**
 Lifshitz (mean-field) theory 100
 light detectors 403
 light emitting diode (LED) 366
 architectures 369
 conjugated polymers as 366–371
 limiting hydrostatic tension 160
 linear momentum differential operator 289
 linear momentum operator 290, 345
 linear viscoelastic theory 45–46
 lipid nanoparticles (LNPs) 6, 6
 liquid droplets, terminal velocity of 51–54
 liquid-like flow behavior 10
 liquids 7, 10
 Debye relaxation equation 88
 electric permittivity for polar and nonpolar media 88
 free surface effects on VdW solids 105–110
 interfacial effects on 90
 interfacial properties of OMCTS,
 n-hexadecane, and silicon oxide **94**
 McLachlan formula 87
 OMCTS 91, 91
 phase properties of materials **90**
 selected properties of OMCTS,
 n-hexadecane, and silica **94**
 simplistic perspective bulk and surface
 binding energy 92–94

 structures 94–105
 VdW interactions in 86
 liquid tensile strength, probability of
 171–175
 LNPs. *see* lipid nanoparticles (LNPs)
 local density approximation (LDA) 130
 London dispersion parameter 150, 151
 London's dispersion interaction 84
 longitudinal (L) waves 451, 452
 loss tangent 47
 Lowest Unoccupied MO (LUMO) 353
 language 370
 levels 362–365, 363, 364
 Lucas and Washburn equation 238
 LUMO. *see* Lowest Unoccupied MO (LUMO)

m

macroscopic electron transport, microscopic
 model for 29–31
 macroscopicity 285–288, 288
 magnetic momentum 348, 378
 magnetic quantum numbers 345–346
 mass transfer coefficient 226, 227
 concentration polarization 226
 mass transport 67, **67**
 matrix mechanics 286
 matter-wave interference 285
 Maxwell-Boltzmann distribution 20, 23,
 259, 259, **262**, 263
 Maxwell's model for gas permeation 57, 57
 McLachlan formula 87
 mean free path 18, 26, 32, 309, 420, 460
 backscattering 37
 electron 31
 of phonons 24
 thermal conductivity with 20
 mechanical relaxation spectrum of
 polymer 119, 119
 mechanical system responses 10
 bulk rheological responses 10–12
 molecular perspective 12–15
 melt viscosity 13, 15, 114–118
 membrane transport 211. *see also*
 size-constrained condensed fluid
 molecular systems
 osmosis 211–216
 polymer membranes and nanoporous
 transport 233–240

- membrane transport (*Cont.*)
 - rough classification of membrane types and configurations 217
 - transport mechanisms through solvent swollen polymer membranes 218–233
 - water purification and desalination 216–218
 - mesoscopic physics 66
 - messenger ribonucleic acid (mRNA) 5–6, 6
 - metal-insulator-metal (MIM)
 - configuration 327
 - metal nanoclusters 79
 - size and interfacial constraints in 123, 124
 - size effect on cohesion and surface energy in quasicrystals 126–131
 - surface energy 124
 - surface stress, surface energy, and compressibility of fcc bulk metals **125**
 - metastable liquid phenomena 163
 - and cavitation 163–166
 - free energy of bubble nucleation 167–170, 168, 170
 - homogeneous nucleation process of vapor bubbles 167
 - probability of bubble nucleation and liquid tensile strength 171–175
 - methane (CH₄) 22–24, 357, 444
 - micro-particle image velocimetry (μ -PIV) 196
 - microscopic model for macroscopic electron transport 29–31
 - microsystems 263–265, 264, **264**, 265
 - microwave spectrum 438–439, 441
 - Millipede project 122–123
 - miniaturization 50–64
 - minority carriers 395–396, 401, 408
 - concentration 399
 - diffusion lengths 401
 - MO. *see* molecular orbital (MO)
 - mobile electrons 358
 - conjugated polymers 366–371, 366
 - delocalized π electrons 359–362, 359, 360, 362
 - HOMO-LUMO levels and chromophores 362–365, 363, 364
 - molecular conformations at interfaces and apparent slip 194–196, 194
 - molecular electronic bonds 426
 - molecular engineering 1, 3, 302
 - of band gaps 366
 - combined deductive rational engineering 5–6
 - deductive rational engineering 4–5
 - “liquid” films 7
 - trial-and-error approach 4–5
 - unique behaviors in small systems 6
 - molecular interactions 20, 80, 207, 423
 - molecules and 147–149
 - VdW 80–90
 - and VdW EOS 149–155
 - molecular mobility 41, 111, 188–190, 239
 - molecular modes 42, 423–426, 424, 425
 - molecular orbital (MO) 350
 - diagram 352
 - excitation 362–363
 - theory 350
 - molecular physics 65
 - molecular rigid rotor 436–440, 436, 439
 - molecular spectroscopy 433
 - molecules 4, 147–163
 - bond vibrations in 426–436
 - electron distribution and bonding in 350–358
 - homopolymer 111
 - mRNA 5–6
 - polymer 2, 13
 - in unit cell 451–455, 452, 454, 455
 - moment of inertia 306, 436, 440, 447
 - momentum transport 9, 15, 38, 67, **67**
 - monomers 111, 115
 - cutin 184
 - electron-deficient 115
 - styrene 116
 - Morse potential 354, 431
 - anharmonicity of 432
 - mRNA. *see* messenger ribonucleic acid (mRNA)
 - multimode quantum 315–318, 316
 - multiple atoms in unit cell 451–455, 452, 454, 455
 - multiplicity of entropy 264
- n**
- nanoclusters 27, 123
 - nanocomposite membrane
 - permeability 54–60
 - nanoconduit flow 201

- BL model 201–205
 - through carbon nanotubes 205–211
 - nano-constrained systems, thermal
 - conduction in 460–462, 462
 - nanofiltration (NF) 211, 218
 - nanoparticles 123
 - energy discretization of 330–332, 330, 331
 - lipid nanoparticles 6
 - silver 54
 - nanoporous transport 233–240
 - nanoscience 1–6, 68, 110, 302
 - classification 65–68
 - lower dimensionalities, properties in 7–10
 - nanoscale, microscale and macroscale 2
 - nanosystems 3, 8–9
 - nanotechnology 1, 4
 - classification of 65–68
 - revolution 309
 - nanotubes 8, 62
 - neutrons 209, 260
 - Newton's law of viscosity 11, 43, 185, 187
 - Newton's spring equation 449
 - NF. *see* nanofiltration (NF)
 - n-hexadecane 91, 94, **94**, 97
 - adhesion energy between SiO₂ and 104–105
 - cohesion energy of 99–100
 - nodal planes 344
 - nonbonding MOs 357
 - nondegenerative translational energy
 - levels 444
 - nonlinear optical (NLO) chromophores 364
 - nonrigid diatomic rotor 440–443
 - nonsynthetic petroleum-based motor oils 4
 - normal bulk diffusion 461
 - normal modes 445, 446, 450
 - “normal” surface 198
 - nuclear physics 65
 - number of nearest neighbors 79
- O**
- octadecylphosphonic acid (ODPA) 49
 - octamethylcyclotetrasiloxane (OMCTS)
 - 91, 91
 - adhesion energy between SiO₂ and 102–103
 - cohesion energy of 97–99
 - ODPA. *see* octadecylphosphonic acid (ODPA)
 - OLEDs. *see* organic light-emitting diodes (OLEDs)
 - OMCTS. *see* octamethylcyclotetrasiloxane (OMCTS)
 - one-dimensional box
 - energy level of 292
 - final wave function solution of 293–294, 293
 - general solution of 291–292
 - particle in 291, 291
 - quantum well structures 294–295, 295
 - one-dimensional electron transport 34–38, 35, 36
 - 1D monospecies chain 449–451, 450, 452
 - one-dimensional (1D) quantum wire 309
 - electron transport in 309–318
 - one-dimensional Schrödinger wave
 - equation 289–290
 - Onsager Theorem 218
 - open circuit voltage 363, 410, 414, 416
 - optical modes 451, 453, 455
 - optoelectronics 365–366
 - orbital magnetic moment 347–348
 - organic chromophores 364
 - organic light-emitting diodes (OLEDs) 359, 367–369, 368, 369
 - organic photovoltaic (PV) cells 404
 - organic photovoltaic material 369–371, 370
 - orientational momentum 348
 - oscillatory disturbance 207–208
 - Oseen's law 53
 - osmosis 176, 211
 - chemical potential of pure liquid 213
 - colligative property 215
 - osmotic transport of solvent through semipermeable membrane 214
 - van't Hoff factor 212
 - osmotic flux 222
 - osmotic pressure 211–213, 216, 221, 223
 - difference 222
 - equilibrium 215
 - transmembrane 230
 - osmotic reflection coefficient 212
- P**
- PAO. *see* poly- α -olefins (PAO)
 - partial-slip velocity 187
 - particle in a box model 319, 427
 - particle interferences 281
 - double-slit interference 283–285, 284
 - macroscopicity 285–288, 288

- particle interferences (*Cont.*)
 - screen intensity and probability 285, 286
 - single-slit interference 281–283, 282
 - uncertainty principle 285–288, 288
- particle physics 65
- partition function of quantum harmonic oscillator 457
- passive wicking mechanism 176
- Pauli exclusion principle 258, 260, 350
- Pauli's repulsion 106
- PE. *see* polyethylene (PE)
- PEG. *see* poly(ethylene glycol) (PEG)
- Peierls instability theorem 366
- PEO. *see* polyethylene oxide (PEO)
- perfect plastic behavior of system 11
- permeability coefficient 182, 223
- permeance 179–180, 223
 - of solutes 224, 227, 231
 - water 179
- permittivity 58, 335
- PF. *see* polyfluorene (PF)
- phase coherence length 31–32
- phase of wave 280
- phase properties 147–163
- phenomenon of cavitation 166
- phonon(s) 24, 209–210, 312, 448–462
 - density of state 459
 - dispersion relation 451
 - gas 24
- phonon dispersion 449
 - and heat conduction 455–456, **456**
 - 1D monospecies chain 449–451, 450, 452
 - systems with multiple atoms or molecules in unit cell 451–455, 452, 454, 455
- phonon-induced oscillations 208
- photodiodes 403
- photoelectric effects 257, 266–268, 266, 267
- photon(s) 209, 258–260, 383
 - modes 254
 - momentum 268
 - system 265
- photovoltaic (PV) cells 366, 403
 - basics 403–411, 404, 406, 408, 409
 - crystalline silicon 417
 - materials 366–371, 366
 - P-N junctions 403–411, 404, 406, 408, 409
 - solar cell efficiency 412–417, 415
- physics 65
- π -bonding 355–357, 355, 356, 357
- π -electrons 355
- piston-die systems 12
- Planck constant 28, 76, 84, 98, 150, 209, 211, 256, 269, 315, 378, 389
- Planck's law 250, 256–258, 266
- Planck's photon distribution law of energy 456
- plum pudding model 273
- p-n junctions 394–398, 395, 403–411, 404, 406, 408, 409
 - depletion layer in 398–403, 399, 400
 - diodes 403
- Poiseuille flow in capillaries 185
 - adhesion energy 188
 - bulk diffusivity 191
 - coefficient of slip 187–188
 - Einstein relation 190
 - Newtonian liquid in a cylindrical capillary 186
 - superhydrophobicity 186
 - Tolstoi's theory 191, 193
 - Young's equation 189
- Poisson distribution 115, 171
- polarization interactions 82, 85
- polar–polar interaction 80
- polonium (Po) 451, 453
- poly- α -olefins (PAO) 4
- polyatomic molecules 20, 22, 444, **444, 445**
 - rotational modes of 447–448, **448**
 - vibrational modes of 445–447, 446, 447
- polycyclic aromatic hydrocarbons 79, 92, 105, 108
- polyethylene (PE) 111
- poly(ethylene glycol) (PEG) 115
- polyethylene oxide (PEO) 113
- polyfluorene (PF) 367
- polymer(s) 12, 115
 - chain entanglement 114–118, 114, 117
 - conjugated 359, 366–367
 - length 3
 - membranes 218, 233–240
 - mobility 111–114
 - molecules 2, 14
 - thin film rubbers 79
- poly(p-phenylene) (PPP) 367
- poly(p-phenylene vinylene) (PPV) 367
- polystyrene (PS) 59, 111, 113
 - γ relaxation for 119

- monodisperse 121
 - secondary relaxations 119, 120
 - poly(tert-butyl acrylate) (PtBA) 49, 239
 - poly(1-trimethylsilyl-1-propyne) (PTMSP) 56, 59, 59, 237
 - pore-flow (PF) model 218, 233
 - positron 260, 350
 - power conversion efficiency 411
 - PPP. *see* poly(p-phenylene) (PPP)
 - PPV. *see* poly(p-phenylene vinylene) (PPV)
 - pressure-driven capillary injection method of PTMSP solution 237, 238
 - pressure-driven membrane transport 219, 219
 - principal moments of inertia 447
 - principle distribution laws 258–263, 259, 261, **262, 263**
 - principle of uncertainty 286
 - principle quantum number 297, 350
 - probability 13, 36, 281–288, 437, 457
 - backscattering 37
 - of bubble nucleation and liquid tensile strength 171–175
 - classical 428
 - density function 20
 - and electron distribution 342–344
 - mode-dependent transmission 35
 - of occupancy 459
 - screen intensity and 285, 286
 - propane 57–58, 161
 - propanol 161
 - property gradient 16–17
 - proton 84–85, 260, 296–297, 342–343, 351
 - polarization of 301
 - for symmetric superposition 352
 - PS. *see* polystyrene (PS)
 - PtBA. *see* poly(tert-butyl acrylate) (PtBA)
 - PTMSP. *see* poly(1-trimethylsilyl-1-propyne) (PTMSP)
 - purely coiled phase 14
 - pyrene (C₁₆H₁₂), 92, 105, 105, 108–109
 - crystal 107
 - dimer interaction energy 108
 - slipped parallel pyrene dimer arrangement 108
- q**
- QD. *see* quantum dots (QD)
 - quantum computing 289, 299–302, 301
 - quantum conductance 315–318, 316
 - quantum-confined systems 38, 330
 - quantum constraints 288–302
 - quantum distribution law 256–258
 - quantum dots (QD) 8, 27–28, 331–332, 387–388
 - quantum entanglement 260, 289, 298–299, 300, 302
 - quantum harmonic oscillator 426–429, 427, 428, 429
 - infrared spectrum of diatomic molecules in light of 430–431, 431
 - quantum interference 302
 - quantum kinetic energy 334–335
 - quantum mechanical systems 38, 298, 333, 427
 - quantum mechanics 65, 85, 249, 250, 266–271
 - atom structure and simple model 272–281, 272
 - Franck-Hertz experiment 271, 271
 - hydrogen atom 295–298
 - one-dimensional box, particle in 290–295, 290
 - one-dimensional Schrödinger wave equation 289–290
 - photoelectric effects 266–268, 266, 267
 - quantum computing 299–302, 301
 - quantum constraints 288–302
 - quantum entanglement 298–299, 300
 - quantum wave theory 288–302
 - thermal emission 249–265
 - uncertainty 288–302
 - wave and particle interferences and probability 281–288
 - wave-particle duality 268–271, 270
 - quantum particles 34, 66, 258, 260, 269, 318–319
 - quantum physics 65
 - quantum states 297, 299–300, 344, 377, 381, 459
 - quantum superposition 287–288, 302
 - quantum wave theory 288–302
 - quantum wells 27
 - structures 294–295, 295
 - quantum wire 27, 31, 34, 295, 309, 381
 - connections 28
 - energy components 310–312, 311
 - quasicrystals 126
 - silver 127–128

quasicrystals (*Cont.*)

size effect on cohesion and surface energy
in 126–131, 126, 128

quasi-Fermi levels 399, 413–414

qubits 299–301

r

radial distribution function 343, 343

radial probability density 342

radiation frequency 430

radio frequency (rf) 40

Rayleigh and Jeans–Standing Wave
Model 253–256, 254, 255, 256

Rayleigh-Jeans radiation law 250, 255

Rayleigh waves 39

rectifiers 394–395

reduced mass 278, 296, 429–431, 436

relativistic effects 349–350

relativistic physics 65

relativity of simultaneity 278

relaxation frequency 190

relaxation function 45

Reptation Model 120

resistance quantum 31, 315, 334

reverse osmosis (RO) 211, 215

reverse saturation current density 401

reverse selective behavior 60

reverse voltage 399

rheology 10

rigid-rotor model 436

RO. *see* reverse osmosis (RO)

root pressure 176

rotational degrees of freedom 21, 445

rotational energies 443–444, 443, **443**

rotational modes of polyatomic

molecules 447–448, **448**

rotational molecular mode

in diatomic molecules 436–443

molecular rigid rotor 436–440, 436, 439

nonrigid diatomic rotor 440–443

rotational and vibrational energies

443–444, 443, **443**

rotational polarization 83

rotational temperature 437–438, 443

rubbery state regime 111

Rutherford model 273

Rutherford's α -particle (He^{2+}) scattering
experiment 273, 273

Rydberg constant 275

s

salt permeation coefficient 225

saltwater RO (SWRO) plant 216–217, 216

SAW. *see* surface acoustic waves (SAW)

scalar waves 39

scaling 50–64

interfacial constraints and nanocomposite

membrane permeability 54–60

phenomenological shortcoming of 51

terminal velocity of liquid droplets and

solid particles 51–54

scanning tunneling microscopy (STM) 110,
326–329, 327, 328, 329

constant-current imaging 328

constant-height-imaging 328

Schrödinger equation 288, 297, 449

for rigid rotor 437

solution of 341–342

time-independent 431, 448

Schrödinger's Cat 288

Schrödinger solutions

within boundaries 320–321, 321

for constant and narrow tunnel barrier

322–323

within finite particle box 321

Schrödinger wave equation 319

one-dimensional 289–290

time-independent 296

screen intensity 285, 286

selection rule 430, 438, 445

self-consistent field (SCF) method 354

semiconductor(s) 66, 331, 377, 383

bandgap engineering 386–391, 387,

387, 390

doped inorganic 389–403

ion-doped 313

semimetals 381, 383

SET. *see* single electron transistor (SET)

shear modulus 11

shear response to stress 45–47, 46

Shockley diode equation 408

Shockley-Read-Hall recombination 408

short current density 409, 414

short-range molecular pair interaction

potentials 90

σ -bonding 351–354, 351, 352, 353, 354

to π -bonding 355–357, 355, 356, 357

silicon (Si) 69, 370, 385–386

crystalline 417

- nanowires 461–462
- silicon dioxide (SiO_2) 91, 94, 99, 101
 - adhesion energy between n-hexadecane and 104–105
 - adhesion energy between OMCTS and 102–103
- silicon nitride (Si_3N_4) 69, 205, 405
- silicon (111) surface reconstruction 110, 110
- simple cubic (sc) structure 451, 452
- single electron box 28, 332–335, 332, 334
- single electron device technology 309, 329
 - energy discretization of
 - nanoparticles 330–332, 330, 331
 - single electron box 332–335, 332, 334
 - single electron transistor 335–340, 335, 337, 338, 339, 340
- single electron transistor (SET) 332, 332, 335–340, 335, 337–340
- single jump volume 13
- single-mode quantum wire 314–315, 315
- single-phase semiconductors 383
- single-slit interference 281–283, 282
- single-walled carbon nanotubes (SWNT) 462
- size-constrained condensed fluid molecular systems 147
 - hydraulic transport in capillaries and boundary conditions 175–200
 - metastable liquid phenomena 163–175
 - molecules and phase properties 147–163
 - nanoconduit flow 201–211
- size-constraint systems 79, 123
- size effect on thermal energy transfer 24–27, 25
- slip length 187–188, 191–194, 196–197, 199–207
- slip velocity 187, 189–190
- s-metals 379
- solar cells 67, 403
 - conductivity 391
 - efficiency 412–417, 415
 - p-type or n-type 393
- solid-like deformation behavior 10
- solid particles, terminal velocity of 51–54
- solids 7, 10
 - Maxwell 42
 - VdW 90–110
- solid-state physics 65, 385
- solute permeance 225, 227–228, 231
- solution-diffusion (SD) model 218–219
- apparent solute rejection parameter 228
- concentration polarization 224
- concentration polarization mass transfer coefficient 226
- desalination results 228, 233
- dimensionless sorption coefficient 222
- Fick's law 220
- ion concentration profile 224
- permeability coefficient 223
- salt permeation coefficient 225
- solvent and solute permeance **230, 231**
- symbols **234–237**
- transport selectivity coefficient 232
- turbulences 231
- uniform feed solute concentration **226**
- volumetric permeation flux of solution flux 227
- solvent polarization 86
- solvent swollen polymer membranes
 - pore-flow model 233
 - solution-diffusion model 219–233
 - transport mechanisms through 218
- sonoluminescence 166
- s-orbitals 297, 330, 343, 349, 355
- source 332, 336
- sp^3 hybridization 358
- spectral energy density 254–255
- speed of sound **17**, 451, 455, **456**
- spherical harmonics 437
- spin-coated polymer films
 - bulk mechanical response, polymer mobility, and glass transition 111–114
 - interfacial constraint on glass transition in thin films 118–123
 - interfacial effects on 111
 - polymer chain entanglement and melt viscosity 114–118
- spin coating 79, 121
- spinodal line 163–164, 163
- spin-orbit coupling 346–349, 346, 347, 348
- spintronic qubit designs 301–302
- spreading coefficient, 95–96, 96, 188
- stagnant film 226
- standard state of solution 213
- Stefan-Boltzmann's law 252, 257
- Stern-Gerlach experiment 346–347
- stick-slip phenomena 12, 42
- stiffness of vibrating bonds and vibrational bond temperature 436

- STM. *see* scanning tunneling microscopy (STM)
- Stokes' law 51, 52
- stomata 183
- straight linear chain alkanes, extreme
directional alignment of 104, 104
- strain rate 11, 15, 185
effects 13
of Newtonian fluids 11
- stress–Maxwell model, longitudinal response
to 42–45, 42
- structural constraints 66
- subband mode 312, 324
- “submolecular-sidechain” regime 118
- super-hydrophilic surface 198
- superhydrophobicity 186, 199
- superhydrophobic surface 198–199
- surface acoustic waves (SAW) 40, 40
- surface energy 94–95, 124, 127, 131, 198
of graphite 132–135
of graphite's ultimate nanostructure
136–139, 136
of solids and water contact angles **133**
- surface potential 267
- surface roughness 134, 192, 197–200
- surface tension 95
liquid phases of 188
polymer 239
- SWNT. *see* single-walled carbon nanotubes (SWNT)
- synthetic biology 5
- system constraints 50–64
- system energy 264, 333, 423
- t**
- TDHs. *see* truncated decahedrons (TDHs)
- tensile strength 160, 170–171, 175
- terminal velocity of liquid droplets and solid
particles 51–54
- tetracene ($C_{18}H_{12}$) 105, 105, 106, 108
- theoretical efficiency 412, 414
- Theory of Special Relativity* (Einstein) 278
- thermal conduction 18
in nano-constrained systems 460–462, 462
quantum 27
- thermal conductivity, 16, 60–64, 62, 460
based on classical mechanics and
statistics 18–24
- Eucken's gas kinetic formula 21, 23
- heat capacity 19
- key features of 20
- Maxwell-Boltzmann distribution 20, 23
- phonons 24
selected gases, properties of **22**
- thermal diffusivity 17–18
- thermal emission 249
blackbody radiator 250–253, 250–251, **252**
chemical potential 263–265, 264, 265
microsystems 263–265, 264, **264**, 265
principle distribution laws 258–263, 259,
261, **262**, **263**
quantum distribution law 256–258
Rayleigh and Jeans–Standing Wave
Model 253–256, 254, 255, 256
- thermal energy transfer, size effect on
24–27, 25
- thermal modes. *see* degrees of freedom
- thermal particles 258, 259–262, 259
- thermal transport. *see also* ballistic transport
classical thermal transport 16–17
driving forces and responses in 16
size effect on thermal energy
transfer 24–27
thermal conductivity based on classical
mechanics and statistics 18–24
thermal properties, densities, and speed of
sound of materials **17**
- time-dependent Schrodinger equation 290
- time-independent Schrödinger
equation 320, 322, 341, 448
- time retarded response 46
- time-temperature-superposition
principle 50, 117
- TIRF. *see* total internal reflection fluorescence
microscopy (TIRF)
- Tolstoi's theory 191, 193, 196, 199
- TOs. *see* truncated octahedrons (TOs)
- total internal reflection fluorescence
microscopy (TIRF) 196
- translational degrees of freedom 19,
21, 445
- translational mode 21, 423, 451
- transmission amplitude 323
- transmission coefficient 315, 323–324, 326
- transmission probability and
approximation 323–324

transpiration pull 176
 transpiration rate 183–184, 244
 transport phenomena under
 nanoconstraints **67**
 transport selectivity coefficient 232
 transverse direction 387
 transverse (T) wave 451
 trial-and-error approach 4–5, 5, 64
 triple bond 363
 true slip 194
 true slip length 203
 truncated decahedrons (TDHs) 126
 truncated octahedrons (TOs) 126
 tunnel barrier height 323
 tunnel barrier width 323
 tunnel current 321
 transmission probability and
 approximation 323–324
 work function of vacuum gap 324–326,
 325, 326
 tunneling 329
 current 327–329
 spectroscopy 329
 tunneling effect 321–322, 322
 Schrödinger solutions for constant and
 narrow tunnel barrier 322–323
 transmission coefficient vs. subband
 mode 324
 transmission probability and
 approximation 323–324
 vacuum gap, work function of 324–326,
 325, 326
 tunnel junction 28, 302, 324, 325, 332,
 336, 338
 two-dimensional systems 131–139
 two-phase BL model 201, 204, 206

U

ultimate efficiency 412, 414–415
 ultrathin substrate-supported polymer
 films 120, 120
 ultraviolet catastrophe 255
 uncertainty 288–302
 Heisenberg's 286, 299
 principle 285–288, 288
 undoped semiconductor 389, 391
 unit cell 451–455, 452, 454, 455
 upper edge of valence band 386

V

vacuum gap, work function of 324–326,
 325, 326
 vacuum tunneling 326
 valence-bond theory 355
 Van der Waals (VdW)
 dispersion interactions 150
 free surface effects on VdW
 solids 105–110
 gas constants 150
 in gases 80–86
 interactions 41
 interfacial effects on VdW solids 90
 interfacial properties of OMCTS,
 n-hexadecane, and silicon oxide **94**
 in liquids 86–90
 molecular interactions 80, 102
 OMCTS 91, 91
 selected properties of OMCTS,
 n-hexadecane, and silica **94**
 simplistic perspective bulk and surface
 binding energy 92–94
 structures 94–105
 substances 79
 Van der Waals Equation of State
 (VdW EOS) 147
 alkanes and cycloalkanes, VdW molecular
 and gas properties of **151–152**
 molecular interactions and 149–155
 polar substances, VdW molecular and gas
 properties of **152–153**
 VdW molecular and gas properties of
 selected materials **153–154**
 van't Hoff equation, general form of 215
 van't Hoff's law 212
 vapor pressure deficit (VPD) 183, 244
 vascular plants, bending stresses on 176–179
 VdW EOS. *see* Van der Waals Equation of
 State (VdW EOS)
 vibrating bonds, stiffness of 436
 vibrational bond temperature, stiffness
 of 436
 vibrational degrees of freedom 24, 445
 vibrational energies 423, 443–444, **443, 443**
 vibrational temperature 436, 443
 viscosity ratio 202
 viscous plastic behavior of system 11
 volumetric flow rate 183, 186, 191

volumetric permeation flux of solution
flux 227

VPD. *see* vapor pressure deficit (VPD)

vulcanization process of rubber 2, 2

W

Wannier–Mott excitons 405

water permeance 179, 202, 223–224, 230

water permeation coefficient 223, 224

water purification 206, 211, 215–218

water transport 175–176, 179–185

wave-corpiscular duality 269

wave functions 33, 282, 293, 295, 319, 323,
427–428, 437

angular 345

electron 352

linearly independent 342

particle 323

wave interferences 281

double-slit interference 283–285, 284

macroscopicity 285–288, 288

screen intensity and probability 285, 286

single-slit interference 281–283, 282

uncertainty principle 285–288, 288

wave number 75–76, 279–280, 292, 310–311,
317, 385, 430, 449

wave-particle duality 268–271, 270,
278–281, 279, 280, 281

of photon 268

theorem 31

wettability

degree of 197

of smooth and rough surfaces and
consequential change 197, 197

wicking mechanism 177

Wien's displacement law 252–253, 256

work function 267, 326, 368, 386

electric 368

tunnel junction with electrode 325

of vacuum gap 324–326

work of adhesion 96, 103–104, 199

X

xanthene 109

xylem 176–177

conductivity 183

mechanical strength 178

Y

Young-Dupré equation 96, 199

Young's equation 95, 189, 198

Young's modulus 11, 43

Z

ZDDP. *see* zinc dialkyldithiophosphate
(ZDDP)

Zeeman effect 346–347, 347

Ziegler-Natta method 115

zigzag nanotubes 62

zinc dialkyldithiophosphate (ZDDP) 4