

## Index

Note: Page numbers in **bold** refers to tables.

### a

- acetaldehyde 144
- 1-acetoxy-1-(dimethylphenylsilyloxy)  
decane 9
- acrylaldehyde, adamantylsilene reaction  
with 299–301
- acyldisilanes
  - phenyl-substituted 283
  - photolysis of 283–284
- acylpolysilane 4, 284–287, 295, 297–298,  
300–304
- arylalkyl 290
- Brook silenes from 290
- photoinduced 292
- photolysis of 283
- stable solid silaethylenes from 284
- thermolysis of 285, 293–294, 296
- acylsilane photolyses 144
- acylsilanes 143, **146**, **148–149**, **151**, **153**,  
**166**, 174, **178**, **181–183**, **237**, **241**, **245**,  
**250**, **252**, **257**, 285–286
- with alkenyl-B(pin) and  
allenyl-B(pin) **197**
- backbone-photodegradable  
polymers 224
- Cu/SaBox-catalyzed photoinduced  
coupling 259
- intramolecular radical cyclization  
using 69
- mechanistic photochemistry 162, 223
- metal-catalyzed reactions 76–79  
and organoboronic esters **185**
- other reactions 84, **84**
- palladium-catalyzed  
siloxycyclopropanation of alkenes  
using 251
- photocatalyzed reactions 79–84,  
**81–82**
- photochemically promoted transition  
metal-free cross-coupling 184
- photochemical reaction **150**
- photochemistry and  
photooxidation **244**
- photo click reaction 169
- photoinduced catalyst-free formal  
carbon insertion 193
- photoinduced intramolecular  
cyclization 188
- radical initiation 69–76
- vacuum pyrolysis of 198–201, **200**,  
**202–204**
- with vinylB(pin) **196**
- visible-light-induced catalyst-free  
carboxylation 152
- adamantylsilaethylene 286
- adamantylsilene
  - with acrylaldehyde 299–301
  - with methyl acrylate 299

*Radical Brook Rearrangement*, First Edition. Xiao Shen, Yunxiao Zhang and Gang Zhou.  
© 2026 Wiley-VCH GmbH. All rights reserved, including rights for text and data mining  
and training of artificial intelligence technologies or similar technologies. Published 2026 by  
Wiley-VCH GmbH.

- alcohols 167
  - $\alpha$ -silyl 2–3
  - chiral  $\alpha$ -fluoroalkyl 55
  - O–H bond of 3
  - pivaloyltris(trimethylsilyl)silane
    - thermolysis in 284
  - substrates of protection and deprotection of **168**
- aldehydes 8–9, **146, 148–149**
  - $\alpha, \beta$ -unsaturated 299
  - $\alpha$ -primary, -secondary, and -tertiary **119–120**
  - as electrophiles 143–151
  - with isocyanates 303
  - non-enolizable 290
- aldimines 238, **239**
- aliphatic electrophiles coupling
  - 103, **105–106**
- alkanoylsilanes, coupling reactions
  - with 186, **187**
- alkenes **141**
  - [2+1] cycloaddition with 222–231
  - electron-deficient 13, 297
  - linear 20
  - product 295
  - substrates scope of **252, 264–265**
- $\alpha$ -alkoxyimino alcohols 28, **28–29**
- alkoxy radicals 2, 8–9, 17, 23, 27, 37, 57, 63, 70, 73–74
  - $\alpha$ -silyl 7
  - oxidative homolysis 27
- alkyl bromides 98, **99–100, 140**
- 1-(alkyldimethylsilyl)-2-bromoethan-1-one 73–74
- alkyl-substituted siloxycarbenes 186
- alkynes 4, **221–222**
  - [2+1] cycloaddition with 213–222
  - photochemically silylacylation of 214, **215**
  - substrates scope of terminal **260**
- allylation of  $\alpha$ -fluoroalkyl- $\alpha$ -silyl methanols **10–11**
- allylation reaction 38, **39–40**
- allylic phosphates 255, **258**
- allyl sulfones **60**
- $\alpha$  aryl- $\alpha$ -silyl methanols 34, **34**
- $\alpha, \beta$ -unsaturated ketones
  - [4+1] cycloaddition reaction
    - with 231–237
  - substrates scope of **236**
- $\alpha$ -fluoroalkyl alcohols 55
- $\alpha$ -heteroaryl alcohols 28, **30–31**
- $\alpha$ -ketoacylsilanes with imines 238–244, **239, 240**
- $\alpha$ -(*N*-Boc)aminoamides 269, **270**
- $\alpha$ -(*N*-sulfonyl)aminoamides 266, 269, **270, 272**
- $\alpha$ -(*N*-sulfonyl)amino-*N*-methoxymethyl-*N*-methyl amides 266, **268**
- $\alpha$ -oxygen organoboron
  - compounds 193, 195
- $\alpha$ -primary, -secondary, and -tertiary aldehydes 118, **119–120**
- $\alpha$ -siloxy carbon radicals 2
- $\alpha$ -silyl alcohols
  - metal free reactions 7–8
  - metal-catalyzed reactions 8–32
  - via nitrosyl group transfer using *tert*-butyl nitrite 9
- $\alpha$ -silyl nitrite **10–12**, 10–13
- $\alpha$ -trifluoromethyl styrene
  - derivatives 118, **121, 122**
- amides 154, **154**
  - to group 14 (di)-metallenes 288
- aminoalkylation of alkenes 139
- aminocarbonylation
  - of aryl bromides and carbamoylsilane **279–280**
  - of ethoxalyl chloride **274**
  - of oxalyl with carbamoylsilane **273**
  - reactions 271, **272**
  - secondary aromatic amides via Pd-catalyzed 275
- aminooxycarbene reactions 262–280, **264–265**
- anionic Brook rearrangement (ABR) 1–2, 11
- arylation reactions **36**
- aryl bromides 94, 275, 278
  - aminocarbonylation of **279–280**
  - in cyanation reaction **124**
  - neutral 123

substrate scope **56**  
 trifluoroalkylation of **129**  
 arylsilanes 214, **216**, 217  
 aryl substituted acylsilanes and allyl  
 sulfones 234, **235**  
 azabicyclo[3.1.0]hexanes 224, **225**  
 azabicyclo[4.1.0]heptanes 224, **225**  
 azobisisobutyronitrile (AIBN) 59, 61  
 azodicarboxylate, nucleophilic  
 addition to 157, **158**

**b**

B—C bond  
 siloxycarbene insertion reactions  
 into 184–197, **185**  
 BDEs. *see* bond dissociation energies (BDEs)  
 benzaldehyde  
*ortho*-silylated 198  
 silaaziridine with 303–304  
 benzimidazoles 201, **202–203**  
 4-(2-(benzo[d][1,3]dioxol-5-yl)-3,  
 3-difluoroallyl)benzonitrile  
 122–123, **124**  
 benzofurans 198–199  
 benzoyldiisopropylchlorosilane 164, 167  
 3-(1-benzoyl-4-methylpiperidin-4-yl)  
 propyl acetate 135, 137, **138**  
 benzoyltrimethylsilane, photochemical  
 reaction of 174–175  
 benzyl 4-(3-methoxypropyl)-  
 4-(((2,2,2-trifluoroethoxy)carbonyl)  
 amino)methyl)piperidine  
 1-carboxylate 139  
 benzyl 4'-(*tert*-butyl)-2-fluoro-5-hydroxy-  
 5-methyl-3,4,5,6-tetra hydro-  
 [1,1'-biphenyl]-3-carboxylate  
 52–57, **53**, **54**, **56**  
 $\beta$ -ketoesters 203, **206**  
 $\beta$ -Substituted cycloalkanols 26  
 substrate scope **24–25**  
 $\beta$ -substituted cyclopentanol  
 derivatives 80, **81–82**  
 biomimetic  $S_{\text{H}}2$  cross-coupling  
 mechanism 129, 131  
 1-([1,1'-biphenyl]-4-yl)-2-fluoroethan-  
 1-one 192–195, **194–197**

bond dissociation energies (BDEs) 44  
 bromide–bromide cross-electrophile  
 coupling 135, **136**  
 brominated glycosyl donors 114  
 bromoarenes 94, **97–98**  
 2-(2-bromophenyl)-2-hydroxy-1-  
 phenylethan-1-one 149–151, **150**, **151**  
 Brook rearrangement 1  
 butyl 3-[(trimethylsilyloxy]-1H-indene-  
 2-carboxylate 246–247, **247**

**c**

carbamoysilanes 3, 263, 266, 271, 273,  
**273**, **274**, **278**  
 aminooxycarbene behavior 262  
 radical Brook rearrangement 262  
 substrates scope **264–265**, **267**  
 carbohydrate-derived acylsilanes 74  
 carbon-oxygen bond formation 164  
 cascade cyclization of alkene-  
 tethered acylsilanes and allylic  
 sulfones 79–80  
 catalytic defluorinative ketyl–olefin  
 coupling 118  
 CFL. *see* compact fluorescent lamp (CFL)  
 C—H bond 4  
 benzylic 27  
 of chloroform 263  
*ortho*-methyl group 306–307  
 siloxycarbene insertion reactions  
 into 197–211  
 3-chloro-1-cyclobutyl-1H-indazole  
 98–103, **104**, **105–106**  
*cis*-(2-hexyl-1-(trifluoromethyl)  
 cyclopropoxy)dimethyl(phenyl)  
 silane 253–256, **257**, **258**  
 compact fluorescent lamp (CFL) 246  
 constrained bicycloalkanes 52, **53**  
 conventional brominated glycosyl  
 donors 115  
 copper-catalyzed trifluoromethylation of  
 alkyl bromides 91  
 cross-coupling aryl halides and  
 carbamoysilane 275, **276–277**  
 cross-electrophile coupling 106  
 with alkyl bromide **107–108**

- cross-electrophile coupling (*Cont.*)  
 of chloropurines with alkyl  
 bromide **109–110**  
 of unactivated alkyl chlorides 125, **126**
- C6-substituted purine nucleoside  
 analogues 109
- cycloaddition reaction  
 [2+1] cycloaddition with  
 alkenes 222–231  
 [2+1] cycloaddition with  
 alkynes 213–222  
 [2+2] cycloaddition reaction of  
 $\alpha$ -ketoacylsilanes with imines  
 238–244, **239, 240**  
 [4+1] cycloaddition reaction with  
 dienes and  $\alpha,\beta$ -unsaturated  
 ketones 231–237  
 reaction of siloxycarbene 244–247, **245**
- [2+1] cycloaddition  
 with alkenes 222–231  
 with alkynes 213–222
- [2+2] cycloaddition 290–303  
 reaction of  $\alpha$ -ketoacylsilanes with  
 imines 238–244, **239, 240**
- [4+1] cycloaddition reaction with  
 dienes and  $\alpha,\beta$ -unsaturated  
 ketones 231–237
- 4-(4-cyclohexylpyridin-2-yl)  
 morpholine 125–128, **129, 130–131**
- cycloisomerization of unsaturated  
 acylsilanes 76, **78**
- cyclopropanation-vinyl cyclopropane  
 rearrangement sequence 231, **232**
- cyclopropanes 53, **54**
- cyclopropanols 220
- d**
- debrominative sulfination 137, **138**
- Dess-Martin periodinane (DMP)  
 19, 21, 49
- dibenzosilole product 289–290
- dienes 5  
 cyclic 302  
 [4+1] cycloaddition reaction  
 with 231–237  
 linear 302
- diethyl 1-benzoylhydrazine-1,  
 2-dicarboxylate 157
- diethyl fumarate  
 [2+1] cycloaddition reaction  
 with 222  
 photolysis of  
 1,1-diphenylsilacyclohexanone  
 in 223–224
- difluoroacetylsilanes 227, **229**
- difluoroallylic cyclobutanols 47
- 4,4-difluoro-3-hydroxy-1,1-diphenylbutyl  
 benzoate 23–25, **24–25**
- 8,8-difluoro-7-hydroxy-1-phenyloctan-1-  
 one 20–23, **22**
- 1,1-difluoro-2-(4-methoxyphenyl)non-1-  
 en-4-yl benzoate 118–122, **122**
- difluoromethyl ketones 189, **191**
- 1,1-difluoro-4-phenylpent-4-en-2-ol  
 16–17, **18**
- dihydrobenzocyclobutene product 289  
 (diisopropyl(3-phenylpropoxy)silyl)  
 (phenyl)methanone 167
- dimethyl((2-methylcyclopent-1-en-1-yl)  
 oxy)(phenyl)silane 76–78
- 2,2-dimethyl-5-(2-oxo-2-phenylethyl)  
 cyclopentan-1-one 231
- dimethyl(phenyl)(5-phenyl-4-  
 ((phenylsulfonyl)methyl)furan-2-yl)  
 silane 234–237, **236–237**
- dimethyl(phenyl)((2-phenyl-1-(trifluoro  
 methyl)cycloprop-2-en-1-yl)oxy)  
 silane 222
- 4-((dimethyl(phenyl)silyl)oxy)-2-  
 ((diphenylmethylene)amino)  
 butanenitrile 64
- 5,5-dimethyl-2-(4-phenyl-1-  
 (4-trifluoromethylphenyl)-1-  
 (trimethylsilyloxy)butyl)-1,2-  
 dioxaborinane  
 186–188
- dimethylsilacyclohexanone  
 oxirane from 144  
 photoinduced transformation 143
- dimethyl 3-*tert*-butyl-3-(1',2-dicarboxylate  
 1'-bistrimethylsilyl-1'-trimethyl  
 siloxy)silylcyclopropane-1 298–299

4-(1,3-dioxoisindolin-2-yl)butane-1-sulfonamide 137, 139, **140, 141**

diphenylketene 293  
 thermolysis of acylpolysilanes with 293–294

1,3-diphenyl-2-(phenyl((trimethylsilyl)oxy)methyl)propane-1,3-dione 207

1,3-diphenylprop-2-yn-1-ol 262

1,1-diphenylsilacyclohexan-2-one, photolysis of 223–224

1,1-diphenyl-1-sila-2-oxa-3-methoxycycloheptane 172–176

di-substituted alkenes 64, **65–66**

DMP. *see* Dess-Martin periodinane (DMP)

down-stream transformations 21, 26

**e**

(*E*)-benzaldehyde O-(((*tert*-butyldimethylsilyl)oxy)(phenyl)methyl)oxime 164, 165, **168**

electron paramagnetic resonance (EPR) spectroscopy 7

electrophiles 144  
 aldehydes or ketones as 143–151

electrophilic reagents 152–158, **153**

electrophotocatalyzed reactions 57–59, **60, 61**

(*E*)-methyldiphenyl(1-styrylcyclobutoxy)silane 59

energy transfer catalysis 63, 186

enones, organocatalyzed hydroacylation of 227, 229

ethyl 3,3-dicyano-2-phenyl-4-(*p*-tolyl)-4-((trimethylsilyl)oxy)-cyclopent-1-ene-1-carboxylate 231–234, **233–235**

ethyl 4-(*N,N*-dimethylamino)-4-oxo-2-(trimethylsilyl)butanoate 263–266, **267**

ethyl 2-(((propylthio)(*p*-tolyl)methyl)thio)acetate 179, **182–183**

ethyl 5,5,5-trifluoro-4-hydroxy-2-methylenepentanoate 14

(*E*)-1,1-trifluoro-4-(2-fluorophenyl)but-3-en-2-ol 15–16, **16**

**f**

Fischer-type copper carbene complexes 249

fluorinated ketones 150

fluorination  
 of alkyl bromides **114**  
 of secondary alkyl bromides 111, **113**

fluoroalkyl ketones, divergent synthesis of 189

(4-fluoropiperidin-1-yl)(phenyl)methanone 112–115, **116, 117**

functionalized cyclopentenes 231

**g**

$\gamma$ -Amino alcohols 63

$\gamma$ -substituted cyclopentanol derivatives 80, **82, 84**

*gem*-difluoroalkenes 44, **45**

*gem*-difluoro homoallylic alcohols 47, **48, 49**

**h**

halogen abstraction-radical capture (HARC) 87–88, 94, 96

halogen atom transfer (XAT) 69, 116  
 with aryl bromides 123  
 innovative catalytic defluorinative ketyl-olefin coupling via 116–117

HARC. *see* halogen abstraction-radical capture (HARC)

HAT. *see* hydrogen atom transfer (HAT)

heteroaryl acylsilanes 193, **195**

heteroaryl bromides **58**

(hetero)aryl chlorides in cross-electrophile coupling 125, **127**

heterocycles 238, **240**

high-throughput screening approach 106

*H*-phosphorus oxides 175–176, **177**

hydrazine 238, **240**

hydrogen atom transfer (HAT) 7, 44, 76, 112, 201  
 with Bu<sub>3</sub>SnH 69  
 chain propagation 61

1,5-hydrogen atom transfer (1,5-HAT) 8, 26

- 2-((1-hydroxycyclobutyl)methyl)-1-phenylprop-2-en-1-one  
40–41, **41**
- 1-(2-Hydroxy-1-methyl)ethyl  
cyclopentanol 73
- (hydroxy(phenyl)methyl)  
diphenylphosphine oxide 176, 179,  
**180, 181**
- 3-(1-hydroxyspiro[4.5]decan-2-yl)-  
1-phenylpropan-1-one 25–31,  
**28–29, 30–31**
- 4-(2-hydroxy-2-(trifluoromethyl)  
cyclopropyl)butyl benzoate  
227
- i**
- imines 266
- [2+2] cycloaddition reaction of  
 $\alpha$ -ketoacylsilanes with 238–244,  
**239, 240**
- diaryl 301
- electron-deficient 63–64
- indenyl-substituted acylsilane  
electrocyclization of **247**
- visible-light-induced electrocyclization  
of 246
- insertion reactions 3
- with methanol and water 285
- of silenes 283–290
- intermolecular silylacylation 214–215,  
217, **218–219**
- photochemical 216
- photoinduced 214
- substrates scope of  
arylsilanes in **216**
- intersystem crossing (ISC) 161
- intramolecular cyclization of  $\alpha$ -stannyl  
radicals 71
- intramolecular hydroacylation 227,  
230, **230**
- intramolecular radical cyclization  
of acylsilanes 69, 72  
and oxidation 73–74
- intramolecular tandem radical cyclization  
of acylsilanes 73
- iron-catalyzed cross-electrophile  
coupling 135
- iron-catalyzed electrophotochemical  
 $\alpha$ -functionalization of  
silylcyclobutanols 57–58
- ISC. *see* intersystem crossing (ISC)
- k**
- ketimines 238, **240**
- ketones 3, 8–9, 49, 290, 299
- $\alpha,\beta$ -unsaturated 232, 235
- $\alpha$ -fluoroalkyl alcohols 19, **20**
- [2+2] cycloaddition reaction with 4  
as electrophiles 143–151
- ketyl-olefin coupling reactions 111, 116
- l**
- lead tetraacetate (LTA) 8
- Lewis acid-assisted photoinduced  
intermolecular coupling 145
- light-induced cyclization 217,  
**218, 220**
- LTA. *see* lead tetraacetate (LTA)
- m**
- manganese-catalyzed synthesis  
of  $\alpha$ -fluoroalkyl homoallylic  
alcohols 13
- mesitylacetylene 295
- thermolysis of acylpolysilanes  
with 296–297
- metal-catalyzed reactions  
acylsilanes 76–79, **78, 79**
- $\alpha$ -silyl alcohols 8–32
- metal-free defluorinative arylation of  
trifluoromethyl alkenes  
120–121
- metal-free reactions 7
- $\alpha$ -silyl alcohols 7–8
- metallaphotoredox-catalyzed  
cross-electrophile  $Csp^3$ – $Csp^3$   
coupling 100, 102
- metallaphotoredox perfluoroalkylation of  
organobromides 128
- metallaphotoredox reactions  
with  $(TMS)_3SiNHAd$  125–141,  
**126, 127**
- $(TMS)_3SiOH$  87–111, **88–90**
- metal-oxidized RBR 8

- metal siloxycarbene reactions 249–262, **250**
- metal-to ligand charge transfer (MLCT) photoexcitation process 255
- 4-methoxy-4''-(trifluoromethyl) benzophenone 184–186, **187**
- methylation coupling of aliphatic halides 103, **104**
- methyl 4-cyanobenzoate 123–125
- 1-(methyldiphenylsiloxy)cyclohexene 72
- methylmagnesium bromide nucleophilic addition with 143–144 oxirane reaction with 144
- methyl 2-oxo-2-(p-tolyl)acetate 152, **154, 154**
- 3-methyl-1-phenyl-3-(3,3,3-trifluoro-2-hydroxypropyl)indolin-2-one 14–15
- 1-(4-methylquinolin-2-yl) heptan-1-ol 32
- (4-Methylpiperidin-1-yl) (6-(trifluoromethyl)pyridin-3-yl) methanone 103–110, **107–108, 109–110**
- methyl (*R*)-4-(2,2-trifluoro-1-hydroxyethyl) benzoate 57
- methyl 2-(1-(sulfonyl)-3-oxoindolin-2-yl)-2-(trimethylsilyl)acetate 217, 220–221, **221–222**
- methyl-((*tert*-butyldimethylsilyl)oxy)-4-methoxy-2-tosyl- 1,1a,2,6b-tetrahydrocycloprop a [b] indole-1-carboxylate 224–227, **228, 229**
- methyl 3-(2,3,3-trimethyl-1-((methyldiphenylsilyl)oxy) cyclopentyl) propanoate 78
- microwave-induced cyclizations 217, **218, 219**
- Mizoroki-Heck type reaction 15, **16**
- mixed siloxyacetal glycosides 162–164, **165, 166**
- monofluorocyclohexenes 50, **51**
- monofluoromethyl ketones 189, **190**
- mono-substituted alkenes 64, **65–66**
- n**
- N*-alkylation platform 96, 98
- N*-(benzyloxy)-2-hydroxyoctanimidoyl cyanide 31–32
- N*-(2-(2,2-dimethyl-1-((trimethylsilyl)oxy)propyl)-1,1,1,3,3,3-hexamethyltrisilan-2-yl) acetamide 289
- N—H bond**
- siloxycarbene insertion reactions into 167, **168, 169–172, 173**
- of urea 5
- N*-heterocycles 201, **204**
- nickel-catalyzed aminocarbonylation of aryl halides 278
- nitriles 290
- N*-methylbenzamide 278
- N,N*-dimethyl- $\beta$ -ethoxy- $\alpha$ ,  $\beta$ -dioxopropanamide 273, 275, **276–277**
- N*-nucleophiles 98, **101–102**
- N*-phenylbenzamide 155, **156**
- N*-sulfnylamines 152, 154
- nucleophilic addition reaction 288
- aldehydes or ketones as electrophiles 143–151
- electrophilic reagents 152–158, **153**
- Lewis acid-assisted photoinduced 147
- o**
- O—H bond 3, 224
- dissociation energies 57
- siloxycarbene insertion reactions into 161–167
- olefin difunctionalization reaction 22–23, **22**
- open-shell fluorination of alkyl bromides 111, 112
- organophotoredox-assisted cyanation of bromoarenes 122–123
- organophotoredox radical strategy 114–115
- ortho*-amido aroylsilanes 215, 217
- oxabicyclo[4.1.0]heptanes 224, **226**
- oxasilacyclopentene 297
- oximes 164, **165**
- p**
- PCC. *see* pyridinium chlorochromate (PCC)

- PCET. *see* proton-coupled electron transfer (PCET)
- perfluoroalkylation of alkyl and aryl bromides 128, **130–131**
- 1-phenyl-2-((2-((phenylsulfonyl)methyl)-1-((trimethylsilyl)oxy) cyclopentyl)methyl)prop-2-en-1-one 83
- 1-phenyl-2-((*p*-tolylthio)methyl)heptane-1,4-dione 42, **43**
- 3-phenyl-1-(4-(trifluoromethyl) phenyl)-1H-pyrazole 94–98, **99–100**, **101–102**
- 1-(Phenyl((trimethylsilyl)oxy)methyl)-1H-indole 169–170, **171**
- 5-phenyl-5-((trimethylsilyl)oxy)pentan-2-one 35–36
- phenyl-substituted acyldisilanes 283
- photocatalyzed cascade cyclization 50
- photocatalyzed reactions 32–57, **34–36**
- acylsilanes 79–84, **81–82**
- $\alpha$ -silyl alcohols 32–57, **34–36**
- photochemically silylacylation of alkynes 214, **216**
- photoinduced copper-catalyzed asymmetric acylation 254, 256
- photolysis. *see also* thermolysis
- of acylcyclohexasilanes 307–308
- of acylcyclopolysilanes/methanol 306
- of acyldisilanes 283–284
- of acylpolysilanes with benzil 301–302
- of acylsilane 286–287
- of adamantoyltris(trimethylsilyl)silane 304–305
- of  $\alpha$ -silyl nitrite 10–13
- of 1,1-diphenylsilacyclohexan-2-one 223–224, **225**, **226**
- photoredox catalysis-enabled sulfination of alcohols and bromides 137
- photoredox-catalyzed oxidative [1,2]-brook rearrangements 33
- photoredox cross-electrophile coupling 103, 106
- photoredox/iron-catalyzed cross-electrophile coupling 135
- photoredox reactions
- (TMS)<sub>3</sub>SiOH 111–125, **113**, **114**
- pivaloylsilane 285
- pivaloyltris(trimethylsilyl)silane, thermolysis of 284
- potassium persulfate (K<sub>2</sub>S<sub>2</sub>O<sub>8</sub>) 27
- proton-coupled electron transfer (PCET) 32, 55–57
- pyridinium chlorochromate (PCC) 26
- r**
- r-ABR. *see* retro-anion Brook rearrangement (r-ABR)
- radical acceptors 34, **35**
- radical Brook rearrangement (RBR) 2, 7, 69, **79**, 90, 162, 265–266
- radical cyclization
- of acylsilanes 75
- of bromo acylsilanes and intramolecular trapping 70
- radical initiation
- of acylsilanes 69–76
- $\alpha$ -silyl alcohols 2
- radical philicity inversion 76, 77
- radical polar crossover cyclization (RPCC) strategy 52
- radical thia-brook rearrangement 61, **62**
- RBR. *see* radical Brook rearrangement (RBR)
- reagents **64**
- rearrangement reactions 1
- redox potentials 32, 33
- reductive quenching-initiated catalyst controlled divergent alkylation 43
- retro-anion Brook rearrangement (r-ABR) 2
- [4+3] ring-expansion reaction 42, **43**
- ring-opening hydrothiolation reaction 41, **41**
- ring-opening metathesis polymerization (ROMP) 223
- ROMP. *see* ring-opening metathesis polymerization (ROMP)
- (1*R*,2*R*,3*S*,4*R*)-2,3,4-tribenzylloxycyclopentanol 74–76
- (2*R*,3*R*,4*S*,5*R*,6*R*)-2-(acetoxymethyl)-6-(benzylthio)tetrahydro-2H-pyran-3,4,5-triyl triacetate 115–118, **119–121**

(4-(9-((2*R*,3*R*,4*S*,5*R*)-3,4-dihydroxy-5-(hydroxymethyl)tetrahydrofuran-2-yl)-9H-purin-6-yl)piperidin-1-yl)(phenyl)methanon 110–111  
 ((3*r*,5*r*,7*r*)-adamantan-1-yl)((1,1,1,3,3,3-hexamethyl-2-((*E*)-2-(trimethylsilyl)-2-((trimethylsilyl)oxy)vinyl)trisilan-2-yl)methanone 293  
 (1*R*/*S*,8*S*,8*aR*)-8-benzoyloxy-1-hydroxy-1,2,3,7,8,8a-hexahydro-6H-indolizin-5-one 76

## S

saccharides 115, **117**  
 (3*S*)-adamantan-1-yl (2*S*)-2-((*S*)-((*tert*-butyldimethylsilyl)oxy)phenyl)methyl)-6-methyl-1-oxo-2,3-dihydro-1*H*-indene-2-carboxylate 205, 207, **208**  
 secondary amides 275, 278, **279–280**  
 selenoesters 210, **210**  
 selenoglycosylation 115, **117**  
 Se-Phenyl 4-methoxybenzenecarboxylate 210–211  
 SET. *see* single electron transfer (SET)  
 S<sub>H</sub>2 cross-coupling  
   of alkyl bromides 132, **134**  
   of carboxylic esters 132, **133**  
 silaaziridines 303–304  
 silacyclobutene product 284, 293, 295  
 silaethylenes 285–286  
 silaethylene 283  
   reaction with oxygen 286  
   stable solid 284–285  
 silenes 4, 303–309  
   [2+2] cycloaddition reaction 290–303  
   insertion reactions 283–290, 292–293  
 silenolates  
   exocyclic 306  
   reaction with MeOH 306–307  
 1,2-Siloxetanes 290–291  
 siloxycarbene insertion reactions  
   into B–C bond 184–197, **185**  
   into C–H bond 197–211  
   into N–H bond 167, **168**, 169–172  
   into O–H bond 161–167  
   into X–H bond 172–184

siloxycarbenes 3, 143, 152, 161, **169, 173**, **194, 199–200**, 205, **206**, 234, 250  
   nucleophilic addition 3, 147, 157  
   photoinduced generation 144  
   reaction of 244–247, **245**  
   singlet 150  
   thermolysis of acylsilanes 198  
   visible-light-induced Michael addition of 235  
 siloxycyclopropanation of alkenes 253, **255**  
 siloxydiene 249, **250**  
 silyl enol ethers 235  
 silyl ketones 161  
 silyl substituted acylsilanes and allyl sulfones 233, **233**  
 and  $\alpha,\beta$ -unsaturated ketones **234**  
 single electron transfer (SET) 32, 123, 132  
 (*S*)-2-phenethyl-1-phenylbut-3-en-1-one 256–261, **260, 261**  
 styrenic alkenes **64**

## t

TBPB. *see tert*-butyl peroxybenzoate (TBPB)  
 telluroesters 210, **211**  
*tert*-butyl 5-benzoyl-3-oxoazepane-1-carboxylate 42–44, **45, 46**  
 1-(*tert*-Butyldimethyl)siloxy-3,4-diphenyl-4-triisopropylsiloxy cyclopent-1-ene 249–251, **252**  
 3-((*tert*-butyldimethylsilyl)oxy)-1-(4-methoxyphenyl)-3-phenylazetidin-2-one 242–244  
 4-(((*tert*-butyldimethylsilyl)oxy)(phenyl)methyl)benzotrile 36–40, **38–40**  
 2-(*tert*-Butyldimethylsilyloxy)-1-phenylpentan-1-one 145–146, **146, 147, 148–149**  
 1-(1-((*tert*-butyldimethylsilyl)oxy)-5-phenylpent-2-en-1-yl)-1*H*-indole 170, 172, **173**  
 2-(1-((*tert*-Butyldimethylsilyl)oxy)-2,2,2-trifluoroethyl)-1-methyl-1*H*-benzo[d]imidazole 201–205, **206**

- 3-((*tert*-butyldimethylsilyloxy)-1,3,4-triphenylazetid-2-one 238–242, **242–243**
- 2-(*tert*-Butyldimethylsilyl)-4-(pyrimidin-2-yl)-3,4-dihydrocyclopenta[b]indol-1(2H)-one 247
- tert*-butyl peroxybenzoate (TBPB) 10
- 1-(2-(4-(*tert*-butyl)phenyl)-3,3-difluoroallyl)cyclobutan-1-ol 44–47, 47–51, **49, 51**
- 2,2,8,8-Tetraphenyl-1-oxa-2,8-disilaspiro[7.7]tridecanone 144–145
- TFA. *see* trifluoroacetic acid (TFA)
- thermolysis
- of acylcyclotetrasilanes 308–309
  - of acylpolysilanes with benzil 301
  - of acylpolysilanes with diphenylketene 293–294
  - of acylpolysilanes with mesitylacetylene 296–297
  - of acylpolysilanes with (trimethylsilyl)acetylene 294–295
  - of pivaloyltris(trimethylsilyl)silane 284–285
- thiols 179, **180**
- thiosulfonates 115, **116**
- (TMS)<sub>3</sub>SiNHAd, metallaphotoredox reactions with 125–141, **126, 127**
- (TMS)<sub>3</sub>SiOH
- metallaphotoredox reactions 87–111, **88–90**
  - metallaphotoredox reactions with (TMS)<sub>3</sub>SiNHAd 125–141, **126, 127**
  - photoredox reactions 111–125, **113, 114**
- 2,2,2-Trichloro-*N,N,N'*-trimethyl-*N'*-(trimethylsilyl)ethane-1,1-diamine 208–210, **211**
- tri(di)fluoroacetylsilanes-derived carbenes 226–227
- 1-tri(di)fluoromethyl
- 1,4-diketones 17, **18**
- (triethylacetyl)silane 285
- trifluoroacetic acid (TFA) 28
- 2,2,2-trifluoroacetophenone 150, **151**
- trifluoroacetylsilanes 227, **228**
- to allenes **254**
  - palladium-catalyzed addition of 253
- trifluoroalkylation of alkyl and aryl bromides 128, **129**
- trifluoroalkyl cyclobutanols 47
- 5,5,5-trifluoro-1,2-diphenylpentane-1,4-dione-1 5, 19–20, **20**
- 5,5,5-trifluoro-4-hydroxy-2-methylene-1-phenylpentan-1-one 13
- trifluoromethyl alkanes 44, **46**
- trifluoromethylation reaction
- of activated alkyl bromides **93**
  - of unactivated alkyl bromides 91, **92**
- 4-(trifluoromethyl)benzotrile 90–91, **92, 93, 128–132, 133, 134**
- trifluoromethyl(hetero)arenes 88, **88–90**
- trifluoromethyl ketones 189, **192**
- 1,1-trifluoromethyl-3-phenylpropane 91–94, **95–96, 97–98**
- trimethyl(3-phenyl-1-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)propoxy)silane 183–184
- trimethyl((3-phenyltricyclo[3.2.1.0<sup>2,4</sup>]octan-3-yl)oxy)silane 251, 253, **254, 255**
- (trimethylsilyl)acetylene 294–295
- trimethylsilyl (TMS)-substituted acylsilanes 157
- trimethylsilyl-[1-[(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)]-2,3,3a,4,5,9b-hexahydro-Benz[e]inden-1-yl ether-TMS 189–192, **190–192**
- trimethyl((5,5,6,6-tetramethyl-3-phenyl-3-vinyl-1,4,2-dioxaborinan-2-yl)oxy)silane 195–196
- 3,4,4-triphenyl-2,2-bis(trimethylsilyl)-3-((trimethylsilyl)oxy)-1,2-oxasiletane 291–293
- trisilanethiols, radical-induced rearrangement of 59
- tryptophan-containing dipeptides 170, **171**

**U**

Ullmann-Goldberg couplings 94, **95–96**  
umpolung synthesis of selenoesters and telluroesters 208–209  
unsymmetrical dithioacetals, chemoselective synthesis of 176, 179

**V**

vacuum pyrolysis of acylsilane 198–201, **200**  
vicinal tricarbonyl amides 273  
vinyl sulfones **61**  
visible-light-driven metallaphotoredox system 98  
visible-light-induced amide cyclization 155, **156**  
visible-light-induced siloxycarbene addition 157

visible-light-induced siloxycarbene-amide cyclization 155  
visible-light mediated tryptophan modification 170

**X**

XAT. *see* halogen atom transfer (XAT)

## X–H Bond

siloxycarbene insertion reactions into 172–184  
substrate scope for insertion of acylsilanes **166**

**Z**

(*Z*)-1-(4-(*tert*-Butyl)phenyl)-4-((*tert*-butyldi methylsilyl)oxy)-4-phenylbut-3-en-1-one 237, **239–241**

