

Index

a

- aberration-corrected low-angle annular dark-field scanning transmission electron microscopy (ACLADDF-STEM) 76
- activated carbon 10, 11, 370, 384, 387, 414
- advanced characterization techniques 75–86
- advanced surface engineering techniques 252
- AgCuTe system 24
- aliovalent substitution 354
- alkali etching method 151
- alkaline solution electrolyzer (AEL) 217–219, 228
 - components 224–225
 - electrocatalysts 221
 - hydrogen production performance 226–227
 - materials engineering, problems in 225–226
- alloying 132, 171, 176, 211
- ammonia synthesis 181, 183–185
- anaerobic digestion 195
- anion exchange membrane electrolyzer (AEMEL) 217, 218, 224, 226–227
- anion vacancies 51, 61, 62, 68, 167, 168, 285
- annealing process 63, 69, 157, 349, 352
- annealing twins 19, 21–22, 32–33
- anode-electrolyte interface (AEI) engineering 356
- anodes 12, 109, 115, 132, 138, 203, 249, 250, 256, 269, 270, 281–283, 295, 296, 300, 302–304, 328, 330, 337–339, 373, 374
- aqueous/flow zinc-air batteries 315–320
- Arrhenius equation 54–57, 111
- artificial intelligence (AI) 123, 128, 256, 257, 272, 303, 305
- artificial interfacial coatings 296
- artificially doped carbons 367
- asymmetric supercapacitors 389–390
- atomically dispersed catalysts (ADCs) 318
- atomically dispersed materials (ADMs) 318
- atomic force microscopy (AFM) 75, 120, 254, 272, 350, 368, 377, 379
- atomic layer deposition (ALD) 35, 37, 38, 42, 129, 135, 256, 266, 296, 302, 303, 340, 352, 357
- atomic vacancy 167
- atomistic simulations 351
- atoms, rearrangement of 166
- Au/C hierarchical structures 210
- Auger electron spectroscopy (AES) 167
- automated DFT simulations 303
- azobenzene derivatives 112

b

barrier energy 54
 battery(ies) 2–5, 113, 247–257,
 261–273, 277–287, 293–305,
 309–322, 327–340, 343–357, 384,
 386, 390, 405
 battery technologies 343
 defects
 anode materials 351–353
 cathode materials 353–354
 characterization techniques
 350–351
 formation mechanisms 349–350
 limitations 356–357
 modelling 351
 opportunities offered by 345–346
 solid electrolytes 354–355
 types of 346–349
 interface engineering 355–356
 limitations 345
 performance metrics 343–345
 battery type supercapacitors 390
 bifunctional electrocatalysts 309, 311,
 312, 314, 315
 biochemical assembly 134, 135
 biochemical conversion 194, 195
 biodiesel 193
 production 184, 185, 198
 bio-inspired electrode architectures
 304
 bioinspired nanofabrication strategies
 134–135
 biomass 149, 185, 191–205
 biomass-derived carbons 367
 biomass residues 191
 biomass valorization 191–205
 biomass wastes 191–195, 200, 204, 375
 biorefinery 194
 B, N co-doped porous carbon (BN-C)
 375
 Boltzmann's relation 49
 bonding 4, 20, 33, 98–101, 103, 110,
 113, 114, 117, 119, 120, 154, 185,
 270, 271, 318, 354, 366, 369, 372,
 373, 378, 388, 398

boron doping 64, 365
 Broyden–Fletcher–Goldfarb–Shanno
 (BFGS) method 95
 bulk defects 70, 144
 Burger vector 144, 165

c

capacitor 9, 385–386
 carbonaceous materials 84, 297,
 312–313
 carbon-based cathode materials 354
 carbon-based materials 80–81, 149,
 173, 204, 209, 214, 234, 277,
 280–283, 311–313, 361, 370,
 378–380, 384–387, 389–392, 405
 carbon dioxide 97, 149, 180–186, 191,
 195, 264–266, 299, 309, 378, 379,
 383
 electrocatalytic reduction of
 163–176
 carbon-doped materials 214
 carbon nanotubes (CNTs) 3, 4, 9–11,
 36, 80, 82, 128, 173, 204, 214, 283,
 293, 295, 298, 303, 313, 316, 317,
 320, 329, 330, 351, 352, 354, 363,
 366, 370, 377–379, 386, 387, 414
 carbon neutrality 66, 163, 191, 194
 4-carboxybenzaldehyde (CBA)
 118–119
 carboxymethylcellulose sodium (CMC)
 270, 271
 cathode-anode interfaces (CEI) 251
 cathode defect engineering 296, 298
 cathode electrolyte interphase (CEI)
 266–268
 cathode–electrolyte interface (CEI)
 engineering 355–356
 cation vacancy 51, 52, 168
 cellulose 191, 192, 196–204, 378
 ceramic-based electrolytes 118
 charged point defects and their
 ionization 50–51
 charge transport 9, 129, 133, 139, 247,
 249, 283, 296, 298, 362
 chemical doping 250, 337

- chemical instability 252, 256, 301
 chemical oxidation 366–367
 chemical precipitation method 394
 chemical vapor deposition (CVD) 34, 38, 81, 150, 297, 354, 366, 367, 378
 circular economy 135, 138, 191
 Co blue phase 263
 co-doping 63, 66, 79, 239, 241, 298, 301, 373–375
 coherent phase boundaries 31
 combustion 194–195, 250, 269, 313
 comprehensive characterization, of carbon defects 370
 computational hydrogen electrode 101–103
 computational materials science 133–135
 computational methods 98, 105, 209, 250, 252, 301, 351
 conducting polymers (CPs) 11–12, 385, 388–390, 406, 411, 414–416
 alternating donors-acceptors 414
 hybridization 414, 415
 ladderization 414
 configurational entropy 47–50, 111, 299, 300
 configurational entropy change 48, 49
 conjugated ladder polymers 415
 continuum models 351
 continuum solvent model (CSM) 105, 106
 controlled defects 128, 137, 185, 248, 296, 300, 304, 355, 361
 copper 32, 167, 170, 171, 180, 183, 201, 202
 CO₂ reduction 66, 163–176, 183, 185
 CO₂ reduction reaction (CO₂RR) 66
 challenges and perspectives in 175
 defect-induced metal alloys for 171
 defects in carbon-based materials for 173
 defects in metal nitrides for 172–173
 effect of surface defect sites on 170–173
 grain boundaries in 170
 impact of creating vacancies in 167–168
 influence of lattice defects in 168–170
 Co rose phase 263
 co-sputtered Cr-V nitride films 413
 coupled self-healing, in electrodes, electrolytes and interfaces 115–119
 cross-disciplinary interactions 135, 136
 crystalline imperfections 18
 crystallite formation 145
 crystallites 145
 current collectors 224, 268, 392–393, 415
 cyclic ether groups (CEGs) 377, 378
 cyclic voltammetry (CV) 9, 199, 212, 298, 398, 406
 cycloaddition process 113
- d**
- data driven design 138
 d-band center in defective materials 98
 defect chemistry 163, 295, 299
 defect density vs material stability 255–256
 defect-engineered catalysts 185
 defect-engineered electrode architectures 304
 defect-engineered nanomaterials 183–184
 defect engineering 24, 35, 61, 62, 68, 69, 81, 89, 97, 104–106, 109, 110, 127–131, 133, 134, 136, 138–139, 143, 163, 176, 180, 183–186, 193–194, 196, 198, 209, 210, 214, 215, 247, 250, 257, 263, 278–280, 287, 295–304, 309, 311, 313, 315–322, 328, 331, 332, 334, 340, 345–357, 361–380, 405, 410
 in carbon material 173
 challenge in 255–256

- defect engineering (*contd.*)
 - in gel polymer electrolytes 300
 - in Li-ion batteries 248–250
 - in lithium metal anodes 302
 - in metal electrocatalysts 167–170
 - strategic integration of 301
 - in MXene-based electrocatalysts 299
- defect-enriched graphene blocks (DGB) 371
- defect formation energy 56, 94–95, 97, 303
- defect-induced metal alloys, for CO₂RR 171
- defective carbon materials 298
- defective electrocatalysts 211
- defect-modulated electrolyte additives 304
- defect modulation 24, 127, 134, 263, 295, 340
- defect regulation 24, 173, 365–366, 368
- defect-rich porous architectures 301
- defect science 26, 127–139
- defects 143, 145, 163, 170, 173
 - anion and cation vacancy for generation of 168
 - aspects in metal sulfides
 - electrocatalysts 172
 - in carbon-based materials 280
 - in carbon-based materials for CO₂RR 173
 - in cathode materials used in PIBs 283–287
 - characterization of 166–167
 - classification of 348
 - creation by using chemicals 166
 - identification of 166–167
 - on metal complexes 167
 - in metal nitrides for CO₂RR 172–173
 - on metal oxides 172–173
 - methods to create 165–166
 - point defect 143–144
 - in single/bimetallic materials 171
 - types of 163–165, 248–249
- defects in thermodynamic equilibrium
 - charged point defects and their ionization 50–51
 - configurational entropy 47–50
 - Frenkel defects 52–53
 - oxygen partial pressure dependence of Schottky defects 52
 - Schottky defects 52
 - thermodynamics of defect reactions 50
- defects stability, DFT
 - defect formation energy 94–95
 - electronic structure of defects 95–98
 - fundamentals 89–94
- deformation twins 22, 33
- dendrites 11, 268, 295, 296, 320, 345, 350, 352, 356
- dendritic lithium growth 301, 330
- density functional theory (DFT) 62, 65, 66, 72, 101, 103–105, 127, 133, 134, 136, 167, 168, 170, 202, 203, 209, 215, 234, 235, 238, 240, 256, 297–299, 301–302, 317, 331, 333, 340, 351, 363, 374, 395, 408, 410
- defects stability
 - defect formation energy 94–95
 - electronic structure of defects 95–98
 - fundamentals 89–94
- derived anti-site defect (DASD) 261–262
- Diels-Alder reaction 113, 118
- diffraction techniques 350, 351
- diffusion and Fick's laws 56–58
- diffusion doping 166
- direct visualization, of carbon defects 368–369
- dislocations 21, 22, 30–32, 35–36, 38, 40, 62, 75, 105, 109, 127, 129, 137, 144, 165, 168, 170, 180, 194, 209, 247–250, 253, 255, 257, 263, 279, 294, 295, 317, 347, 349, 350, 394, 398
- in high-entropy materials 249

- dispersants 144
- disulfide bonds 113, 114, 116, 119
- doping 63, 69–70, 146, 166, 237–240, 250, 252, 313, 332, 335, 349, 364–365, 367–368, 395–397
- in carbon-based anode 282
 - order-in-disorder engineering 282–283
- doping strategy, for interface technique 146
- doping, to enhance separator functionality 335
- dual-atom catalysts (DACs) 331, 333
- dual-defect strategies 339
- dual-metal doping 335
- dynamic bonds 110–112, 118
- dynamic covalent bonds 112, 113
- dynamic covalent chemistry 113
- dynamic cross-linked networks 119
- dynamic defect control 138
- dynamic disulfide bonds 119
- dynamic imine bonds 115
- dynamics non-covalent interactions 113
- e**
- edge defects 63, 279, 318, 361, 362, 366, 374
- in carbon-based anode 281–282
- edge dislocation 143, 144, 165, 394
- edge sites 65, 104, 171, 280, 283, 313–315, 322, 362, 367, 379, 380
- electrical double-layer (EDL) capacitance 371, 372
- electric conductivity, transition metal 312
- electric double layer capacitors (EDLCs) 378, 384–387, 389–391, 398, 400, 407
- electrocatalysts
- defect and interface engineering 313–315
- electrocatalytic CO₂ conversion 163
- electrocatalytic energy conversion technologies 23
- electrocatalytic reduction, of carbon dioxide 163, 173
- electrochemical capacitors 9, 384
- electrochemical characterization techniques 398
- electrochemical cycling 109, 129, 131, 211, 270, 349
- electrochemical deposition method 394
- electrochemical double-layer capacitors 9
- electrochemical dynamics, Li-air batteries 293–294
- electrochemical energy storage systems 383
- electrochemical etching 151
- electrochemical fuel production systems 186–187
- electrochemical hydrogen generation 149
- electrochemical impedance spectroscopy (EIS) 9, 56, 75, 120, 154, 155, 298, 336, 398–399
- electrochemical kinetic contribution 270–271
- electrochemical noise analysis (ENA) 122, 123
- electrochemical performance 11, 101, 109, 116, 118, 131, 138, 159, 169, 200, 201, 203, 247–250, 253, 261, 263, 264, 266, 271, 278, 279, 283, 285, 287, 294, 299, 304, 331, 337, 354, 361, 363, 368, 370–372, 374, 375, 377, 378, 380, 385, 389, 392, 395–397, 400, 405, 409, 410, 412, 413, 415
- of LIB 251
- electrochemical pseudocapacitor systems 361, 370–379
- electrochemical valorization 191–205
- electrode 101–103, 115–119, 261–264, 278, 391, 393–394
- electrode degradation 115, 309

- electrode-electrolyte interface 9, 137, 187, 247, 251, 254, 256, 257, 299, 302, 384
- electrode-electrolyte interphase (EEI) 266–268, 270, 272
- electrolysis 148, 217, 219, 222–227
- electrolyte 116, 391–392
- electrolyte decomposition 252, 285, 294, 303, 304, 340, 411
- electrolyte engineering 296
- electrolyzers 217–228
classification 217, 218
operating conditions 217, 218
- electron channeling contrast imaging (ECCI) technology 76
- electron energy loss spectroscopy (EELS) 77, 167, 253, 369
mapping 76
- electronic descriptors in catalysis 97–98
computational hydrogen electrode 101–103
d-band center in defective materials 98
layered double hydroxide with oxygen vacancies 104–105
News-Anderson model for chemisorption 98–101
solvent effects 105
- electronic structure, defects 95–97
- electron microscopy 70, 75–77, 368
- electron paramagnetic resonance (EPR) 71, 75, 82–84, 200, 202, 370
- electro-valorization
challenges 204
furans 199–200
furfural 200–203
glycerol 198–199
- elemental doping, for creating defects 166
- energy 110
- energy-dispersive X-ray spectroscopy (EDX) 253
- energy storage devices (ESD) 25, 114, 116, 277, 377–379, 383, 384, 405
- engineered defect-containing nanomaterials 183
- engineered vacancies 337, 339
- engineering defects 128, 209–215, 343–357
- engineering vacancies, in separator materials 334–335
- entropy 110
- enzymatic hydrolysis 194, 195
- equivalent series resistance (ESR) 384, 385, 388, 389
- ethylene glycol oxidation reaction 214
- exchange-correlation energy 91
- extended defects 180, 194, 248–249
- extended X-ray absorption fine structure (EXAFS) 71, 129, 318, 369
- external surfaces 21–22
- extrinsic carbon defects 364, 367
- extrinsic defect engineering 300
- extrinsic defects 61, 144, 280, 346, 362–364, 367–368
carbon-based materials 282–283
- f**
- fast charging 1, 271, 283, 322, 327, 345, 352
- fermentation 195
- flexible zinc-air batteries (FZABs) 320–322
- flow batteries 113, 114, 128, 131, 137, 343
- fluoride etching technique 150–151
- four-dimensional STEM (4D-STEM) 255
- Fourier-transform infrared (FTIR) spectroscopy 85, 167
- free surface defects 33
illustration 35
nature and formation 33–34
optimized material performance 35
solid-liquid interfaces 34
thermal conductivity 37
- free surfaces 20–22, 37, 249
- Frenkel defects 51–53, 317, 346

Frenkel disorder 51
 fuel cells (FCs) 5, 6, 24, 128, 131, 179,
 209–215, 384, 385
 fuel oxidation 6–7
 2,5-furandicarboxylic acid (FDCA)
 192, 200–202
 furans 194, 196, 199–200
 furfural 200–203

g

galvanostatic charge–discharge analysis
 398
 gasification 147, 149, 194–195
 gel-based self-healing electrolytes
 119
 gel polymer electrolytes (GPEs) 300
 defect engineering in 300
 generalized gradient approximation
 (GGA) 91–93
 generative adversarial networks (GANs)
 303
 Gibbs free energy (ΔG) 48–50, 52, 53,
 58, 100, 102, 110, 299, 353
 glassy carbon electrode (GCE) 153,
 154
 global energy consumption 327
 glycerol 198–199
 glycerol oxidation 198, 199, 211
 glycerol oxidation reactions (GOR)
 198
 grain boundaries (GBs) 18, 19, 21, 29,
 37, 144, 165, 167, 176, 194, 249,
 347
 in CO₂RR 170
 graphene 3, 4, 10, 37, 67, 70, 97, 295,
 298, 329, 330, 410
 defects, types of 234
 doping 237–240
 vacancies 234–237
 graphene-based supercapacitor
 electrode 116
 graphene foam 10, 336
 graphite 2, 3, 150, 153, 154, 225, 250,
 256, 281–283, 352

graphite anodes
 intercalation and storage of metal
 ions in 283
 graphitic carbon nitride/AlN
 composites 413
 graphitic-N 63, 364
 green H₂ production 227
 green synthesis procedures 138
 growth twins 32–33

h

half-cell reaction 149
 halogen doping 364–365
 healing mechanism, of dynamics
 reversible bonding 117
 heat-activated self-healing systems
 112
 hemicellulose 191, 192, 196
 heteroatom-doped materials 330
 heteroatom doping 298, 313, 331, 332,
 394, 395, 397
 effects 146
 in MXenes 298–299
 heterogeneous catalysis 53, 174,
 180–182
 heterogeneous doping 352
 heterostructures 331, 413
 MXene, for HER 154–157
 synergistic performance 335–336
 hexagonal boron nitride (hBN) anodes
 249
 hierarchical porosity 135
 high-angle annular dark-field scanning
 transmission electron
 microscopy (AC-HAADF-STEM)
 369, 370
 high-angle grain boundaries (HAGB)
 19, 29–32
 high-entropy oxides (HEOs) 249, 252,
 255, 256, 299–301, 304, 305
 high-resolution transmission electron
 microscopy (HRTEM) 70, 76,
 77, 169, 214, 215, 369
 hole defects 366
 host-guest interactions 114

- Hubbard-like correction 92
 Hubbard parameters 92, 93
 hybrid binders 271
 hybrid capacitors (HCs) 9, 373–376, 385, 389
 hybridization 10, 99, 100, 299, 364, 396, 409, 414, 415
 hybrid MXene/MnO₂ nanosheets 299
 hybrid solid-state electrolytes (HSSEs) 304
 hydrofluoric acid (HF) 151–153, 158
 hydrogen 64–66
 from biomass 149
 definition of 147
 electrochemical hydrogen generation 149
 production of 147–148
 steam-reforming method 147–149
 2D MXenes 149–158
 hydrogen bonds 111, 113, 114, 116, 118, 119, 191, 196, 271
 hydrogen evolution reaction (HER) 102, 149–158
 hydrogen storage 1, 9, 25
 hydrothermal method 154, 155, 393, 395–397
 hydrothermal processing 129, 192, 194, 195
 5-hydroxymethyl furfural (5-HMF) 192, 196, 200–202
- i**
- imine bonds 115
 inclusion 145, 337–339, 352
 incoherent phase boundaries 32
 indirect observation 368, 377
 of carbon defects 369–370
 industrial scale-up and integration 138–139
 industrial partnerships 135–136
 inherent anti-site defects (IASD) 261, 262
 in-situ and operando techniques 255
 intercalation pseudocapacitance 387, 388
- interface doping 252
 interface engineering 145, 184, 247, 252
 case studies in 252
 challenges in 255–257
 defect density vs material stability 256
 in Li-ion batteries 251–253
 in nanomaterials 145
 for precision oxygen reaction 295–296
 types of 146
 interface modulation techniques 182
 interfaces 145–147, 251, 302
 interfacial characterization techniques 254–255
 interfacial defects 29, 43, 249
 mechanical properties 35–36
 interfacial stability 269, 270, 300
 interstitial defects 51, 61, 193
 intrinsic carbon defects 173, 174, 362, 363, 366, 367
 intrinsic defects 143, 173–174, 280, 346, 362–363
 carbon-based materials 281
 intrinsic self-healing 112, 115
 ion exchange membrane 166, 217
 ionic bonds 114
 ionic liquid additives 300
 ion mobility 249, 266, 283, 303, 350, 354
 iron defects 263
 isovalent substitution 354, 355
- k**
- kinetics 47–58, 110–112
 kinetics of defect formation 53–58
 Arrhenius equation 54–55
 diffusion and Fick's laws 56–58
 mechanism of defect formation 55–56
 thermally activated processes 54–55
 Kohn-Sham (KS) equations 91–93

l

- lattice defects, in CO₂RR 168–170
 - lattice disorder 165, 170
 - lattice distortion 167, 170, 171, 173, 254, 263, 397
 - lattice strain 169–170
 - layered double hydroxide (LDH) 200, 316, 317, 378
 - with oxygen vacancies 104–105
 - lead-acid batteries 343
 - Li-air batteries (LABs) 293
 - classification of 293
 - defect and interface engineering for 297, 303–304
 - defect-driven modulation of 294–295
 - defect-induced stability enhancements 296–302
 - electrochemical dynamics of 293–294
 - evolution of 303–304
 - fundamental chemistry of 293
 - interface engineering 295–296
 - lithium species in 294–295
 - long-term cyclability in 302–303
 - long-term stability of 296–302
 - performance of 301
 - solid-state electrolytes for 299
 - Li-doped GaN 413
 - light-responsive self-healing systems 112
 - lignin 191, 192, 203–204
 - lignocellulosic biomass 191, 194, 196, 205
 - line defects 144, 164, 347, 394
 - lithiophilic defects 301
 - lithium-doped polyimides 304
 - lithium-ion batteries (LIBs) 2, 25, 247, 327, 343
 - charge transport 249
 - chemical nature of 250
 - cycling stability and efficiency of 249
 - defect engineering in 248–250
 - electrochemical performance of 251
 - energy density and capacity 249–250
 - experimental techniques and analytical methods 253–255
 - non-equilibrium synthesis 250
 - self-healing polymer electrolytes 118
 - structural stability 249
 - thermal and mechanical treatments 250
 - lithium-ion hybrid capacitors (LIHCs) 373
 - lithium lanthanum zirconate (LLZO) 118, 300, 303
 - lithium metal anode 293, 295, 300–302, 328, 330, 337–339
 - lithium polysulfides (LiPS) 81, 329, 331–335, 337, 354
 - lithium–sulfur batteries (LSBs) 4, 128, 327–340, 354
 - benefits and mechanisms 328
 - challenges in 328–330
 - lithium metal anode for 337–339
 - sulfur cathodes in 331–334
 - surface and interfacial defects in 330, 334–337
 - local density approximation (LDA) 91–93
 - low-angle grain boundaries (LAGBs) 30
 - low conductivity of sulfur 329, 330
- m***
- machine learning (ML) 123, 127, 132, 133, 134, 136–139, 250, 256, 272, 299, 301, 303
 - algorithms 95, 127, 133, 134, 137, 255, 256, 257, 302
 - machine learning-assisted analysis 255
 - magnetic materials 92, 114
 - manganese oxide (MnO₂) 11
 - manganese oxide-based cathode materials 353

- manufacturability and scalability of processes 256
 - material defects 345–346
 - material protection 270
 - MAX phase materials 150, 151, 158
 - mechanical ball-milling 366
 - mechanical milling 349
 - mechanical twins 19, 22
 - mechanism of defect formation 53, 55–56
 - mesoporous carbon (MC) 10, 63, 203, 301, 304, 322, 377
 - metal–air batteries 66, 110, 116, 119, 127, 128, 134, 135, 137, 343, 357
 - metal element doping 413
 - metal-free heteroatom-doped defects 363–364
 - metal halide perovskites (MHPs) 352
 - metallic atom 146
 - metal–ligand interactions 110, 113
 - metal nitrides, for CO₂RR 172–173
 - metal–organic framework (MOF) 67, 170, 182
 - metal oxides/hydroxides 10–11, 315
 - metal sulfides (MSs) 172, 204, 286–287
 - metal–support interactions (MSI) 182, 186, 333
 - methanol synthesis 181, 183, 185
 - methene (CH₄) 147
 - microscopic techniques 350
 - mixtures of transition metal oxides (MTMOs) 312
 - molecular dynamics (MD) 111, 133, 136, 256, 350, 351, 357, 363, 408
 - MoN crystals 412
 - morphological interface 146–147
 - multi-channel hollow carbon nanofibers (MCHCNF) 375
 - multiscale modeling 138
 - approaches 351
 - MXene-based catalysts 151, 186
 - MXene-based electrocatalysts 298, 299
 - MXenes 143–159, 172, 285, 298, 299, 305, 406–411
 - characteristics of 157–158
 - energy storage 407–410
 - heterostructures of 154–157
 - hybrid system 154
 - morphology of 157
 - structure and defects 406, 407
 - surface defects 299
 - synthesis 151, 406
 - synthesis techniques of 152
- n**
- Na-doped GaN 413
 - Na-ion batteries (NIBs)
 - air stability 264–266
 - binder 270–271
 - chemical stability 267–268
 - defect-modulated pure phase 263–264
 - defect types 261–263
 - electrochemical potential 267
 - electrochemical reactions 267
 - electrode–electrolyte interphase 266–268
 - ion transfer 268
 - side reactions 267, 268
 - solid-state electrolyte 269
 - solvated structure of electrolyte 267
 - N-doped graphene 237, 238, 239, 301, 303, 317, 372
 - N-doping 64, 69, 81, 84, 97, 282
 - Nafion 6, 118, 154, 226
 - nanomaterial-based anodes 330
 - nanostructuring 104, 352, 353
 - natural gas 64, 147, 148, 191, 383, 385
 - neutron diffraction 254, 351
 - News-Anderson model for chemisorption 98–101
 - next-generation energy technologies 2, 136
 - Ni and Co in molybdenum oxides (NiCo–MoO_x) 335
 - NiCd batteries 343
 - nickel-based SACs 337
 - nickel–cobalt DACs 334

- nickel-cobalt-layered double hydroxides (NiCo-LDHs) 25
- nickel-metal hydride batteries (NiMH) 343, 386
- nitrogen-doped carbon 6, 209, 214, 215, 320, 321, 331, 335, 337, 339, 364, 378
- nitrogen-doped carbon-based materials 209
- nitrogen-doped carbon layers 339
- nitrogen-doped carbon materials 335, 364
- nitrogen-doped graphene coatings 337
- nitrogen doping 298, 335, 372
- nitrogen removal strategy 367
- nitrogen/sulfur co-doped lignin-derived porous carbon (NSLPC) 374
- noble metal catalysts 210, 226
- noble metals 6, 127, 210, 213, 221, 226, 295, 311–312
- non-aqueous Li-air battery 294
- non-dendritic lithiation 339
- non-platinum catalysts 213–214
- N, P co-doped foamy-like carbons (NPFC) 376
- nuclear magnetic resonance (NMR) 82, 120, 166, 272, 350
- Nyquist plot 399
- O**
- O-doped graphene 240–241
- one-dimensional defects 144, 279, 347
- one dimensionality defects 394
- one dimensional (1D) line defect 57, 164, 279, 347
- operando infrared spectroscopy 122
- organic polymeric solid electrolytes 355
- Orowan mechanism 31
- oxygen anion 51, 198, 294
- oxygen evolution reaction (OER) 65, 66, 72, 102, 104, 214, 219, 228, 293, 294, 296, 303, 312, 322
- oxygen-functional groups (OFGs) 372, 378
- oxygen partial pressure dependence, Schottky defects 52
- oxygen reduction reaction (ORR) 6, 63–64, 81, 102, 182, 209, 214, 233–241, 293–294, 303, 309
- oxygen vacancies (OV) 52, 61, 66–71, 76, 79, 84, 85, 100, 104, 131, 167, 168, 170, 172, 176, 180, 183, 184, 200, 203, 204, 210, 211, 214, 247–248, 279, 286, 296, 298, 302, 313, 315, 330, 332, 334, 337, 339, 340, 352, 395, 396
- in ceramic coatings 302
- defects 395
- density 181
- insertion 352
- to layered double hydroxide 104–105, 317
- in MXenes 298–299
- in protective coatings 337–338
- P**
- Pd/3D-C material 210, 211
- Pd-Ni-P nanoparticles 213
- Pd-non-metal alloys 213
- Pd/O_v-Fe₂O₃ material 211, 212
- perovskite-type oxides (PTOs) 352
- phase boundaries 20, 22, 26, 29, 31, 32, 42, 53, 279
- phase-field models 351
- phase mismatches 38–39, 42
- phase transformation 165, 166
- phonon scattering 36, 37, 137
- phosphorus and nitrogen dual-doped hollow carbon spheres (PNHCS) 374
- phosphorus doping 298, 365
- phosphorus-nitrogen double-doped foamed porous carbon (PN-FPC) 374
- photodetectors 37–39
- photoelectrochemical cell (PEC) 24, 129
- water splitting 129

- photovoltaic cells (PV) 1, 7–8
 - solar cells 23, 24
- physiochemical characterization
 - technique 397–398
- planar defects 144, 164, 180, 194, 249, 279, 347, 394
- plasma-assisted treatment 366
- plasma etching, for creating defects 166
- plasma functionalization techniques 352
- plastic deformation 21, 22, 23, 33
- point defects 47, 50–51, 53, 63, 94, 95, 98, 127, 129, 143–144, 180, 193, 234, 247, 248, 250, 253, 279, 280, 281, 346, 347, 350, 394
 - characteristics 347
- point imperfections 180
- polyacrylic acid (PAA) 271
- polyanionic cathode materials 266, 277
- polyanionic compounds 3, 268, 284, 286
- polyethylene oxide (PEO) 300, 302
- polymer-based electrolytes 118
- polymer-based self-healing system 111
- polymer based separator 392
- polymer-based systems 122
- polymer binder 115
- polymeric matrices 114
- polyols 196–198
- polysulfide dissolution 329
- polysulfides 4, 128, 137, 270, 328, 329, 330, 331, 334, 335, 336, 354
- poly vinyl alcohol (PVA) 7, 19, 118, 264, 315, 393
- polyvinylidene fluoride (PVDF) 7, 252, 264, 270, 271, 300, 393
- porous carbon 3, 137, 173, 174, 301, 330, 333, 351, 352, 354, 367, 372, 374–377, 387, 413
- potassium-ion batteries (PIBs)
 - 277–287, 293, 374
 - carbon materials 280–281
 - challenges 279
 - comprises an anode 277–278
 - defects in anode materials in 280–281
 - defects in cathode materials used in 283–287
 - defects in materials of 279–280
 - development of 278–279
 - intercalation/deintercalation in 278
 - through defect/interface engineering 287
- potassium-ion hybrid capacitors (PIHCs) 373, 374
- potassium storage, in carbon materials 280
- potential-pH diagram 222
- Pourbaix diagram 222–224
- Pourbaix-type diagrams 408
- precipitates 31, 144, 349
- primary batteries 386
- protective coatings and interlayers 337–338
- proton exchange membrane
 - electrolyzer (PEMEL) 218–219
 - components 224–225
 - electrocatalysts 221
 - hydrogen production performance 226
 - materials engineering, problems in 225–226
- proton exchange membrane fuel cells (PEMFCs) 5, 118, 233–234
- Prussian blue analogs (PBAs) 283–287
- pseudocapacitors (PCs) 385, 387–389, 392, 395, 398, 405–416
- Pt-group metals (PGMs) 312, 315, 318
- Pt_{1.5}Ni alloy nanocages 212
- Pt4.5L nanocages 211
- pulsed laser annealing 249, 250
- pulsed laser deposition (PLD) 252, 300
- pulsed laser methods 256
- pyridinic-N 63, 69, 364, 372
- pyrolysis 24, 69, 147, 149, 194–195, 282, 297, 298, 373–376
- pyrrolic-N 63, 364, 372

q

quantum capacitance 371, 410
 quasi-solid electrolytes (QSEs) 320

r

radical dimerization 113
 Ragone plot 383, 384
 Raman spectroscopy 71, 75, 80–82,
 120, 166, 253, 255, 350, 369–370,
 374, 377, 395
 real-time monitoring, of self-healing
 mechanisms 120–123, 254
 redox flow batteries 113, 114, 128,
 131, 137
 redox pseudocapacitance 387, 388,
 390
 reduced graphene oxide (rGO) 287,
 331, 372, 395
 renewable energy sources 204, 225,
 226, 383–385
 ruthenium oxide (RuO₂) 11

s

Sabatier principle 100, 101, 181
 scanning electron microscopy (SEM)
 76, 120, 137, 151, 156, 253–255,
 350, 368, 377, 395, 397, 398
 scanning transmission electron
 microscopy (STEM) 76, 129,
 368, 369
 scanning tunneling microscopy (STM)
 167, 368, 379
 Schottky defects 47, 51, 52, 299, 346
 Schottky disorder 51
 screw dislocations 21, 144, 165, 394
 S-doping 282
 secondary batteries 386
 secondary ion mass spectrometry
 (SIMS) 254
 selectivity 35, 39–42, 61, 62, 102, 103,
 105, 146, 164, 168, 171, 173, 175,
 176, 180–187, 193, 195–199, 202,
 204, 209, 210, 215, 233, 234, 270
 selenium vacancies 167, 335
 self-doped carbons 367

self-healing 109–123, 135, 304, 338,
 352
 electrodes mechanism 115–119
 electrolytes 116, 118, 119
 future of 122–123
 intrinsic 115
 intrinsic chemistry of 114
 liquid electrolytes 119
 materials 135
 mechanisms of 112–115
 membranes 118
 polymer electrolytes
 lithium-ion batteries 118
 real-time monitoring of 120–122
 schematic representation of 111
 strategies 119
 for supercapacitor electrodes 116
 thermodynamic basis principles of
 110
 self-induced internal electric field
 (SIEF) 373–374
 self-interaction error (SIE) 92
 semi-coherent phase boundaries
 31–32
 separator 3–4, 224, 277, 320, 334–335,
 345, 350, 392
 shuttle effect 131, 328–331, 333–335,
 337, 340
 silicon 8, 97, 115, 150, 184, 345, 365
 silicon doping 365
 single and bimetallic transition metals
 171
 single metal atom sites 174–175
 single MXene, for HER studies
 153–154
 single-atom catalysts (SACs) 174, 185,
 312, 318, 322, 328, 331, 333–334,
 336–337, 339, 340
 for precision catalysis 336–337
 slip 21, 144
 small-angle X-ray scattering (SAXS)
 122
 sodium alginate (SA) 270, 321, 322
 sodium-ion hybrid capacitors (SIHCs)
 373–374

- sodium-sulfur batteries 343
- solar cells 8, 23, 24, 37, 38
- sol-gel method 300, 349, 394
- solid-electrolyte interface (SEI) 345, 352, 405
- solid electrolyte interphase (SEI) 132, 251, 252, 266, 283, 296, 301, 330, 340
- solid electrolytes (SEs) 51, 120, 129, 248, 249, 269, 354–355
- solid metal halide electrolytes 354–355
- solid oxide electrolyzer (SOEL) 217, 218, 224, 227
- solid oxide fuel cells (SOFCs) 5, 24, 128
- solid polymer electrolyte (SPE) 4, 119, 300
- solid-state batteries 1, 25, 32, 37, 118, 132, 251, 256, 345, 354–355
- solid-state electrolytes (SSEs) 47, 52, 53, 127, 129, 135, 296, 299, 304, 338
 - interfacial stability in 300
 - ionic conductivity of 299–300
- solid-state NIBs (SSBs) 269
- solvent effects 105
- solvothermal method 63, 320, 393
- spectroscopic techniques 75, 120, 301, 350
- spinel materials 295
- spinel metal oxides 11
- S–S bonds in polymer 119
- stable solid electrolyte interphase 296, 338–339
- stacking faults 18–22, 26, 53, 137, 144, 247, 248, 253, 254, 347, 349, 366
- standard hydrogen electrode (SHE) 102, 222, 261, 277
- steam-reforming equation 149
- step edges 210
- strain defects 255, 314
- stress-strain resistance 121
- strong metal-support interactions (SMSI) 182, 186, 333
- structural stability 129, 147, 247–249, 252, 256, 257, 264, 286, 337, 345, 349, 353, 354, 385
- substitutional defects 62, 193
- sulfonated polyether ether ketone (sPEEK) 118, 304
- sulfonated silica (S–SiO₂) 118
- sulfur
 - low conductivity of 329, 330
 - volumetric expansion of 329
- sulfur cathodes 115, 270
 - in lithium-sulfur batteries 331–332
- sulfur-deficient vanadium disulfide (SV-VS₂) 335
- sulfur doping 182, 365
- sulfur-nitrogen co-doped hollow carbon nanofibers (SNHCF) 373–374
- sulfur vacancies 181, 287, 331, 335, 339, 353
 - in vanadium disulfide 287, 331
- supercapacitors (SCs) 9, 25, 34, 110, 113–116, 135, 370–373, 378, 383–400, 405, 409–413
 - carbons, intrinsic defects on 371
 - charge storage mechanisms 406
 - heteroatom-doped carbons 371–373
- supercritical fluid processing 192, 194, 195
- surface defects 17–24, 26, 33–35, 37, 39–42, 61, 70, 75, 164, 181, 183–185, 210, 295, 301, 312, 317, 320, 334–337
 - typology 18–21
- surface defect sites, on CO₂RR 170–171
- surface functionalization, of lithium anodes 339
- surface-functionalized MXenes 299
- surface imperfections 37, 39
- surface passivation 37, 39, 41
- surface vacancies 37, 65, 281, 331–332
- sustainable synthesis 138, 139
- symmetrical supercapacitors 412
- symmetric supercapacitors 389–390, 392

- synchrotron methods 255
 synergistic effects 65, 114, 116, 182,
 186, 257, 299, 302, 332, 335, 339,
 340, 373, 376
 synthetic biology 135
- t**
- template-assisted treatment 367
 thermally activated processes 54–55
 thermal treatment, for creating defects
 22, 68, 69, 81, 165, 167, 250, 315,
 320
 thermochemical conversion method
 194
 thermodynamics of defect reactions
 50
 thermoelectric (TE) materials 24
 three dimensionality defects 394
 three-dimensional (3D) volume defect
 18, 164, 165, 349
 three-dimensional nitrogen-doped
 graphene 352
 $\text{Ti}_3\text{C}_2\text{T}_x/\text{Ni}_3\text{S}_2$ heterostructure 156
 tilt boundaries 165
 time-resolved XCT imaging 120
 tomography 255
 topological defects 173, 318, 362–363,
 366–367
 transition metal dichalcogenides (TMD)
 335, 353–354
 transition metal doping 332
 transition metal nitrides (TMNs)
 challenges 411–413
 defect and surface engineering
 405–411
 graphical representation of 411
 porous structures, growth of 412
 transition metal oxides (TMOs) 25, 65,
 92, 100, 101, 122, 210, 214, 221,
 263, 279, 285–286, 295, 298, 303,
 305, 312, 315, 321, 335, 388, 395,
 396
 transition metals (TMs) 171, 183–185,
 222, 312, 331, 363, 388, 406
- transition metal sulfides (MSs)
 286–287
 translational research 135–136
 transmission electron microscopy
 (TEM) 70, 75, 76, 129, 137, 151,
 155, 209, 214, 253, 299, 302, 350,
 368, 369, 397, 398
 tungsten oxide-based separators 334
 twin boundaries 32–33, 35, 53, 165,
 170, 394
 twins 19, 21–22, 26, 33
 twist boundary 165
 two-dimensional defects 23, 279–280,
 347
 two dimensionality defects 143, 394
 2D metal dichalcogenides 146
 2D MXenes, for hydrogen evolution
 reactions 149
 two-dimensional (2D) planar defect
 165
- u**
- ultracapacitor 384
 underpotential deposition 387, 388
 uniform lithium deposition 300, 330,
 337, 339
- v**
- vacancies 281, 315
 in carbon-based anode 281–283
 in lithium metal 294–295
 order-in-disorder engineering
 282–283
 vacancy defects 66–69, 193, 301, 362,
 366, 375
 vanadium-based polyanionic
 compounds 286
 vanadium oxide-based cathode
 materials 353
 vanadium oxide-reduction flow battery
 (VRFB) 343, 344
 vibrational entropy 48, 49
 change 48
 vitrimers-polymeric networks 113

- voids 35–38, 40–42, 120, 143–145, 165, 295, 349, 394
- volume defects 18, 144–145, 164, 349, 394
- volumetric expansion of sulfur 328, 329
- W**
- water 24, 35, 41, 63–66, 71, 102, 118, 129, 147, 149, 151–153, 159, 182, 195, 203, 217, 222–226, 264–266, 270, 284, 385, 393, 407
- water electrolysis 222–224
- water-free etching technique 151–153
- water-gas shift reaction 149
- X**
- X-ray absorption near-edge structure (XANES) 71, 129, 299, 369
- X-ray absorption spectroscopy (XAS) 71, 122, 129, 137, 255, 302, 369
- X-ray computed tomography (XCT) 120, 272
- X-ray diffraction (XRD) 70, 77–79, 166, 254, 266, 351, 370, 395, 397
- X-ray photoelectron spectroscopy (XPS) 71, 75, 79–80, 167, 209, 253, 272, 282, 299, 350, 369, 397, 398
- Z**
- zero-dimensional defects 279–280
- zero dimensionality defects 394
- zero-dimensional (0D) point defect 164
- zinc-air batteries (ZABs) 4, 5, 119, 309–322
- aqueous/flow 315–320
- flexible 320–322
- types of bifunctional electrocatalyst for 311–313
- zinc-bromine (Zn-Br) systems 343, 344
- zinc-ion hybrid capacitors (ZIHCs) 373, 375–376
- zwitterionic polymers 119



















