Index

a

acoustic drying 373
active freeze drying technology 391, 392
active pharmaceutical ingredients (APIs) 196, 394, 404
active sensor 245
AI/ML models 409
  validation and verification process 409
algorithm-based temperature control 359
alternative container systems, for freeze-dried drug products 398, 399
American wire gauge (AWG) 58–59
amorphous freeze-concentrates 338
annealing 16, 20, 21, 35, 223, 224, 246–250, 261, 273, 293, 388, 407
apparent molar volume 100
artificial neural networks (ANNs) 197, 200, 201, 204, 205, 406
at-line NIR applications 208–210
at-line Raman spectroscopy application 212–214
atmospheric freeze-drying 372, 373
atmospheric pressure 6, 70, 72, 74, 90–92, 350, 377, 383, 392
average edge brightness 439

b

barometric temperature measurement (BTM) 32, 146, 320
batch end point techniques 315, 320, 333, 336, 338
batch freeze-drying 33, 354, 359–364, 385, 386
biotherapeutics 371, 378, 379, 401
blackbodies 346, 349, 352

c

calibration coefficients 47
calibration pressure sensors 79–82
calibration vacuum sensors 79–82
capacitance manometers 12, 74, 122, 129
capacitive pressure measurement 73–74
capacitive pressure sensors 72
  vs capacitive vacuum sensors 77
  design-aspects 74
  structure and functionality 74
capacitive reactance 253–255
capacitive vacuum sensors 72
  vs capacitive pressure sensors 77
  design-aspects 75, 76
  structure and functionality 75
cavitation 85, 373, 396, 425, 426, 439

cavity enhanced (frequency modulation) spectrometer (CEFMS) 109
cavity ring down spectrometers (CRDS) 108–109
chamber pressure (P_c) 6, 9, 12, 13, 20, 21, 23, 25, 27, 29–31, 62, 70, 85, 89, 90, 112, 122, 128–130, 135–137, 145, 146, 148, 150, 151, 154, 158, 159, 165, 169, 172–174, 179, 180, 243, 262, 263, 266, 290, 291, 305, 306, 311, 314, 354, 362, 363, 378, 384, 397, 401
charge-coupled device (CCD) 199
chilled mirror hygrometer (CMH) 102–104, 110
CIP-compatible sensors 365
Clapeyron equation 91–93
Clausius–Clapeyron equation 28, 93, 94
  application of 94, 96
  colligative properties 99, 100
  empirical relationships 96, 99
Clausius–Clapeyron relationship 265
coefficient of variation (CV) 207, 329
cold junctions 52, 53
Cole-Cole plot 34
colligative properties 99–102
commercial IR cameras 349
comparison calibration 62, 63
complex capacitance 34, 35, 243, 244, 255–257
complex plane plot 34
condenser 8, 10–13, 23, 24, 28, 86, 122, 145, 146, 172, 173, 175, 179, 261, 320, 321, 374, 407, 431, 432, 434, 435
condensing chamber 8, 10, 23, 24, 29, 31, 108, 235
connecting wires 49–51
container closure systems 401
continuous freeze-drying process 223, 350, 364, 385, 405, 434
  for liquid solutions 435
  for particle-based products 388
continuous spin freeze-drying process 349
  end of primary drying monitoring 353
  PAT-based in-line control system 357
  product resistance monitoring 353
  temperature monitoring 353
  thermal imaging application 356
controllable operating parameters 12, 13
controlled nucleation techniques
  comparison of perfomances 436
  cryogenic gas burst 433
  depressurisation method 432
  electrofreezing 431
  future research directions and challenges 438
  ice fog technique 431
  industrial implementation 433
  nucleating agents 431
ControLyo® depressurisation technique 436
ControLyo™ method 435
conventional freeze-drying (CFD) 122, 372, 376, 377, 379, 380, 385, 393
conventional lyophilization process monitoring 122–123
cooling ramp 14–15, 18, 401
copper–constantan thermocouple 56
corona discharge 377, 379, 382, 384
critical dimensions, frozen solution
  characteristic features 285, 286
  h_{bcs} (segment III) 287
  h_{BE} (segment II) 287
  height of 287
  h_{RE} (segment I) 287
  temperature predictions 289

critical quality attributes (CQAs) 13, 199, 201, 204, 403, 407
critical temperatures 16–19, 318
cryogenic gas burst 386, 433
crystal growth phase 356, 358
crystalline freeze-concentrates 337–338
cyclic olefin polymer (COP) vials 399

d

Dalton's law 89, 90
data-driven multivariate methods 407
deep convolutional neural networks (DCNN) 406
depressurisation method 432, 434
design space (DS) approach 363, 405
devitrification 18, 20, 27, 35, 247–249
dew or frost point 90
dew point sensors (DPS) 104–108
differential scanning calorimetry (DSC) 16, 247, 338
diffuse reflectance spectroscopy 140
digital signal processing (DSP) algorithms 348
digital vernier calliper 305
direct single-vial methods 311, 313–315
direct sublimation flow measurements
  pressure decrease test (PDT) 173
  TDLAS 172
  VMS 174
dissipated power density 375
DPE^{3+} algorithm 169
drug product development 5, 6
drug substance 2, 5, 6, 27, 212, 311
dry layer resistance 11, 15, 20, 26, 27, 31, 32, 35, 62, 250, 265, 291–295, 311
drying chamber 3, 6, 9, 10, 12, 23, 24, 29–31, 72, 85, 108, 122, 128, 141, 145, 147, 151, 156, 159, 165, 174, 234, 235, 240, 263, 313, 318, 320, 323, 350, 354, 359, 365, 375, 377, 382, 386, 391, 431, 434, 435
drying rate determinations 265
drying rate model 30, 32
dual chamber cartridge (DCC) 374, 400
dynamic equilibrium 88, 89, 103
dynamic parameters estimation (DPE) algorithm 151
  batch heterogeneity 157
  freeze-dryer chamber 156
  frozen layer thickness 156
  radiation role 158
  temperature–vapor pressure correlations 157
  thermal balance 158
dynamic parameters estimation (DPE) method
  co-solvents 165
  DPE^{+} algorithm 163
  DPE3+ algorithm 169
  heterogeneous batches 161
  lyophilisation processes 167
  PRT duration 160
dynamic pressure rise (DPR) algorithm 147
dynamic vapour sorption (DVS) 112

e

electrical circuit model 297
electrofreezing 431
electrostriction 100
endpoint defining characteristics 316, 324, 340–341
endpoint detector (EPD) 176
equivalent circuit modelling 296–299
escape tendency (fugacity) and evaporation 89
eutectic monitors 319
eutectic temperature 6, 16, 19, 20, 122, 311

excipients 2, 3, 5–7, 19, 26, 195, 199, 200, 212, 214, 217, 378–380, 403

f

Fabry–Pérot sensors 140
faster region convolutional neural network (FasterR-CNN) 361
fine particle fraction (FPF) 406
fine-spray freeze-drying process 389
finite-element simulations 132
fixed loop rate 84
fixed-point calibration 62–63
Flashtab® 404
Flurotec® technology 402
foam drying 392
  advantages 394
  challenges 396
  considerations 396
    agitation and mixing 397
    composition and concentration 397
    fillers 397
    foaming agents and stabilizers 396
    pressure control 397
    process parameters 397
    temperature control 397
  disadvantages 396
  in pharmaceuticals 394
foam granulation 394
foam-mat drying 392
Fourier's law 289
Fourier's law of heat transfer 263, 284
FreezeBooster® concept 434
freeze-dried protein drug 4
freeze-dryer components 6–11
freeze-dryer manufacturers 235, 319, 433
freeze-drying 309, 371
  AI and digital twin application 405
  container closure integrity 402
  container closure systems and dosage form interactions 401
  non-standard containers 398
    blisters 400
    bulk containers 401
    dual chamber systems 400
    plastic vials 399
    protective bags 400
    rack systems 401
    syringes 400
  of oral solids 403
  stages 394
freeze-drying cycle 12, 13, 24, 29, 73, 128, 130, 171, 173, 175, 208, 223, 360
freeze-drying microscope (FDM) 17, 18, 139
freezing stage 2, 13–21, 27, 35, 45, 223, 248, 273, 292, 311, 363
frequency modulation spectroscopy (FMS) 109
frozen solid 13, 19, 22, 305

g

gallium arsenide (GaAs) 195
gas discharge 382
gas pressure 69–70
  measurement of 71, 73
  units of 70–71
glass transition 5, 6, 13, 16–19, 27, 45, 102, 134, 248, 272, 273, 293, 310, 311, 338, 377, 378, 396, 403
Goff–Gratch equation 157
good manufacturing practice 128, 174, 310, 365, 383
GORE® LYOGUARD® Freeze-Drying Trays 400
gravimetric sampling method 314, 316

h

heat transfer coefficient 30–32, 62, 130, 145, 147–151, 153, 155, 158, 164–169, 261, 264, 294–295, 358, 364, 401
holding period 19–20
hot junctions 52–54
human-in-the-loop (HITL) approach 409
hybrid drying methods 372
hybrid freeze drying (HFD) 377
hydrophobic flow rate 72

i

ice base 32, 263, 264, 284, 289–290
ice fog technique 85, 431–432, 434–437
ice formation process 14, 15, 246–247
ice interface 261, 264, 265, 284, 289
ice nucleating agents (INAs) 431
ice nucleation 356
  pressure control for 85, 86
ice sublimation process 9, 21, 27
ice vapor pressure 26, 29, 31, 265
  empirical equation for 290
impedance spectroscopy 223, 251, 316
in-direct single-vial methods 315–320
in-line NIR applications 210–212
in-line Raman spectroscopy application 214
indium gallium arsenide (InGaAs) 195
Industry 4.0 120
infra-red assisted freeze-drying 374–375
infra-red heating 372–375, 386, 400
infrared (IR) camera, components and optical materials 348–349
infrared radiation, fundamentals 345–349
infrared spectrum
  atmospheric transmittance 347
  long-wave infrared region 347
  mid-wave infrared region 347
  peak emission wavelength 347
infrared thermography 345
infrared thermography (IRT) temperature 347
instrument under test (IUT) 80, 110
instrumental configuration 84–85
Internet of Things (IoT) 119, 405
ionization gauge display 80
IR thermal imaging
  batch freeze-drying process 359–364
    arrangements 359, 360
    freezing stage monitoring 363
    image acquisition 361
    primary drying monitoring 361–363
  continuous spin freeze-drying process 349–359
  process control using 364

k

Kapton-film sensor 126
Karl–Fischer methods 311
Kernelized correlation filter (KCF) algorithm 361
Kirchhoff's law of thermal radiation 346

l

latent heat 20, 21, 23, 26, 28–31, 97, 122, 247, 262, 283, 316, 354, 375
liquid cooling 356
low-rate wireless personal area networks (LR-WPANs) 121
Lynfinity™ platform 389
Lyoc® 404
lyo-cake structure 3

lyo-cycle 12
LyoCoN method 434
Lyometrics (Telstar) 127
lyophilization 2, 9, 371
  role of ultrasound and infrared heating 372
lyophilization cycle 12
lyophilization processes 167
lyophilization-related product failures 310
LyoTec™ stoppers 402
LyoView® 243

m

machine learning (ML) 406
  for formulation design and drug product development 406
  freeze-dried product characterization 407–408
  freeze-drying process monitoting, control and optimization 406–407
manometric temperature measurement (MTM) 32, 146, 148
  algorithms
    batch heterogeneity 157
    freeze-dryer chamber 156
    frozen layer thickness 156
    radiation role 158
    temperature-vapor pressure correlations 157–158
    thermal balance 158
manual control valves 110
mass lost 31, 32, 265, 289
mass median aerodynamic diameter (MMAD) 406
mass transfer coefficients 145, 175, 179, 364, 408
matrix formers 403
Maxwell–Wagner polarization 293
mechanistic primary drying model 355
micro FD system 320, 321
microwave-assisted freeze drying (MFD) 373, 375–384
  applications 379–384
  benefits and limitations 379–384
  corona effect 382
  GMP equipment development 383
  in-line process control 383–384
  mathematical modelling 384
  optimal MW frequency selection 383
  principles 375–379
  product quality and stability 380–381
  uniformity of batches 381–382
microwave-assisted vacuum drying (MVD) 376, 377, 394
Millrock MicroFD 240
mini-bag dilatometry method 133
mixed flow water vapour calibration systems 109–110
modulated differential scanning calorimetry (mDSC) 16
molar entropy change of sublimation 93
molar gas constant 69
molar volumes 93, 100
mono-dimensional model 156
multiplicative Scatter correction 203
multivariate image analysis (MIA) 364

n

near-infrared (NIR) range 140
near infrared (NIR) spectroscopy 319
  at-line applications 208
  fundamentals of 194
  in pharmaceutical field 196
  in-line applications 210
negative-temperature-coefficient (NTC) thermistors 126
neural network models 206, 406
neural networks 205, 408
non-contact IR radiation 375

non-invasive approaches 125, 127, 128
non-invasive impedance analysis 319
non-invasive temperature measurement 232
normal boiling point 91
nucleating agents 429, 431, 439

o

Ohm's law 47, 252–253
one-point gravimetric method 32
optical coherence tomography (OCT) 139
optical methods 319
optical sensors 139–141
optical spectroscopic methods 33, 35
oral solids
  formulation, considerations for 403–404
  freeze-drying consideration 404
orally disintegrating/orodispersible tablets (ODTs) 403
  case studies 404–405
orodispersible dosage forms 403
Ostwald ripening 20, 35, 273, 293

p

partial least square (PLS) 197, 201, 204, 364
partial least squares (PLS) regression 200, 204
partial least squares-discriminant analysis (PLS-DA) 199, 201, 206
partial molar volume 100
partial pressure
  Dalton's law of 90
  and relative humidity (RH) 90–91
passive optical sensors 139–141
PAT-based in-line control system 357
pharmaceutical freeze-drying 2, 49, 371–409
pharmaceutical process models
  AI/ML technology 408–409
phase diagram pressure-temperature curve 28–29
phase transition 21, 134
PI-based control algorithms 357
Pirani curve
  batch ice sublimation end point qualification 338–339
  for freeze-drying of pure water 339
  shape 324
  true sublimation end point 335
Pirani gauge 12, 122, 321
Pirani sensors 72, 75, 81
Pirani vacuum sensor
  specific design aspects 77, 79
  structure and functionality 76, 77
Planck's law 346
plasma discharge 380, 382
plastic-based disposable containers 398
platinum resistance thermometers (PRTs) 47
power ultrasound 373, 425
preprocessing techniques 202–203
pressure and temperature-based humidity calibration systems 110–111
pressure control techniques 84
pressure decrease test (PDT) 173–174
pressure gauges 12, 69–112, 160, 437
pressure rise analysis (PRA) 146, 150–151
  batch heterogeneity 157
  freeze-dryer chamber 156
  frozen layer thickness 156
  radiation role 158
  temperature-vapor pressure correlations 157–158
  thermal balance 158
pressure rise modeling 32
pressure rise test (PRT) 29, 30, 408
  DPE algorithm 151, 154

pressure rise test (PRT) (*contd.*)
duration of 159
monitoring 146
MTM algorithm 148, 154
PRA 150, 155
pressure variation 158
process control and optimization 179
sampling frequency 159
simplified DPE method for 160
time interval 159
pressure voltage relationships 82, 83
pressurization/depressurization by nucleation gas (nitrogen/argon) technique 85, 86
primary drying 7, 12–14, 19–27, 45, 51, 81, 86, 90, 112, 123, 135, 146–149, 155–163, 172, 175–177, 199, 210–212, 261, 268, 272–274, 276–279, 309–341, 374, 375, 377, 378, 381–384, 407, 426, 429, 438
principal component analysis (PCA) 200, 203, 364
process analytical technology (PAT) 28, 33, 194, 204, 310
for primary drying end point
batch end point techniques 320
direct single-vial methods 311
in-direct single-vial methods 315
for primary drying end point 312
primary drying stage 322
through-vial impedance spectroscopy 325
process modeling 28–33
process parameters 13–14, 27, 82, 119, 122, 141, 174, 175, 212, 227, 246, 250, 311, 331, 357, 386, 397, 400
product probes 11, 28, 46, 316, 318
disadvantages of 62
drawbacks of 62
product temperature 24, 30, 45, 53, 122, 154, 319, 357, 371, 436
product temperature sensors 63, 64
limitations of 64
proportional integral derivative (PID) controller 84, 85
pulsed microwave-vacuum drying 376

q

qualitative application 201
quality by design (QbD) 193, 194, 217, 310, 405
quantitative application 201
quartz crystal oscillator 60
quartz crystal resonator 59
quick frozen products (QFP) 167

r

Raman effect 197, 198
Raman scattering 197
Raman spectroscopy
at-line application 212–214
fundamentals of 197–199
in pharmaceutical field 199–200
in-line application 214–215
Random forest (RF) model 406
Raoult's law 100, 101, 291
rapid depressurization controlled ice-nucleation (RD-CIN) 135–138
Rayleigh scattering 197
reference junction 52, 53, 56
reference sensor and test 80
regression modelling
artificial neural networks (ANNs) 205–206
partial least squares (PLS) regression 204–205
relative humidity (RH) 90–91, 103, 139
residual moisture content 147, 177–179, 315, 357, 386, 396, 407, 438
resistance temperature detector (RTD) 11

advantages of 50
applications of 51, 52
connecting wires 49, 50
disadvantages of 51
sensing materials 47, 49
vs. thermocouples 57
resistance thermometer devices (RTDs) 315, 318
risk-based model classification 408
RMSECV 207–209, 214
RMSEP 207, 208, 214
root mean square error of calibration (RMSEC) 207–209, 214, 217

S

sampling method 314, 316
Savitzky–Golay filter 202, 213
scanning electron micrograph (SEM) 3
secondary drying 8, 12, 13, 27, 35, 45, 51, 70, 81, 108, 122, 135, 147, 177, 178, 181, 182, 211, 212, 250, 261, 310, 320, 326
Seebeck effect 52
Seebeck voltage 52
sensible heat 21, 26
sensing materials 47–49
set shelf temperature 18–19
shelf temperature 8, 18–24, 26, 27, 53, 85, 108, 122, 127, 128, 135, 148, 159, 164, 175, 179, 243, 248, 262–264, 272, 273, 275, 277, 279, 281, 284, 291–295, 310, 311, 316, 326, 336, 363, 400, 436
single vial freeze-drying unit (SVU) 350, 351
soft independent modelling of class analogy (SIMCA) model 200, 208
soft sensors 128, 319
Solartron 129262A room temperature 225, 226
solid cooling 356, 358
specific dry-layer resistance 292, 294
spectral absorptance 346
spectral reflectance 346
spectral transmittance 346, 348
spectroscopic hygrometers (SH) 108–110
spectroscopic PAT tools 33–36
spectroscopic techniques
  data analysis
    partial least squares discriminant analysis 206
    preprocessing techniques 202–203
    principal component analysis (PCA) 203–204
    regression modelling 204–206
  NIR spectroscopy
    at-line applications 208–210
    fundamentals of 194–196
    in pharmaceutical field 196–197
    in-line applications 210–212
  performance evaluation 207–208
  Raman spectroscopy
    at-line application 212–214
    fundamentals of 197–199
    in pharmaceutical field 199–200
    in-line application 214–215
spin freeze-drying methods 386, 387, 389, 390
spin freezing, thermal imaging application 356
standard freeze-drying vials 294, 378
statistical alignment (SA) 407
steady-state heat conduction 284
Stefan–Boltzmann constant 346, 353, 375
Stefan–Boltzmann law 353, 375
sublimation 7, 9, 10, 13, 17, 20–33, 35, 36, 46, 51, 62–64, 76, 86, 90, 91, 93, 94, 96, 97, 101, 122, 130, 140, 145–182, 211, 212, 232, 250, 261–307, 309–340, 350, 353–355, 359–362, 374–378, 384–386, 398, 404, 429, 438

sublimation phase, of lyophilization cycle 311
suspended vial system methods 386, 387, 389
SynchroFreeze vacuum-induced surface freezing technique 434, 436

t

Telstar freeze-dryer 106–108
temperature calibration of log FPEAK 272
temperature measurements 47, 61, 128, 131, 268–269, 347–348, 364, 433
temperature sensors 11, 45–65, 124–128, 316, 319
Tempris® 59
thermal conductivity 12, 31, 32, 56, 61, 76, 138, 264, 273, 294, 307, 353, 356, 399, 433
thermal cycling/sterilization 130
thermal emissivity of the material 346
thermal imaging
  benefits and critical issues 364–365
  fundamentals 345–349
  temperature measurement through 347–348
thermal imaging camera 319
thermal transitions 16, 18
thermocouples (TCs) 11, 52–53, 318
  calibration 53–57
  guides 57
  output tolerances 55
  resistance temperature detectors (RTDs) *vs.* 57, 58
thermodynamic equilibrium 20, 150, 153
thermoelectric electromotive force (emf) 52
thermomechanical analysis (TMA) 133
thin-film freeze-drying (TFFD) 385
throttling valves 122
through-vial impedance spectroscopy (TVIS) 18, 46, 325
  cabling and connectors 232
  development history 251
  different characteristic shapes 326
  electrode system 227
  external ports on a freeze-dryer 235
  feed-though adapters for different freeze-dryers 239
  feed-through plate 234
  fill volume considerations 231
  freeze-drying applications 244
    annealing 249–250
    critical process parameters extraction 250
    glass transitions and phase behaviour (devitrification) 247
    glass wall effects 250
    ice formation process 246
    secondary drying 250
  fundamentals of
    capacitive reactance 253–255
    complex capacitance 255–257
    resistance *vs* conductance and impedance *vs* admittance 252–253
  high frequency real part capacitance time profile 325
  ice sublimation process
    $\widehat{C}''_{\mathrm{PEAK}}$ and drying rate predictions 279
    critical dimensions of the frozen solution 284
    dry layer resistance 291
    drying rate determinations 265
    equivalent circuit modelling 295–299
    freeze-drying processes 261
    heat transfer coefficient (K_v) 294–295
    height of the apex of the dome base 302
    height of the liquid meniscus 299

ice vapor pressure 290
measured parameters 262
onset of sublimation 305–307
peak frequency 267
peak magnitude 268
planar ice interface 299–302
point sensitive 268
predicted parameters 263
temperature calibration 270
temperature compensation of C''_{PEAK} 277
T_{FPEAK} values 276
impedance model 243
junction box 232
mechanical stability of 226
multiplexing with Pirani gauge measurements 331
primary drying end point, real time monitoring and early estimates 335
statistical significance 336
true sublimation end point 335
non-invasive temperature measurement 232
primary drying end point, numerical prediction of 329
principles of operation 242
T-type thermocouples 137
tunable diode laser absorption spectroscopy (TDLAS) 33, 145, 172, 174
tunable quasi random-field (qRF) radio-frequency energy source 382
tuneable diode laser spectrometer (TDLS) 108
turbomolecular pump 80

u

ultrasound-assisted drying 373
ultrasound-induced ice nucleation (UIIN) 425–427
uniform pressure 132

v

vacuum foam drying 393–396
vacuum induced nucleation (VIN) 428, 434
vacuum induced surface freezing (VISF) 85, 398, 428, 434, 437
vacuum pumping system 6, 122
vacuum system 9, 80
valveless monitoring system (VMS) 145, 174–175
vapour pressure 86
lowering of 101–102
and temperature 91
VERISEQ® 435
vial heat transfer coefficient 31, 32, 130
visible imaging camera 319
voltage-pressure conversion method 82

w

water vapour measurements
mixed flow calibration systems 110
pressure and temperature-based humidity calibration systems 110–111
water vapour pressure 86, 88, 106
wireless MicroPirani (WMP) sensors 128, 129
wireless pressure sensors 128–131, 141
wireless sensor networks (WSNs)
conventional lyophilization process monitoring 122–123
optical sensors 139–141
overview of 119–122
rapid depressurization controlled ice-nucleation (RD-CIN) 135–138
wireless pressure sensors 128–131
wireless temperature sensors 124–128

wireless sensor networks (WSNs) (*contd.*)
wireless vial strain sensors 131–135
with unrealized implementations 139
wireless sensor tests 134
wireless temperature sensors 59, 61, 124–128
wireless vial strain sensors 131–135

Z

Zydis® 405