

Contents

Preface *xiii*

Acknowledgment *xv*

1	Fluorescence and Molecular Recognition	1
	<i>Weijie Zhang and Laraib</i>	
1.1	Advancing Fluorescence Theory	1
1.1.1	The Discovery of Fluorescence	1
1.1.2	The Mechanism of Fluorescence	4
1.1.3	Fundamental Rules of Fluorescence Mechanism	6
1.2	Advancing Fluorescent Dyes	8
1.2.1	Introduction and Classification of Fluorescent Dyes	8
1.2.2	The Development of Organic Fluorescent Dyes	11
1.3	Fluorescent Probes for Molecular Recognition	14
1.3.1	Advances in Fluorescent Molecular Recognition	14
1.3.2	Emerging Trends in Fluorescence and Molecular Recognition	15
	References	16
2	Fluorescent Probes	19
	<i>Ying Wen and Xiaobei Yan</i>	
2.1	Excitation Modes of Fluorescent Probes	19
2.1.1	Single-photon Excitation	20
2.1.2	Two-photon Excitation	20
2.1.3	Upconversion Luminescence	22
2.2	Fluorescence Reporting Mode	23
2.2.1	Enhanced and Quenched (Turn-on/Off)	23
2.2.2	Ratiometric	24
2.2.3	Lifetime	25
2.2.4	Anisotropy	27
2.3	Optical Modulation Mechanism of Fluorescent Probes	27
2.3.1	Photon-induced Electron Transfer	28
2.3.2	Intramolecular Charge Transfer	29
2.3.3	Excited-state Intramolecular Proton Transfer	31
2.3.4	Förster Resonance Energy Transfer	33

- 2.3.5 Aggregation-induced Emission 35
- 2.4 The Reaction Mechanism of Low-molecular-weight Fluorescent Indicators 36
 - 2.4.1 Chemical Covalent Bond Formation and Cleavage 36
 - 2.4.2 Coordination-based Mechanisms 38
 - 2.4.3 Protonation/Deprotonation 38
 - References 39
- 3 Fluorescence Probe of Reactive Oxygen Species 41**
Yongchuang Li, Pei Huang, Yiran Qi, Tian Lv, and Haiyue Liu
 - 3.1 Fluorescence Probe of Hydrogen Peroxide 41
 - 3.1.1 Probes Based on Boric Acid Oxidation Reactions 41
 - 3.1.2 Probes Based on Baeyer–Villiger Oxidative Rearrangement Reactions 46
 - 3.1.3 Probe Based on Tandem Pinnick/Dakin Reaction 49
 - 3.1.4 Probes Based on the Cleavage Mechanism of Aryl Sulfonyl Esters 49
 - 3.2 Fluorescence Probe of Hypochlorous Acid 50
 - 3.2.1 Single-electron Oxidation Processes in Sulfur/Selenium/Tellurium-containing Electron-donating Groups 50
 - 3.2.2 Oxidation of Nitrogen-containing Functional Groups (Such as Hydroxamic Acid, Hydrazine/Hydrazone, and Aniline) 52
 - 3.2.3 Hydrolysis of Dimethylthiocarbamoyl Chloride 56
 - 3.2.4 Oxidation of Oxygen-containing Functional Groups 57
 - 3.2.5 Oxidation of C=C Unsaturated Double Bonds 57
 - 3.2.6 Specific Oxidation and Breakage of Amide Bonds 58
 - 3.3 Fluorescence Probe of Hydroxyl Radical ($\cdot\text{OH}$) 60
 - 3.3.1 The Reaction Recognition Types of Hydroxyl Radical Fluorescent Probes 60
 - 3.3.2 Summarize 63
 - 3.4 Fluorescence Probe of Superoxide Anion ($\text{O}_2^{\cdot-}$) 64
 - 3.4.1 Background 64
 - 3.4.2 Superoxide Anion Fluorescent Probe 65
 - 3.4.3 Summarize 73
 - 3.5 Fluorescence Probe of Singlet Oxygen ($^1\text{O}_2$) 73
 - 3.5.1 Background 73
 - 3.5.2 Singlet Oxygen Fluorescence Probe 74
 - 3.5.3 Summarize 78
 - References 79
- 4 Fluorescent Probe of Reactive Sulfur Species 83**
Junping Wang, Xinya Niu, Jingdong Wang, Waqas Pervez, and Rizwana Asghar
 - 4.1 Introduction to Biological Functions of RSS 83
 - 4.2 Synthesis, Recognition Mechanism, and Biomedical Applications of Cysteine Probes 84
 - 4.2.1 Introduction 84
 - 4.2.2 Nucleophilic Substitution Recognition Mechanism 85

4.2.3	S—S or Se—N Bond Cleavage Recognition Mechanism	87
4.2.4	Metal Complex Recognition Mechanism	89
4.2.5	Addition Cyclization of Acrylate Recognition Mechanism	90
4.2.6	Cyclization Recognition Mechanism of Aldehyde	93
4.2.7	Conclusion	94
4.3	Synthesis, Recognition Mechanism, and Application of Homocysteine Probes	95
4.3.1	Introduction	95
4.3.2	Michael Addition Reaction Mechanism	96
4.3.3	Nucleophilic Substitution–Rearrangement Reaction Mechanism	98
4.3.4	Nucleophilic Substitution–Cyclization Reaction Mechanism	102
4.3.5	Nucleophilic Addition–Elimination Reaction Mechanism	104
4.3.6	Metal Complex Reaction Mechanism	106
4.3.7	Conclusion	107
4.4	Synthesis, Recognition Mechanism, and Bioimaging of GSH Probes	108
4.4.1	Introduction	108
4.4.2	Nucleophilic Addition Reaction Mechanism	109
4.4.3	Substitution Reaction Mechanism	113
4.4.4	Reduction Reaction Mechanism	119
4.4.5	Conclusion	120
4.5	Synthesis, Recognition Mechanism, and Bioimaging of H ₂ S Probes	121
4.5.1	Based on Azide Group Reduction to Amine Group as the Reaction Site	122
4.5.2	Based on Nitro Reduction, Amine Group is the Reaction Site	124
4.5.3	Based on Disulfide Bond Break as the Reaction Site	125
4.5.4	The 2,4-dinitrophenyl Ether Bond is Adopted as the Molecular Recognition Switch	127
4.5.5	Based on 2,4-dinitrosulfonic Acid Cleavage as the Reaction Site	128
4.5.6	The Reaction Site Was Based on NBD Cleavage	130
4.5.7	The Reaction Site Was Based on Ester Bond Breakage	132
4.5.8	Based on Michael’s Addition Becomes a Reaction as a Point	133
4.5.9	Other Response Mechanisms	134
4.5.10	Conclusion	136
4.6	Synthesis, Recognition Mechanism, and Bioimaging of SO ₂ Probes	136
4.6.1	Based on the Cleavage of Levulinate as the Reaction Site	137
4.6.2	The Addition of a Nucleophilic Addition of Aldehyde Groups	138
4.6.3	Nucleophilic Addition Based on Double Bond Becomes the Reaction Site	140
4.6.4	Conclusion	142
4.7	Synthesis, Recognition Mechanism, and Bioimaging of Polysulfide Probes	143
4.7.1	Introduction	143
4.7.2	H ₂ S ₂ -mediated Departure of <i>p</i> -nitrofluorobenzene	143
4.7.3	H ₂ S ₂ -mediated Departure of 2-(Benzoylthio)benzoate	145
4.7.4	H ₂ S ₂ -mediated Nucleophilic Addition to Pyrrole Cations	147

- 4.7.5 H₂S_n-mediated Addition and Cleavage Reactions of α , β -unsaturated Esters 148
- 4.7.6 H₂S₂-mediated Electrophilic Reactions 150
- 4.7.7 H₂S_n-mediated Reduction 151
- 4.7.8 H₂S₂-mediated Aromatic Nucleophilic Substitution 154
- 4.7.9 H₂S₂-mediated Dithiole Formation Reaction 154
- 4.7.10 Conclusion 155
References 156

- 5 Fluorescent Probes for Reactive Nitrogen Species 163**
Qian Pang and Lipeng Zhang
- 5.1 Introduction to Biological Functions of Reactive Nitrogen Species 163
- 5.2 Synthesis, Recognition Mechanism, and Bioapplication of Nitric Oxide Probes 164
 - 5.2.1 Design Strategies for NO Fluorescent Probes 164
 - 5.2.2 Fluorescence Detection of NO 165
 - 5.2.3 Conclusion and Outlook 172
- 5.3 Synthesis, Recognition Mechanism, and Bioapplication of ONOO⁻ Probes 173
 - 5.3.1 Boric Acid/Borate Ester is the Reaction Site 173
 - 5.3.2 Diphenyl Phosphoryl Groups as Oxidation Recognition Sites 176
 - 5.3.3 α -Ketoamide Groups and α , β -unsaturated Ketene as Recognition Sites 177
 - 5.3.4 The Ether Bond is the Reaction Site 178
 - 5.3.5 Oxidative Dearomatization 179
 - 5.3.6 Oxidative Hydrolysis of Hydrazides as a Recognition Site 180
 - 5.3.7 ONOO⁻-induced *N*-nitrosation 181
 - 5.3.8 *N*-dearylation is the Recognition Site 181
 - 5.3.9 Electrophilic Unsaturated C=C Bond as an Oxidation Recognition Site 183
- 5.4 Synthesis, Recognition Mechanism, and Bioapplication of HNO 184
 - 5.4.1 Turn-on Type 184
 - 5.4.2 Ratiometric Type 187
 - 5.4.3 Conclusion and Outlook 188
References 189

- 6 Fluorescent Probes for Reactive Carbon Species 193**
Wenjiao Wu and Yuting Wang
- 6.1 Introduction to Biological Functions of Reactive Carbonyl Substances 193
- 6.2 Synthesis, Recognition Mechanism, and Bioimaging of Carbon Monoxide Probes 195
 - 6.2.1 Allyl Formate Used as the Quenching and Identification Moiety 196
 - 6.2.2 Allyl Ether Used as the Quenching and Identification Part 198
 - 6.2.3 Heavy Atom Quenching Effect of Coordination Palladium 199
 - 6.2.4 Spirolactam Ring Opening 201

- 6.2.5 Nitro as the Reaction Site 202
- 6.2.6 Ru(II) Vinyl Complexes 203
- 6.3 Synthesis, Recognition Mechanism, and Bioapplication of Formaldehyde 205
 - 6.3.1 Free Amino Group ($-\text{NH}_2$) Serves as the Reaction Site 205
 - 6.3.2 Hydrazine ($-\text{NH}-\text{NH}_2$) as the Reaction Site 206
 - 6.3.3 Allylamine as the Reaction Site 206
 - 6.3.4 Others 207
- 6.4 Synthesis, Recognition Mechanism, and Bioapplication of Ethylene 209
 - 6.4.1 Based on Vinyl π and Transition Metals 209
 - 6.4.2 High Reactivity Based on Metathesis Catalysts with Type I Olefins 209
 - 6.4.3 Activity-based Sensing (ABS) 210
- 6.5 Synthesis, Recognition Mechanism, and Bioimaging of Malonaldehyde Probes 211
 - References 212
- 7 Fluorescent Probes for Oxidoreductase Enzymes 215**
Xinyu Li and Xingwei Li
 - 7.1 Brief Introduction of Enzymes in Redox Modulation 215
 - 7.2 Synthesis, Recognition Mechanism, and Application of Monoamine Probes 215
 - 7.2.1 MAO-A Fluorescent Probes 216
 - 7.2.2 MAO-B Fluorescent Probes 218
 - 7.3 Synthesis, Recognition Mechanism and Application of NAD(P)H: Quinine Oxidoreductase Probes 220
 - 7.3.1 “Open” Fluorescent Probes 221
 - 7.3.2 Ratiometric Fluorescent Probes 222
 - 7.3.3 Chemiluminescent Probes 223
 - 7.3.4 Bioluminescent Probes 224
 - 7.4 Synthesis, Recognition Mechanism, and Application of Nitroreductase Probes 225
 - 7.4.1 Nitrobenzene Fluorescent Probes 225
 - 7.4.2 Nitroimidazole Fluorescent Probes 229
 - 7.4.3 Nitrofuran Fluorescent Probes 230
 - 7.4.4 Nitro-covalently Linked Fluorescent Probes 230
 - 7.5 Synthesis, Recognition Mechanism, and Application of Tyrosinase Probes 232
 - 7.5.1 4-hydroxybenzyloxy Moiety-based Fluorescent Probes 232
 - 7.5.2 Meta-hydroxybenzyloxy Moiety-based Fluorescent Probes 233
 - 7.5.3 Dopamine-based Fluorescent Probes 235
 - 7.6 Synthesis, Recognition Mechanism, and Application of Thioredoxin Reductase Probes 236
 - 7.6.1 Five-membered Cyclic Disulfide-based Fluorescent Probes 236
 - 7.6.2 Disulfide Bond or Diselenide Bond-based Fluorescent Probes 237
 - 7.6.3 α,β -unsaturated Ketone-based Fluorescent Probes 238
 - References 238

8	Fluorescent Probes for Neurotransmitters	243
	<i>Huming Yan and Na Zhou</i>	
8.1	Biological Function of Neurotransmitter	243
8.2	Synthesis, Recognition Mechanism, and Bioimaging of NE Probes	245
8.2.1	Based on the Aldo-amine Condensation Reaction	245
8.2.2	Dual-site Cooperative Reaction	246
8.2.3	Recognition Strategy Based on Cascade Reaction	247
8.3	Synthesis, Recognition Mechanism, and Bioimaging of DA Probes	249
8.3.1	Esterification Reaction of Phenylboric Acid with Catechol	249
8.3.2	Coordination–substitution Reaction	249
8.3.3	Nucleophilic Substitution Ring Opening	250
8.4	Synthesis, Recognition Mechanism, and Bioimaging of Acetylcholine Probes	250
8.5	Synthesis, Recognition Mechanism, and Bioimaging of Glutamic Acid	252
8.6	Synthesis, Recognition Mechanism, and Bioimaging of 5-hydroxytryptamine	253
8.6.1	Aldehyde Amine Condensation Reaction	253
8.6.2	Substitution–cyclization Strategy Identification	253
8.7	Synthesis, Recognition Mechanism, and Bioimaging of Histamine	254
8.7.1	Nucleophilic Substitution	254
8.7.2	Substitution of Metal Complexes	255
8.8	Other Neurotransmitters	255
	References	257
9	Dual-response Fluorescent Probes for the Above Reactive Species	261
	<i>Shiyu Wang and Xinfeng Zhang</i>	
9.1	Synthesis, Recognition Mechanism, and Biological Imaging of Reactive Sulfur Species Dual Responsive Fluorescent Probes	261
9.1.1	Nucleophilic Substitution Rearrangement	262
9.1.2	Michael Addition	271
9.2	Synthesis, Recognition Mechanism, and Bioimaging of ROS Double-response Fluorescent Probes	273
9.2.1	Superoxide Anion and Nitrous Peroxide	274
9.2.2	HClO and H ₂ O ₂	276
9.2.3	HClO and ONOO [−]	276
9.3	Synthesis, Recognition Mechanism, and Biological Imaging of RSS and ROS Dual Responsive Fluorescent Probes	278
9.3.1	Fluorescent Probes for Detecting HClO and RSS	279
9.3.2	Fluorescent Probes for Detecting H ₂ O ₂ and RSS	289
9.3.3	Fluorescent Probe Detection of O ₂ ^{•−} and RSS	293
9.3.4	Fluorescent Probes for Detecting Hydroxyl Radicals and RSS	295
9.4	Synthesis, Recognition Mechanism, and Bioimaging of Dual-responsive Fluorescent Probes for RSS and RNS	296
9.4.1	NO and Thiols	297

9.4.2	SO ₂ and ONOO ⁻	298
9.4.3	Thiol and ONOO ⁻	299
9.5	Synthesis, Recognition Mechanism, and Bioimaging of Active Molecule and Enzyme Dual-responsive Fluorescent Probes	304
9.5.1	RSS and Enzymes	306
9.5.2	ROS and Enzymes	307
9.5.3	Double Enzyme	309
9.6	Synthesis, Recognition Mechanism, and Bioimaging of Active Species with ATP-dual-responsive Fluorescent Probes	312
9.6.1	RSS and ATP	312
9.6.2	ROS and ATP	313
	References	315
10	Other Bioactive Species Fluorescent Probes	319
	<i>He Yang and Peipei Liu</i>	
10.1	Synthesis, Recognition Mechanism, and Bioimaging of NAD(P)H	319
10.1.1	Quinone-based Fluorescent Probes	319
10.1.2	Resazurin-based Fluorescent Probe	320
10.1.3	Dibenzoxazine-based Fluorescent Probes	321
10.1.4	Cyclohexanone-based Fluorescent Probes	322
10.1.5	Pyridine-based Fluorescent Probe	322
10.1.6	Quinoline-based Fluorescent Probes	323
10.2	Synthesis, Recognition Mechanism, and Bioimaging of Pyruvic Acid Probes	331
10.3	Synthesis, Recognition Mechanism, and Bioimaging of Lactic Acid Probes	331
10.4	Synthesis, Recognition Mechanism, and Bioimaging of Lipid Peroxidation Probes	332
10.4.1	BODIPY-based Lipid Peroxidation Probes	334
10.4.2	Diphenylphosphine-based Lipid Peroxidation Probes	337
10.5	Synthesis, Recognition Mechanism, and Bioimaging of ATP	338
10.5.1	Rhodamine-based Reversible Fluorescent Probes	339
10.5.2	Rhodamine-based Irreversible Fluorescent Probes	342
10.5.3	Metal Complexes-based Fluorescent Probes	343
	References	345
11	Summary	349
	<i>Muhammad Nouman Nazeer</i>	
	Index	355

