

Index

a

- AAm, *N,N'*-methylenebis(acrylamide) (bisAA) 358
- ABEI-Ag@PAni-PA composite 497, 498
- acetic acid 75, 76, 266, 396, 397, 443, 551–553
- acid-sensitive micelles 23
- acrylamide (AM) 374
molecules 454
monomers 351, 481–482
- 2-acrylamido-2-methylpropanesulfonic acid (AMPS) 384
- 3-(acrylamido)phenylboronic acid (3-APBA) 374
- adenosine triphosphate (ATP) 287, 326
- Ag/(PEI/PAA)₂/anti-EpCAM film 436
- aggregation-caused quenching (ACQ) 23, 94, 294
- aggregation-induced emission (AIE) effect 147–148, 294–297
micelles 23
photosensitizer hydrogel 62
- aggregation states of conjugated polymers
dynamic aggregation 120–121
influencing factors and regulatory strategies 122–123
static aggregation 119–120
- aging rate of photofunctional polymer materials 7
- AgNPs-nanogels 382–384
- alcohol dehydrogenase (ADH) 337
- alkaline phosphatase (ALP) 274, 528
- α - and β -cyclodextrins 221
- α -cyclodextrin (α -CDs) 475
- alpha-fetoprotein (AFP) 380
- amine-terminated peptide nucleic acid 411
- ammonium persulfate (APS) 466
- amphiphilic conjugated polymer
poly(phenylene)ethynylene (PPE) 409
- amphiphilic molecules 190, 221, 222, 332, 409
- amphiphilic polymers 225
- anchoring effect 305, 306
- 9, 10-anthracenediyl-bis(methylene)dimalonic acid (ADPA) 491
- antiadhesion effects 322
- antibacterial effects 379, 459, 506, 526
- antiepithelial cell adhesion molecule (anti-EpCAM) 436
- antitumor effect 320, 333
- antitumor vaccines 529
- aromatic heterocycles 117
- artificial photosynthesis system 25, 337, 443
- atom transfer radical polymerization 411
- atomic layer deposition (ALD) technology 349
- Au(I)-thiolate species 148

AuNC@histidine fluorescence emission 431
azobenzenes 25, 40, 44, 190, 191, 193, 422, 423, 493, 494, 496, 509, 510, 515, 517

b

BAsCNF films 433
1,3,5-benzenetriazole carboxylate (H₃BTT) 492
β-cyclodextrin 190, 221, 471, 472, 510, 517
BIMEG 287
biohybrid PFP/thylakoid electrode films 443–444
biological functionalization of CPNs 13, 14
biological metabolism 497, 533
biomacromolecules 257
biosensor-based bioabsorbable PLLA 547
2-biphenyl-4,6-bis(12-phenylindolo [2, 3-a]carbazole-11-yl)-1,3,5-triazine (PIC-TRZ) 97
4,4'-bipyridine (BPy) 296
N,N'-bis-acryloyl cystamine (BAC) 255, 469
bis-imidazole groups 288, 414
bisphenol A (BPA)
 concentrations 433
 quenching efficiency 432
bispillar[5]arene (BP5A) 302
block copolymers 23, 171, 189–191, 215, 227, 244
blue photochromic fibers (BPLF) 363
borate ester bonds 454, 461, 462, 485, 503, 512
boric acid 461
boron-based COFs 177
BPOTZ molecules 294
5-tert-butoxycarbonyl-5-methyl-1-pyrroline-N-oxide (BMPO) 301

c

calcium carbonate (CaCO₃) nanoparticles 274, 275
capillary-templated polymerization 355–357, 374
capsules 24–26
carbodiimide-mediated coupling reaction 457
carbon dots 154, 155, 459, 471–473, 499, 500, 535
carbon materials
 carbon dots 155
 carbon nanotubes (CNTs) 154–155
 fullerenes 156
 graphene 155–156
carbon monoxide (CO) 78, 535
carbon nanotubes (CNTs) 67, 154–155, 371, 512, 543
carbon nitride
 photocatalysis 159–160
 photoluminescence 160–161
 photothermal effect 161
carbon nitride nanosheets (CNNS) 239
carbon quantum dots (CQDs) 239, 347
carboxymethyl cellulose (CEC) 472, 505
cationic polymers 60, 115, 231
CDpP-B crystals 106
CdS/Pt-loaded RC film 446
CdS/RC composite film 444
cell culture 41, 314, 514–518, 545
cell imaging 14, 115, 123, 309–317
cell-mediated drug delivery 529
cellulose 403
 microstructure of 404
 molecular structure of 404
cellulose nanofibers (CNF) 373, 433, 490
chemical crosslinking methods
 dynamic covalent bond 457–464
 permanent covalent bond 454–457
chemical/physical synthesis methods 253
chemiluminescence 93, 104–106, 228, 301, 302, 497, 533
chitosan 396

- hydrogel 44
 molecular structure of 396
- chitosan-tannic acid complex (CT) films 440
- circularly polarized luminescence (CPL) signal regulation 416
- CO₂-responsive block copolymer micelle 23
- COF-enzyme composites 229
- conduction band 40, 51, 70, 72, 151, 152, 290, 367, 447, 454, 479, 489, 492
- conformational switching effect 118
- conformation of conjugated polymers 116–119
- conjugated polymer nanoparticles (CPNs) 13, 225, 226, 228, 272, 284, 299, 323, 537
- conjugated polymer PPV-ST 333
- conjugated polymers (CPs) 109, 212
 aggregation states of 119–123
 conformation of 116–119
 luminescence sensing mechanism of exciplexes and excimers 126
 Förster resonance energy transfer (FRET) 124–125
 metal-enhanced fluorescence (MEF) 126–127
 photoinduced electron transfer (PET) 125
 main-chain structure 109–113
 side chain structure 113–116
- copper nanoclusters 143–144, 415, 416
- copper nanoparticles 127–129, 135–136, 138, 466, 468
- coprecipitation approach 282
- coprecipitation method 212–218, 235–236, 264, 265, 267, 282, 283, 318
- core-shell structure 16, 27, 71, 122, 253–261, 273, 276–279, 347, 361, 368
- covalent bonding 113, 156, 164, 194, 223, 285, 290, 407, 457, 493
- covalent modification method 188, 228–229, 238–240
- covalent organic framework (COF) 176, 212, 229
- nanodots 62
- optical properties of
 heterojunction construction 184
 photosensitive groups 183–184
 coupling of functional building units 181–182
 element doping 182–183
 structure of
 boron-based linkage 177–178
 hydrazone linkage 179–181
 imine linkage 178–179
 triazine linkage 178
- CPL-active film 417
- CRISPR-Cas9 548, 549
- critical micelle concentrations (CMC) 22, 225, 272
- crystallization and cross-linking 476–477
- crystal violet lactone (CVL) 363
- CT-I/N composite film 441
- CT-I/N patches 440
- CT patch 440
- Cu NC/polymer composite film 416
 PL enhancement 416
 PL spectra and decay profiles 416
- Cu₂S nanoparticles 370
- cyclic peptide RGD-modified nanoparticles 309
- cyclodextrins 191, 220, 221, 224, 296, 458
- cyclodextrin-drug complexes 225
- cyclopenta-dithiophene (CDT) 292
- d**
- DASA 333
- data-driven artificial intelligence 527
- degradable photofunctional polymer composite development 538
- degree of polymerization 116, 117
- dendrimers 190–194
- N,N'*-diaryl-dihydrodibenzo[*a*, *c*]phenazines (DPAC) 96

- 1,4-diazabicyclo[2.2.2]octane (DABCO) 365
- dibenzo[a,c]phenazine-3,6-dinitrile 102
- 2',7'-dichlorofluorescein (DCFH) 299, 300
- 2',7'-dichlorofluorescein diacetate (DCFH-DA) 378
- DiD-stained cells 481, 517
- diethyl phthalate 301
- 9,10-dihydro-9,10-diboranthracene (DBA) 102
- dihydroethidium 319
- 5,5-dimethyl-1-pyrroline-*N*-oxide (DMPO) 301
- 3,6-dimethyl-substituted diketopyrrolopyrrole (DPP) 318
- dimethyl sulfoxide (DMSO) 354, 485
- 9,9-dioctylfluorene-co-benzothiadiazole (PFBT) 218
- dip coating 406, 407
- direct polymerization 212, 227–228
- dispersion medium 18
- disulfide bonds 255, 402, 454, 462–465, 469
- dithienobenzothiadiazole (DBT) 287
- dithienylethene (DTE) 283
- DMCNPs 213
- DNA detection 57–59, 498, 499
- DNA/H/CCP fibers 355
- DNA monolayers 225
- DNA nanovaccine 531
- DNA sequence detection 434
- donor–acceptor–donor model 110
- donor–acceptor–donor (D–A–D) molecular topology 113
- DOTAP 21, 225, 271, 272
- doxorubicin (DOX) 29, 224, 381, 382, 424, 512
- DPFL-TPD binary nanoparticle films 421, 422
- drug delivery 8, 14, 17, 20, 24, 25, 28, 29, 36, 40, 44, 47, 48, 51–54, 64, 115, 121, 129, 190, 222, 223, 238, 253, 274, 276, 292, 332–334, 382, 387, 395, 443, 453, 496, 507–509, 526, 529, 531, 537, 538, 544
- dual-emission fluorescent nanoparticle system 288
- dual-emissive film 430
- dual-responsive intelligent surface for cancer cell capture and release 68
- dye-coated silica 16
- dynamic aggregation 120–121
- dynamic covalent bond 457–464, 512
- e**
- E. coli* biohybrid system 550, 551
- EDC/NHS mediated amination reaction 457
- electrochemiluminescence (ECL) sensor 497
- electroluminescence (EL) 93, 100–104, 427
- electron-deficient property of benzothiadiazole 111
- electron transfer mechanism 289–294, 419, 420, 432, 477–481
- electrospinning method 347, 349
- electrostatic adsorption 17, 233, 254, 280, 298
- electrostatic interactions 14, 24, 30, 45, 49, 71, 185, 187, 218, 219, 221, 225, 231–233, 237, 243, 257, 258, 262, 271, 272, 274, 284, 288, 289, 292, 326, 330, 335, 383, 398, 408, 411, 422, 500, 504, 506
- El-Sayed rule 98, 99
- emission intensity 137, 168, 283, 287, 289, 292, 299, 319, 413, 431, 434, 481, 483, 485, 500
- emulsion droplets 226, 267–270, 304, 305
- emulsion microstructure 267
- emulsion polymerization process 269
- emulsions
- continuous phase 18
 - dispersed phase 18
 - NIR/visible light-induced phase inversion 19

- oil/water 18
 stability 18
 water/oil 18
- endocytosis mechanism 311
- energy crisis 1, 2, 11, 72
- energy/electron transfer effect 359–362, 416–422
- energy transfer mechanism 281–289, 298, 416, 417, 419, 422, 481–483
- environmental pollution 1, 11, 50, 70, 74
- enzyme-based systems 550
- enzyme-responsive self-assembly 223
- ethylenediaminetetraacetic acid (EDTA) 274
- excimers
 exciplexes and 95
 pyrene formation of 96
- excited-state absorption (ESA) 291
- external environmental factors 117, 278
- extracellular matrix (ECM) 31, 323, 457, 514
- f**
- fibrous-Au-GG film 425
- film-mesolayer-nanoparticle 233
- FITR spectroscopic analysis 466
- flash nanoprecipitation (FNP) 215, 216
- fluorene (P1) 110, 287, 299, 326, 420, 506
- fluorescein isothiocyanate (FITC) 281, 433
- fluorescence 37
 amplification effect 298, 485
 π -conjugated systems 93
 restricted intramolecular rotation (RIR) mechanism 95
 restricted intramolecular vibration (RIV) mechanism 95–97
- fluorescence bioimaging 54
- fluorescence detection 56–60, 126
- fluorescence emission intensity 15, 146, 294, 432, 500
- fluorescence enhancement effect 17, 94, 127, 412–416, 483–487
- fluorescence imaging 2, 8, 14, 17, 22, 54–57, 61, 63, 311, 314–316, 333, 453, 538
- fluorescence–phosphorescence emission system 427
- fluorescence quenching effect 255, 276, 433
- fluorescence resonance energy transfer (FRET) 16, 218, 231, 239, 410, 415, 481
- fluorescence spectra, of PFDBT-BIMEG
 on Ag/(PLL/PAA)/PLL-g-PEG film 414
 on (PLL/PAA)/PLL-g-PEG film 414
- fluorescent composite materials 12
- fluorescent films 36–38, 43
- fluorescent peptide thioester 529
- fluorescent polymer nanoparticles 293, 332
- fluorescent signals 54, 63, 222, 332, 515, 532
- fluorinated ethylene propylene (FEP) 372
- folded chain conformation 117, 119
- Förster resonance energy transfer (FRET) 124–125, 281
- free radical mechanism 60
- freezing process 476
- functional CRISPR/Cas9 proteins 549
- functionalized particle emulsifiers 20
- g**
- g-CN polymer hydrogel 240
- GA/OA-g-CS polymer films 397
- Gel/GSE/TiO₂ composite film 400
- gelatin 400
 molecular structure of 402
- gelatin-based hydrogels 44
- glucose oxidase (GOX) 229, 497
- glutathione (GSH) 147, 231, 232, 262, 300, 313, 415, 457, 483, 507
- glutathione (GSH)-modified gold nanoclusters 457

- 3-glycidoxypropyltrimethoxysilane 430
 gold nanoclusters (AuNCs) 3, 5,
 139–142, 146, 147, 231, 234, 239,
 241, 267, 286, 290, 295, 305, 307,
 312, 314, 316, 328, 430, 439, 455,
 457, 483, 487, 502, 507
 gold nanoflowers (AuNFs) 279, 280
 gold nanoparticles (AuNPs) 129–133,
 238, 241
 gold nanorods 129–130
 gold nanostars 132–133
 hollow gold nanoparticles 130–132
 gold nanorods 43, 68, 129–130, 132, 133,
 149, 233, 303, 304, 381, 424, 425,
 487, 502, 513
 gold nanostars 132–133
 Golgi apparatus (GA) 529
 graphitic carbon nitride (g-C₃N₄) 242,
 456
 green fluorescent protein (GFP) 187
 GSH-AuNC 231, 232, 234, 439
 guar gum (GG) 461, 503
- h**
- H-aggregation 69, 119–121
 H dimer nanospheres 70
 heavy atom effect 61, 98, 298, 427
 Heeger's research 115
 hemagglutinin (HA) 500
 N-heterocyclic aromatic hydrocarbon
 skeleton of carbazole 111
 high-throughput screening technology
 526
 highest occupied molecular orbital
 (HOMO) 111, 290
 hippocampal (HPC) 388, 389
 HisAgCCN 535, 536
 hollow gold nanoparticles 130–132
 hollow structured nanocomposites 259
 host–guest interactions 190, 220, 234,
 297, 302, 303, 422–424, 458, 464,
 472–476, 493, 510, 517
 hyaluronic acid (HA) 63, 241, 262, 294,
 458, 496, 502, 510
 hybrid structure, nanocomposites
 261–267
 hybridized local and charge transfer
 (HLCT) 101, 103
 hydrazone-linked COFs 179
 hydrochloric acid 466, 471
 hydrogel 43–45
 bond cross-linking 465–468
 preparation via polymerization 356
 scaffold 65
 hydrogen bonding 77, 126, 181, 211, 219,
 221, 233, 237, 266, 296, 318, 354,
 383, 406, 407, 415, 427, 466, 475,
 481, 507, 513, 516, 528
 hydrogen peroxide (H₂O₂) 60, 150, 234,
 301, 318, 491, 533
 hydrophobic alkyl side chains 116
 hydrophobic and electrostatic interactions
 271, 284
 hydrophobic effects 234, 262, 272, 296
 hydrophobic interaction 45, 57, 62, 67,
 69, 123, 212, 213, 219, 221, 225,
 226, 262, 264, 266, 288, 313, 326,
 328, 333, 398, 466, 470–472, 481,
 506, 510, 517
 hydrophobic monomers 470, 471
 2-hydroxyethyl methacrylate (HEMA)
 466
 hydroxypropyl chitosan (HPCS) 458
 hypochlorite ion (ClO⁻) 329
- i**
- IFN- γ cytokine 323
 IFN- γ protein 324
 immunotherapy 323–325, 529, 530, 537
 indium phosphide (InP) light-harvesting
 nanoparticles 555
 indocyanine green (ICG) 237, 270, 306,
 440
 infrared light-responsive drug release
 system 66
 infrared thermal imaging 324, 488–490,
 503
 inorganic nonmetallic materials
 carbon materials 154–156

carbon nitride 156–161
 perovskites 166–168
 quantum dots (QDs) 151–154
 titanium dioxide (TiO₂) 168–171
 transition metal disulfides 161–166
 inorganic/organic composites 4
 inorganic photochromic functional films 39
 inorganic photofunctional materials 2, 3, 230, 315
 inorganic photosynthetic biohybrid systems 555
 in situ assembly strategy 526–531
 in situ polymerization method 532
 in situ reaction method 240–243
 interfacial active upconversion nano-phosphates 19
 interfacial polyelectrolyte complexation (IPC) 30, 354
 intersystem crossing (ISC) 61, 69, 93, 298, 365, 415, 490
 intracellular NADPH regeneration 555
 intracellular PFT photocatalytic CO production 78
 intramolecular charge transfer (ICT) 42, 103, 188, 292, 293, 297, 478
 ion cross-linking 398
 ion-dipole interactions 296
 ionogel 493, 494
 iridium (III) complexes 298, 299, 331
 iron-doped carbon dots 459
 isothermal titration calorimetry (ITC) 313
 ITO/PEDOT:PSS/conjugated polymer: [Ir(2-PhQ)₂acac]/SPPO13/Al device 427
 ITO/ZnO/P3HT:PCBM/MoO₃ multilayer 444

j
 Jablonski energy level diagram 37, 93, 418
 J-aggregation 119–121, 318

k
 konjac glucomannan (KGM) 365, 465

l
 Langmuir–Blodgett (LB) film technology 409
 layer-by-layer (LbL) self-assembly technique 407
 films 424, 432
 polyelectrolyte multilayer films 17
 technology 24, 408, 432
 light-controlled drug release 12, 171, 453, 507–515
 light-controlled release applications of 65–67 principle of 64–65
 light-driven biotransformation 74–76
 light-guiding properties 371–373
 light-harvesting proteins 184–186
 light-induced self-assembly 190, 528
 light irradiation 9, 39, 47, 53, 66, 69, 71, 104, 149, 155, 156, 190, 193, 220, 239, 242, 257, 283, 284, 287, 300, 314, 321, 334, 363, 365, 366, 368, 370, 379, 423, 427, 437, 439, 440, 444, 455, 456, 462, 488, 490–494, 503, 506–511, 513, 515, 516, 548
 light-responsive capsules 25
 light-responsive materials 53, 60, 64, 194
 light switch release mechanism 65
 lignocellulose-based film (PR20) 404, 405
 linear discriminant analysis (LDA) 57, 331
 lipid nanoparticles (LNPs) 270
 lipopolysaccharide (LPS) 329
 liposomes 12, 20–22, 73, 78, 223–225, 270–272, 284–286, 312, 313, 337, 513, 537
 liquid-phase exfoliation method 62
 living radical polymerization 17
 localized surface plasmon resonance (LSP) 137, 233

- local surface plasmon resonance (LSPR)
effect 7, 128
- lowest unoccupied molecular orbital
(LUMO) 111, 290, 419
- luminescence sensing mechanism of
conjugated polymers
and excimers 126
and exciplexes 126
Förster resonance energy transfer
(FRET) 124–125
metal-enhanced fluorescence (MEF)
126–127
photoinduced electron transfer (PET)
125
- luminescent fiber fabrication 359
- luminol 105, 228, 497, 533
- lysosomes 222, 329, 334, 528, 531
- m**
- macrocytic confinement effect
297
- macrocytic molecules 234
- MAPAH fibers 354
- Maxwell's equations 134
- mechanoluminescence (ML) 93,
106–108
- 11-mercaptoundecanoic acid (MUA)
262, 316
- mesoporous silica nanorods (MSN)
502
- metal-carbonyl complex-based release
molecules (CORMs) 535
- metal coordination effect 468–470
- metal-enhanced fluorescence (MEF)
effects 14–16, 124, 126–127,
136–139, 276–281, 320, 412
- metal-organic frameworks (MOFs)
492
optical properties of 172–176
structure of 172
- N,N'*-methylenebis(acrylamide) (MBA)
356, 358, 384
- methyl methacrylate (MMA) 227, 242
- 6-methyl-1,3,5-triazo-2,4-diamine
(MTDA) 100
- micelles
photofunctional polymer composites
22–24
photofunctional polymer
nanocomposites 272–274
- microemulsion method 13, 144,
225–227, 237, 238
- microfibrillated cellulose (MFC) 405
- microfluidic method 357–358
- micropinocytosis 311
- mixed matrix membranes (MMMs) 229,
243
- molecular assembly methods 320
- molybdenum disulfide (MoS_2) 161, 164,
245, 490
- monodisperse silica nanoparticles 260
- monolayer liposomes 20
- montmorillonite (MMT) 269–270, 306
- M. thermoacetica*-CdS/ TiO_2 -MnPc
biohybrid system 552
- multichamber structure capsules 25
- multifunctional integrated
photofunctional polymer
composites
biocompatibility and safety of 539
CAR immune cell therapy 539
challenges 539
degradable materials 538
imaging technology 538
immunomodulators 537
immunotherapy mechanisms of 537
photodynamic therapy 533
tumor treatment 538
- multifunctional micelles 24
- multi-inlet vortex mixer (MIVM) 215,
216
- multilayer composite film 407
- multistimuli-responsive white-light
hydrogel 47
- n**
- Na-alg/GO nanocomposite films 398
- N*-acetyl-L-cysteine (NAC) 329
- NADH oxidation 77, 337, 533, 550
- nanoclusters 305

- nanocomposites (Pdots) 322
 conjugated polymer nanoparticles (CNPs) 13
 conjugated polymers 12–13
 nanomedicines 12, 25, 225, 529
 nanotechnology 11, 53, 59, 60, 69, 127, 189, 253, 257, 346, 527, 540, 546
 naphthalenediimide (NDI, P6) 112
 natural polymer fibers 26, 27
 near-infrared (NIR) absorption 36, 41–43, 69, 462
 near-infrared light 7, 19, 25, 41–43, 48, 67, 147, 244, 258, 306, 324, 372, 525, 537
n-isopropylacrylamide (NIPAM) 456
 nitrobenzofurazan 528, 529
 nitrogen-fixation 554, 555
 noble metal nanoclusters
 aggregation-induced emission (AIE) effect 147–148
 copper nanoclusters 143–144
 gold nanoclusters 139–142
 optical properties of 144–145
 photoluminescence 146
 photosensitive effect of 149–1150
 photothermal effect of 148–149
 silver nanoclusters 142–143
 two-photon absorption (TPA) 146–147
 noble metal nanoparticles
 copper nanoparticles 135–136
 electronic structures of 128
 gold nanoparticles (AuNPs)
 gold nanorods 129–130
 gold nanostars 132–133
 hollow gold nanoparticles 130–132
 optical properties of
 metal-enhanced fluorescence effect (MEF) 136–138
 photothermal therapy (PTT) 138–139
 silver nanoparticles 133–135
 nonenzymatic catalytic reactions 532
 nonionic water-soluble conjugated polymers 115
 nonsolvent induced phase separation (NIPS) technique 229, 352
- O**
- OF-Si-doped silica nanoparticles 295, 296
 oligoethylene glycol (EG) 287
 one-pot method 457
 optical detections 325–332
 and sensing 496–502
 optical display 10, 383–386
 optical fiber communication 2
 optical fiber materials 26
 optical function realization mechanism 12
 optical functional polymer composites 550, 556
 optical functional polymer films 427
 optical sensing technology 374
 optical therapies 317–325, 377–383, 437–443
 optogenetics 30, 31, 35, 324, 374, 386–390, 537, 541
 organic-inorganic hybrid solar cells 41
 organic light-emitting diode (OLED) devices 2, 7, 93, 100, 427
 organic materials, doping of 43
 organic molecular-based fluorescence platforms 59
 organic molecule-based fluorescence platforms 59
 organic optoelectronic composites 75
 organic photochromic film materials 39
 organic photochromic functional films 39
 organic photoelectric devices 4
 organic photofunctional materials 3–5, 211, 212, 238
 organic semiconductor-nonphotosynthetic bacterial hybrid system 76

- ortho-nitrobenzyl 510, 512
oxidized dextran (OD) 459
oxidized hyaluronic acid (OHA) 458
- p**
- PAA-C6-Azo conjugated polymer 422
PAA/PDDA multilayer film 408
palladium nanoparticles (Pd-NPs) 350, 351
PAMBI-2 copolymer films 427
 emission decay profiles of 428
 fluorescence and phosphorescence emissions of 428
PAMI-2 copolymer films 427
 emission decay profiles of 428
 fluorescence and phosphorescence emissions of 428
PAMMI-2 copolymer films 427
 emission decay profiles 428
 fluorescence and phosphorescence emissions 428
PAN-CQDs nanofibers 347, 348
PDA/AuNCs film 407, 408
Pdot-Qdot nanocomposites 236
(PEI/PAA)_n/anti-prostate-specific antigen (anti-PSA) multilayer films 413
permanent covalent bond 454–457
perovskites 166–168
PFBT-F127-SiO₂ NPs 55
PFBT-NH-PIMA dots 214
PFDBT-BIMEG, positively charged conjugated polymer 436
PFP/A. *Chroococcum* hybrid system for nitrogen fixation 554
PFP/PDI heterojunction 75
PFVCN
 absorption and emission spectra of 413
 fluorescence signal 435
phase transition mechanism 47, 48
phenylboronic acid (PBA) 266, 299, 309, 310, 320, 512
1, 4-phenylenediisothiocyanate 411
phenyl-modified carbon nitride (PhCN) 301, 310
phorbol 12-myristate 13-acetate (PMA) 497
phosphocreatine 337
phospholipids 20, 21, 116, 223, 225, 226, 237, 270–272, 317
phosphorescence 37
 ISC efficiency 98–99
 T₁ nonradiation 99–100
phosphorescence emission mechanism 427
phosphorescence intensity 300, 320
photoacid doping 50
photoacoustic effect 317
photoacoustic imaging 8, 41, 217, 307, 308, 315, 317, 538
photoacoustic signal intensity 308
photoactive nanocomponents 509
photobiological conversion technology 74, 75
photocatalytic CO₂ reduction 71–72, 78
photocatalytic degradation 2, 157, 169
photocatalytic effect 70–71, 170, 365–370
photocatalytic-Fenton reactions 368
photocatalytic H₂ generation mechanism, CdS/Pt-loaded RC film 446
photocatalytic therapy 76–78
photochromic effect 363–364
photochromic functional films
 applications 38
 color-changing mechanism 39
photochromic materials 39, 40, 43, 526
photochromic microcapsules (PM) 385
photodynamic sterilization 63, 64, 346, 507
photodynamic therapy (PDT)
 application of 61–64
 principle of 60–61
photoelectric conversion thin films 40–41

- photofunctional composites 4–6, 11, 12, 17, 18, 43, 44, 46, 52, 227, 238, 240, 243, 244, 371, 381, 396, 404, 410, 412, 434, 435, 437, 440, 453, 526, 528, 535, 537, 546, 547
- photofunctional conjugated polymers 217
- photofunctional fibers 26
 - natural material-based fibers 26–30
 - synthetic polymer fibers 31–35
- photofunctional hydrogel
 - advantages of 44
 - fluorescent hydrogel 46–47
 - light-controlled release hydrogel 51–52
 - nanoscale 44
 - photochromic hydrogel 47–48
 - photoelectric conversion hydrogel 50–51
 - photothermal hydrogel 48–50
 - physical properties 46
 - structure and composition 45
- photofunctional materials
 - in biomedical fields 2
 - and communication technology 2
 - in information storage 2
 - inorganic and organic 2, 3
 - optical fiber communication 2
 - photocatalytic degradation technology 2
- photofunctional molecules 23, 264, 483, 485
- photofunctional organic polymer
 - composite system
 - coprecipitation 212–218
 - covalent modification 228–229
 - direct polymerization 227–228
 - microemulsion method 225–227
 - physical mixing method 229–230
 - self-assembly method 218–225
- photofunctional organic/inorganic polymer composite systems
 - coprecipitation method 235–236
 - covalent modification 238–240
 - in situ reaction method 240–243
- microemulsion 236–238
- physical mixing method 243–245
- self-assembly method 231–235
- photofunctional polymer composite films
 - biomedical field
 - advantages 429
 - energy storage 443–446
 - food packaging 446–448
 - optical detection 430–437
 - optical therapy 437–443
 - functions
 - energy/electron transfer effect 416–422
 - fluorescence enhancement effect 412–416
 - photoisomerization effect 422–424
 - photothermal effect 424–426
 - self-supported films 396–406
 - substrate-supported films 406–412
- photofunctional polymer composites
 - advantages of 8
- artificial biological photosynthesis 550–556
- bioapplications
 - biological detection and imaging 54–60
 - light-controlled release 64–67
 - photocatalytic effect 70–78
 - photodynamic therapy (PDT) 60–64
 - photothermal therapy (PPT) 67–70
- biomedical application of 8–9
- in bone tissue regeneration application 9
- capsules 24–26
- clinical translation and application 549
- emulsion 18
- fibers 26–35
- gene editing technologies 548
- hydrogel composites 10
- in situ aggregation strategy 531–533
- in situ assembly strategy 526–531
- intelligent drug delivery systems 8
- intelligent light response 525–526
- interdisciplinary integration 540–546

- photofunctional polymer composites (*contd.*)
 - interface engineering 7
 - liposomes 20–22
 - micelles 22–24
 - multifunctional integration 533–540
 - multifunctional synergies of 5, 6
 - nanocomposites
 - conjugated polymer nanoparticles (CPNs) 13
 - conjugated polymers 12–18
 - organic photovoltaic cells 6
 - performance enhancement 5
 - personalized medicine 546–549
 - in photothermal therapy (PPT) 9
 - size of 10
 - in soft tissue repair 9
 - structure and morphology of 9–11
 - systematic classification and analysis of 12
 - technical and clinical challenges 549
 - thin films composites 10
- photofunctional polymer fiber composites
 - bioapplications
 - optical detection 374–377
 - optical display 383–386
 - optical therapy 377–383
 - optogenetics 386–390
 - functions
 - energy/electron transfer effect 359–362
 - light-guiding properties 371–373
 - photocatalytic effect 365–370
 - photochromic effect 363–364
 - photosensitization effect 364–365
 - photothermal conversion effect 370–371
 - structures of
 - capillary-templated polymerization 355–357
 - electrospinning 346–351
 - microfluidic method 357–358
 - stretching process 354–355
 - 3D printing 351–352
 - wet spinning process 352–353
- photofunctional polymer films
 - fluorescent films 36–38
 - near-infrared (NIR) absorption films 41–43
 - performance 35
 - photochromic films 38–40
 - photoelectric conversion thin films 40–41
- photofunctional polymer materials
 - light absorption range 7
 - photocatalytic application of 7
- photofunctional protein
 - green fluorescent protein (GFP) 187
 - light-harvesting proteins 184–186
- polymers
 - block copolymers 189–191
 - dendrimers 191–194
- photofunctional small molecules 214, 217
- photogenerated electron-hole pairs 70, 159, 176, 181, 370, 446
- photoinduced electron/energy transfer (PET)-reversible
 - addition–fragmentation chain transfer polymerization (RAFT) 531
- photoinduced electron transfer (PET) 124, 125, 290, 361, 419, 420, 480
- photoinitiators 351, 352, 356, 371, 454, 455, 463, 471, 509, 531
- photoisomerization effect 422–424, 493–495
- photoisomerization groups 509, 515
- photoluminescence
 - fluorescence
 - π -conjugated systems 93
 - restricted intramolecular rotation (RIR) mechanism 95
 - restricted intramolecular vibration (RIV) mechanism 95–97
 - phosphorescence
 - ISC efficiency 98–99
 - T₁ nonradiation 99–100
- photopolymerization release mechanism 64

- photoresponsive nanomaterials 9
 photosensitization effect 128, 150,
 298–303, 364–365, 419, 490–493
 photosensitizer protoporphyrin IX (PpIX)
 365
 photosensitizers (PS) 21, 526
 photoswitchable molecules 283
 photosynthesis 334–337, 443, 550–556
 photosynthetic biohybrid systems 550,
 551, 553, 555
 phototherapy 31, 33, 36, 68, 345, 346,
 502–514, 526, 538, 541
 photothermal agent 21, 67, 68, 138, 270,
 306, 440, 459, 487, 502, 513
 photothermal conversion effect 161,
 370–371, 487–490
 photothermal conversion efficiency 43,
 68, 69, 129, 130, 132, 133, 138, 149,
 161, 217, 236, 304–306, 322, 425,
 488, 489, 503
 photothermal conversion materials 11,
 323, 453, 502, 525
 photothermal effect 268, 303, 308, 424
 photothermal–electrical cascade
 conversion 51
 photothermal graphene oxide (GO) 380
 photothermal therapeutic effects 9, 322
 photothermal therapy (PTT) 9, 67–70,
 138, 307, 322, 381, 453, 536
 physical coating 406
 physical crosslinking method
 crystallization and cross-linking
 476–477
 host–guest interaction 472–476
 hydrogen bond cross-linking 465–468
 hydrophobic interaction 470–472
 metal coordination effect 468–470
 physical mixing method 229–230,
 243–245
 Pickering emulsion 18–20, 237, 238,
 267–270, 306, 310
 π -conjugated system 42
 plant seed germination 332
 plasmon oscillation 137
 plasmon resonance effect 276, 279, 380,
 383
 polyacrylamide (PAM) 281, 454, 455,
 466, 468, 471, 487, 497, 515
 poly(acrylic acid) (PAA) 237, 279, 304,
 351, 412, 417, 434
 polyacrylonitrile (PAN) 347, 359, 363
 polyaniline (PANI) 59, 71, 239, 242, 306,
 456, 488
 polycaprolactone (PCL) 352, 371, 377,
 380, 382
 poly(dimethylsiloxane) (PDMS)
 composite films 31, 426, 439
 poly(9, 9-dioctylfluorene) (PFO) 122
 polydopamine (PDA) 233, 371, 407, 441,
 458, 466, 505, 513
 poly(dopamine) nanoparticles (PDAPs)
 233, 407, 458, 476, 487, 513
 polyelectrolyte multilayer capsules
 274–276
 polyelectrolyte multilayer film 17, 417
 polyelectrolytes (PE) 17, 22, 30, 232, 233,
 274, 289, 354, 408, 412, 417, 422,
 432, 548
 polyethylene glycol (PEG) 115, 149, 190,
 212, 221, 223, 227, 238, 307, 356,
 474, 496, 498, 500, 513
 poly(ethylene glycol) diacrylate (PEGDA)
 371, 374
 poly(ethylene glycol) prepolymer
 (PEGDA) 352
 polyfluorene 110, 114, 254, 330, 430
 polyfluorene-based polymer (PFV) 254
 polyhedral oligomeric silsesquioxane
 (POSS) 283, 382
 poly(3-hexylthiophene) (P3HT) films
 443
 polylactic acid-glycolic acid (PLGA) 234
 poly(L-glutamic acid) 221
 poly(L-lactic acid) (PLLA) 31, 387
 polymer dot formation 212, 213
 polymer micelles 22, 23, 272
 polymer molecular brushes 66
 polymer optical fibers 26

- poly[2-methoxy-5-((2-ethylhexyl)oxy)-phenylenevinylene] (MEH-PPV) 420
- polymethyl acrylate (PMA) 354
- polymethyl methacrylate (PMMA) 26, 228, 386, 416
- poly(*N*-acryloyl glycinamide) (PNAGA) 516
- poly(*para*-phenyleneethynylene) (PPE) 57
- poly(phenylene ethynylene) (PPE) 409, 532
- poly(*p*-phenylene vinyl) (PPV) 122, 220, 272
- polysaccharides 29, 43, 45, 262, 309, 396, 398, 400, 457, 461, 465, 492, 527
- poly(SP-*co*-NiPAAm) polymer brushes 67
- poly(styrene-*co*-maleic anhydride) (PSMA) polymers 212, 213, 257, 265
- polystyrene (PS) microspheres 269
- polystyrene polyethylene glycol (PS-PEG) 212
- polyvinyl alcohol (PVA) 31, 43, 45, 49, 237, 365, 415, 466, 476, 479, 485
- poly(9-vinylcarbazole) (PVK) 265
- polyvinylidene fluoride (PVDF) 386
- porphyrin 62, 173, 176, 192, 193, 298
- potassium persulfate (KPS) 469
- PPE-TNT 420
- precious metal composite nanoparticles 13
- prodigiosin 403
- protein detection 58, 59
mechanism, of photofunctional composite film 434
- proteomic analysis 529
- protonation-sensitive fluorescent 478
- PSVBA/PhCN nanoparticles 310, 311
- Py-Bpin crystal 107
- PyPE-TNT systems 420
- q**
- quantum dots (QDs) 7, 8, 10, 17, 25, 36, 37, 52, 54, 57, 147, 151–155, 161, 194, 215, 218, 230, 231, 236, 239, 244, 245, 309, 330, 347, 359, 395, 454, 550, 553, 554
- quantum yield (QY) 7, 55, 57, 74, 98, 102, 104, 109–111, 118, 119, 123, 146, 153, 156, 160, 162, 166, 187, 188, 215, 225, 230, 231, 257, 278, 286, 294–296, 327, 416, 439, 552
- quaternary ammonium salt (QAS) 115, 291, 299, 320, 413, 417, 418, 443
- quenching efficiency of BPA 432
- quinoxaline 112
- r**
- radiative decay rate 278, 294, 413
- ratiometric fluorescent sensor 497
- reactive oxygen species (ROS) 2, 105, 214, 298, 329, 364, 397, 456, 526
- red photochromic fibers (RPLF) 363
- redox balance 533
- reduced graphene oxide (rGO) 244, 245
- refractive index 1, 26, 32, 33, 168, 372, 374, 462
- regenerated silk protein (RSF) 373
- reprecipitation method 420
- restricted intramolecular vibration (RIV) mechanism 95–97
- restriction of intramolecular motion (RIM) 94
- reversible addition–fragmentation chain transfer polymerization (RAFT) 17, 531
- rGO@IOL composite films 440
- room-temperature phosphorescence (RTP) 98, 101–103, 426
- ROS-activatable photosensitizer composite materials 63
- ROS production mechanism of photosensitizers 61
- ROS-responsive polymer nanocomposites 234

S

- sandwich configuration 101
 Schaap's dioxetanes 105, 106
 Schiff base reaction 457, 458
 SD/BSA nanoparticles 443
 SD/curcumin nanoparticles 443
 SEGP composite film 403, 404
 self-assembled monolayer (SAM) 410, 430
 self-assembly 526
 of DNA and PFBT 411
 method 218–225, 231–235
 self-polymerization 177, 407
 self-quenching effect 63, 265, 361
 self-supported films 395–406
 SH-aPDT film 438, 439
 sialic acid (SA) 266, 267, 269, 309, 310, 500
 side chains of water-soluble conjugated polymers 115
 silanization modification 411
 silk fibroin 402
 film 403
 α -helix and β -sheet of 403
 silver nanoclusters 142–143
 silver nanoparticles 17, 133–135, 224, 231, 255, 256, 263, 275–278, 280, 281, 382, 409, 415, 417, 432, 436, 485, 492, 502
 silylation reaction 410
 single-step enzymatic reaction 433
 singlet oxygen mechanism 61
 SiO₂-dye composite nanoparticles 15
 small organic molecules
 chemiluminescence 104–106
 electroluminescence (EL) 100–104
 mechanoluminescence (ML) 106–108
 photoluminescence
 fluorescence 93–97
 phosphorescence 97–100
 sodium alginate (SA) 43, 49, 352, 368, 398, 400, 432, 434, 483, 499, 545
 sodium hypophosphite (NaH₂PO₂) 136, 466
 sodium polyacrylate (PAAS) 354
 sodium salicylate (SA) 481
 sodium tetraborate 462
 solar-powered factory 553, 554
 sol-gel method 254, 255
 SP-8Y/RSF film 422
 SP-COOH/RSF composite film 422, 423
 spin coating 231, 243, 245, 406, 407, 427, 443
 spin-orbit coupling (SOC) effect 97, 98, 102, 111, 427
 spiropyran (SP) 19, 39, 47, 65, 66, 190, 286, 314, 363, 364, 385, 422, 466, 494–496
 static aggregation 119–121
 stretching process 354–355
 substrate-supported films 395, 396, 406–412
 sugar bridge interaction 320, 321
 3-sulfopropyl methacrylate potassium salt (SPMA) 239
 supramolecular composite
 photosensitizers 77
 surface plasmon polarization wave (SPP) 233
 surface plasmon resonance (SPR) 42, 127, 151, 230, 276, 383, 485, 487, 500
 surface SPR effect 492
 Suzuki coupling 110, 177
 synergistic effect 5, 6, 111, 113, 217, 221, 253, 270, 276, 296, 370, 444, 471, 503, 533, 536
 synthetic polymer hydrogels 44, 45
- t**
- tannic acid (TA) 255, 368, 398, 440, 462
 TEMPO-oxidized cellulose nanofibrils (T-CNF) 463
 tetrabutylammonium
 hexafluorophosphate (TBAH) 361
 tetracycline 159, 499, 500
 tetraethyl orthosilicate (TEOS) 295

- 10,10',11,11'-tetrahydro-5,5'-bidibenzo[a,
d][7]annulenyliene (THBDBA) 95
- tetraphenylethylene (TPE)-modified
polymers 23
- 2,2,6,6-tetramethyl-4-piperidone
hydrochloride (TEMP) 301
- three-dimensional carbon nanosheets
(3D-CNS) 236
- 3D printing technology 351, 352, 543,
544
- thermal-activated delayed fluorescence
(TADF) 97, 101
- thermal response mechanism 64
- thermal therapy 322
- thin-film fluorescence sensing 37
- thiolation reaction 286
- thiol-metal interaction 469
- titanium dioxide (TiO₂) 168–171
- crystal structure and morphology 170
 - light response range 170–171
 - nanoparticle size 170
- tmf-BDP nanoparticles 69
- TP-CS nanocomposite films 398
- traditional materials
- in disease diagnosis and treatment 1
 - limitations 1, 2
- traditional phototherapy 345
- transition metal disulfides (TMDs)
161–166
- bis(2,4,6-trichlorophenyl) oxalate (TCPO)
301
- 4,4',4'-trimethyltriphenylamine (TTA)
359
- triphenylphosphonium (TPP)-terminated
peptide 307
- triplet-triplet absorption (TTA) 291
- triplet-triplet annihilation (TTA) 101,
103
- tumor ablation treatment 525
- twisted intramolecular charge transfer
(TICT) 188, 293
- two-photon absorption 55, 128, 146–147,
316
- two-photon excitation (TPE) 147, 316
- two-photon fluorescence imaging (TPFI)
55, 315, 316
- U**
- ultra-flexible photothermal eutectogels
49
- ultraviolet (UV) radiation 286, 462
- unzipped multiwalled carbon nanotubes
(uCNT) 371
- upconversion nanoparticles (UCNPs) 8,
371, 375, 454
- UV light irradiation 190, 193, 242, 287,
423, 462, 488, 494, 515
- V**
- verteporfin (VP) 437
- vibration-induced emission (VIE) 96,
332
- 4-vinylbenzeneboronic acid (VBA)
269
- vinyl-modified spiropyran (SPMA)
466
- W**
- water-soluble galactoglucomannan
(GGM) 462
- water-soluble polymer nanoparticles
226
- wet chemical methods 135
- wet spinning process 352–353
- white-light-emitting nanofibers
(WLENFs) 361
- white organic light-emitting diodes
(WOLEDs) 427
- WO₃/MoO₃/g-C₃N₄ heterojunction 75

wool/acrylic (W/A) blended fibers 352
Wood–Ljungdahl pathway (WLP) 75,
336, 443, 552

y

Yb/Er/CeO₂/PLGA composite-coated
zinc-based scaffold 546

z

zwitterionic polymer brushes, on ITO
substrate 412
zwitterionic polymer synthesis 411

