#### а

abrasive wear 31, 32 accelerated indoor corrosion test 312 acidity, classification 7, 8 activation-passivation corrosion cell 12, 20 adhesive wear 31, 32 adsorption theory 11, 17 Al-deoxidized Q460-1# steel 280, 283, 286 alkalinity, classification 7, 8 Al<sub>2</sub>O<sub>3</sub> inclusions localized corrosion mechanisms, in Q460NH steel acidic self-catalyzing cell effects 101 CAFM test results 100 early corrosion morphology 95-99 high-density lattice distortion areas 100 immersion test 90 micro-cracks 100 micro-electrochemical information testing 91 microzonation electrochemical information 93-95 morphology 91-93 nanoscopic precipitated phases 101 oxygen concentration cell effects 101 specimen characterization 90 steel chemical composition 90

in X70 steel 416 anode dissolution (AD) mechanism 19, 20, 392 anodic phase theory 17 anodic polarization, in seawater 42 anodic process, characteristics of 36 atmospheric composition 2 atmospheric corrosion 2 classification of 33–34 definition and characteristics of 32–33 environment 1 in initial stage 34 atmospheric corrosion-resistant steel 36 austenite grains 51, 121, 242, 244, 245, 248, 251, 254, 256, 280

#### b

Bernoulli's principle30breakdown potential10

#### С

Ca-Al-O component inclusions 187 Ca-containing composite inclusions 186–196 Ca/Mg alloyed E690 steel chemical composition 179 corrosion mechanism Ca-containing composite inclusions 186–196 MnS-Al<sub>2</sub>O<sub>3</sub> composite inclusions 181 inclusions characterisation 180–181

Steel Corrosion and Metallurgical Factors: Laws and Mechanisms, First Edition. Chao Liu and Xiaogang Li. © 2025 WILEY-VCH GmbH. Published 2025 by WILEY-VCH GmbH. 553

Ca, Mg, Te alloyed E690 steel Al2O3-MnS composite inclusions 161-167 chemical composition 150-151 inclusion characterization 152-154 material preparation 150-151 micro-electrochemical experiments 152 microstructure characterization 152 MnTexS(1-x)-MnS composite inclusions 154-161 (xMgO.yAl<sub>2</sub>O<sub>3</sub>)-MgS-MnS composite inclusions 161 (Ca,Mn)S-MgO.Al<sub>2</sub>O<sub>3</sub> inclusions 196 carbide precipitation 16, 17, 243 carburized X80 steel sample 255 corrosion morphology, in Edge Lake soil simulated solution 240, 243 eutectic layer 237, 239 immersion morphology in Yingtan soil simulation solution 240, 242 microhardness test chart 236 microstructural changes 237, 238 per-eutectic layer 237, 239 SKP scan image 237, 239 subeutectoid transition layer 237 SVET surface scan image 240–241 Ca, Sb alloyed E690 steel chemical composition 167-168 corrosion behavior and mechanism EBSD technique 170 inclusion morphology characterisation 170-173 micro-electrochemical characteristics of inclusions 173-175 microstructure characterisation 170 morphological analysis and E-pH diagrams 175-178 E-pH calculation 170 immersion test 170 inclusions observation 168-169 micro-electrochemical information test 169 microstructure observation 168-169

Ca-Sb-Cr alloyed 690MPa weathering steel corrosion thermodynamics analysis 332-334 cross-sectional morphology and element distribution of CPF 334 field exposure tests 332 law of Ca-Sb-Cr effect on the rust film 341-345 materials preparation 331-332 morphologies and corrosion kinetics 333-334 phase composition analysis of CPF 336-341 3D corrosion morphology 334 CaS-rich inclusions, in X70 steel 416 cathodic polarization, in seawater 42-43 cathodic process, characteristics of 37 Ca-treated E690 steel 135 cavitation corrosion 30 definition and characteristics of 30 formation and bursting of 30-31 mechanism of 31 cell formation 12 chemical dissolution mechanism 197 - 200closed acidic self-catalyzing cell 101 closed cell forms 20 confocal laser scanning microscopy (CLSM) technology 351, 355, 362, 369, 458-461, 463, 483, 485-487, 506, 507, 511, 512, 516, 518, 519, 523, 546 constant amplitude fatigue stress 27 contact corrosion 14 corrosion behavior of rebar in Cl<sup>-</sup>/SO<sub>4</sub><sup>2-</sup>coupling environment corrosion morphology analysis 479-484 corrosion rates 477-479 localized corrosion behavior 484-486 corrosion, defined 1 corrosion density model (CDM) 527, 536, 537, 542-544 corrosion fatigue

characteristics of 27-28 definition of 27 mechanism 28-29 corrosion kinetics analysis 316-317, 523-525 corrosion product analysis 207, 313, 362-370 corrosion product film (CPF) 332 cross-sectional morphology and element distribution of 334 phase composition analysis of 336-341 corrosion-prone environments 6 corrosion rates, of metals 2 corrosion-resistant and seismic rebar 445 corrosion-resistant steel materials 89, 261 corrosion weight loss and morphological observations 312-313 corrosive environments in chemical industry 7 in nuclear power industry 7-8 in petroleum industry 6-7 corrosive wear definition of 31 mechanism of 31-32 coupled chemical dissolution-electrochemical dissolution mechanism 199-200 crack propagation rate 19, 28 Cr-containing weathering steel (WS) 331 Cr-depletion theory 16-17 crevice corrosion characteristics of 12-13 definition of 12-13 gap formation 13 mechanism 13-14 critical humidity 2 Cr-rare earth (RE) corrosion behavior of rebar in SCPS 453-467 electrochemical properties of rebar in

SCPS 448-450

materials and solution 446–447 mechanism 467–469 methods 447–448 microalloying 445, 446, 468, 470 modification mechanism 450, 462, 485, 493–495 Cu-Fe galvanic couple SKP test plot 227, 228 SVET scan images 228 cyclic stress 27

#### d

damp atmospheric corrosion 1, 33, 34 dislocation migration 21 dissimilar (bimetallic) metal corrosion 14 dissolved oxygen effect 40 dry atmospheric corrosion 1, 33 ductile iron electrochemical measurements 506 - 507materials and solutions 506 materials characterization 506 mechanism analysis 513-516 shrinkage defects 507-513 ductile iron pipeline systems corrosion analysis and life prediction 528-542 corrosion big data acquisition 526 corrosion density model 542 data collection and analysis method 526-528 data-driven approaches 545-546 materials and solutions 525 temperature 544-545

#### е

electric coupling sequence 14–15 electrochemical dissolution mechanism 197–199 electrochemical effects 20, 29 electrochemical frequency modulation (EFM) 354, 359

electrochemical impedance spectroscopy (EIS) 55, 69, 207, 262, 268, 279, 312, 314-316, 354, 358-359, 447, 450, 451, 473-475, 506 electrochemical properties and corrosion behaviour of rebar coupled Cl<sup>-</sup>/SO<sub>4</sub><sup>2-</sup>environment 493-495 in Cl<sup>-</sup>/SO<sub>4</sub><sup>2-</sup>coupling environment 471, 477 materials and solution 470-477 methods 471 electrochemical properties of rebar in Cl<sup>-</sup>/SO<sub>4</sub><sup>2-</sup>coupling environment electrochemical impedance spectroscopy 473-475 Mott-Schottky curve 475-477 PDP curves 471-473 electrolyte film 2, 33, 34 electromotive force (EMF) 14, 15 electron backscatter diffraction (EBSD) 90, 92, 93, 102, 103, 137, 152, 155, 168, 170, 171, 191, 199, 206, 208, 262, 263, 265, 311, 314, 315, 332, 333 eroded hole growth 11-12 eroded hole nucleation 11 Erosion-Corrosion Wear 29 E690 steel accelerated indoor corrosion test 312 chemical composition 313-314 corrosion kinetics 326 corrosion kinetics analysis 316-317 corrosion product analysis 313 corrosion weight loss and morphological observations 312-313 electrochemical impedance spectroscopy characterization 314-316 macroelectrochemical testing 311-312 macroscopic corrosion observation 325 - 326materials 310-311

microstructure characterisation 313-314 observation of rust layer morphology and composition 317-325, 327-330 E690 steel, localized corrosion mechanism 136 Ca/Mg elements effect 178-196 Ca, Mg, Te elements effect on 150-167 Ca, Sb elements effect in tropical marine atmosphere 167-178 TiN inclusions 136-150 corrosion initiation mechanism 146-150 corrosion morphology analysis 141-144 CSAFM test 138 electrochemical properties 139-141 first-principles calculation 138, 144-146 immersion tests 138 inclusion characterization 139-144 microelectrochemical characterization 138 microstructural characterization 137 - 138sample preparation 137 SKPFM test 138 thermodynamic calculation 138 E690 steel microstructure AC impedance spectra 210 changes in electrochemical behaviour 210-214 chemical composition 206 corrosion mechanism 218-222 corrosion morphology, observation of 214-217 corrosion product analysis 207 dislocation density 210 EDS analysis 208 equivalent fitting circuit diagram 212 evolution 207-217 grain size distributions 208 heat treatment process 210 high-angle grain boundaries 210

hot-rolling process 210 immersion tests 214, 216, 218 impedance spectroscopy tests 207 low-angle grain boundaries 210 macroscopic electrochemical tests 207 material preparation 206 pit density statistics 218, 219 potentiodynamic polarization curves 212 short-term immersion tests 214 TEM morphology, of bainite laths 208

# f

fatigue limit 27-29 15-5PH stainless steel corrosion mechanism 274-277 effect of microstructural changes on the corrosion morphology 272-274 electrochemical analysis 262 electrochemical measurement 266-270 immersion tests 263 material preparation 262 measurement of localised electrochemical information 266 microstructural changes 263-266 microstructure observation 262 passivation film composition evolution mechanism 270-272 X-ray photoelectron spectroscopy 262 15-5PH stainless steel, MnS-Te localized corrosion resistance of characteristics of inclusions 50 electrochemical analysis 50 induced by nonmetallic particles 60-61 localised electrochemical information 50 materials 50 SKPFM measurement 52, 53 submersion trial 51 Te containing steels EIS plot 54

electrochemical polarization curves 53, 54 microstructure observation of 51 - 52Nyquist plot 54 passivation film compositional changes 55-56 pit morphology changes 56 Pourbaix diagrams 56, 57, 61 Te-modified inclusions effect 62 XPS 50 flat-band potential (EFB) 268 flow rate effect 40 focused ion beam (FIB) technology 90, 92, 93, 102-104, 123, 282, 516 freshwater corrosion characteristics of 39 factors affecting 39-40 mechanism 39 fully submerged zone 44

## g

galvanic corrosion characteristics of 14 currents and effects 15 definition of 14 electric coupling sequence 14-15 galvanic corrosion effect formula 255 galvanic coupling corrosion of X80 steel Cu-Fe galvanic couple 227-236 and T2 red copper 227 Yingtan soil simulation solution hot-rolled structure-annealed structure galvanic couple 231 hot-rolled structure-normalized structure galvanic couple 229 hot-rolled structure-quenched structure galvanic couple 228 quenched structure-annealed structure galvanic couple 235 quenched structure-normalized structure galvanic couple 232, 233 grain boundary carbide precipitation 16 - 17

grain boundary phase dissolution 17 grain boundary phase precipitation 17 Gutman's mechanical-electrochemical theory 219, 283

## h

heat treatment, morphological changes 205 humidity 1, 2, 33-35, 45, 90, 91, 101, 151, 227, 237, 245, 278, 309, 312, 317, 325, 332 hydride-type hydrogen embrittlement 22, 23 hydrogen adsorption process, inclusions effect on distribution pattern 426-430 hydrogen evolution process characterization 419-426 hydrogen bubble 24-25 hydrogen bubbling 22, 25 hydrogen-charged SSRT 430 hydrogen corrosion 22-24 hydrogen cracking classification of 22-23 definition of 20 hydrogen embrittlement (HE) 392, 396, 403 first type of 22 second type of 22-23 hydrogen evolution process 419-426 of inclusions with SKPFM 419-426 hydrogen evolution reaction 21, 42, 392-396, 403, 404 hydrogen-induced cracking (HIC) 18-23, 25, 26, 28, 413 hydrogen-induced reduction in work function 421 hydrogen in metals forms of 22 solubility 21 sources of 21 transport 21 hydrogen microprint technique 415 Mg-treated X70 pipeline steel 415-416 hydrogen microprinting technology (HMT) 415, 426–429 hydrogen pressure theory 26 hydrogen transport 21 hydrogen traps 21, 413, 438, 440

#### i

incubation period 11, 19, 23–26, 280 industrial corrosive environment 6–8 intergranular corrosion causes of 16 characteristics of 16 definition of 16 mechanism 16–17 inverse pole figure (IPF) map 333 irreversible hydrogen embrittlement 22

## k

Kelvin potential value 237, 240 kernel average misorientation (KAM) 92, 93, 103, 105, 139, 146, 154, 161, 162, 164, 170, 191, 194, 208, 263, 265, 314, 333 map 139, 333

## l

linear polarization resistance (LPR) 354, 358 liquid film condition 34, 45 localized corrosion initiation induced by CaS  $\cdot$  xMgO  $\cdot$  yAl<sub>2</sub>O<sub>3</sub>  $\cdot$  TiN inclusion 146, 149 localized corrosion mechanism  $(RE)_2O_2S-(RE)_xS_v-(RE,Zr,Ti)O_x-$ (RE)AlO<sub>3</sub> composite inclusions 129 ZrO<sub>2</sub>-Ti<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub> composite inclusions 129 long-distance corrosion macrocells 3, 38 long-distance macrocells 38 long-line currents 38 low-alloy rebar electrochemical properties and corrosion behaviour, coupled Cl<sup>-</sup>/SO<sub>4</sub><sup>2-</sup>environment 469–495

influence of Cr-RE on the corrosion behavior 446–469

#### m

marine atmospheric zone 5, 44 marine mud zone 5, 44 mechanical effects, SCC 19, 20, 30 Mg-treated X70 pipeline steel characterisation of inclusions 416-419 experimental materials 414 hydrogen adsorption process, inclusions effect on 419-429 hydrogen filled slow strain rate tensile fracture inclusion 434, 435 hydrogen microprint technique 415 low temperature hydrogen filled slow strain rate tensile fracture inclusion 436, 439 mechanical properties and plasticity indexes 436 stress corrosion susceptibility 437 stress-strain curves 434, 435 low-temperature SSRT fracture morphology 436, 437 material microstructure characterization 414 MgO.xAl<sub>2</sub>O<sub>3</sub>.MnS composite inclusions 417 MgO.xAl<sub>2</sub>O<sub>3</sub>.MnS.TiN.NbN composite inclusions 419 microstructure analysis 415-416 normal temperature mechanical properties and plasticity indexes 431 stress corrosion susceptibility 437 stress-strain curves 430 scanning kelvin probe force microscope 415 secondary crack on fracture surfaces 431, 434 stress corrosion resistance materials 429

regulated inclusion effect on HIC resistance 430-439 slow strain rate testing 429-430 tensile fracture surfaces 431, 432 microbial corrosion (MIC) of low-alloy structural steel antibacterial activity testing 355-356 antibacterial efficacy test 366-367 bacteria, culture media, and solutions 352-353 corrosion product analysis EDS analysis 363-365 XPS analysis 365-366 corrosion weight loss rate 367-369 Cu ion precipitation concentration 353 Cu ion precipitation rate 356-357 EDS analysis 355 electrochemical analysis 353-354 electrochemical frequency modulation 359 electrochemical impedance spectroscopy 358-359 linear polarization resistance characterization 358 live/dead staining observation 354-355 of attached bacteria 362 materials 351-352 microscopic morphology of corrosion 360-362 open circuit potential characterization 357 pit depth analysis 355 pitting corrosion pits 362 polarization curve 359-360 SEM observation 354 weight loss analysis 356 XPS analysis 355 microbiologically induced corrosion (MIC) 4, 351-355, 358-363, 366-369 microchemical assays, of MnS-Al<sub>2</sub>O<sub>3</sub>

composite inclusions 188

#### Index 559

4

microscopic mechanisms, of inclusions-induced localized corrosion initiation 197 chemical dissolution mechanism 198-199 coupled chemical dissolutionelectrochemical dissolution mechanism 199-200 electrochemical dissolution mechanism 197-198 microzone electrochemical results, for MnS-Al<sub>2</sub>O<sub>3</sub> composite inclusions 182, 184 mixed (AD+HE) mechanism 392 MnS-Al<sub>2</sub>O<sub>3</sub> composite inclusions, corrosion mechanism by 181-186 MnS.Al<sub>2</sub>O<sub>3</sub> inclusions CSAFM tests 174 physicochemical properties 175 MnS.CaO.xAl<sub>2</sub>O<sub>3</sub> inclusions CSAFM tests 174 physicochemical properties 174 MnS inclusions 24–25, 56, 64, 81, 121, 154-155, 157-158, 161-166, 168, 175-177, 181, 198, 200, 201, 261, 274, 419 M3 organization control method 205 Mott-Schottky curve 475-477 multiple-galvanic effect 515 Multiphase, Metastable, Multiscale (M3) method 205, 309

#### n

natural water corrosive environment 4–6 negative interaction 32

#### 0

open circuit potential (OCP) 207, 223, 224, 226, 279, 303, 312, 354, 357, 401, 405, 447 oxide metallurgy technology 120, 413 oxygen depolarization 34, 37, 39, 42, 45 process 37 reaction 42 oxygen diffusion 3, 33, 34, 37, 44, 45, 212, 515

## р

passive film breakdown theory 11 pearlite, in steel 261, 278, 280-288 pH influence 39 pH value 4, 5, 90, 99, 101, 141, 163, 167, 372, 383, 405, 447-458, 466, 471, 495, 528 pipeline steel coating 371 pit development process 12 pit stress concentration model 28 pitting corrosion 30, 269, 515 characteristics of 9 conditions of 10 definition of 9 eroded hole growth 11-12 eroded hole nucleation 11 incubation period of 11 microelectrochemical mechanisms of 49-82 morphology of 10 pitting initiation potential (E<sub>pit</sub>) 270 pitting potential 10, 68, 79, 266, 449, 468, 471, 472, 474, 495 pitting-sensitive sites 11 porosity (permeability) 3 potentiodynamic polarization curve (PDP) curve 212, 222, 227, 279, 354, 392, 447-450, 468, 471-473, 493, 502, 508, 545 Pourbaix diagram 56, 57, 193 of Al-Fe-H<sub>2</sub>O 177 of Fe-Ca-S-H<sub>2</sub>O and Ti-N-H<sub>2</sub>O systems 141, 143 of Mn-S-H<sub>2</sub>O 177 protection potential 10, 269, 275, 302, 379, 399

## q

Q460 steel corrosion process induced by inclusions and pearlite 280–288 electrochemical experiments 279

immersion test 279 material preparation 277-278 microcellular electrochemical information testing 278-279 microstructure observation 278 tissue analysis and observation of thermal simulation samples 288-296 tissue analysis of samples simulated by welding thermal cycling 296-302

### r

random stress 27 rapid corrosion period 23 rare earth modified inclusions localized corrosion mechanisms, in Q460NH steel corrosion initiation and growth process 117 dissolution 118 early corrosion stage 110-117 layer-by-layer dissolution 117 materials and methods 101-104 micro-electrochemical properties 104-110 morphology 102-104 rare-earth modified Q460 steel 277, 288 rare-earth modified Q460-2# steel 285  $(RE)_2O_2S-(RE)_xS_v$  inclusions 102–105, 109, 110, 112, 113, 130  $(RE)_2O_2S-(RE)_xS_v-(RE,Zr,Ti)O_x-(RE)AlO_3$ composite inclusions 127-129, 199 (RE)AlO<sub>3</sub>-(RE)<sub>2</sub>O<sub>2</sub>S-(RE)<sub>x</sub>S<sub>y</sub> inclusions 102-104, 110, 112, 113 RE-Te treated 316L stainless steel, corrosion behaviour corrosion morphological changes 75-78 CSAFM test 64 cyclic polarization tests 64 electrochemical data 66-68 electrochemical measurement 68-70 electrochemical polarization curves

64

FE-SEM examination 63 FE-SEM-EDS analysis 64, 65, 67 micro-electrochemical information test 63-64 microstructure observation 63, 64-66 passive film composition 70-74 passive film constituent elements 64 Pourbaix diagrams 79-80 SKPFM test 64 steel composition 63 submersion trial 64 thermodynamic calculation diagram 64-65 treatment effect 79 reinforced concrete (RC) structures 445 repassivation potential 10 resistive hindrance effect 43 resistivity, soil 4 reversible hydrogen embrittlement 23, 25-27 rust layer characteristics of the 36 formation 34-35 protective properties of 35

#### S

structure of 35

saturated calomel electrode (SCE) 207, 269, 279, 311, 354, 447 saturation period 23-24 scanning kelvin probe force microscope hydrogen evolution process of inclusions 419-426 SCC mechanism in trapped solution systems experimental materials 382 SSRT experimental method 384 with cathodic protection fracture morphological characteristics 397-402 susceptibility analysis 396-397 under simulated disbonded coating at different locations 383, 384 chemical composition 382 ion composition 382

SCC mechanism in trapped solution systems (contd.) ions, potential distribution of 383 without cathodic protection fracture morphological characteristics 387-390 SCC susceptibility analysis 384-396 unsteady state electrochemistry 390-396 SCC susceptibility of X80 pipeline steel 375, 377, 385, 387 SCC susceptibility of X80 steel 374, 378, 381, 397, 399, 404, 405 scouring corrosion mechanism 30 seawater corrosion 5 anodic polarization 42 cathodic polarization 42-43 characteristics of 41 electrochemical process of 42-43 factors affecting 43-44 properties of 41-42 Self-Catalytic Development 12 shrinkage defect of ductile iron corrosion durability corrosion kinetic 519-521 delayed corrosion 518-519 impact of form and dimensions 521-523 microstructure observation 517-518 corrosion kinetics analysis 523-525 in-situ observation of corrosion 516-517 materials and solutions 516 materials characterization 516 simulated concrete pore (SCP) solution corrosion behavior of rebar in 453-467 electrochemical properties of rebar in 448-453 slip band preferential dissolution model 28 small hole corrosion 9 soil corrosion batteries in 37-39

control characteristics of 37 electrode processes in 36-37 soil corrosion environments 2-4 soil erosion, definition and characteristics of 36 soil inhomogeneity 38 soil redox potential 4 soil temperature 3 soil water content 3 soluble ions (salt) 4 spherical Al<sub>2</sub>O<sub>3</sub> rich inclusions, in X70 steel 417, 418, 424, 439, 440 spherical CaS-rich inclusions in X70 steel 422, 426, 440 spherical CaS.Al<sub>2</sub>O<sub>3</sub> inclusions, in X70 steel 417 splash zone 5,44 spot corrosion 77, 505 steel corrosion 214, 261 strain difference cells 30 stray current 3, 4 stress asymmetry coefficient 27 stress corrosion cracking (SCC) 314, 371 conditions and characteristics of 18 - 19definition and characteristics of 18 mechanisms 19-20 stress-induced corrosion cracking 505 sulfide stress corrosion cracking (SSCC) 24,413 surface current sensitivity test results of  $(RE)_2 O_2 S$ - $(RE)_x S_y$  inclusion 109 of (RE)AlO<sub>3</sub>-(RE)<sub>2</sub>O<sub>2</sub>S-(RE)<sub>x</sub>S<sub>v</sub> inclusion 109 surface passive film on rebar 463-467 surface potential difference 107, 108, 110, 415

#### t

Te-alloyed 15-5PH steel 263 tensile stress 18, 19, 25, 29, 373, 434–436 3D corrosion morphology 334 316L stainless steel, RE-Te composite inclusions localized corrosion resistance of 63–81 tidal zone 5, 44 total immersion zone 5 transgranular stress corrosion cracking (TGSCC) 390, 401, 405

#### и

uniform corrosion 4, 5, 8–19, 33, 216, 221, 256, 283, 288, 313, 317, 325, 455, 456, 469, 480, 482, 484, 485, 495, 496

#### V

variable amplitude fatigue stress 27

#### W

washout corrosion characteristics of 29–30 scouring corrosion mechanism 30 water temperature effect 40 weak bond theory 26, 421 wear-related corrosion 29 weathering steel 36, 317, 319, 327, 331–345 wet atmospheric corrosion 2, 33, 34

#### X

X70-Mg-I type composite inclusions (MgO·xAl<sub>2</sub>O<sub>3</sub>·MnS·TiN·NbN) 424, 426 X70-Mg-II MgO.xAl<sub>2</sub>O<sub>3</sub>.MnS composite inclusions 424 X70 pipeline steel characterisation of inclusions 416-419 experimental materials 414 hydrogen filled slow strain rate tensile fracture inclusion 434-435 low-temperature hydrogen filled slow strain rate tensile fracture inclusion 436, 439 mechanical properties and plasticity indexes 436 SSRT fracture morphology 436, 437 stress corrosion susceptibility 437

stress-strain curves 434-435 material microstructure characterization 414-415 microstructure analysis 415-416 normal temperature mechanical properties and plasticity indexes 431 stress corrosion susceptibility 437 stress-strain curves 430 secondary crack on fracture surfaces 431, 434 tensile fracture surfaces 431-432 X70 steel submerged arc weld 205, 206 heat-affected zone 205-206 X80 pipeline steel, SCC mechanism of 381-404 X80 steel after dichroic treatment retained phase distribution 251, 253 second phase and grain boundary area ratios 251-252 carburising specimen preparation and test methods 223-225 coupling specimen preparation and test methods 222-223 galvanic coupling corrosion 227 immersion experiment Yingtan soil simulation solution 224, 226 matrix organisation before and after surface carburizing treatment 236 microzonation electrochemical study of degraded pearlite effect on 236 potentiodynamic polarization curves 222-236 sample hardness 224 second phase and grain boundary area ratios 251 solid carburizing treatment method 2.2.3 surface scanning tests 223, 224 SVET test 224

#### Index 563

X80 steel (contd.) and welded joint simulated structures in acidic soil, electrogalvanic corrosion of 251-254 welding heat-affected zone microstructure simulation 225 X80 steel corrosion behavior strain rate impact under disbonded coatings with cathodic protection 377-381 fracture surfaces, SEM images of 374 materials 372 methods 372-374 secondary crack morphology 375, 377 slow strain rate tensile test 372 stress corrosion cracking susceptibility 375 without cathodic protection 374-377 X80 steel welding thermal simulation specimen heat-affected zone of 242 immersion morphology 249 SEM micrograph of coarse-grained heat-affected zone 242, 244

of fine-grained heat-affected zone 245–246 of transition zone 245, 247 SVET current density *vs.* immersion time of CGHAZ in Yingtan soil simulation solution 245 in Edge Lake soil simulation solution 248 tissue test area, SKP scan image of 245, 248

## Ζ

Zr-Ti deoxidized steels, localized corrosion resistance in 121 Zr-Ti-RE modified inclusions induced localized corrosion, in Q460NH steel characterization 120–126 early-stage corrosion characterization 126–128 test steel chemical composition 120, 121 ZrO<sub>2</sub>-Ti<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub> composite inclusions 123, 124, 126, 128–131















