

Index

a

- Adsorption 76
 - and connectivity 91
 - and pore size distribution 83
 - and pore surface distribution 83
 - and pore volume distribution 83
 - classification of isotherms 77
 - density-functional theory 84
 - Horvath-Kawazoe method 84
 - hysteresis loops 77
 - in mesopores 78–80
 - in micropores 78
 - Kelvin equation 80
 - measurement of 76
 - mechanisms of 76
 - network models 85
 - percolation models 86
 - primary 86
 - secondary 86
- Adsorption isotherms 81–84
 - Brunauer-Emmett-Teller model 82
 - Frenkel-Halsey-Hill model 83
 - Langmuir model 81
- Advancing contact angle 524
- Amot method 526
- Angle-changing force 235
- Anomalous diffusion 316–321
- Ant in a labyrinth 337
- Archie's law 43, 321
- Areal survey 145
- Autocorrelation 104, 118
- Autocovariance 118

b

- Bethe lattice 18, 21, 28, 72, 93, 183, 331
 - definition of 18
 - effective conductivity 331
 - percolation threshold 21
- Betti number 93, 94, 242

- Black oil simulator 571
- Blake-Kozeny equation 273
- Blake-Plummer equation 273
- Blob mobilization 540–543
 - choke-off 541
 - criterion for 542
 - network models 603–613
 - pinch-off 540
 - snap-off 541
- Bond number 562, 600
- Bounds 271–273
 - for conductivity 273
 - for permeability 271
- Breakthrough point 61, 117, 388, 389, 437, 470, 477, 489, 506, 537, 547, 572, 582
- Brinkman equation 266, 267
- Bubbling 560
- Brunauer-Emmett-Teller model 82
- Buckley-Leverett equation 488, 549, 554
 - derivation of 554
 - for immiscible displacement 554
 - for miscible displacement 488

c

- Capillary force 495, 520, 535, 545, 547, 565, 577
- Capillary number 69, 517, 520, 527, 535, 539, 540, 542, 543, 561, 570, 575, 579, 587, 589, 608
- Capillary pressure 50–53
 - definition of 50
 - effect of wettability 531
 - measurement 53
- Carbonate rock 41, 46, 91, 99, 102, 103, 108, 111, 124, 169, 201, 249, 294
- Centrifuge method 53
- Cherry-pit model 187
- Choke-off 541
- Chord-length measurement 99–103

- Cocurrent downflow 559
 - Cocurrent upflow 561
 - Compact displacement 511
 - Co-Kriging 137
 - Compositional simulator 494, 571
 - Compressibility 256, 450
 - Conditional simulation 138–141
 - definition of 138
 - random residual additions 139
 - sequential Gaussian simulation 138
 - sequential indicator simulation 140
 - Conductivity 24, 27, 34, 164, 180, 218
 - fractures 218, 429–435
 - porous media 164, 180, 262–265, 267–269, 271
 - spatially-periodic media 262, 263
 - Connate water 555
 - Consolidation 199
 - Contact angle 49, 519
 - advancing 57, 532, 606
 - dependence on capillary number 527
 - dynamic 520, 527
 - effect of surface roughness 525, 527, 529
 - hinging 624
 - hysteresis 57, 524, 525
 - measurement 524–526
 - receding 57, 606, 622
 - Continuity equation 9
 - Continuous-time random walk 284
 - continuum limit, diffusion 306, 307
 - continuum limit, dispersion 393
 - definition of 307
 - for diffusion 307
 - for dispersion 388
 - Continuum models 5, 185–199, 253
 - definition of 5
 - fluid flow 257, 266, 269, 271, 273
 - for miscible displacements 481, 487
 - transport 262, 267, 271, 276
 - two-phase flow 543, 554, 561, 569
- c**
- Core preparation 521
 - Countercurrent flow 558
 - Convection time 357
 - Convective-diffusion equation 11, 12, 343, 398, 412, 495
 - Coordination number 17, 21
 - definition of 21
 - measurement of 91
 - Correlations 3, 4, 117
 - long-range 3, 122–126
 - with cutoff 127
 - Correlation function 103–107
 - Critical path analysis 164, 240, 333
 - description of 333
 - and dispersion 400
 - and fracture network structure 164, 240
 - and permeability 333–335
 - Crossover 29, 108, 160
 - compact to fractal displacement 511, 593
 - diffusive to non-diffusive transport 317, 318
 - in genetic algorithm 209
 - Crossover time
 - for diffusion 317, 318
 - for dispersion 375
 - Cycling 619
- d**
- Darcy's law 13, 253, 543
 - Data interpolation (see also Kriging; Co-Kriging; Conditional simulations) 132
 - Dead-end pores 23, 25, 292, 361, 363, 370
 - Density-functional theory 84
 - Depolarization factor 268, 323
 - Desorption 19
 - Devil's staircase 598
 - Dielectric breakdown model 503
 - Diffusion 11, 12
 - anomalous 311, 316–321
 - fractal type 311, 316
 - Green function for 304, 305
 - into dead-end pores 371
 - measurement of 319, 320
 - superdiffusion 378, 379
 - Diffusion-limited aggregation 500
 - Discrete models 5
 - Dispersion
 - capillary coefficient 530
 - coefficient of 343
 - definition of 341
 - dispersivity 345
 - first-passage time distribution 344, 367, 391
 - Gaussian 344
 - mechanisms of 342
 - non-Gaussian 379
 - superdiffusive 378, 379
 - Dispersion coefficient 343
 - dependence on Péclet number 359–361
 - longitudinal 343
 - measurement, acoustic methods 349

- measurement, concentration method 346
- measurement, nuclear magnetic resonance 351
- measurement, resistivity measurement 348
- tensor of 345
- transverse 343, 350
- Dispersion in porous media
 - boundary-layer mechanism 360
 - continuous-time random walk model 388
 - critical path analysis 400
 - deterministic network models 370
 - ensemble averaging 362, 385
 - fluid-mechanical models 363
 - fractal models 406
 - fractional derivative models 398
 - holdup mechanism 360
 - in field-scale media 382
 - in short media 372
 - in stratified media 386, 412
 - in unconsolidated media 410
 - large-scale averaging 384
 - lattice-Boltzmann simulation 404
 - longitudinal dispersion 342
 - long-time tails 370
 - mechanical 360
 - network models 367
 - numerical simulations 403
 - particle-tracking method 405
 - percolation model 374, 408
 - probability-propagation method 368
 - random-walk simulation 367, 405
 - spatially-periodic media 358
 - stochastic spectral method 385
 - volume averaging 361
 - with percolation disorder 374, 408
- Dispersion in fractures 435
 - asymptotic analysis 438
 - experimental 436
 - lattice-Boltzmann method 441
 - numerical simulation 440
- Dispersivity 345
 - definition of 345
 - tensor of 345
- Double-porosity model 248
- Drainage (see also Immsible displacements, Two-phase flow) 37, 51, 52, 55, 57, 203, 531, 532, 536
 - definition of 37, 531
 - primary 532, 623
 - secondary 532
- Dual permeability model 227, 248
- Dubinin–Radushkevich method 83
- Dynamic breakup 540
- Dynamic invasion 536
- Dynamic miscibility 467
- Dynamic permeability 295
 - definition of 295
 - models 295, 296
- Dynamically-connected pores 292
- e**
- Effective-medium approximation 265, 308, 310, 312, 314
 - accuracy of 314
 - anisotropic EMA 312
 - differential form 269
 - for conductivity, continuum form 265
 - for conductivity, network models 311
 - for diffusion 308–311, 316
 - for fracture permeability 421
 - for fractured porous media 460, 461
 - for permeability 315
 - link with Archie’s law 321
 - renormalized EMA 329
 - self-similar EMA 321
 - single-bond EMA 308–311
 - single-site EMA 314
- Elastic energy 235
- Ergun equation 274
- Estimator 111
- Excluded volume 166, 216, 223, 244, 245
- f**
- Fault 110, 111, 155, 159, 160, 161, 168
 - experimental data 159, 168
 - fractal dimension 168
- Fick’s law 341
- Finite-size scaling 30
- First-passage time method 276, 344
 - for conduction and diffusion 276–282
 - for dispersion 344, 367
- Five-spot geometry 474, 493
- Flooding 468–470, 516, 517, 539, 546, 558, 563, 605
- Forchheimer equation 297, 338
 - scattering 87
- Form factor 283
- Formation factor 292, 359
- Fractals 28, 96, 146
 - box-counting method 147
 - definition of 28, 146
 - self-affinity 148
 - self-similarity 146

- correlation functions for 104, 148, 151, 152
 - measurement 96
 - Fractional Brownian motion 122, 151
 - correlation function for 123, 151
 - definition of 122
 - spectral density 127
 - successive random additions 129
 - wavelet decomposition 129
 - maximum entropy method 131
 - Fractional derivative 320, 398
 - Fractional equation 320
 - anomalous diffusion 320
 - anomalous dispersion 398–400
 - Fractional flow (see also Buckley-Leverett equation) 488, 554
 - Fractional Gaussian noise 123, 124
 - definition 123
 - generation 126, 127
 - Fractional Lévy motion 125
 - Fracture, properties
 - aperture 153
 - aperture distribution 161
 - connectivity 164, 241
 - contact area 154
 - density 163
 - density from well log data 175
 - displacement distribution 160
 - experimental aspects 143–146
 - length distribution 159
 - orientation distribution 163
 - power laws 157
 - simulation of 213–215, 157–163, 167–169
 - surface height 155
 - Fracture, flow and transport
 - asymptotic analysis 423, 431, 438
 - effective-medium approximation 421
 - effect of contact area 424
 - perturbation expansion 421, 430
 - Reynolds approximation 420, 430
 - simulation, lattice-gas method 427
 - simulation, lattice-Boltzmann method 427
 - simulation, mapping onto a network 425
 - simulation, random walk method 431
 - simulation, Reynolds equation 426
 - Fracture network, models
 - connectivity 243–247
 - dual permeability model 227
 - fractal dimension 167
 - fractal model 232
 - interdimensional relation 169
 - mechanical model 234
 - networks of convex polygons 222
 - percolation threshold 166
 - reconstruction methods 229
 - self-similarity 167
 - three-dimensional models 220–229
 - two-dimensional models 217–220
 - Fractured porous media 170
 - analysis of well logs 171
 - characterization 170
 - models of (see also Double-porosity model) 247–251
 - seismic attributes 171
 - Frenkel-Halsey-Hill model 83
- ## G
- Gauss-Bonnet theorem 95
 - Gaussian curvature 95
 - Genetic algorithm 209
 - Generalized master equation 306
 - diffusion 306
 - dispersion 390
 - equation for 306
 - memory kernel 306
 - link to continuous-time random walks 307
 - Genus 94
 - Gigascopic 3
 - length scale 3
 - porous media 3
 - Gradient percolation 599
 - Grain-consolidation model 199
 - Gravity segregation 480
- ## h
- Hassler method 545
 - Hele-Shaw cell 475, 481
 - Heterogeneity index 113
 - Dykstra-Parsons 114
 - Gelhar-Axness 117
 - index of variation 116
 - Kovel 117
 - Lorenz 115
 - Hierarchy of length scales 2
 - Hilfer formulation of two-phase flow 556
 - Hill-Saffman-Taylor instability 476, 481
 - Holeyness 94
 - Hooke's law 235
 - Hydraulic diameter 54
 - Hysteresis
 - in sorption isotherms 77
 - in contact angle 525

- in relative permeability 546, 552
- i**
- Imbibition
 - at constant flow rate 538
 - critical contact angle 595
 - crossover to fractals 593
 - definition of 52
 - quasi-static 537
 - roughening of interface 596
 - scaling of the interface 596–598
 - spontaneous 536
 - width of interface 596
- Immiscible displacement (see also Drainage, Imbibition, Two-phase-flow) 535
 - at finite capillary number 608
 - burst event 594
 - dynamic invasion 538
 - linear stability analysis 563
 - mechanisms of 535
 - network models 575–582, 588, 603, 608, 623
 - non-linear stability analysis 567
 - overlap event 594
 - touch event 594
 - with gravity 599
- Invasion percolation 579
 - models 579–581
 - efficient simulation 582
 - experimental 581
 - fractal dimensions 583, 584
 - scaling properties 584
 - with trapping 580
 - without trapping 580
 - with two invaders and defenders 588
- Irreducible saturation 51, 521, 526, 555, 606
- k**
- Kelvin equation 78
- Klinkenberg effect 256, 297
- Kozeny-Carman equation 272, 274, 324
- Kriging 132, 133
 - biased 134
 - co-kriging 137
 - definition of 133
 - ordinary 135
 - theory 133, 134
 - unbiased 135
 - universal 137
 - with constraint 136
- l**
- Langmuir model 81
- Large-scale averaging 384
 - for dispersion 384
 - for multiphase flow 569
- Lattice-gas automata 284, 427
- Lattice-Boltzmann 287
 - Boolean variable 285, 287, 288
 - dispersion simulation 404
 - flow in fractures 427
 - flow in porous media 287–291
 - two-phase flow simulation 601
- Leverett J-function 58, 59, 532, 542
- Lévy-stable distribution 125, 162
- Linear-stability analysis 495, 563
 - definition of 495
 - for immiscible displacement 563
 - for miscible displacement 495
- Liquid holdup 559
- m**
- Macroscopic
 - length scale 254, 564
 - porous media 329
- Magnetization 43, 89, 293, 353
- Master equation 303, 389
 - for diffusion 304, 305
 - for dispersion 389–393
- Maximum entropy method 131
- Mechanical fracture 168
- Megascopic 3
 - length scale 3
 - porous media 3, 4
- Mercury porosimetry 55
 - and particle size distribution 60, 61
 - and pore length distribution 60
 - and pore number distribution 60
 - and pore size distribution 59
 - and pore surface distribution 60
 - experimental procedure 55–57
 - hysteresis in 56, 58
 - intrusion-extrusion curves 55, 65
 - multiscale models 68
 - network models 61–69
 - percolation models 69
- Miscible displacement 467
 - continuum models 481–492, 495–500
 - dielectric breakdown model 503
 - diffusion-limited aggregation model 500
 - effect of anisotropy 473
 - effect of density variation 480, 500
 - effect of dispersion 478
 - effect of gravity (see also gravity segregation) 480
 - effect of mobility 469

- finite-difference simulation 493
- finite-element simulation 492
- gradient-governed growth model 504
- in fractures 514
- in Hele-Shaw cells 481
- in large-scale porous media 512
- Koval model 488
- linear stability analysis 495
- main considerations 515
- numerical simulations 492
- pore network models 509
- spectral simulation 515
- streamline simulation 493
- stochastic models 500
- Todd-Langstaff model 490
- two-walkers model 505

Mobility 469

Mobility ratio 469

Morphology 15, 16, 39

- definition of 16, 146
- of fracture networks 146
- of porous media 16, 39

Multifractal models 207

Multiporosity models 213, 248, 450, 455, 573

n

Navier-Stokes equation 11

Non-Darcy flow 297, 338

Non-Gaussian dispersion 349, 379, 381, 384, 397, 406, 413

Non-linear stability analysis 563, 495

- immiscible displacements 567
- miscible displacements 499

Normalized viscosity 267

Nuclear magnetic resonance 88

- and dispersion 351
- and diffusion 320
- and permeability 110, 292
- and pore size distribution 88

o

One-dimensional models 180

p

Packings of particles; structure 186

- cherry-pit model 187
- cord-length distribution function 190, 192
- correlation functions 186, 189, 191, 194
- equilibrium hard-sphere model 188
- exclusion probabilities 189, 190, 194
- fully-impenetrable model 186
- fully-penetrable model 187
- hard-particle model 186

- lineal-path function 190, 192, 195, 196, 197, 198
- non-spherical packings 274
- *n*-point distribution function 191
- particle distribution functions 188
- penetrable-concentric shell model 187
- polydispersed packings 61, 188, 192, 196, 197, 272
- random packing 186–198
- regular packing 257–263
- simulation 198
- specific surface 194, 197, 198
- surface-matrix correlation function 189
- surface-surface correlation function 189
- surface-void correlation function 189
- Swiss-cheese model 31, 187, 192, 271, 272, 291, 317
- void nearest-neighbor distribution 189, 191, 194, 195

Partition coefficient 363, 437

Péclet number 357–361, 364–366, 373, 376, 382, 410, 411, 437–439, 448, 449

Penetrable-concentric shell model 187

Penn-State method 545

Percolation 18–36

- accessible fraction 23
- backbone 23
- bond model 19
- cluster, definition of 19
- continuum 31–35
- correlated 35
- correlation length 23
- critical exponents of 27
- dead-end bonds 23
- fractal dimensions 29
- power laws 27–29
- sample-spanning cluster 20
- site model 20
- threshold 21

Periodic solutions (see Spatially-periodic media) 257–265

Permeability 253

- bounds 271
- cluster expansion 269
- dynamic (see Dynamic permeability) 295
- effective-medium approximation 265–267, 315
- empirical correlations 273
- exact results 257–261
- link with conductivity 291
- link with NMR 292
- mean-field approximation 265–267
- measurement 256

- network models 301
- period arrays of spheres 257–261
- Pinch-off 540
- Pinning of an interface 596–598
 - measurement 596
 - scaling theory 596, 597
 - stochastic models 597
- Pore-body filling 625
- Pore body 16, 17
- Pore throat 16, 17
- Pore size distribution 54
 - definition of 54
 - measurement, by adsorption 83
 - measurement, density-functional theory 84
 - measurement, Dubinin-Radushkevich method 83
 - measurement, nuclear magnetic resonance 88
 - measurement, from small-angle scattering 87
 - Horvath-Kawazoe method 84
 - surface fractal dimension 98, 108
- Porosity 13, 41
 - accessible 41
 - critical value 41
 - isolated 94
 - local distribution 43
 - measurement of 42
 - primary 41
 - secondary 41
 - types 41
- Position-space renormalization 324–331
 - fixed points 126
 - for conductivity 327
 - for permeability 329
 - recursion relation 327
- Primary adsorption (see also Adsorption) 84
- Primary displacement (see also Immiscible displacements) 531, 532
- Primary fracture 228
- Primary porosity 41
- Primitive network 16
- Pseudo function 570
- Pulsing 560

q

Quasi-static imbibition 537

r

Random packings (see packings of particles) 186

Random residual additions 139

Random walks 138, 140, 276, 367, 388, 405, 431, 500, 501, 505, 508

Random walk simulation (see First-passage method)

- biased simulation 283
- in continuum models 276
- in network models 337

Reciprocal lattice 259

Reconstruction methods (see also Simulated annealing; Genetic algorithm)

- for fracture networks 229
- for porous media 208

Regular packing of particles 182, 257

Relative permeability

- definition of 544
- effect of capillarity 517
- effect of wettability 552
- from capillary pressure 549
- from centrifuge data 551
- measurement, Hassler method 545
- measurement, Penn-State method 545
- measurement, Richardson-Perkins method 545
- measurement, steady-state methods 544
- measurement, unsteady-state method 546
- network models 576, 585, 601, 608, 623

Relaxation time 89, 90, 288, 293, 294, 404

Reservoir simulation 571

Residual saturation

- definition of 56, 521
- effect of capillary number 539

Richardson-Perkins method 545

Rivulet flow 559

Rough surface 98, 107

- effect on contact angle 527
- fluids on 529
- hyperdiffusion 530
- hypodiffusion 530

s

Saffman-Taylor instability 476, 501, 503, 566

Saturation

- definition of 43
- measurement, centrifuge method 43, 44

Scanline survey 145

Scattering density 106–108

Schulz distribution 272

Secondary displacement 531, 532, 565

Secondary porosity 41

Sedimentary rock 41

- Self-consistent approximation (see also Effective-medium approximation) 305
 - Self-similarity (see also fractals) 28, 96, 97, 104, 123, 146, 167
 - Semivariance 119
 - Semivariogram 119
 - exponential model 121
 - Gaussian model 121
 - periodic model 122
 - range of 120
 - self-affine models 122
 - sill of 120
 - spherical model 121
 - Sequential Gaussian simulation 138
 - Sequential indicator simulation 140
 - Sessile drop method 524
 - Shape factor (see Wettability)
 - Simulated annealing 141
 - fractures 229
 - porous media 208
 - Small-angle scattering 55
 - and pore size distribution 87
 - and fractal dimensions 106
 - Snap-off 64
 - forced 625
 - spontaneous 625
 - Specific surface 43, 105, 189, 194, 197, 198, 273, 275
 - Spectral density 127, 128, 131
 - Spectral method 585
 - Spectral representation
 - fractional Brownian motion 127
 - fractional Gaussian noise 127
 - Spatially-periodic models
 - definition of 181
 - exact results for (see Conductivity, Dispersion in porous media, Permeability) 257–265
 - Sphere pack (see Packings of particles)
 - Spontaneous imbibition 524, 532, 535, 536, 538
 - Spreading coefficient 50, 621, 622, 623
 - Stability analysis (see also Immiscible displacements; Miscible displacements; Viscous fingers) 493, 563
 - linear 493, 563
 - non-linear 499, 567
 - Static contact angle 529
 - Stochastic-spectral method 585
 - Stokes' equation 11, 257
 - Stokes' permeability 260, 267, 270
 - Stretching force 235
 - Successive random additions 129
 - Superdiffusive transport 378, 385, 400, 413
 - Surface roughness 55, 146
 - correlation function 148
 - fractal dimension 98, 99, 150
 - generation 151
 - measurement, slit-island method 150
 - measurement, stylus profilometer 151
 - of fractures 155
 - Surface-surface correlation 189
 - Surveys 144
 - areal survey 145
 - borehole survey 144
 - scanline survey 145
 - Swiss-cheese model (see also Packings of particles) 31
 - Synthetic fractals 232
- t**
- Taylor-Aris dispersion 356
 - capillary tubes 356
 - non-circular channels 357
 - spatially-periodic models 358
 - Thin films 529
 - effect of pore cross-sectional area 585–588
 - flow 585
 - network models of 585, 588, 602
 - Three-phase flow 620
 - effect of interfacial tension 622
 - effect of spreading coefficient 621
 - effect of wettability alteration 622
 - effect of wetting layers 623
 - forced snap-off 625
 - measurement 620
 - network models 623
 - piston-like filling in throats 624
 - pore-body filling 625
 - pore-scale physics 621
 - spontaneous snap-off 625
 - Tortuosity factor 44, 295
 - Topology 16
 - Trickling 558, 559
 - Triple-porosity models 450
 - Two-phase flow 519–632
 - Buckley-Leverett model 554
 - Hilfer formulation 556
 - in fractured porous media 572, 631
 - in fractures 631
 - network models (see Immiscible displacements; Relative permeability; Imbibition; Drainage)

u

Unconsolidated media; see Packings of particles

Unconsolidated media, flow and transport 257–284

- bounds, fluid flow 271
- bounds, transport 273
- cluster expansion, fluid flow 269
- cluster expansion, transport 271
- effective medium approximation, fluid flow 266
- effective-medium approximation, transport 267
- empirical correlations 273
- exact results, fluid flow 257
- exact results, transport 262
- non-spherical packings 274
- numerical simulation 275

Unconsolidated media, two-phase flow

- 557–563, 617–619
- bubbling 560
- cocurrent downflows 559
- cocurrent upflow 561
- continuum models 561
- countercurrent flows 558
- effect of interfacial area 558
- effect of mass transfer 557
- effect of residence time 558
- network models 617
- pulsing 560
- rivulet flow 559
- spray 560
- trickling 559

Upper bound

- for conductivity 273
- for permeability 272

U.S. Bureau of Mines method 526

v

Viscous fingers (see also Miscible displacements) 473

- continuum models 481, 487

– definition of 473

- effect of aspect ratio 478
- effect of boundary condition 478
- effect of dispersion 478
- effect of displacement rate 476
- effect of heterogeneity 476
- effect of viscosity ratio 478
- Hill-Saffman-Taylor instability 476
- in Hele-Shaw cells 481
- Koval model 488
- Todd-Lanfstaff model 490

Viscous force 297, 480, 520, 521, 546, 548, 569, 572, 608

Volume-averaging method 361, 384

- dispersion 361
- fluid flow 569

Voronoi network 31, 32, 34, 184, 204, 286

w

Warren-Root model 248

Washburn equation 50

Waterflooding 539

Wavelets 129, 175

- wavelet transforms 175
- wavelet decomposition 129

Well testing 137

Wettability 519

- effect on capillary pressure 531
- effect on relative permeability 552
- index of 529
- intermediate 520, 532, 539, 627
- measurement, Amot method 526
- measurement, sessile drop method 524
- measurement, U.S. Bureau of Mines method 526
- mixed 533, 534
- shape factor 602

Working network 17

y

Young-Dupré equation 49

Young-Laplace equation 48