

## Index

### a

- Absorbed dose, 362 ff., 452
  - charged-particle beam, 376–377, 380
  - gamma point source, 381–383
  - internal  $\alpha, \beta$  emitters, 379–380, 530
  - measurement, 368 ff.
  - neutron, 371 ff., 383–386
  - neutron depth-dose, 386
  - neutron first-collision, 383 ff., 387
- Absorbed fraction, 528 ff.
- Accelerators, 6–8, 186, 210, 223, 418, 495
- Accidents, 418–419
- Actinide series, 36
- Activity, 83
- Activity median aerodynamic diameter (AMAD), 516, 535
- Acute radiation syndrome, 419, 421 (table)
- Adaptive response, 429
- Adiabatic invariance, 25
- $^{26}\text{Al}$ , 77–78
- ALARA, 450, 452, 458, 464–465
- Albedo, 375
- Alpha particle, 61, 62 ff.
  - decay, 62–65
  - decay energetics, 62–64, 79 (table)
  - energy spectrum, 63–65
  - Geiger-Nuttall law, 64–65
  - hazards, 65
  - mass, 549
  - oxygen enhancement ratio (OER), 439
  - range, 64–65
  - scattering, 18, 109
  - stopping power, 122 (fig.), 128, 129 (fig.), 130 (fig.)
  - track structure, 160, 404 ff.
  - W value, 243–244
- $^{241}\text{Am}$ , 110, 265
- American Board of Health Physics, 10
- American National Standards Institute, 336
- Angular momentum, 19–20, 32
- Angular velocity, 24
- Annihilation photons, 76–77, 139, 493
- Annual limit on intake (ALI), 456, 463, 509, 518–519, 534
- Annual reference level of intake (ARLI), 456–457, 463, 515, 529 (fn.)
- Antineutrino, 65–66
- Antineutron, 65 (fn.)
- Antiparticle, 65
- Antiproton, 65 (fn.)
- Atomic Bomb Casualty Commission (ABCC), 9, 10, 411 (fn.)
- Atomic mass number, 18, 55
- Atomic mass unit, 59
- Atomic number, 44–45, 55
- Attenuation
  - coefficient, 115, 187–197 (figs.), 474, 528
  - Compton, 184–185
  - exponential, 187
  - length, 496 (table)
- $^{197}\text{Au}$ , 226
- $^{198}\text{Au}$ , 86, 226, 279, 525
- Auger electron, 45–47, 63 (fn.), 72 (fn.), 75, 194–195, 270, 387
  - cascade, 46–47
- Avogadro's number, 15, 549

### b

- $^{10}\text{B}$ , 224, 287, 289
- $^{133}\text{Ba}$ , 274
- $^{137}\text{Ba}$ , 69, 70
- $^{137\text{m}}\text{Ba}$ , 70
- Background, *see* Environmental radiation
- Band structure, 39–41, 252 ff.

- Barn (unit), 192, 215, 551  
 Bateman equations, 524  
<sup>7</sup>Be, 96, 212  
<sup>9</sup>Be, 212, 217  
 Becquerel, 3–4  
 Becquerel (unit), 83, 551  
 Bernoulli process, 304, 307, 311, 326  
 Beta particle, 65–68, *see also* Electron  
   average energy, 66, 379  
   bremsstrahlung, 68, 144 ff.  
   Cerenkov radiation, 210 (photo), 286  
   creation in nucleus, 31, 65  
   decay, 65–68  
   decay energetics, 65–67, 79 (table)  
   discovery, 4  
   dose calculation, 379–380, 530  
   energy spectrum, 66–67, 71  
   hazards, 68  
   radiation yield, 142 (table), 145 ff.  
   range, 142 (table), 149 (fig.), 152 ff.  
   pure emitters, 68  
   shielding, 493–495  
   stopping power, 122 (fig.), 139 ff.  
   track structure, 150 ff., 402 ff.
- Betatron, 144  
 Bethe, 117, 120, 144  
<sup>209</sup>Bi, 61, 96  
<sup>210</sup>Bi, 98, 495  
<sup>212</sup>Bi, 68  
<sup>214</sup>Bi, 64, 98–101  
 Binomial distribution, 304, 307–311, 567–568  
   comparison with Poisson, 313–314 (figs.)  
 Biological effects, 400 (table), 408 ff.  
   acute radiation syndrome, 419, 421 (table)  
   cancer, 410 ff., 421–422  
   cataract, 410, 423  
   cell survival, 410, 432–435  
   chemical modifiers, 439–440  
   chromosome, 426–427, 429, 431  
   delayed somatic, 421–423  
   deterministic, 410, 423  
   direct and indirect, 408–409, 439  
   dose rate, 438–439  
   dose response, 430 ff.  
   doubling dose, 426–427  
   DNA, 408–409, 423, 426, 429  
   embryo, 424  
   fertility, 425–426  
   fetus, 424  
   genetic, 410 ff., 421, 424–428, 429  
   human data, 411 ff.  
   life shortening, 423  
   medical radiation, 413 ff.  
   mutation, 426 ff., 429, 438  
   oxygen enhancement ratio (OER), 439 ff.  
   radiation biology, 429–430  
   RBE, 435–438, 453  
   stochastic, 410, 423, 453–454  
   teratogenesis, 424, 425 (photo)
- Bohr, 17, 19 ff., 26, 116–117  
 Boltzmann's constant, 254, 549  
 Bone dosimetry, 535–536  
 Bonner spheres, 290–291  
 Born-Oppenheimer approximation, 36  
 Boson, 34  
<sup>87</sup>Br, 231  
 Bragg additivity, 123, 133  
 Bragg-Gray principle, 5, 293, 369, 375  
 Bragg peak, 121, 376, 378  
 Bremsstrahlung, 42, 77, 109, 144, 195, 197, 199–200, 387  
   shielding, 493–495  
 Bubble chamber, 282  
 Bubble neutron detector, 295  
 Buildup factor, 199, 474 ff. (figs.), 497  
 Bystander effect, 429
- c**  
<sup>12</sup>C, 15, 59–60, 212, 217–218  
<sup>14</sup>C, 68, 88–89, 96–97, 110, 225, 268, 279, 379–380, 383  
<sup>42</sup>Ca, 475  
 Cadmium cutoff, 222  
 Cadmium zinc telluride (CZT) detector, 263, 265 (photo)  
 Calibration  
   Bonner spheres, 290–291  
   calorimetric, 285  
   direct ion storage, 284  
   lung counter, 265–266 (photo)  
   phantom, 265  
   film, 276, 278  
   proportional counter, 224, 374  
 Calorimetry, 285  
 Carbon dating, 97  
 Cascade, electron-photon, 145  
 Cathode rays, 3, 17  
 Cauchy relation, 389  
<sup>113</sup>Cd, 225  
<sup>114</sup>Cd, 225

- Center-of-mass coordinates, 219–223  
 Cerenkov radiation, 210 (photo), 286  
 CERN, *see* European Center for Nuclear Research  
<sup>252</sup>Cf, 210  
<sup>254</sup>Cf, 214  
 Chemical bond, 36–39  
 Chemical dosimeter, 279, 285  
 Chemical yield, 404 ff.  
 Chernobyl, 10, 11, 418–419  
<sup>35</sup>Cl, 39, 55  
<sup>36</sup>Cl, 412  
<sup>37</sup>Cl, 39, 55  
 Cloud chamber, 4, 282  
<sup>242</sup>Cm, 214  
<sup>244</sup>Cm, 214  
<sup>59</sup>Co, 89  
<sup>60</sup>Co, 65–69, 89, 180–181, 382, 412, 438–439  
 Collective doses, 455–456  
 Committed doses, 455–456  
 Compton scattering, 26, 175–185, 270 ff., 491  
   average recoil-electron energy, 184 (table)  
   Compton edge, 182, 271 (fig.)  
   Compton wavelength, 180  
   cross sections, 182, ff.  
 Conduction band, 40, 253 ff.  
 Conversion factor (dose), 551  
 Correspondence principle, 26  
 Cosmic radiation, 11–12, 32  
 Coulomb barrier, 56 (fig.), 57, 186, 228  
 Counting, 308 ff., 322–327, 335–336  
   appropriate blank, 336  
   background, 322 ff., 336  
   dead time, 339–342  
   decision level, 329 ff., 335–336  
   efficiency, 308–309  
   error propagation, 321–322, 571–572  
   HPS N13.30-1996, 335–336  
   minimum detectable amount (MDA), 336  
   minimum detectable true activity, 331 ff.  
   minimum significant measured activity, 327 ff.  
   optimum times, 325–326  
   short-lived sample, 326–327  
   type-I error, 327 ff.  
   type-II error, 328, 331 ff.  
 Covalent bond, 38–39, 257  
 Covalent solid, 39  
 Covariance, 572  
 CR-39, 282–283  
 Criticality, 232 ff., 279  
 Crooke's tube, 2–3  
 Cross section  
   Compton collision, 182 ff.  
   Compton energy scattering, 183 ff.  
   Compton energy transfer, 183 ff.  
   differential, 182  
   fission, 231 ff.  
   Klein-Nishina, 182  
   macroscopic, 115, 184, 187, 384  
   neutron, 215, 216 (fig.), 231, 383–386  
<sup>137</sup>Cs, 68–72, 200, 251, 270–271, 338, 382  
 Curie (unit), 83, 551  
 Cutie pie, 247  
 CZT, *see* Cadmium zinc telluride detector
- d**  
 D-37 dose, 433  
 Dalton, 1, 15  
 Dead time, 339–342  
 de Broglie wavelength, 26, 554  
 Decay constant, 83, 88  
 Decay schemes (figs.)  
   <sup>26</sup>Al, 78  
   <sup>60</sup>Co, 67  
   <sup>137</sup>Cs, 70  
   <sup>131</sup>I, 531  
   <sup>42</sup>K, 478  
   <sup>22</sup>Na, 77  
   <sup>103</sup>Pd, 74  
   <sup>226</sup>Ra, 64, 69  
 Deep dose, 278, 281, 283, 467–468  
 Delta rays, 159, 167  
 Department of Energy (DOE), 10, 336, 464  
   DOELAP, 336  
 Derived air concentration (DAC), 457  
 Derived reference air concentration (DRAC), 456–457, 515, 529 (fn.), 534  
 Detectors  
   air-wall ion chamber, 367–368  
   bubble (neutron), 295  
   cutie pie, 247  
   CZT, 265  
   DIS, 284  
   electronic dosimeter, 263  
   film badge, 278  
   free-air ion chamber, 365–367  
   gas proportional counter, 248  
   GM survey meter, 251  
   HPGe, 264, 266, 274

- Hurst neutron proportional counter, 374–375
- long counter, 290
- OSL, 283
- phoswich, 269
- pocket ion chamber, 248
- probes, 252
- rem meter, 291, 375
- Rossi counter, 377–378
- scintillation probe, 269
- sodium iodide, 273–274
- TLD, 280–282
- tritium monitor, 250
- ZnS, 269
- Deuteron, 60, 124, 210, 212, 223
- Dial painters, 415–416, 422
- Diffusion constant, 401–402 (table)
- Dirac, 4, 32
  - equation, 4, 32, 65 (fn.)
- Direct ion storage (DIS), 284–285
- DNA, 408–409, 423, 433
- Dose and dose-rate effectiveness factor (DDREF), 413, 422, 457
- Dose coefficient (DCF), 534, 535 (table)
- Dose equivalent, 363–365, 377, 452, 454
- Dosimetry, 361 ff.
  - charged particle, 376–377
  - exposure, 365–368
  - neutron, 371 ff.
  - photon, 370–371
- Dosimetry System
  - DS02, 11, 412
  - DS86, 10, 411 ff.
  - T62D, 411
- Drosophila, 427–428 (photo)
  
- e**
- Effective dose, 453 ff.
- Effective dose equivalent, 454
- Effective half-life, 456
- Effective threshold energy, 228, 294
- Einstein, 4–5, 175
- Electric dipole moment, 38, 400
- Electron, *see also* Beta particle
  - Auger, 45–47, 63 (fn.), 72 (fn.), 75
  - attenuation coefficient, 141 ff., 143 (fig.)
  - bremsstrahlung, 42, 109, 139, 144 ff.
  - capture, 32, 72–76, 78
  - charge, 4, 549
  - charge-to-mass ratio, 4
  - collisional stopping power, 139 ff., 142 (table)
  - conduction band, 252 ff.
  - configuration, 34 ff., 39
  - conversion, 64, 69
  - diffraction, 26
  - Dirac equation, 4, 32, 65 (fn.)
  - discovery, 17
  - elastic scattering, 141 ff., 143 (fig.)
  - equilibrium, 198, 366, 368–369, 387
  - gas, 40, 254
  - hydrated, 141, 400 ff.
  - mass, 17, 549
  - mean free path, 141
  - microscope, 27
  - paired, 36, 38–39, 258, 401
  - pathlength, 152–154 (figs.)
  - radiation yield, 142 (table), 145 ff.
  - radiative stopping power, 139, 142 (table), 144–145
  - range, 142 (table), 147 ff., 149 (fig.)
  - relativistic, 27–28, 553–554
  - restricted stopping power, 162 (table)
  - shells, 34 ff., 43, 45–46
  - slowing-down rate, 148, 150
  - spin, 4, 32, 34–35, 254
  - stopping power, 122 (fig.), 129 (fig.), 130 (fig.), 142 (table), 143 (fig.)
  - subexcitation, 399 ff.
  - track structure, 150 ff., 402 ff.
  - valence, 252 ff.
  - W value, 243–244 (fig., table)
  - wavelength, 26–27
  - X-ray generation, 42
- Electron capture, 72–75, 77–78
  - Auger electrons, 75
  - characteristic X rays, 75
  - decay energetics, 73–74, 79 (table)
  - internal conversion, 75
  - relation to  $\beta^+$  decay, 76
- Electron volt (unit), 21, 551
- Electronic dosimeter, 262
- Energy fluence, 192
- Energy loss
  - bremsstrahlung, 144–145
  - charged particle, 109, 111 ff.
  - electron, 139 ff.
  - neutron, 113
  - photon, 173 ff.
  - straggling, 164–167

- Environmental (background) radiation, 11–12, 96–97, 265, 422, 426, 450, 459–461, 465–466
- Equilibrium-equivalent decay-product concentration (EEDC), 99 ff.
- Equivalent dose, 365, 452 ff.
- Errors, 303
  - propagation, 321–322, 571–572
  - type-I, 327 ff.
  - type-II, 328, 331 ff.
- Escape peak, 271
- $^{152}\text{Eu}$ , 412
- $^{154}\text{Eu}$ , 412
- European Organization for Nuclear Research (CERN), 5–6, 8
- Exclusion principle, 28, 33–34, 40, 57, 254
- Exposure
  - definition, 362
  - measurement, 365–367
- Extrapolation number, 435
- f**
- $^{19}\text{F}$ , 55
- Fallout, 9
- Fano factor, 338–339
- $^{56}\text{Fe}$ , 217
- Fermi distribution, 254
- Fermi energy, 254, 257, 259
- Fermilab, 6–8
- Fermion, 34
- Film, photographic, 275–279
  - badge, 278
  - calibration, 276, 278
  - filters, 278
  - neutron response, 276, 279
  - nuclear track, 276
  - photon energy response, 276
- Fine structure, 21, 25, 39, 43
- Fission, 230 ff., 289
- Fluence, 192
- Fluorescence, 267–268, 285
- Fluorescence yield, 46 (fig.), 285
- Flux density, 192
- Four-factor formula, 233
- Fricke dosimeter, 285, 407
- g**
- G value, 404 ff., 408 (table)
- Gamma ray, 63–64, 68–71
  - annihilation, 76–77
  - attenuation coefficient, 187–197 (figs.), 474
  - decay energetics, 63, 68, 79 (table)
  - discovery, 4
  - dose rate from point source, 381–383
  - energy spectrum, 63–64, 66–71, 74, 77
  - exposure-rate constant, 382–383
  - forbidden transition, 68
  - hazards, 71
  - isomeric transition, 70, 72
  - penetration, 71
  - selection rules, 68, 70
  - shielding, 474–480
  - specific gamma-ray constant, 382–383
  - spectroscopy, 68
- Gaussian distribution, *see* Normal distribution
- Geiger-Mueller (GM) counter, 246–247, 251–252
  - quenching, 251–252
- Genome, human, 426
- Genomic instability, 429
- Germanium, 254 ff., 271–272, 274
- Glass
  - meta-phosphate, 279, 285
  - scintillator, 269, 292
- “Good” scattering geometry, 188 (fig.), 474
- Gray (unit), 200, 363, 452, 551
- h**
- $^1\text{H}$ , 55, 59, 217–218, 223, 287, 383, 385, 495–496
- $^2\text{H}$ , 55, 58–59, 210, 212, 217, 223, 383, 385, 495–496
- $^3\text{H}$ , 55, 68, 96–97, 210, 212, 224, 268, 287, 291
- Half-life, 84–85, 88
- Half-value layer, 488 (table)
- $^3\text{He}$ , 212, 218, 224, 287, 289, 291–292
- $^4\text{He}$ , 58, 60, 62, 210, 212, 217–218, 224, 287
- Health Physics Research Reactor, 375, 377
  - (photo)
- Health Physics Society, 9, 336
- Heisenberg, 4, 28 ff.
- $^{204}\text{Hg}$ , 55
- High Flux Isotope Reactor (HFIR), 209–211
  - (photo)
- High purity germanium (HPGe), 262, 264, 274
- Homeland security, 274–275, 419 (fn.)
- Hormesis, 423, 429

- Hot particle, 379, 518  
 Hurst neutron proportional counter, 374–375  
 Hydrated electron, 400 ff.  
 Hydrogen  
   atomic energy levels, 21 ff.  
   atomic spectrum, 22–23  
   Balmer series, 17, 22  
   Bohr radius, 21, 549  
   Bohr theory, 19–25, 33, 44  
   fine structure, 32–33  
   molecule, 36–39  
   neutron absorption, 59  
   reduced mass, 24–25  
   spectral series, 23  
 Hyperfine structure, 56
- i**  
<sup>125</sup>I, 46, 382, 383  
<sup>126</sup>I, 76  
<sup>131</sup>I, 86, 420, 530–531, 533  
 ICRP, *see* International Commission on Radiological Protection  
 ICRU, *see* International Commission on Radiation Units and Measurements  
 Impact parameter, 117 ff.  
<sup>115</sup>In, 225  
<sup>116</sup>In, 214, 279  
<sup>116m</sup>In, 225  
 Intensity, 193  
 Internal conversion, 46, 63–64, 69, 71–72  
   coefficient, 72  
   energetics, 72  
 International Atomic Energy Agency (IAEA), 9, 451  
 International Commission on Radiation Units and Measurements (ICRU), 8 ff., 162–163, 192 (fn.), 361 ff., 451  
   ICRU sphere, 452–453, 467  
   operational quantities, 466–468  
 International Commission on Radiological Protection (ICRP), 8 ff., 361 ff., 424, 436 (fn.), 450, 451 ff., 509 ff.  
   2007 Recommendations, 452, 465–466  
   exposure limits, 458 ff.  
   ICRP-30 GI-tract model, 513, 521–522  
   ICRP-30 lung model, 513, 515–518  
   ICRP-66 human respiratory tract model, 518–521  
   ICRP-89, reference values, 511 (table)  
   ICRP-100, human alimentary tract model, 522
- International Radiation Protection Association (IRPA), 10  
 Ionization 2, 241 ff.  
   chamber, 241 ff., 284  
   continuum, 23  
   gases, 241–252  
   potential, 22  
   pulses, 245 ff.  
   semiconductors, 252–266  
   W value, 241–244 (fig., table)  
   water  
 Ionization continuum, 23  
 Ionization potential, 21  
<sup>191</sup>Ir, 94–95  
<sup>191m</sup>Ir, 94–95  
 Isomer, 68  
 Isotone, 55  
 Isotope, 55  
 Isotope shift, 55
- k**  
<sup>40</sup>K, 96  
<sup>42</sup>K, 305, 308, 310, 314, 475, 478  
 Kaon, 112 (fn.), 122 (fig.)  
 Kerma, 198, 387 (def.)  
 Klein-Nishina formula, 182
- l**  
<sup>140</sup>La, 214  
<sup>147</sup>La, 231  
 Lanthanide series, 35  
 Lanthanum halide, 275  
 LD50, LD50/30, 419, 438–439  
 LET, *see* Linear energy transfer  
<sup>6</sup>Li, 58, 224, 281, 287, 289, 291, 495  
<sup>7</sup>Li, 212, 224, 281, 287  
 Life Span Study, 411–413, 422  
 Lineal energy, 388–389  
 Linear energy transfer, 162–163, 363–365, 375–376, 389, 403 ff., 422, 426, 452–453  
   chemical yield, 407–408 (tables)  
   determination, 377–378  
   dose response, 430 ff.  
   neutron, 345, 348  
   quality factor, 363–365 (tables)  
   spectrum, 377–378  
 Linear no-threshold (LNT) model, 422, 432, 458  
 Long counter, 290  
 Lung counter, 265–266 (photo)

**m**

Mass stopping power, 121  
 Mean excitation energy, 121, 123  
 Mean free path, 116, 384, 475  
 Mean life, 86–87  
 Medical imaging, 72, 73 (fig.)  
 Medical Internal Radiation Dose (MIRD)  
   Committee, 469, 529, 531  
 Metastable state, 70  
<sup>24</sup>Mg, 479  
<sup>26</sup>Mg, 78  
 Microdosimetry, 167, 387 ff.  
 Minimum detectable amount (MDA), 336  
 Minimum detectable true activity, 331 ff.  
 Minimum significant measured activity,  
   327 ff.  
<sup>98</sup>Mo, 72  
<sup>99</sup>Mo, 70  
 Molecules, 36–39  
 Monte Carlo, 342–348, 511, 529, 531  
   charged-particle transport, 380, 402–408  
   chemical reactions, 402–408  
   neutron transport, 344–347, 384 ff., 495  
   photon transport, 344–347  
   random numbers, 345–346  
 Multiple Coulomb scattering, 169–170  
 Muon, 50, 112, 121, 132  
   stopping power, 122 (fig.)

**n**

<sup>13</sup>N, 212  
<sup>14</sup>N, 89, 96, 225, 228, 279, 383  
<sup>22</sup>Na, 75–77, 96  
<sup>23</sup>Na, 225  
<sup>24</sup>Na, 60, 85, 214, 225, 418, 479  
 National Council on Radiation Protection  
 and Measurements (NCRP), 8 ff.,  
   361 ff., 376, 418 (fn.), 419 (fn.), 424,  
   436 (fn.), 438 (fn.), 450, 451 ff., 509 ff.  
 exposure limits, 458 ff.  
 Report No. 147, 482, 492–493  
 X-ray shielding, 482 ff., 492–493  
<sup>22</sup>Ne, 75–77  
 Neutrino, 65, 72–73, 75, 231–232  
 Neutron, 55–58, 209 ff., 286 ff.  
   activation, 228–230, 279, 289–290, 496  
   activation foils, 279, 294  
   bubble detector, 294  
   capture, 59, 215, 223  
   charge distribution, 215 (fn.)  
   classification, 214–215

cross section, 215, 216 (fig.), 231  
 delayed, 232, 234  
 detection, 286–295  
 discovery, 5, 209  
 dose equivalent, 376 (table)  
 effective threshold energy, 228, 294  
 epithermal peak, 291–292  
 fast, 215, 286, 289 ff., 294, 375  
 gamma discrimination, 286 ff., 371 ff.  
 interactions, 215 ff.  
 intermediate, 215, 286, 289 ff., 375  
 magnetic moment, 215 (fn.)  
 mass, 549  
 moderation, 215, 217, 230 ff., 290–291  
 multiplication, 232  
 oxygen enhancement ratio (OER), 439  
 prompt, 232, 234  
 quality factor, 376 (table)  
 RBE, 437 (fig.), 438 (table)  
 reactions, 223–228  
 resonance, 215, 225  
 scattering, 113, 215 ff., 292, 293  
 slow, 215, 286 ff.  
 sources, 209–214 (tables)  
 spectrum, 218, 225–226, 290 ff.  
 spin, 57, 215 (fn.)  
 thermal, 59, 214, 223 ff.  
 threshold detector, 294  
 wall effect, 287–288, 292–293  
<sup>60</sup>Ni, 65–68  
<sup>63</sup>Ni, 412  
 NIST Physical Reference Data Website, 134  
 Normal (Gaussian) distribution, 311, 313,  
   315–321, 570–571  
   comparison with Poisson, 316  
   standard normal, 316, 318–320 (table)  
<sup>237</sup>Np, 96, 265  
 Nuclear Regulatory Commission (NRC), 10,  
   336, 464  
   NVLAP, 281, 336  
 Nucleon, 55  
 Nucleus  
   binding energy, 58–61  
   constituents, 55  
   Coulomb barrier, 56–57 (fig.)  
   discovery, 4, 18–19, 31  
   excited states, 57–58, 63 ff., 215–216  
   fission, 60, 230 ff.  
   force, 19, 56–57, 60, 214 (fn.)  
   fusion, 60  
   metastable states, 70, 73–75

- radius, 18–19
- reactions, 58 ff., 286 ff.
- shell model, 61 (fn.)
- spin, 31, 55–57
- structure, 55–58
- Nuclide, 55
- o**
- <sup>16</sup>O, 60
- <sup>17</sup>O, 228
- Occupancy factor, 485 (table)
- Oklo phenomenon, 209 (fn.)
- “One-over- $v$ ”, or “ $1/v$ ”, law, 223
- <sup>191</sup>Os, 94–95
- Optically stimulated luminescence (OSL), 283
- Oxygen-ion stopping power, 122 (fig.)
- p**
- <sup>32</sup>P, 68, 115, 226, 228–229, 493
- P-10 gas, 249
- Pair production, 173, 185 ff., 194, 271
- Particle identifier, 265–266
- Pauli principle, *see* Exclusion principle
- <sup>205</sup>Pb, 186–187
- <sup>206</sup>Pb, 55, 96–98, 186–187, 498
- <sup>207</sup>Pb, 96
- <sup>208</sup>Pb, 96
- <sup>209</sup>Pb, 96
- <sup>210</sup>Pb, 98–100
- <sup>214</sup>Pb, 64, 98–101
- <sup>103m</sup>Pd, 73–74
- Periodic system, 1, 4, 33–36, 44–45
- Phosphorescence, 267
- Phoswich detector, 269
- Photoelectric effect, 4, 173–176, 194
- Photomultiplier, 267, 280
- Photon, 173 ff.
  - absorption by electron, 176–177
  - annihilation, 76–77, 139, 186
  - attenuation coefficient, 184–185, 187–197 (figs.), 474
  - bremsstrahlung, 42, 77, 109, 144
  - energy, 4, 26, 175–176, 554
  - energy-absorption coefficient, 192 ff., 195, 381
  - energy-transfer coefficient, 192, ff., 194
  - exponential attenuation, 187–188
  - interaction mechanisms, 173 ff.
  - linear attenuation coefficient, 187 ff.
  - mean free path, 187 (fn.)
  - momentum, 26, 176, 554
  - photonuclear reaction, 186–187
  - spin, 34
  - uncollided, 188, 193, 199
  - wavelength, 26
- Photonuclear reaction, 173, 186–187, 226
- Pion, 112 (fn.), 132, 377
  - stopping power, 122 (fig.)
- Plasmon, 133
- Planck’s constant, 4, 19, 549
- Plum pudding atomic model, 4, 17–18
- <sup>210</sup>Po, 98, 212, 497–498
- <sup>214</sup>Po, 18, 64, 98–101, 129–130
- <sup>218</sup>Po, 64, 98–101
- Pocket ionization chamber, 247–248
- Poisson distribution, 311–315, 568–570
  - comparison with binomial, 313–314
- Poisson process, 312
- Positron, 65 (fn.), 75–79, 109
  - annihilation, 76–77, 185–186, 195 (fn.)
  - annihilation photons, 76–77
  - decay energetics, 75–78, 79 (table)
  - discovery, 5, 32
  - hazards, 77
  - nuclear origin, 75
  - pair production, 185–186
  - relation to electron capture, 76
  - stopping power, 122 (fig.)
- Positronium, 186
- Potential alpha-energy concentration (PAEC), 98 ff.
- Probability of causation, 468
- Proportional counter, 164, 218, 224, 245 ff., 287 ff., 293, 374–375, 378
  - pulse-height discrimination, 249 ff., 374–375
  - energy resolution, 337–339
  - Hurst counter, 374–375
  - Rossi counter, 377–378
- Proton, 55–58
  - energy-loss spectrum, 164 ff.
  - mass, 549
  - range, 130 (table)
  - recoil telescope, 293
  - restricted stopping power, 161 (table)
  - stopping power, 122 (fig.), 125 ff., 127 (table), 129 (fig.), 130 (fig.)
  - slowing-down rate, 131–132 (table)
  - track structure, 160, 404 ff.
  - W value, 244 (fig., table)
- <sup>238</sup>Pu, 214, 265



$^{239}\text{Pu}$ , 212, 231, 265, 274, 289  
 $^{241}\text{Pu}$ , 96

**q**

Quality factor, 363–365, 377, 389  
 average, 452–453  
 neutron, 376 (table)  
 Quantum electrodynamics, 32, 185  
 Quantum mechanics, 4, 25, 28–32, 36, 116–  
 117, 120, 132, 139, 144, 173, 182, 185,  
 303, 554  
 Quantum number, 20, 22, 24 ff., 29 ff., 33–36

**r**

$^{226}\text{Ra}$ , 62–64, 68–69, 83, 88, 96, 212, 214, 416  
 RaA, RaB, RaC, RaC', etc., 98 (fn.)  
 Rad (unit), 363, 551  
 Radiation Effects Research Foundation  
 (RERF), 10, 411, 457  
 Radiation weighting factor, 365,  
 452–453 (table)  
 Radical, 285, 400 ff., 408 ff., 436, 440  
 Radioactivity, 61 ff., 83–102  
 alpha decay, 62–65  
 background, 11–12, 96 ff.  
 beta decay, 65–68  
 binomial distribution, 304, 307–311  
 decay constant, 83, 88  
 discovery, 3–4  
 electron capture, 72–75  
 energetics, 79 (table)  
 environmental, 11–12, 97–102  
 exponential decay, 82–87, 304  
 gamma emission, 68–71  
 half-life, 84–85, 88  
 internal conversion, 72  
 mean life, 86–87  
 positron decay, 75–79  
 secular equilibrium, 89–95  
 serial decay, 89–95  
 specific activity, 88–89  
 transient equilibrium, 91–92, 95  
 Radionuclide, 61  
 Radiophotoluminescence, 285  
 Radiotherapy, 440–441, 536  
 Radon 10, 11–12, 62–64, 96–102, 416–417  
 Radon daughters, 97–102 (fig.), 518  
 alpha-particle range in lung, 98  
 attached and unattached fractions, 97,  
 417  
 EEDC, 99

equilibrium factor, 99 ff., 417  
 hazard, 97–99  
 lung-cancer deaths, 417 (table)  
 PAEC, 98  
 Raleigh scattering, 173, 197  
 Range, 126–131, 169  
 alpha particle, 128–130 (figs.)  
 csda, 131, 147  
 electron ( $\beta^\pm$ ), 129–130 (figs.), 142 (table),  
 147 ff., 149 (fig.)  
 extrapolated, 167–169  
 mean, 167–169  
 projected, 169  
 proton, 127 (table)  
 scaling, 126–127  
 straggling, 131  
 Rare earth elements, 35–36  
 Reaction radius, 401–402 (table)  
 Reactor, 209–211, 225, 231 ff., 375, 377, 418,  
 497  
 Reduced mass, 22 (fn.), 24–25  
 Reference man, 456, 463, 509 ff., 514 ff., 529,  
 536, 538 ff.  
 Relative biological effectiveness (RBE), 435 ff.  
 Rem (unit), 364  
 Rem meter, 291  
 Rep (unit), 363  
 Resonance, 37 ff.  
 $^{103\text{m}}\text{Rh}$ , 73–75  
 Risk estimates, 457–458 (table)  
 $^{219}\text{Rn}$ , 99  
 $^{220}\text{Rn}$ , 99  
 $^{222}\text{Rn}$ , 62–64, 68, 96–99  
 Roentgen, 1–4, 40, 267  
 Roentgen (unit), 9, 362 (def.), 551  
 $^{99}\text{Ru}$ , 71  
 Rutherford, 4, 18, 109, 169, 269  
 Rydberg constant, 17, 22, 25, 549

**s**

$^{32}\text{S}$ , 225–226, 228–230, 493  
 Saturation activity, 229  
 $^{124}\text{Sb}$ , 214  
 Schroedinger, 4, 28, 31–32  
 Scintillator, 267–275  
 efficiency, 267  
 glass, 269, 292  
 impurities, 267–268  
 inorganic, 268 ff.  
 liquid, 268  
 lithium, 269

- organic, 268, 293
  - slow-neutron detection, 289
  - sodium iodide, 267 ff.
  - “W value”, 272, 338
  - zinc sulfide, 269
  - Semiclassical mechanics, 25–28, 33–34
  - Semiconductor, 39–40, 252–266
    - average energy per electron-hole pair, 262, 338
    - band-gap energy, 261
    - depletion region, 261–262
    - diode junction, 259–262, 292
    - doping, 256 ff.
    - electron-hole pair, 255
    - instruments, 262–266
    - intrinsic, 254, 256
    - n-type, 257
    - p-type, 259
    - recombination current, 260–261
    - thermal current, 260–261
  - Shallow dose, 267–268, 278, 281, 283, 467–468
  - Shielding
    - beta, 493–495
    - bremsstrahlung, 146, 493–495
    - gamma, 474–480
    - neutron, 495–498
    - X-ray, 480–493
  - Sievert (unit), 364, 452, 551
  - Silicon, 254 ff.
  - Skin dose, *see* Shallow dose
  - Slowing-down rate
    - electron, 148, 150
    - heavy charged particle, 131
    - proton, 131–132 (table)
  - <sup>118</sup>Sn, 217
  - Snyder-Fisher phantom, 511–513 (photo)
  - Solids, 39–41
  - Spallation Neutron Source (SNS), 213 (photo), 214
  - Spark chamber, 282
  - Specific absorbed fraction, 528 ff.
  - Specific activity, 88–89
  - Specific effective energy, 528 ff.
  - Specific energy, 388
  - Specific ionization, 163
  - Spectrum
    - bremsstrahlung, 144–145
    - chemical elements, 16
    - collisional energy loss, 114 (fig.)
    - Compton recoil electron, 182 ff.
    - energy resolution, 272, 274
    - fine structure, 21, 25, 39
    - hydrogen atom, 16–17, 19–25
    - hyperfine structure, 56
    - isotopic structure, 39
    - molecular, 39, 56
    - multichannel analyzer, 262, 264 (photo)
    - neutron, 279, 286 ff.
    - pulse-height, 164–165
    - X-ray, 42 ff.
  - Spur, chemical, 151, 403
  - <sup>85</sup>Sr, 539
  - <sup>89</sup>Sr, 539
  - <sup>90</sup>Sr, 68, 93–94, 539
  - Standard deviation, 307, 567 ff.
  - Stopping power, 115 ff, 139 ff., 380
    - Bethe theory, 117, 120 ff., 132–133
    - Bohr calculation, 116 ff.
    - Bragg additivity, 123, 133
    - Bragg peak, 121
    - charged particles, 122 (fig.)
    - density effect, 133
    - electron ( $\beta^\pm$ ), 122 (fig.), 129 (fig.), 130 (fig.), 142 (table), 143 (fig.)
    - electron capture and loss, 132
    - mass stopping power, 121
    - mean excitation energy, 121, 123
    - proton, 122 (fig.), 125 ff., 127 (table), 129 (fig.), 130 (fig.)
    - radiative, 139, 141, 142 (table), 144 ff.
    - restricted, 159–162 (tables)
    - shell correction, 133
    - straggling, 116, 164–169
    - $z^3$  effect, 132
  - Synchrotron radiation, 6, 144–145
- t**
- T65D, 411
  - <sup>99</sup>Tc, 70–71
  - <sup>99m</sup>Tc, 70–73
  - <sup>125</sup>Te, 47
  - <sup>232</sup>Th, 96, 99
  - Thermoluminescent dosimetry (TLD), 279–282
    - glow curve, 280
    - inorganic crystal, 279
    - materials, 281
    - reader, 280
    - thermoluminescence, 279 ff.
  - Thomson scattering, 173, 176–177
  - Thoron, 99

- Threshold (reaction), 226–228
- Tissue
  - composition, 372 (table)
  - equivalence, 368, 373, 378, 467
  - weighting factor, 453–454 (table)
- Tolerance dose, 9
- Track etching, 282
- Track registration, 282–283
- Transient equilibrium, 91 ff.
- Triplet production, 185, 194
- Tritium, 55, 210, 224, 287 ff., 379, 407, 537–539
  - monitor, 249–250 (photo)
- Transition metals, 35
- u**
- <sup>232</sup>U, 214
- <sup>233</sup>U, 231, 289
- <sup>235</sup>U, 96, 99, 209, 226, 231, 233–235, 289
- <sup>238</sup>U, 55, 96–97, 99, 209, 217, 231, 233
- Uncertainty principle, 4, 29 ff., 58 (fn.)
- United Nations Scientific Committee on the Effects of Ionizing Radiation (UNSCEAR), 9, 11–12, 457, 469
- Uranium miners, 416–417, 422
- v**
- Valence band, 252 ff.
- van der Waals force, 39
- Variance, 307, 567 ff.
- VARSKIN, 390
- Virial theorem, 21
- Virus, 161
- w**
- W value
  - gas, 241–244 (fig., table), 338
  - scintillator, 272, 338
  - semiconductor, 262, 338
- Wall effect, 218, 287 ff.
- Work function, 175
- Working level (WL), 101–102
- Working-level month (WLM), 101–102
- x**
- X rays, 40, 42–45
  - bremsstrahlung, 42
  - characteristic (discrete), 43–44, 64, 69, 71, 77, 270 ff.
  - continuous, 42–43
  - diffraction, 26, 44
  - discovery, 1–4, 267
  - early damage, 8
  - half-value layer, 488 (table)
  - medical exposures, 11–12
  - nature of, 4, 26
  - oxygen enhancement ratio (OER), 439
  - scattering, 26
  - shielding, 480–493
  - spectrum, 42–44
  - tube, 42, 480, 483
  - wavelength, 26–27
- <sup>131m</sup>Xe, 86
- y**
- <sup>90</sup>Y, 68, 93–94, 146, 148
- Yield
  - chemical, 404 ff.
  - fluorescence, 46
- z**
- z<sup>3</sup> effect, 132
- Zeeman effect, 33–34
- <sup>90</sup>Zn, 93