

Index

a

a posteriori error estimate 273
 ABAQUS 274
 absolute error control 188
 action research 111
 activation function 90
 adaptive mesh refinement 273
 adaptive stepsize 176
 adjusted coefficient of determination 78
 algebraic equation model 40, 44
 allegory of the cave 45
almost 311
 alternative hypothesis 61
 analysis 41
 analysis of variance 63

- factor 64
- factor level 64
- fixed-effects model 64
- homogeneity of variance 64
- multi-way 64
- one-way 64
- random effects models 64

 analytical model 44
 analytical solution 154, 173
 anisotropy 239
 ANN model 87, 88
 anova 63
 Anova.r 64
 applanation tonometry 306
 approximation error 188
 archeology analogy 119
 arithmetic mean 49
 arrow plots 285
 artificial intelligence 110
 artificial neural network 89
 asparagus ridge 295
 atol 188
 autonomous model 44
 autonomous ODE 146

auxiliary variables 25
 average deviation 51

b

backward facing step problem 298
 batch mode 277
 BDF method 180
 best model 4
 Beuys, J., XIII
 bias 88
 binomial distribution 60
 Biot number 137
 black box model 10, 35

- example exploration of 142

 Black–Scholes equation 287
 body force 297, 304
 book software 317
 boundary condition 133, 140, 148, 149, 160

- flatness 307
- no displacement 307
- no flow 248, 254
- no slip 298
- periodic 254, 292
- slip 299
- symmetry 248, 254, 298

 boundary element method 272
 boundary value problem 147, 148

- solvability 149

 BTCS method 263

c

CAD software 272
 CAELinux 306, 317

- cd 321
- how to use 317
- Konsole 321
- Live-DVD 317
- ls 321
- R 321

- Calc 33, 47–49, 58, 75, 317
 - AVEDEV() 51
 - AVERAGE() 49
 - Chart menu 51
 - compared to R 48, 51
 - CORREL() 51
 - formula 49
 - Function Wizard 49
 - GEOMEAN() 50
 - graphical capabilities 51
 - introduction 49
 - MAX() 51
 - MEDIAN() 50
 - MIN() 51
 - NORMDIST 58
 - ods 49
 - RAND() 101
 - sorting data 101
 - STDEV() 50
- case study approach 111
- cellular automata 310
- central difference approximation 259
- central limit theorem 57
- CFD 258, 266, 272, 275, 296
- classification of mathematical models 39
- classification of PDE's 244
- clipping plane 279
- closed form model 44
- closed form solution 154, 173
 - “well-known functions” 154
 - of PDE 254
 - compared with numerical solution 169
 - vs. numerical solution 169, 172
- Code-Saturne 298, 299, 317
- Code_Aster 274, 276, 299, 306, 308
- coefficient of determination
 - see R^2 68
- coefficient of variation 51
- collocation method 150
- compartment model 225, 227
- completely randomized design 100
- complexity challenge 2
- compressible flow 297, 298
- computation time 154, 266
- computational fluid dynamics 258, 266, 296
- Computed Tomography 119
- computer science 110
- Comsol Multiphysics 274, 295, 308
- conceptual model 8
- conceptual system 41
- confidence interval 83, 198
- conservation law 242
- conservation of energy 235
- conservation principles 236
- continuous model 44
- continuous random variables 54
- continuous system 42
- control 41
- control problem 43, 312, 313
- control volume 238
- convection 288
- convection–diffusion equation 289
- convective derivative 297
- convergence order 178
- Conway's Game of Life 311
- Conway.r 311
- cornea 307
- corneo-scleral shell 307
- correlation 51
- cover graphic 295
- CRD 100
- CRD.ods 101
- CRD.r 102
- critical ethnography 111
- crop.csv 61
- cross-validation 79, 99
- csv data 52
- CT 119
- CubeTop 281, 284
- cut plane plot 285, 301
- cylindrical coordinates 253
- d**
 - DAE 314
 - Darcy 97, 290
 - Darcy, H. 290
 - Darcy velocity 290
 - Darcy's law 290
 - Darwin, C. 312
 - data
 - conversion to function 222
 - importance of 142
 - data compression 114
 - data-driven model 35
 - Delaunay triangulation 273
 - density 55
 - dependent variable 66
 - descriptive statistics 48
 - design 41, 43
 - design of experiments 99
 - m^{n-k} design 108
 - m^n design 106
 - blocked design 103
 - completely randomized design 100
 - CRD 100
 - experimental units 101
 - factor 101
 - Factorial designs 106, 107

- fractional factorial designs 108
- full factorial design 107
- Graeco-Latin square design 105
- hybrid factorial designs 106
- Latin square design 104
- level 101
- nuisance factors 100
- optimal sample size 108
- randomized balanced incomplete block design 106
- randomized complete block design 103
- RCBD 103
- treatments 101
- two-level factorial designs 106
- `design.graeco` 106
- deterministic model 42
- deterministic system 42
- `dfn` 185
 - nonautonomous case 220
- `dfn1` 196
- difference equation 44, 309, 310
- differential equation 40, 44, 117
 - boundary condition 133
 - discretization 176, 258
 - distinguished role of 118, 119
 - initial condition 131, 133
 - natural approach 117, 131
 - ordinary 118
 - partial 118
 - uniqueness of solution 133
- differential-algebraic equation 258, 314
- diffusion 288
- diffusion equation 288
- dimension 42
- dimensionality 248, 250
- dimensionless ODE/PDE 208
- direct problem 43
- direct solution method 265
- Dirichlet boundary condition 247
- discrete distributions 60
- discrete event simulation 7, 44, 111
 - software 112
- discrete model 44, 310
- discrete random variables 54
- discrete system 42
- discretization method 176, 258
- discriminant 244
- dispersion 50
- displacement vector 306
- DISPO filter 114
- distributed 38
- distribution 55
 - discrete 60
 - Gamma 60
 - Gaussian 57
 - normal 57
 - Student's 60
 - uniform 57
- DOE
 - see design of experiments 99
- Don'ts of mathematical modeling 45
- dynamic viscosity 290, 297
- dynamical systems theory 207, 225
- e**
- EDF 299
- effective quantity 128
- Einstein, A. 46
- elasticity
 - linear static 306
- Elmer 274
- empirical model 35
- equations
 - system of linear 26
 - transcendental 29
- error
 - approximation 188
 - global 187
 - in numerical computations 188
 - local 187
 - roundoff 188
 - truncation 188
- error function 155
- Euler equations 297
- Euler method 175
- Euler–Tricomi equation 244
- `Euler.mac` 177
- event 54
 - simple 54
- everything deforms 303
- everything flows 303
- evolution theory 312
- evolutionary algorithms 109
- evolutionary computation 110
- examples
 - air pollutant 63
 - alarm clock 122, 194
 - asparagus cultivation 228, 233, 295
 - beer filtration 302
 - body temperature 120
 - car 2, 5
 - chemical reactor 106
 - cleaning of bottles 302, 303
 - composite material 37
 - crop yield 61
 - diapers 296
 - drip irrigation 295
 - electrical insulations 291

examples (*contd.*)

- electrostatic potential 264
 - eye tonometry 306
 - fermentation 289, 298
 - filtration processes 302
 - fluid mixtures 24
 - fungicides 64
 - GAG urine concentration 72
 - game of life 311
 - hardness testing 103
 - herbicide resistance 312
 - host-parasite interaction 309
 - house paint 99
 - hygienic materials 296
 - investment data 81
 - Martian 15
 - mean age 13
 - mechanical spring 31
 - medical imaging 315
 - metal rod 147
 - oil exploration 97
 - oil recovery 293
 - option pricing 287
 - paper machine 296
 - pharmacokinetics 223
 - planetary motion 40
 - plant gas exchange 312
 - plant growth 226
 - plant maintenance 312
 - portfolio optimization 110
 - potatoes 107
 - predator–prey interaction 41, 205
 - queuing analysis 60
 - relativistic mechanics 13
 - reservoir simulation 293
 - rose wilting 37, 75
 - seashells 311
 - soil moisture 295
 - soil pollutant transport 289
 - soil water dynamics 293
 - stormer viscometer 83
 - survival of the fittest 312
 - “system 1” 32, 35
 - “system 2” 36
 - tank 14, 16
 - tank labeling 27
 - technical textiles 296
 - therapeutic drugs 223
 - tin 14, 16, 18
 - washing machine 111
 - wear resistance 37
 - wine fermentation 211, 312
- Excel 48
- comparison with Calc 48
- expected value 59
- experimental design 83
- see design of experiments 99
- experimental units 101
- experiments
- vs. mathematical model
 - see mathematical model 18
 - importance of 17, 143
- explanatory variable 65
- explicit FD method 263
- explicit ODE 314
- exponential function 130
- exponential growth model 226
- eye tonometry 306
- f**
- FacBlock.r 107
- factor 64, 101
- factor level 64
- factorial designs 106
- FD method 258
- comparison with FE method 267
 - computation time 154, 266
 - stability 262
 - von Neumann stability analysis 263
- FE method 231, 258, 266
- a posteriori error estimates 273
 - adaptive mesh refinement 273
 - CAD software 272
 - comparison with FD method 267
 - computation time 154, 266
 - Delaunay triangulation 273
 - finite element 266
 - geometry definition step 272
 - grid 267
 - idea 267, 269
 - instationary case 273
 - knot 267
 - locally refined mesh 267
 - main steps 272
 - mesh 267
 - mesh generation step 272
 - mesh quality 273
 - mesh refinement 273
 - nonlinear case 273
 - nonlinear PDE 273
 - postprocessing step 273
 - software 274
 - solution step 273
 - triangulation 267
 - unstructured grid 267
 - weak formulation 267
 - weak problem formulation step 273
- feed-forward neural network 89

- fermentation 211
 - fermentation.csv 218
 - Fermentation.r 217
 - data handling 203
 - FeverDat.mac 120
 - FeverExp.mac 121
 - FeverODE.mac 180
 - FeverSolve.mac 121
 - Fick's first law 288
 - filter 114
 - filtration velocity 290
 - finite difference approximation 259
 - finite difference method 150, 258
 - see FD method
 - finite element 266, 273
 - finite-element method
 - see FE method
 - finite volume method 258, 299
 - finite volumes 275
 - fitting an ODE to data 194
 - floor() 60
 - Fluent 274
 - fluid-structure interaction 273, 288, 302
 - formal definition 3
 - Fourier analysis 256
 - fourier analysis 114
 - Fourier's law 234
 - fractional factorial designs 108
 - free flow 302
 - FTCS method 263
 - full factorial design 107
 - fungicide.csv 64
 - fuzzy model 109
 - fuzzy subset 111
- g**
- GAG 72
 - gag.csv 72
 - Galerkin method 272
 - Gamma distribution 60
 - gas flow 297, 298
 - gastro-intestinal tract 223
 - Gates argument 133, 140
 - Gauss, C.F. 57
 - Gauss–Seidel-method 265
 - Gaussian distribution 57
 - Gaussian elimination 265
 - Gear method 180
 - generalization property 96
 - genetic algorithm 110
 - software 110
 - geometric mean 50
 - GI tract 223
 - glaucoma 306
 - global error 187
 - control of 189
 - glycosaminoglycans 72
 - Goldmann applanation tonometry 306
 - Graeco-Latin square design 105
 - gray box model 10, 35
 - grid 267
 - growth model
 - see plant growth model
 - GUI 52, 322
- h**
- hammer-and-nail allegory 46
 - hat function 270
 - heat equation 137, 147
 - general form 238
 - problem 1 231
 - problem 2 231
 - problem 3 249
 - problem 4 251
 - problem 5 252
 - problem 6 276
 - with sinks/sources 284
 - heat flow rate 235
 - HeatClos.r 261
 - Heaviside step function 224, 228
 - Heraclitus 290
 - Hessian matrix 92, 94
 - heuristic error control 182, 189, 262
 - histogram 56, 58
 - holdout validation 79
 - homogeneous boundary condition 248
 - homoscedasticity 70, 76
 - Hooke's law 305
 - host–parasite interaction model 44
 - hybrid factorial designs 106
 - hydraulic conductivity 293
 - hypothesis test 61
 - power 62
 - type I error 61
 - type II error 61
- i**
- ill posed 316
 - image processing 114
 - implicit FD method 263
 - implicit ODE 314
 - implicit solution 165
 - impregnation processes 291
 - incompressible flow 291, 297, 298
 - independent variable 65
 - indirect measurement technique 204
 - inertia in modeling 46

- inferential statistics 60
- inhomogeneous boundary condition 248
- initial condition 131, 133–135, 140, 143, 148, 149, 160
 - why? 149
- initial value problem 133, 136, 143
 - definition 146
 - definition for ODE system 151
- input–output system 9
- instationary 38
 - model 42, 44
 - PDE 273
- integral equation 44, 272
- inverse problem 43, 204, 314, 315
- inviscid flow 297
- IOP 306
- isosurface plot 285, 301
- isotropy 239, 305
- iteration 244
 - nested 265
- iterative methods 264, 265

- j**
- Jacobi method 265
- jemula 112

- k**
- klein.csv 81, 91
- Krylov subspace methods 272

- l**
- Label.mac 29
- Lame's constant 305
- Lame's equations 306
- laminar flow 298
- Laplace operator 234
- Latin square design 104
- law of inertia 46
- leap frog scheme 263
- least squares filter 114
- level 101
- levels of measurement 63
- limit cycle 225
- linear equations
 - arising from PDE's 265
 - direct solution 264, 265
 - Gauss–Seidel-method 265
 - Gaussian elimination 265
 - iterative methods 265
 - iterative solution 264
 - Jacobi method 265
 - LU decomposition 265
 - relaxation methods 265
- linear model 43
- linear programming 30
 - example 30
 - solution using Maxima 31
- linear regression 65
 - as hypothesis test 63
- linear static elasticity 306
- LinRegEx1.r 67, 70, 78
- LinRegEx2.r 76, 78
- LinRegEx3.r 79
- LinRegEx4.r 73
- LinRegEx5.r 74
- Lipschitz continuity 147, 151
- local error 187
- locally refined mesh 267
- logical variable 92
- logistic function 90
- logistic growth model 226
- loop 261
- Lotka-Volterra model 173, 205, 207
- low pass filters 114
- LS-DYNA 274
- LSD.r 105
- LU decomposition 265
- lumped 38
- lumped model 42, 137, 225

- m**
- M-Plant 112
- Macsyma 323
- Magnetic Resonance Imaging 119
- management model 43
- mass balance 223
- material derivative 297
- material law 304
- Mathematica 165
- mathematical model 12
 - algebraic equation 40
 - and experiments, XIII 18, 28, 142
 - as door opener 20
 - as hypothesis generator 142, 143
 - careful interpretation 142
 - check units 22
 - classification 39
 - differential equation 40
 - generalization property 96
 - heuristic procedure 23, 25
 - in three steps 20
 - law of inertia 46
 - limitations 142
 - main benefit 16
 - mechanistic vs. phenomenological 36
 - naturalness 11
 - practical recommendations 20
 - pragmatic approach 34

- to visualize data 99
- mathematics
 - role of 9, 20
- Maxima 18, 317
 - . operator 121
 - : operator 177
 - = operator 177
 - [...] 18, 24
 - %e 162
 - %i 18
 - %pi 18
 - assignment operator 177
 - batch 323
 - batch mode 323
 - command mode 323
 - complex number 18
 - conditional execution 126
 - constants 159
 - decimal results 27
 - define 18
 - desolve 166
 - diff 18, 158
 - do 177
 - equation operator 177
 - expand 161
 - find_root 29
 - foolproof commas 24
 - for...thru...do 29, 177
 - function definition 18
 - ic1 160
 - ic2 160
 - if...then 126
 - imaginary number 18
 - initial condition 160
 - integrate 161, 168, 171
 - iterations 177
 - limit 172
 - linear programming 31
 - list 18, 24
 - load 31
 - loops 29, 177
 - maximize_lp 31
 - numer 18, 27
 - numerical integration 161
 - ode2 158
 - plot2d 120
 - plotdf 210
 - pred 18
 - print 30
 - QUADPACK 161
 - read_nested_list 120
 - rhs 18, 181
 - rk 179, 181
 - limitations 179
 - scalar product 121
 - simplex 31
 - solution of ODE's 158, 160
 - solve 18, 24, 29, 121, 132
 - vs. Mathematica 165
 - wxMaxima 324
- maximum likelihood estimate 66
- measurement errors 53, 70
- measures of position 49
- measures of variation 50
- mechanics
 - Newtonian 13
 - quantum 46
 - relativistic 13
- mechanistic model 35, 38, 117, 229
 - analogy with archeology 118
 - comparison with phenomenological approach 36
 - example “a priori” information 35
 - interpretable parameters 137
 - to explain “strange effects” 123
- median 50
- mesh 267
 - generation 272
 - quality 273
 - refinement 273
- method of lines 258
- Michaelis-Menten kinetics 213
- Microsoft Office 48, 274
- Minsky's model definition 3
- mirror symmetry 252
- Mix.mac 24
- Mix1.mac 26
- MMS.zip 317
- model
 - analytical 44
 - autonomous 44
 - best 4
 - black box 10, 35
 - conceptual 8, 124
 - continuous 44
 - data-driven 35
 - definition 3
 - deterministic 42
 - discrete 44
 - distributed 38, 39
 - empirical 35
 - gray-box 35, 127
 - instationary 38, 42, 44
 - linear 43
 - lumped 38, 39, 42
 - management 43
 - mechanistic 35, 38, 117, 229
 - nonautonomous 44

model (*contd.*)

- nonlinear 43
- numerical 44
- phenomenological 35, 38, 42, 47
- physical 8
- regression 47
- research 43
- semiempirical 35, 127
- stationary 38, 42
- statistical 35
- white box 35

modeling 4

- idea 1
 - using effective quantities 128
- modeling and simulation project 5
- modeling and simulation scheme 4
- car example 2, 5
 - engine example 8
 - fermentation example 212
 - room temperature example 123

modulus of elasticity 305

modulus of rigidity 305

moving average approach 114

MRI 119

Mualem.*r* 293

Mualem/van Genuchten model 293

mucopolysaccharidosis 72

multiphase flow 293, 296

Multiple R Squared 69

multiple regression 75

multiple shooting method 150

n

nabla operator 234

narrative analysis 111

natural system 41

naturalness of mathematical models 11

Navier's equations 306

Navier–Stokes equations 296

NETGEN meshing algorithm 281

Neumann boundary condition 248

neural network 43, 47, 87, 88, 109

- activation function 90
- applications 88
- approximation property 90, 92, 93
- bias 88, 89, 92
- biological interpretation 88
- feed-forward 47, 89
- fitting criterion 94
- Hessian matrix 94
- hidden layer 89
- input layer 89

– layer 88

– nnet 90, 92

– node 88

– output layer 89

– overfitting 92, 96

– regularization 96

– roughness 96

– scaling of inputs 92

– skip-layer connections 90

– software 110

– starting values 92

– to visualize data 99

– topology 89

– vs. nonlinear regression 94

– weight decay 96

– weights 89, 92

Newton method 243

Newton's law of cooling 137, 139

Newton's second law 297

Newtonian fluid 297

Newtonian mechanics 13

Nicholson–Bailey model 44, 310

NNEx1.*r* 91, 98NNEx2.*r* 98

no flow boundary condition 248, 254

no-slip condition 298

nominal level of measurement 63

non-newtonian fluid 297, 298

nonautonomous model 44

nondimensionalization 208

nonlinear model 43

nonlinear regression 80

NonlinRegress 195

NonRegEx1.*r* 82, 91NonRegEx2.*r* 84

normal distribution 57, 60

notation convention 14

null hypothesis 61

numerical differentiation 113

numerical mathematics

- significance of 174

numerical model 44

numerical solution 154

- vs. closed form solution 169

o

observed significance level 62

OCC viewer 277

ODE 40, 118

- abbreviated notation 143

- absolute error control 188

- as a challenge 131, 153

- autonomous 146

- boundary value problem 147, 148

- solution methods 150
- coupling 170, 174, 287
- dimensionless 208
- explicit 314
- family of solutions 157
- first order 143
 - definition 145
- first order system
 - definition 150
 - definition i.v.p. 151
- fitting to data 194
- general solution 157, 158
- hand calculation methods 173
- higher order
 - reformulation as first order 145
- implicit 314
- implicit solution 165
- initial condition 143
- initial value problem
 - definition 146
 - naturalness 150
- limitations 229
- linear 152, 171
- nonautonomous 220, 221
 - numerical solution 221
- nonlinear 152, 154
- notation 144
- notation convention 157
- numerical solution
 - Adams method 180, 210
 - adaptive stepsize 176
 - BDF method 180
 - choice of stepsize 182
 - convergence order 178
 - Euler method 175
 - Gear method 180
 - global error 187, 189
 - heuristic error control 182, 189
 - local error 178, 187
 - nonautonomous case 221
 - order of a method 179
 - Runge-Kutta method 179
 - step size 176
 - validation 177
 - vs. closed form sol. 169
- order 134
- parameter estimation 194, 201
 - as indirect measurement procedure 204
 - boundary value approach 199
 - convergence region 199
 - initial value approach 199
- particular solution 157
- phase plane plot 209
- relative error control 188
- second simplest 148
- separation of variables 161, 163, 173
- setup 138, 139
 - phenomenological approach 138, 139
 - rate of change approach 138, 139
 - theoretical approach 138, 139
- simplest 148
- stiff 179
- structural stability 209, 211
- unique solvability 147
- used everywhere 153
- variation of constants 166, 167, 173
- variation of parameters 167
- well-posed 246
- ODEEx1.mac 159
- ODEEx1.r 184, 226, 228
- ODEEx10.mac 166
- ODEEx11.mac 167
- ODEEx12.mac 169
- ODEEx13.mac 170
- ODEEx14.mac 171
- ODEEx15.mac 172
- ODEEx16.mac 173
- ODEEx2.r 191
- ODEEx3.mac 160
- ODEEx3.r 224
- ODEEx4.mac 160
- ODEEx5.mac 161
- ODEEx7.mac 162
- ODEEx8.mac 162
- ODEEx9.mac 165
- ODEFitEx1.r 195
- ODEFitEx2.r 198
- ODEFitEx3.r 199
- ods file format 49
- oil recovery 293
- one-dimensional model 147
- one-dimensional problem 250
- Open CasCade 277
- open source software
 - vs. commercial software 274
- OpenFoam 274
- OpenModelica 112
- Openoffice 274
- optimal control problem 312, 313
- optimal sample size 108
- optimization 41, 312
 - qualitative 216, 221
 - using simulations 233
- option pricing model 287
- order
 - of ODE 134
 - of PDE 241

- ordinary differential equation
 - see ODE 118
- overfitting 92, 96
- p**
- $P()$ 54
- p-value 61
- panta paramorfontai 303
- panta rhei 290, 296, 303
- parallel computation 299
- parameter estimation
 - as inverse problem 204
 - hand tuning 126, 141
 - heuristic 121
 - in ODE's 194
 - general problem formulation 201
 - initial values 197
 - sensitivity analysis 200
- parameter estimation problems 315
- parameter identification 43
- partial differential equation
 - see PDE 39
- PDE 39, 40, 118, 229, 241
 - as a challenge 154
 - boundary condition
 - Dirichlet 247
 - Neumann 248
 - no flow 248, 254
 - periodic 254
 - Robin 248
 - role of physical intuition 247
 - symmetry 248, 254
 - classification 244
 - closed form solution 254
 - computation time 154
 - conservation law 242
 - coupled problems 233
 - coupling 287
 - definition 241
 - dimensionality 248
 - discriminant 244
 - elliptic 244
 - example derivation 235
 - first order 242
 - from conservation principles 236
 - homogeneous boundary condition 248
 - hyperbolic 244
 - importance of 231, 232, 241
 - importance of 1st and 2nd order 241
 - inhomogeneous boundary condition 248
 - initial/boundary conditions 245
 - “rule of thumb” 246
 - instationary 273
 - linear 243
 - vs. nonlinear 243
 - general form 244
 - linearization 243
 - nonlinear 243, 273
 - general form 242, 243
 - solution 243
 - numerical solution 257
 - error control 262
 - stability 262
 - one-dimensional problem 250
 - order 241
 - parabolic 244
 - second order 243
 - separation of variables 255
 - shock wave 242
 - solution
 - BTCS method 263
 - computational efficiency 264
 - existence 246
 - explicit FD method 263
 - finite difference method 258
 - finite-element method 258, 266
 - finite volume method 258
 - FTCS method 263
 - implicit FD method 263
 - leap frog scheme 263
 - method of lines 258
 - spectral method 258
 - stability 246
 - uniqueness 246
 - standard form 245
 - stationary solution 147, 245
 - symmetry 248, 252
 - three-dimensional problem 250
 - two-dimensional problem 250
 - variational formulation 269
 - weak formulation 269, 271
 - well-posed 246
- periodic boundary condition 254, 292
- periodicity cell 292
- permeability 43, 290, 291
- pharmacokinetics 223
- phase plane plot 209, 225
- phenomenological model 35, 38, 42, 47
 - vs. mechanistic model 127
- physical model 8
- physical system 41
- plant growth model 226
 - exponential 226
 - logistic 226
- Plant1.r 226
- Plant2.r 226

- Plant3.r 228
- Plato 45
- Poisson equation 264, 268
- Poisson's ratio 305
- polynomial regression 73
- Pontryagin's principle 313
- population 50
- population dynamics 205, 310
- poroelasticity 296
- porosity 291
- porous medium 43, 290
- power of a test 62
- pragmatic approach 34
- predator-prey model 41, 205
- predicted measured plot 76, 77
 - vs. conventional plot 85
- prediction 41
- predictor variable 65
- pressure head 293
- PrintConfidence 196
- probabilistic networks 109
- probability 52–54
 - axiomatic definition 54
 - classical approach 54
 - relative frequency approximation 55
- probability density 55
- probability density function 56
- probability distribution 56
- probability function 54
- Problem 1* 231
- Problem 2* 231
- Problem 3* 249
- Problem 4* 251
- Problem 5* 252
- Problem 6* 276
- pseudo- R^2 69
- pseudo-random numbers 79
- Python 277
- q**
- qualitative models 111
- qualitative optimization 216, 221
- quantum mechanics 46
- r**
- R 47, 48, 274, 317, 321
 - > 321
 - advantage of scripting 67
 - agricolae 101
 - anova 64
 - array indexing 185
 - as.data.frame 190
 - atol 186
 - atolDef 219
 - batch mode 321, 322
 - BHH2 108
 - c() 185
 - command mode 322
 - command prompt 321
 - compared to Calc 51
 - confint 83
 - curve 58
 - data frames 190
 - decompose 114
 - design.ab 107
 - design.bib 106
 - design.crd 101, 102
 - design.lsd 106
 - design.rcbd 103
 - Ecdat library 81
 - executing programs 321
 - expand.gridexpand.grid 107
 - ffDesMatrix 108
 - fft 115
 - for 261
 - formula notation 71, 78, 84
 - function 186
 - conversion from data 222
 - definition of 185
 - GAGurine data 72
 - genalg 110
 - hist 58
 - I() 74, 84
 - list 185
 - lm 71, 82
 - log 98
 - logical variable 92
 - loops 261
 - lsoda 180, 184, 221
 - hmax 221
 - lwd 52
 - MASS library 72, 84
 - nls 82
 - weights 223
 - nls.control 82
 - nlsTolDef 196
 - nnet 90, 92, 110
 - starting values 6, 93, 94
 - par 52
 - plot 52, 72
 - power.anova.test 108
 - power.prop.test 108
 - power.t.test 108
 - predict 72, 79
 - print 102
 - programs 321
 - R Commander 63, 66, 76, 322
 - limitations 67

- R (contd.)
 - read.table 62
 - rnorm 58
 - rtol 186, 188
 - rule of thumb 188
 - rtolDef 219
 - sample() 79
 - scatterplot 52
 - scripts 321
 - seq 72, 190
 - simcol 112, 311
 - SoPhy 289
 - source 321
 - t.test 62
 - wavelets 115
 - waveslim 115
 - wavetresh 115
- R Commander 63, 322
 - compared to Calc 51
 - graphs menu 52
 - import of csv data 52
 - introduction 51
 - regression 67
 - script window 52
 - statistics menu 52
 - t-test 63
- R^2 68
 - adjusted 78
 - negative values 69
 - pseudo- R^2 69
- Radon transform 315
- random processes 52
- random sampling 50
- random variable 53
 - continuous 54
 - discrete 54
- randomized balanced incomplete block design 106
- randomized complete block design 103
- range 51
- RANS equations 298
- rapid prototyping 41
- ratio level of measurement 63
- RCBD.r 103
- RCBD 103
- recurrence relation 310
- reduced system 16
- refined mesh 267
- regression 43, 47
 - function 65
 - assumptions 70
 - closeness condition 68
 - coefficients 65
 - dependent variable 65
 - explanatory variable 65
 - formula notation 71
 - independent variable 65
 - linear 32, 65
 - general form 73
 - multiple (linear) 74, 75
 - graphical interpretation 87
 - nonlinear 80
 - general form 86
 - polynomial 73
 - predicted measured plot 76
 - prediction 68
 - predictor variable 65
 - residuals 67
 - response variable 65
 - spline 74
- regression line 67
- regularization 96
- relative error control 188
- relative permeability 294
- relativistic mechanics 13
- relaxation methods 265
- research model 43
- reservoir simulation 293
- residual sum of squares 66, 76, 202
- residual water content 294
- residuals 67
- resin transfer molding 114, 292
- response surface designs 106
- response variable 65
- Reynolds-averaged N.-S. equations 298
- Richard's equation 293
- RNumbers.r 55, 58, 112
- Robin boundary condition 248
- rock.csv 97
- RoomDat.mac 122
- RoomExp.mac 126
- RoomODE.mac 183
- RoomODED.mac 141
- rotational symmetry 253
- rough sets 109
- roundoff error 188
- RSQ 66
- RTM 114, 292
- Runge-Kutta method 179
- s**
 - Salome-Meca 276, 301, 302, 317
 - arrow plots 285
 - batch mode 277
 - box construction 278
 - cut plane plot 285, 301
 - geometry definition 277
 - isosurface plot 285, 301

- mesh generation 281
- object browser 277
- OCC viewer 277
 - clipping plane 279
 - excision 279
 - shading mode 279
 - transparency 279
 - wireframe mode 279
- point construction 278
- postprocessing step 285
- Python 277
- Python Console 277
- sample session 276
- solution step 283
- sphere construction 278
- streamline plot 285, 301
- vector plot 301
- VTK 3D viewer 281
- sample 50
 - random sampling 50
 - stratified sampling 50
- sample correlation coefficient 51
- sample size 108
- sample space 54
- sample standard deviation 50
- saturated water content 294
- Savitzky-Golay filter 114
- scale 43
- sclera 307
- seepage velocity 290
- semiempirical models 35
- sensitivity 155
- sensitivity analysis 155
- separation of variables
 - ODE's 161, 163
 - PDE's 255
- shear modulus 305
- shock wave 242
- shooting method 150
- signal processing 113
 - software 114
- significance level 61
- significance, statistical 61
- SIMPROCESS 113
- simul8 113
- simulation 4, 5
 - and experiments
 - see mathematical model, XIII
 - definition 7
 - discrete event 7
- singular point 211
- skip-layer connections 90
- slip condition 299
- sluggish fermentation 211
- Sobolev space 157, 268, 271
- soft computing 109
 - software 110
- software
 - role of 19
- software templates 319
- soil moisture simulation 295
- source term 289
- space step 259
- sparse matrix 265, 270
- specific heat capacity 233, 234
- spectral method 258
- speculation 41, 43
- SphereSurf 281, 284
- spline regression 74
- spreadsheet data 48
- spring.csv 32, 67
- spring.ods 49
- SPSS 274
- SQM space 40
- stability 246, 262
- standard deviation
 - of random variable 59
 - sample 50
- state variable 16
 - instantaneous changes 216
- stationary 38, 147
- stationary model 42
- stationary solution 232, 245
- statistical dispersion 50
- statistical model 35
- statistical significance 61
- statistical tests 61
- statistics 33
 - descriptive 48
 - inferential 60
- stepsize 176
- stiff ODE 179
- Stiff.mac 179
- stochastic system 42
- stormer viscometer 83
- stormer.csv 84
- strain 304
- stratified sampling 50
- streamline plot 285, 301
- stress tensor 304
- structural mechanics 303
 - software solution 306
- structural stability 209, 211
- stuck fermentation 211
- Student's t-distribution 60, 70
- substantive derivative 297
- superficial velocity 290
- supersonic flow 243

support of a function 271
 survival of the fittest 110, 312
 symmetry 248, 252
 – mirror 252
 – rotational 253
 – translational 252
 symmetry boundary condition 248, 254
 symmetry condition 298
 system 1
 – conceptual 41
 – continuous 42
 – definition 8
 – deterministic 42
 – discrete 42
 – input-output 1, 31
 – natural 41
 – parameters 16
 – physical 41
 – reduced 16
 – stochastic 42
 – technical 41
 system 1, 2, 32, 35, 36
 systems analysis 4, 5
 systems archeology 119

t

t distribution 70
 t-test 62
 – independent 63
 – one-sample 63
 – one-sided 63, 108
 – paired 63
 – two-sample 62
 – two-sided 63
 technical system 41
 templates 319
 tensor 304
 test data 79
 thermal conductivity 233, 234
 three-dimensional problem 250
 three-step modeling procedure 20
 time step 259
 Tin.mac 18
 tInt 222
 title page 295
 trace of a matrix 305
 TraceProc 196
 training data 79
 transcendental equation 29
 translational symmetry 252
 transonic flow 244
 treatments 101
 triangulation 267
 truncation error 188
 TTest.r 62

turbulence 298
 turbulent flow 298
 two-dimensional problem 250
 two-level factorial designs 106
 two-phase flow 293
 type I error 62
 type II error 62

u

unconditionally stable 263
 uniform distribution 57
 unstructured grid 267

v

validation 4, 5
 – holdout 79
 – importance of 33
 – qualitative 6, 127
 – quantitative 6
 variation of constants 166, 167
 variation of parameters 167
 variational formulation of PDE 269
 vector plot 301
 virtual engineering 41
 virtual prototyping 41
 viscosity 290, 297
 visualization of datasets 99
 VolPhase.mac 210
 Volterra.r 206
 VolterraND.r 209
 volumetric flux density 290
 volumetric water content 293
 volZ.csv 75
 von Neumann stability analysis 263

w

water retention curve 293
 wave equation 245
 wavelet transform 114
 weak derivative 269
 weak formulation of PDE 269, 271
 weak solution 269
 weight decay 96
 weighting factors 202
 – in ODE system 222
 weights 92
 well-posed problem 246
 what-if studies 41
 WhichData 223
 white box model 10, 35
 wine fermentation 211
 wxMaxima 18, 158, 159, 324

y

Young's modulus of elasticity 305