

Index

- 2,2,6,6-tetramethylpiperidine-1-oxyl, *see* TEMPO
- 2,2-diphenyl-1-picrylhydrazyl, *see* DPPH
- 2-D-ELDOR, *see* two-dimensional electron-electron double resonance
- a**
- absorption spectrum 100, 203, 428, 449, 536, 666, 668, 669
- actinide ions 354
- AFC, *see* automatic frequency control
- AFM, *see* atomic force microscopy
- amorphous systems 474, 475
- analog-to-digital converter (ADC) 196, 203
- analytic derivative approaches 311
- angular frequency 97, 200, 205, 405, 526, 562, 739, 827
- angular overlap model (AOM) 57, 58, 88, 89, 91, 92
- anisotropic interactions 737, 741–742, 886, 903, 1000
- anisotropic tumbling 505
- antibonding orbital 85, 87
- antiferromagnetic exchange interaction 479, 732
- AOM, *see* angular overlap model
- aqueous samples 33, 193, 229, 246, 252, 282, 785
- arbitrary waveform generator (AWG) 195, 196, 234
- asymmetry parameter 104, 319, 393
- atomic force microscopy (AFM) 826
- attenuator 5, 6, 162, 173, 194, 195, 764
- automatic frequency control (AFC) 5, 9, 176, 238, 764, 765, 767, 768, 800
- AWG, *see* arbitrary waveform generator
- b**
- backward diode 8, 164, 165
- backward-wave oscillators 12, 937
- baseline 575, 655, 768, 828, 829
- BC time 899
- bimodal resonator 239
- biological systems 29, 192, 197, 541, 619, 620, 622, 624, 626–628, 630, 632, 634, 636, 638, 640, 660, 661, 675, 711, 755, 758–760, 826, 838, 839, 885, 921, 939, 960, 967, 980, 1002
- free radicals 18, 19, 197, 755, 759, 788
- membranes 619, 632
- Bloch decay 203
- Bloch's phenomenological equations 185, 459, 720, 727, 759, 784, 926, 974, 998
- modified 974
- blocking temperature 829, 845, 848, 869, 871
- Bohr magneton 118, 126, 146, 185, 299, 335, 551, 620, 647, 649, 756, 852, 950
- Boltzmann distribution 859, 933, 964
- Boltzmann factor 30, 118, 250, 350, 535, 923
- Boltzmann population 979
- Born-Oppenheimer approximation 95
- Born-Oppenheimer (BO) Hamiltonian operator 300
- box-car integrator 194, 196
- Breit-Pauli approximation 305
- broadening, *see* electron paramagnetic resonance (EPR), line broadening
- Brownian motion 499, 514
- c**
- carbenes 960
- catalytic activity 833, 839
- CEF, *see* crystalline electric field
- CFT, *see* crystal-field theory
- chemical exchange 518, 927
- chemical kinetics 960
- chemical oxidation 881
- chemical shift anisotropy (CSA) 738, 740

- chemically induced dynamic electron polarization (CIDEP) 499, 947, 949, 952, 954, 967–984, 1001
 – mechanism of 967, 969, 984
- chemically induced dynamic nuclear polarization (CIDNP) 16, 499, 923, 947–949, 952–966, 969, 984
- CIDEP, *see* chemically induced dynamic electron polarization
- CIDNP, *see* chemically induced dynamic nuclear polarization
- circulator 4, 5, 7, 138, 141, 173, 177, 182, 193–195, 765
 – four-port 173, 174
- Clebsch-Gordan coefficients 69, 96
- coaxial components 6, 10, 119, 127–129, 131, 154, 157, 159, 161, 162, 164, 168, 173–175, 194, 200, 258, 262, 265, 281, 801, 802, 807, 956
- coaxial transmission line 119, 161, 262, 801
- cofactors 619, 639, 876, 877, 879, 882, 886, 890, 900, 902, 903, 965, 966
- collisions 482, 485, 719, 727, 739, 740, 742, 743, 746, 747, 948
- computer simulation of EPR spectrum, *see* electron paramagnetic resonance (EPR)
- conduction electrons 495, 922
- copper complexes 677, 679, 681, 686, 710
- correlated ab initio approaches 303
- correlation energy 303
- correlation spectroscopy (COSY) 2, 215, 466, 518
- correlation time, *see* rotational correlation time
- COSY, *see* correlation spectroscopy
- coulomb interaction 60, 61, 71, 73, 92
- coupled-perturbed self-consistent field (CP-SCF) method 311, 320
- coupled representation 81
- coupling parameter 339, 887
- Covalency 105
- covalency effects 352, 354
- CP-SCF method, *see* coupled-perturbed self-consistent field (CP-SCF) method
- Crystal-field potential 65–67, 386, 469
- crystal-field theory (CFT) 57–83, 85, 87, 102, 338
 – Critique of 82
 – d-orbital 63–65
 – p-orbital 63
- crystalline electric field (CEF) 59, 65, 66, 347, 348
- crystalline materials 117
- crystals
 – coordinate system 883
 – types of 504, 816
- CSA mechanism, *see* chemical shift anisotropy (CSA) mechanism
- Curie law 804, 810
- cutting-edge topics in EPR 20, 999–1002
- CW-EPR, electron paramagnetic resonance (EPR)
- CYCLOPS 199
- cyclotron resonance 12
- cytotoxicity 833, 834
- d**
- data collection 200, 285, 572, 768, 769, 773, 783
- Dead time 191, 192, 200
- DEER, *see* double electron-electron resonance
- density functional theory (DFT) 298, 304, 305, 310, 311, 317, 324, 449, 648, 659, 672, 673, 675, 708, 710, 884, 885, 891, 892, 899, 1002
- dephasing 456, 457, 483, 484, 549, 556, 721–723, 950, 959
- descent of symmetry 329, 332, 381, 382
- detection system 4, 5, 8, 14, 132, 146, 151, 180, 186, 187, 192, 272–278, 286, 405, 466
- detector current 8, 134, 768
- deuteron 167, 889
- DFT, *see* density functional theory
- diamond core 695, 849
- dielectric constant 7, 192, 246, 248, 252, 254, 257, 266, 268, 625, 705, 706, 837
 – complex 248, 252, 268, 705
- dielectric resonator oscillator (DRO) 180, 182
- dipolar interactions 16, 548–550, 554, 556, 719, 720, 724, 726, 734, 738, 739, 741, 742, 746, 831, 860, 867, 872, 925, 928
 – electron-electron 548, 549
 – electron-nuclear 549
- dipole moment 880
- disordered state (glassy) spectrum 437, 438
- dispersion 148, 149, 187, 203, 217, 277, 288, 289, 469, 721, 723, 731, 737, 744, 927, 941, 959
- distance measurement by EPR 545–575
- DNP, *see* dynamic nuclear polarization
- double electron-electron resonance (DEER), same as pulsed electron double resonance (PELDOR) 2, 20, 218, 219, 288, 291, 545, 546, 549–559, 570–575, 577, 579, 581, 583, 722, 737, 836, 893, 894, 903, 995, 1001
 – thermal noise 187, 191, 271, 272, 275, 278, 280, 290, 809

- double-perturbation theory (DPT) 311
- double quantum coherence (DQC) 2, 17, 20, 220–223, 288, 291, 545, 546, 549, 559–576, 583, 584–588, 722, 737, 836, 995, 1001
- DONUT-HYSCORE 213, 217, 218
- DPPH (2,2-diphenyl-1-picrylhydrazyl) 47, 139, 140, 238, 281, 724, 725, 733, 742, 796, 856
- DPT, *see* double-perturbation theory
- DQC, *see* double quantum coherence
- dressed-state solid effect (DSSE) 936
- DRO, *see* dielectric resonator oscillator
- DSSE, *see* dressed-state solid effect
- dynamic nuclear polarization (DNP) 188, 253, 720, 741, 921–926, 928–943, 978, 996, 997
- high-field DNP 923, 942, 943
- e**
- echo amplitude 215, 216, 465, 550, 553, 554, 557, 560, 570, 581, 588, 722, 811
- EDM, *see* electrical discharge machining
- effective spin Hamiltonian 110, 853, 860
- EFG, *see* electric field gradient
- EHMO, *see* extended Hückel molecular orbital theory
- eigenvalue equation 450, 453, 454
- eigenvalues of spin Hamiltonian 102, 333, 411
- ELDOR, *see* electron-electron double resonance
- electric field gradient (EFG) 307, 319
- electrical discharge machining (EDM) 251
- electromagnetic field 239, 247, 264, 268
- electromagnetic radiation 755, 756, 914
- excitation 914
- electron
- charge on 339
- mass of 95, 104
- electron density 302, 304, 319, 683, 685, 929
- at the nucleus 929
- electron distribution 16
- electron-electron double resonance (ELDOR) 2, 16, 17, 20, 129, 180, 218, 223, 229, 235, 238–242, 288, 466, 497, 498, 516–522, 540, 549, 556, 740, 934
- electron magnetic resonance (EMR) 1
- electron-nuclear double resonance (ENDOR) 129, 180, 181, 208, 209, 211–217, 223, 281, 289, 386, 404, 412, 415, 429, 437, 498, 599, 648, 650, 656, 658, 690, 691, 720, 721, 882–889, 891, 895, 897, 899, 901, 903, 941, 995, 1000–1002
- cavity 181, 281, 941
- CW 129, 180, 211, 212, 281, 289, 648, 656, 658, 721, 889, 995, 1000
- double 180, 209, 217, 404, 429, 498, 648, 882, 895, 903, 941, 995
- energy levels 129, 209, 386, 404, 599
- enhancement 211, 941, 1001
- frequency 129, 180, 181, 211, 212, 216, 281, 289, 386, 437, 599, 648, 650, 656, 658, 720, 721, 757, 883, 884, 888, 889, 897, 899, 901, 903, 995, 1000, 1001
- lines 217
- pulsed 129, 180, 208, 211, 212, 214, 223, 289, 648, 650, 656, 658, 889, 895, 899, 903, 941, 995, 1000, 1001
- electron paramagnetic resonance (EPR)
- Abragam-Pryce spin Hamiltonian (iron group), *see* electron paramagnetic resonance (EPR) 102
- absorption signal 4, 9, 134, 177, 185, 248, 428, 449, 768, 775, 863, 949
- – first derivative of 9, 428, 449, 775
- applications of EPR 15–17, 19, 20, 623, 729, 786, 818, 1003
- continuous-wave (CW) EPR, *see* electron paramagnetic resonance (EPR) 1, 128–173, 231, 448, 461, 500–513, 545–548, 558, 648, 690, 721, 736, 755, 760–774, 798–805, 836, 879, 974, 995
- – spectrometer 3, 9, 128, 129, 135, 136, 140, 141, 143, 145, 147–149, 153, 159, 162, 168, 169, 173, 176, 177, 760, 799, 800, 975
- ENDOR-induced 212
- EPR data, theoretical interpretation 1002
- experimental considerations 229–290, 663
- frequency range of 9, 230, 242
- future 20, 1003
- high-field 19, 176, 282, 283, 291, 500–514, 830, 837, 854, 871, 875–879, 882–884, 886, 890, 893–904, 976, 997, 998, 1000
- imaging (EPRI) 2, 19, 191, 197, 199–201, 689, 755–790, 795–801, 803, 805–808, 810, 817–819, 821, 852, 1000
- in vivo 19, 163, 197, 741, 759, 765, 767, 768, 786, 886
- line broadening 35
- lineshapes 148, 499, 506, 508, 511, 515, 726, 787, 819, 854, 888
- low-frequency EPR 34, 35, 37, 262, 497, 661–663, 677, 767

- microscopy 795, 796, 798, 799, 801–803, 805, 807, 808, 810–812, 815, 816, 818, 819, 821
- pulsed 2, 7, 15–17, 20, 129, 156, 180, 182, 190–224, 235, 279, 280, 284–286, 288, 290, 463, 466, 497, 514–522, 541, 545–586, 623, 639, 648–650, 655, 656, 658, 711, 745, 769, 783, 784, 795, 796, 798, 805–810, 816, 836, 872, 882, 895, 896, 902, 903, 976, 997–1000, 1003, 1004
- scope of 139, 222, 276, 305, 759
- sensitivity 53, 132, 270–292, 786
- signals 19, 199, 229, 241, 248, 341, 463, 624, 709, 711, 761, 896, 975, 983
- spectra
 - – computer simulation of 36, 437, 447, 648, 655–659, 673, 702–705, 707, 709, 711
 - – extent of 664, 724
 - – Fourier-transformed 655
 - – polycrystalline (powder) (EPR) spectrum 42, 47, 117, 153, 409, 410, 417, 421, 423–427, 429–433, 435–437, 449, 451, 591, 593, 594, 628, 725, 850, 855
 - – single-crystal EPR spectrum 417, 419
 - – turning points in EPR spectra 37, 592–594, 722
- spectrometer 3–5, 9–11, 24, 128–133, 135–141, 143, 145–149, 151, 153, 155–157, 159, 161–169, 171–177, 179, 181, 183, 185, 187, 192–198, 202, 270–292, 591, 632, 633, 719, 759–761, 783, 785, 788, 798–801, 854, 855, 975, 998, 1000, 1004
- – block diagram of 10, 11, 133, 141, 145, 159, 162, 171, 172
- – cavity 5, 6, 8, 9, 12, 130, 137–139, 141, 143, 153, 238
- – CW 3, 9, 128–133, 135–141, 143, 145, 147–149, 151, 153, 155–157, 159, 161–169, 171, 173, 176, 177, 197, 202, 270–292, 760, 783, 798–801, 975, 998, 1000
- – frequency of 130, 132, 135, 141, 143, 149, 151, 157, 164, 171, 194, 800, 801
- – pulsed 129, 151, 177, 192–194, 197, 202, 279, 280, 284, 286, 290, 783, 798, 975, 998, 1000, 1004
- – sample tubes (extruded) 255
- tetrahedral field 77, 338, 340, 341, 344
- theory 57–111, 300, 498, 1003
- transitions 28, 43, 48, 49, 100–102, 110, 209–212, 361, 591, 650, 853, 854, 903, 923, 924, 926, 967, 973
- W-band EPR 12, 27, 28, 41, 52, 176, 177, 179, 185, 210, 229, 230, 235, 236, 240–242, 257, 263–265, 282, 285, 290, 429, 623, 625, 626, 641, 653, 724, 726, 728, 734, 736–738, 740, 747, 839, 840, 884, 886–890, 892, 894, 896–900, 939, 976, 977, 995
- X-band EPR 5, 23, 49, 281, 285, 423, 637, 677, 680, 681, 684, 691, 693, 695, 696, 702, 785, 837, 856, 871, 879, 881, 882, 886, 894, 895, 900, 902
- zero-field EPR (ZFR) 16, 28, 117–128, 159, 167, 168, 209, 314, 341, 392, 417, 441, 591, 592, 620, 650, 719, 853, 854, 863, 871, 879, 895, 903, 927, 968, 998, 999
- electron spin
 - angular momentum 209, 720, 727, 740
 - effective 95, 216, 235, 273, 298, 361, 521, 638, 740, 797, 812, 890, 971, 972
 - energy levels of 105, 209
- electron spin echo (ESE) 2, 219, 429, 437, 463–465, 514–517, 641, 879, 887, 890, 892, 897, 898, 903, 975, 976, 981, 999
- electron spin echo envelope modulation (ESEEM) 2, 40–42, 208, 209, 211, 214, 215, 223, 291, 466, 575, 648, 655, 658, 659, 722, 995, 1000
- electron transfer 639, 875, 876, 965, 966, 979, 980, 985
- electron-transfer reaction 17, 955, 963
- electronic states 85, 95, 96, 103
- electronic transitions 941
- EMR, same as EPR, *see* electron paramagnetic resonance (EPR)
- ENDOR, *see* electron-nuclear double resonance
- energy barrier 845, 846, 849, 853, 868, 869
- EPR, desirable applications of 1003
- EPR, *see* electron paramagnetic resonance
- EPR instrumentation, desirable advances in 995, 998
- EPR toolkit 649–659
- EPRI, *see* electron paramagnetic resonance (EPR), imaging
- EPRM, *see* electron paramagnetic resonance (EPR), microscopy
- ESE, *see* electron spin echo
- ESEEM, *see* electron spin echo envelope modulation
- ESR, same as EPR, *see* electron paramagnetic resonance (EPR)
- EXAFS, *see* extended X-ray absorption fine structure
- exchange integral 828
- exchange narrowing 724–725

- excitation magnetic field 871
excitation pulse 190, 572, 587, 759, 784, 810, 958
expectation value 319, 424, 529, 531, 533, 554, 556, 579, 925
extended Hückel molecular orbital theory (EHMO) 88
extended time excitation (ETE) 215
extended X-ray absorption fine structure (EXAFS) 901
- f**
Fabry-Pérot resonator 177, 187, 201
fast dynamics 522, 528
fast internal motion (FIM) model 630, 631
Felgett advantage 204
Fermi-contact interaction 339, 344, 360
ferromagnetic materials 826
ferromagnetic resonance (FMR) 826–828, 831
ferromagnets 20, 825
FID, *see* free induction decay
field modulation 11, 14, 119–121, 127, 130–136, 141, 143, 145, 148, 159, 162, 165, 172, 178, 241, 246, 247, 263, 268, 281, 282, 663, 678, 761, 768, 776, 784, 799, 800, 803, 974–976
filling factor 13, 118, 146, 154, 156, 157, 164, 168, 183, 201, 248, 254, 255, 272–276, 278, 281, 289, 290, 572, 663, 765, 766, 785, 809, 812, 941
FIM model, *see* fast internal motion model
fine structure 30, 35, 103, 123, 124, 208, 305, 339, 343, 353, 357–360, 362, 387, 394, 402, 429, 437, 442, 454, 467, 652, 670, 674, 697, 758, 855, 884, 900, 901, 1001
first-derivative 428, 449
flash-photolysis 955
flat cell 33, 246, 255–257
fluorescence 546, 797, 952
fluorescence resonance energy transmission (FRET) 546, 558, 559
FMR, *see* ferromagnetic resonance
forbidden transitions 44, 211, 289, 432, 438, 651, 662, 704, 705, 711, 741, 923, 926, 930
Fourier transform EPR (FTEPR) 2, 19, 198, 517
free electron 47, 79, 238, 459
free induction decay (FID) 190–192, 197, 202–207, 238, 241, 242, 280, 281, 284, 517, 518, 526, 530, 658, 720, 759, 783, 784, 808, 809, 957
Fremy's salt 723, 724, 741
- frequency bands 23, 24, 35
frequency domain 203, 231, 536, 552, 557, 783
frequency multiplication 231, 232, 235–237
frequency translation 231, 235, 237
FRET, *see* fluorescence resonance energy transmission
Friis equation 278
FTEPR, *see* Fourier transform EPR
full-width at half-maximum (FWHM) 203, 420, 569, 769, 770, 863
fullerenes 747
FWHM, *see* full-width at half-maximum
- g**
gadolinium 726, 744–746
Gaussian lineshape 148, 420, 428, 434, 857
Gunn diodes 10
- h**
Hahn echo, two pulse 207, 214, 215, 553
Hall-effect 8
Hamiltonian, *see* also spin Hamiltonian
Hamiltonian operator 300, 509
hard pulses 998
Helmholtz coils 7, 8, 167
HFEP, *see* high-frequency and high-field (HFHF) EPR 16, 18, 175–177, 179, 181, 183, 185, 187, 188, 276, 281, 284, 285, 287, 291, 497, 503, 525, 591, 619, 722, 830, 855, 871, 875, 876, 877, 878, 879, 882–884, 886, 890, 894–904, 995, 997, 999, 1000, 1001, 1002
high-resolution NMR 218, 921, 938–940, 955, 956, 959
highest occupied molecular orbital (HOMO) 671, 896
hindered rotation 101
HOMO, *see* highest occupied molecular orbital
homogeneous broadening 9, 41, 100, 456, 461, 467, 497, 499, 514, 518, 521, 541, 548, 934
homotopy 402, 409, 417, 421, 423–427, 429, 430, 432
Hund's rule 60, 335, 347, 349
hybrid functionals 305, 321, 322
hydrocarbon 268, 623, 626, 837, 1001
hyperfine interaction 16, 30, 33, 35, 37, 39, 41, 92, 98, 100, 103, 104, 127, 208, 289, 361, 386, 392, 457, 475, 478, 638, 640, 641, 648, 650, 652, 655, 661, 670, 674, 721, 726, 738, 741, 872, 879, 883, 886, 889, 902, 903, 949, 954, 967, 982, 999, 1000

- anisotropic 16, 100, 648, 655, 879, 883, 886, 903, 954, 1000
- conformers 522
- coupling constant 703, 709, 782, 783, 837, 901
- dipolar 16, 208, 475, 872, 886, 903
- isotropic 16, 41, 100, 103, 127, 361, 386, 638, 648, 655, 879, 883, 886, 903, 954, 1000
- – theoretical considerations 954
- second-order effects 638, 879
- hyperfine lines 204, 238, 242, 353, 360, 430, 431, 607, 671, 678, 683, 686, 691, 695, 711, 741, 758, 782, 783
- hyperfine splittings 16, 191, 212, 217, 238, 289, 352, 360, 467, 481, 498, 621, 648, 664, 683, 721, 757–759
- isotropic 498, 648
- hyperfine structure 35, 103, 123, 124, 339, 343, 353, 357–360, 362, 387, 394, 402, 429, 437, 454, 467, 670, 674, 697, 724, 758, 884, 900, 1001
- hyperfine sublevel correlation experiment (HYSORE) 2, 208, 214, 215, 217, 218, 648, 655, 656, 658, 703, 711, 995, 996
- hyperpolarization 963
- HYSORE, *see* hyperfine sublevel correlation experiment

i

- imaging, *see* electron paramagnetic resonance (EPR), imaging (EPRI)
- impedance matching 201
- induction-mode detection 177, 181, 187
- inelastic neutron scattering (INS) 597, 862
- inhomogeneous broadening 9, 100, 456, 461, 467, 497, 499, 514, 518, 521, 541, 548, 934
- inorganic radicals 191, 204
- INS, *see* inelastic neutron scattering
- integrated solid effect (ISE) 936
- intensity, *see* electron paramagnetic resonance (EPR), line intensity
- Inversion Recovery 204, 206
- iris 5, 7, 154, 155, 157, 201, 247, 251, 261–265
- irreducible spherical tensor operator (ISTO) 583
- ISE, *see* integrated solid effect
- isotropic tumbling 507
- ISTO, *see* irreducible spherical tensor operator

j

- Jahn-Teller (JT)
 - distortion 92, 93, 342–344
 - effect 92–95, 97, 99, 101, 342–344, 346, 347, 350
 - – dynamic JT effect 342, 346, 347
 - – static JT effect 347
 - Mexican-hat type adiabatic potential 94
 - perturbation with the vibronic ground state 98–100
 - theorem 92
 - theory of JT effect 95–98
 - three-state model 100
 - transition from dynamic to static JT effect 101
- JT effect, *see* Jahn-Teller (JT) effect
- jump model 954

k

- kinetic energy 59, 96, 300, 305, 307, 937
- kinetic-energy operator 318
- klystron 4–6, 8, 9, 12, 119, 130, 137–139, 141, 143–145, 151, 153, 162, 238, 397, 401, 422, 429, 432
- frequency 5, 6, 8, 130, 141, 143, 151, 397, 422, 432
- local oscillator 8, 139, 141, 143, 151
- mode 4, 5, 8, 12, 130, 138, 238
- temperature of 130
- Kohn-Sham (KS) procedure 304
- Kramers degeneracy 92, 339, 340, 345, 350, 354, 360
- Kramers doublet 100, 101, 122, 334, 340–343, 345, 350–352, 354, 356–358, 360–362, 449, 470, 486, 637, 650
- Kramers ions 29, 30, 40, 42, 81, 82, 92, 100, 101, 122, 148, 334, 339–343, 345, 350–352, 354, 356–358, 360–362, 449, 470–473, 486–489, 592, 593, 595, 620, 637, 650, 733
- Kramers-Kronig relation 148
- Kramers theorem 82, 92

l

- Lanczos algorithm (LA) 499, 508
- Landé interval rule 61
- Larmor frequency 211, 212, 348, 459, 460, 463, 526, 527, 529, 563, 564, 587, 724, 729, 742–746, 888, 890, 922, 929–931, 933, 934, 939
- Larmor precession 2, 525–528
- LCAO, *see* linear combination of atomic orbitals

- least-squares fitting (LSF) method 32, 41, 324, 385, 395–405, 407–410, 416, 421, 422, 430, 432–436, 450, 591, 604, 606–609, 611, 613–615, 617
 LFT, *see* ligand-field theory
 LGR, *see* loop-gap resonator librations 721
 lifetime broadening 467, 515, 858
 ligand-field theory (LFT) 57, 58, 85, 637
 – Atomic-orbital model (AOM) 88–92
 line broadening, *see* electron paramagnetic resonance (EPR), line broadening
 line intensity, *see* electron paramagnetic resonance (EPR), line intensity
 linear combination of atomic orbitals (LCAO) 58, 85, 86, 88, 89, 105
 linear response theory (LRT) 310, 311
 linear scaling 303
 lineshapes, *see* electron paramagnetic resonance (EPR), lineshapes
 lithium phthalocyanine 724, 760
 LNA, *see* low-noise amplifier
 local magnetic field, *see* magnetic field, local
 local polarity 619, 626, 628
 lock-in amplifier 11, 172, 281, 774, 800, 801
 lock-in detector 137, 139, 768, 774, 775
 LODEPR, *see* longitudinally detected paramagnetic resonance
 LODPEPR, *see* longitudinally detected pulsed EPR
 longitudinally detected paramagnetic resonance (LODEPR) 463
 longitudinally detected pulsed EPR (LODPEPR) 463, 466
 loop-gap resonator (LGR) 7, 10, 52, 121, 163, 200, 201, 230, 231, 238–240, 244–247, 251, 258–262, 268, 270, 274–277, 575, 663, 664, 675, 692, 766, 808
 Lorentzian lineshape 148, 420, 428, 434, 435, 442–446, 461, 769–771, 810
 low-noise amplifier (LNA) 179, 180, 235, 237, 241
 lowest unoccupied molecular orbital (LUMO) 671–673, 896
 LRT, *see* linear response theory
 LSF method, *see* least-squares fitting method
 LUMO, *see* lowest unoccupied molecular orbital

m
 magic angle spinning (MAS) 95, 97, 104, 141, 223, 307, 336, 468, 485, 700, 702, 703, 705, 707, 709, 797, 923, 935, 936, 938–940, 942, 958, 964, 965, 998
 magnet system 5, 921, 938
 magnetic and spin effects 954
 magnetic circular dichroism (MCD) 597, 691
 magnetic dipole 314, 345, 564, 565, 585, 721
 – electron 314, 564
 – – spin 314, 564
 – nuclear 345, 585
 magnetic energy 156, 812, 915
 magnetic field
 – applied 25, 105, 154, 248, 250, 264, 647, 917, 936
 – direction 551, 632
 – gradients 755, 761, 762, 767, 769, 770, 775, 784, 796, 808
 – local 550, 757
 – modulation 14, 120, 127, 130–136, 141, 143, 145, 148, 159, 162, 165, 172, 178, 263, 278, 281, 282, 784, 975, 976
 – orientation of 2, 16, 31, 33, 44, 105, 119, 133, 221, 250, 385, 386, 394, 402, 404, 406, 409, 417, 418, 425, 430, 510, 520, 565, 607, 631, 632, 652, 719, 737, 831, 858, 863, 890
 – oscillating 663, 768, 936
 – resonant 386, 397, 412, 414, 450
 – stability of 7, 8, 18, 138, 166, 167, 761, 841
 – static 7, 8, 117, 133, 247–250, 273, 307, 520, 745, 746, 760, 761, 763, 784, 796, 799, 800, 804, 807, 808, 825, 827, 831, 862, 871
 magnetic force microscopy (MFM) 826
 magnetic moment 2, 15–17, 80, 103, 104, 223, 270, 311, 336, 346, 348, 349, 405, 424, 458, 475, 481, 547, 756, 757, 760, 828, 830, 833, 846, 847, 868
 – classical 828, 846
 – electron 2, 15–17, 103, 104, 223, 270, 311, 405, 424, 475, 481, 547, 756, 757, 760, 833
 – nuclear 15, 16, 103, 104, 311, 336, 346, 348, 475, 481
 – proton 223
 magnetic quantum tunneling (MQT) 845, 846, 852–857, 859, 861, 863–869, 872
 magnetic resonance force microscopy (MRFM) 797, 798, 821, 998
 magnetic resonance imaging (MRI) 191, 193, 199, 262, 277, 455, 744, 745, 755, 760, 852, 921, 923, 938, 940, 942, 943, 1000
 magnetic susceptibility 92, 148, 156, 184, 185, 206, 248, 272, 273, 350, 635, 803
 – complex 148, 156, 248
 – static 273

- magnetization 2, 203–207, 216, 218, 220, 221, 248–250, 273–275, 282, 456–460, 463, 465, 466, 515–517, 524, 527–528, 531, 536, 579–581, 759, 804, 808, 809, 828–830, 845–850, 857, 867–870, 958, 959, 963
- longitudinal 458, 517, 528
 - time dependence of 524, 719–748
 - transverse 203, 205–207, 216, 220, 221, 456, 458, 463, 524, 527–529, 579, 719–748, 850, 958
- magnetogyric ratio 9, 479, 936
- electron 9, 936
 - nuclear 479, 936
- magnetrons 151, 457
- magnets
- pulsed 17, 921, 1001
 - superconducting 14, 23, 51, 176
- many-body perturbation theory (MBPT) 303
- marine cyclic peptides 701
- MAS, *see* magic angle spinning
- maximum-entropy method (MEM) 574
- MBPT, *see* many-body perturbation theory
- MCD, *see* magnetic circular dichroism
- MEM, *see* maximum-entropy method
- metalloenzymes 208, 217, 648, 654
- metalloproteins 29, 429, 489, 593, 620, 636–639, 649, 650, 658, 675, 690, 711, 746, 879, 883, 903, 1000
- methyl radical 280, 984, 985
- MFG method, *see* modulated field gradient method
- MFM, *see* magnetic force microscopy
- micro-imaging 805–807, 818
- microscopic order-macroscopic disorder (MOMD) model 498, 504, 505, 509–513, 520, 521, 525, 531, 535–536, 539, 630–632, 635
- microwave detector 129–131, 136, 164, 937
- microwave magnetic field 7, 117, 133, 274, 282, 353, 424, 439, 563, 941, 949
- microwave power 6, 8, 129, 130, 132, 136, 139–141, 143, 146, 147, 149, 151, 153, 165, 168, 171, 173–175, 231, 235, 245, 246, 248–250, 271, 272, 275, 276, 428, 461, 462, 678, 692, 766, 930, 934, 936, 937, 941
- microwave radiation 4, 5, 7, 10, 146, 164, 827, 931, 932, 939, 940
- microwave rectifier 8
- mineralogical systems 20
- mixed-valence dinuclear copper 677, 686
- mixer 10, 14, 15, 136, 138–140, 142, 147, 176–178, 180–183, 186, 195, 199, 231–233, 235, 278
- mixing period 216, 940
- modulated field gradient (MFG) method 796, 805
- modulation amplitude 9, 133, 148, 668, 691, 692, 769, 775, 776, 799
- modulation field 121, 132, 264, 766, 975
- modulation frequency 4, 8, 119, 130, 132–136, 139–141, 162, 165, 172, 175, 241, 722, 801
- modulation of saturation (MOS) 241, 242
- modulation sidebands 229, 242
- modulation system 5, 133, 147
- molecular dynamics and stochastic trajectories 522, 524, 539–541
- molecular motion 497–540
- molecular motion studied by EPR 497, 540
- Molecular Orbital (MO) approach 85–91
- molecular-orbital (MO) approach 57, 58, 85–91, 301, 338, 415
- molecular Sophe 656, 658, 659, 675
- molecular tumbling 484, 520, 738–741, 968
- anisotropic 484, 738, 740, 968
 - isotropic 484, 738, 740, 968
- MOMD model, *see* microscopic order-macroscopic disorder (MOMD) model
- MOS, *see* modulation of saturation
- MQEPR, *see* multi-quantum EPR
- MQT, *see* magnetic quantum tunneling
- MRFM, *see* magnetic resonance force microscopy
- MRI, *see* magnetic resonance imaging
- multi-quantum EPR (MQEPR) 466
- multiarm EPR spectroscopy 229–239, 241, 242
- multifrequency EPR 18, 20, 23–53, 229–291, 522–539, 649–710, 811–814, 852–863, 882–901
- advantages 24
 - data 385–416, 498, 591, 833, 837
- multiquantum ELDOR 218
- multiquantum (MQ) EPR 229
- n**
- nanoparticles 720, 825–839, 841, 842
- nanoscale magnets 845
- narrow-band detection, *see* phase-sensitive detection (PSD)
- nitrogen atom 701, 709, 851
- nitroxide spin labels 17, 19, 503, 514, 521, 524, 541, 548, 619, 620, 628, 669, 737–741, 758, 836, 894, 943, 1000
- NMR, *see* nuclear magnetic resonance
- noise factor 146, 147, 185, 278
- noise, source 278

- noninteracting reference system 304
- NQR, *see* nuclear quadrupole resonance
- nuclear hyperfine interaction, *see* hyperfine interaction
- nuclear magnetic resonance (NMR)
- chemical shift 318, 953, 959, 964
 - signal 760, 921, 939, 949, 957, 966
 - spectroscopy 156, 159, 164, 168, 202, 223, 745, 783, 921, 923, 935, 938–940, 942, 943, 949, 953, 956–959, 961, 964, 965
 - transition 211, 926
- nuclear magneton 104, 387
- nuclear quadrupole resonance (NQR) 119, 429, 437
- nuclear spin
- eigenfunctions 969
 - quantum numbers 37, 386, 951
- nuclear Zeeman energy, *see* Zeeman energy, nuclear
- nuclear Zeeman terms, *see* Zeeman terms, nuclear
- nuclear-quadrupole 387
- interaction 387
 - spin Hamiltonian 387
- o**
- observable 40, 140, 221, 301, 499, 596, 665, 711, 960
- octahedral
- field 336, 338–345, 362
 - symmetry 64, 69, 77, 96, 98, 333–335, 342, 344–346, 354, 357, 361
- ODEPR, *see* optically detected electron paramagnetic resonance
- operators
- Equivalent 69–71
 - linear 58, 301, 469
 - product 58, 70, 328, 586
 - summation 328
- optical spectrometer 855
- optically detected electron paramagnetic resonance (ODEPR) 952
- optimum sensitivity 212
- orbital degeneracy 72, 73, 78, 92, 333, 343
- organic radical 191, 202, 204, 324, 468, 479, 485, 498, 619, 620, 622, 730, 929, 952, 1002
- orthorhombic symmetry, *see* rhombic symmetry
- oscillator stability 139, 141, 153, 171
- Overhauser effect (DNP) 218, 495, 790, 922, 924, 963
- oximetry 19, 742, 760, 773, 786, 787
- oxygen atom 339, 886, 895
- p**
- parahydrogen-induced polarization (PHIP) 923
- Pauli spin matrices 350, 532
- PCM, *see* point-charge model
- PDS, *see* pulsed dipolar spectroscopy
- PELDOR, same as DEER, *see* double electron-electron resonance (DEER)
- performance network analyzer (PNA) 251
- permeability 263, 273, 762, 803
- perturbation theory 62, 102, 303, 308, 311, 412, 425, 486, 600, 637, 656, 657, 661, 972
- second-order 303, 972
- phase coherence 457, 556
- phase-cycling modality 221
- phase-locked loop (PLL) 131, 176, 179, 233
- phase memory 207, 214, 216, 720, 721, 724
- phase noise 9, 179, 180, 186, 187, 234, 236, 237, 280, 281, 282, 663, 767, 768
- phase-sensitive detection (PSD) 8, 119, 134, 279, 785
- phase-sensitive detector 9, 172, 278, 761, 768
- output polarity of 9
- phase shifter 8, 137, 162, 174, 194, 195, 765
- PHIP, *see* parahydrogen-induced polarization
- phonon density 470, 727, 728
- phonons 467–475, 477, 478, 485–488, 494, 495, 727–730, 732–734, 889
- photo-CIDNP, *see* photochemically induced dynamic nuclear polarization
- photoactivated catalysis 827, 832
- photochemically induced dynamic nuclear polarization (photo-CIDNP) 948, 955, 957, 958, 961, 963–966
- photolysis 955, 959, 960, 976–979, 981
- photon 153, 219, 832, 833, 915, 917, 966, 985
- absorption of 833
 - energy of 917
 - microwave 153, 915, 917
 - types of 832
- photosynthesis 222, 639, 876–886, 889–891, 895, 897, 899, 901, 902, 964, 966, 980
- photosynthetic reaction center 18, 46, 882, 883, 885, 887, 889, 891, 893–895, 963
- PLL, *see* phase-locked loop
- PMR, same as EPR, *see* electron paramagnetic resonance (EPR)

- PNA, *see* performance network analyzer
- point-charge model (PCM) 57, 67, 83
- polarization 14, 16, 103, 118–120, 177–179, 188, 211–213, 249, 250, 253, 255, 256, 258, 273, 322, 467–469, 499, 720, 860, 892, 893, 921–924, 926, 928, 930–936, 938–943, 947, 948, 950, 952–984, 996, 999, 1001
- polymers 19, 20, 221, 518, 938
- population difference 212, 489
- power saturation 202, 249, 250, 273, 457, 731, 742
- principal axes 41, 95, 338, 341, 401, 421, 438, 510, 565, 599, 606–611, 614–616, 631, 633, 672, 884, 895, 899, 968
- principal-axes system 566
- principal directions 388, 390, 415, 605, 608, 884
- principal values 27, 41, 103, 344, 449, 607, 609, 611, 615–617, 619, 621, 622, 640, 673, 892, 895, 899, 999
- proton transfer 960
- PSD, *see* phase-sensitive detection
- pulse sequence 204, 209, 213–215, 218, 221, 288, 464, 466, 555–557, 560, 571, 578, 582, 584, 655, 656, 721, 806, 889, 956–958, 1003
- pulsed dipolar EPR spectroscopy (PDS) 219, 220, 288, 545–586
- pulsed EPR 2, 7, 15–17, 20, 129, 156, 180, 192–199, 201–203, 205, 208, 209, 220, 222, 223, 235, 279, 280, 284–286, 288, 290, 463, 466, 497, 514, 515, 517, 519, 521, 540, 545, 556, 648–650, 656, 769, 796, 805, 895, 902, 976, 1000
- q**
- quadrature detection 199, 997
- quadrupole interaction 35, 98, 104, 105, 110, 307, 386, 602, 650
- electronic 98, 307, 386
- quantum chemistry 297, 298, 300, 305, 311, 639, 648, 649, 656–659, 700, 711, 1002
- quasi-optics 13, 177, 180
- Quenching of angular momentum 78–80
- r**
- Rabi frequency 936
- radiation source 192, 761
- radical pair mechanism (RPM) 896, 967, 969–971, 974, 984
- radical pairs 18, 892–894, 899, 903, 942, 947, 948, 950, 963, 970
- radical scavenging 833, 835
- rare-earth ions $4f^n$ 15, 17, 59, 80, 81, 83, 347–352, 359, 360, 362, 448, 449, 489, 755
- ground states of rare-earth ions 347, 348, 351, 360, 362
- reaction centers 18, 875, 876, 882, 883, 885, 887, 889, 891, 893–895, 963, 981
- reaction yield-detected magnetic resonance (RYDMR) 947, 952
- receiver 130, 132, 138, 191, 193–197, 199–201, 230, 235, 237, 239, 571, 940, 956
- redox 19, 197, 639, 788, 837, 842, 877, 900, 903, 966
- refocusing pulse 206, 215
- relativistic corrections 305, 307, 354
- relaxation in amorphous materials 474
- relaxation in dilute liquids 468, 479
- relaxation-induced dipolar modulation enhancement (RIDME) 893, 903
- relaxation mechanisms 46, 53, 205, 468, 469, 471, 473, 475, 477–479, 481, 483, 485, 487, 489, 495, 536, 720–748, 922, 1003
- relaxation times
- electron spin-lattice 720–748
- measurement of 191, 242, 463, 744, 745, 760
- resonance condition 42, 386, 393, 426, 437, 603, 607, 649, 756, 771, 799, 827, 889, 890
- resonant frequency 4–6, 132, 135, 147, 149, 154–157, 159, 160, 163, 164, 166, 231, 268, 275, 515, 657, 732, 767
- resonant mode 247
- resonant structure 129, 136, 154, 163, 164, 168, 171, 632, 766
- resonator
- helical 164, 941
- loop-gap (LGR) 7, 10, 52, 121, 154, 163, 200, 201, 230, 244, 245, 258, 259, 270, 274, 276, 575, 663, 692, 766, 808
- resonator efficiency parameter 231, 246, 248, 258
- resonator frequency 233, 765
- resonator quality factor (Q) 118, 146, 185, 199–201, 204, 273, 275, 464, 765, 803, 812
- restricted open-shell HF (ROHF) method 302
- rhombic symmetry 108, 343, 361, 386, 413
- RIDME, *see* relaxation-induced dipolar modulation enhancement
- ROHF method, *see* restricted open-shell HF method
- rotating frame 202, 204, 205, 219, 241, 246, 248, 249, 459, 527, 532, 578, 720, 809, 931, 936

- rotation matrix 509, 532
 rotational correlation time 25, 35, 36, 481, 482, 484, 500, 743, 969, 980
 RPM, *see* radical pair mechanism
 ruby 20, 84, 85, 119–121, 734
 RYDMR, *see* reaction yield-detected magnetic resonance
- s**
 S-state ions 84, 333, 341, 346, 350–352, 358–360, 408
 sample access stacks 265
 sample size 13, 132, 167, 168, 271, 274, 275, 277, 279, 575, 762, 763, 803, 941
 samples, reference 281–290
 saturation
 – partial 741
 saturation recovery 229, 463, 464, 740, 747
 saturation transfer 456, 1000
 SBM theory, *see* Solomon-Bloembergen-Morgen theory
 scanning electron microscopy (SEM) 826, 839
 SCGs, *see* superconducting gaps
 SCRP, *see* spin-correlated radical pair
 SDF, *see* spectral density functions
 SDSL, *see* site-directed spin labeling
 SECSY, *see* spin-echo correlated spectroscopy
 secular determinant 79, 86, 361
 secular equation 88, 89
 SEM, *see* scanning electron microscopy
 SEMF, *see* switching of the external magnetic field
 sensitivity, optimum 212
 SHF, *see* super-hyperfine interaction
 SHP, *see* spin-Hamiltonian parameters (SHP) 404, 416
 sidebands 139, 143, 150, 151, 165, 229, 231, 232, 234, 235, 241, 242
 signal-to-noise ratio (SNR) 10, 52, 53, 139–141, 143, 149, 191, 196, 201, 271–285, 287, 288, 290, 291, 522, 570–572, 574, 655, 663, 675, 733, 760, 769, 774, 775, 782, 784, 786, 790, 795, 798, 803–805, 808–812, 814–817, 821, 921, 958, 976, 998
 silicon crystal 6, 8
 similarity transformation 530
 single-molecule magnets (SMMs) 16, 20, 845–872
 single pole double throw (SPDT) switch 195
 single pole-single throw (SPST) switch 195
 single-sideband modulator (SSM) 232
 single-wall carbon nanotubes (SWNTs) 720, 747, 830
 singlet state 96, 102, 343, 877, 880, 893, 948–950, 952, 968, 972, 981
 singly occupied molecular orbital (SOMO) 672, 888
 site-directed spin labeling (SDSL) 219, 245, 497, 545, 827, 1000
 site symmetries 327, 328, 330, 332, 334, 336, 338, 340, 342, 344, 346, 348, 350, 352, 354, 356, 358, 360, 362, 366, 368, 370, 372, 374, 376, 378, 380, 382–384, 437
 six-pulse DQC 559–563, 565, 567, 584, 586, 587
 Slater determinant 57, 60, 304
 SLE, *see* stochastic Liouville equation
 slide-screw tuner 7
 slow-motion EPR spectrum, simulation of 499, 505, 506, 508, 511, 515
 slowly relaxing local structure (SRLS) model 498, 504, 505, 511, 512–514, 521, 525, 531, 536, 539, 620, 630
 SLR, *see* spin-lattice relaxation
 SMART HYSOCORE 217
 SMMs, *see* single-molecule magnets
 SNR, *see* signal-to-noise ratio
 SOC, *see* spin-orbit coupling (SOC)
 solar energy conversion 827, 832, 966
 solenoid 10, 11, 14, 199, 259, 761, 763, 939
 Solomon-Bloembergen-Morgen (SBM) theory 927
 SOMO, *see* singly occupied molecular orbital
 SPDT switch, *see* single pole double throw switch
 spectral density 480, 489, 514, 632, 729, 735, 739, 746, 747, 927, 928
 spectral density functions (SDF) 927–929
 spectral extent 191, 621
 spectral purity 138, 143, 146, 147, 149, 153, 164, 171
 spectral-spatial imaging 773, 819
 spectroscopic notation 60
 spherical harmonics 64–66, 70, 539
 spin concentrations 457, 723
 spin-correlated radical pair (SCRP) 954, 967, 969, 972–974, 979–981
 spin density 103, 315, 319, 505, 529, 562, 639, 769, 770, 772, 782, 785, 786, 884–888, 968, 969, 972
 – at the nucleus 103
 spin diffusion 207, 208, 456, 457, 483, 515, 720, 722, 739, 740, 942
 spin dynamics 526, 528, 529, 952, 960, 980

- spin echo 2, 41, 208, 211, 214, 219, 280, 284, 456, 463, 464, 483, 514, 515, 556, 564, 575, 641, 648, 879, 976, 995, 999
 - spin-echo correlated spectroscopy (SECSY) 2, 466, 517, 518, 658
 - spin echo, dephasing 720–724
 - spin flip 209, 456, 478, 528, 852, 889
 - spin-fracton relaxation 468, 485, 488, 489
 - spin Hamiltonian 102, 298, 328, 358, 385, 387, 417, 429, 599
 - dipolar 315, 566, 892, 971
 - effective 110, 853, 860
 - eigenvalues of 361, 386, 411, 425
 - electron Zeeman 35, 414, 449, 647
 - ENDOR 211, 289, 386, 648, 656, 658
 - field-dependent terms 331
 - generalized 110
 - isotropic hyperfine interaction 386
 - nuclear quadrupole 35, 386
 - nuclear Zeeman 35, 104, 108, 289, 386, 414, 526, 647
 - operator 509
 - permittivity 252, 253, 801, 803, 812
 - perturbation expressions for eigenvalues of spin Hamiltonian 398, 437
 - phenomenological 102, 106
 - Zeeman 35, 103, 104, 106, 108, 209, 289, 329, 338, 350, 386, 387, 414, 425, 449, 504, 507, 526, 584, 591, 637, 647, 664, 892, 971
 - zero-field terms 330
 - spin-Hamiltonian matrix 359, 418, 439
 - computer diagonalization of SH matrix 439
 - spin-Hamiltonian parameters (SHP) 16, 20, 30, 32, 33, 41, 59, 84, 88, 297–324, 327, 330, 333, 360, 363, 385, 386, 388, 390–392, 394–396, 398, 400, 402, 404–406, 408–410, 412–417, 421, 430, 437, 438, 441, 447, 448, 591, 604, 606, 607, 609, 611, 613, 614, 616, 617, 1002
 - \tilde{g}^2 , \tilde{A}^2 , \tilde{D} , and \tilde{P} anisotropic tensors 599–616
 - evaluation 385, 386, 395, 398, 404, 405, 408, 415, 606–613, 616
 - signs of 30, 441
- spin labels 17–19, 52, 204, 221, 238, 244, 245, 247, 249–251, 253, 255, 257, 259, 261, 263, 265, 267, 484, 499, 503, 514, 515, 521, 524, 539, 541, 547, 548, 619, 620, 625, 628, 629, 669, 737–741, 758, 759, 836, 894, 943, 1000, 1001
 - spin-lattice relaxation (SLR) 3, 46, 206, 207, 242, 335, 336, 341, 362, 455, 457, 460, 468, 473–479, 485–489, 494, 495, 505, 514, 570, 571, 720, 725–747, 923, 936, 962, 969, 980, *see also* “spin relaxation”
 - techniques to measure relaxation times 455, 460, 461, 463, 465, 467
 - spin operators 20, 81, 102, 104, 106, 109, 111, 305, 327, 328, 358, 361, 365, 367, 369, 371, 373, 375, 377, 379, 387, 398, 408, 409, 507, 509, 527, 584, 586, 617, 647, 853
 - spin matrices 350, 530, 532
 - – matrix elements of spin operators 111, 327, 328, 365–379
 - spin-orbit coupling (SOC) 44, 59, 62–64, 72, 74, 78, 79, 81, 82, 103, 244, 305, 306, 309, 310, 315–319, 333–335, 339–341, 343, 347, 348, 354–358, 362, 412, 437, 468, 660, 673, 719, 731, 735, 737, 740, 741, 887, 895, 972
 - spin-orbit coupling parameter 887
 - spin packet 463, 467
 - spin polarization 211, 467, 893, 948, 952, 958, 961, 965–968, 971, 972, 974, 978–980, 982, 984, 999
 - spin population 315, 972, 973
 - spin relaxation 47, 191, 199, 206, 284, 456–458, 461, 466, 482, 498, 517, 520, 521, 549, 556, 654, 719–748, 759, 796, 883, 886, 889, 892, 922, 926, 949, 950, 952, 954, 957, 960, 968, 970, 974, 975, 980, 1003
 - spin-rotational coupling 719, 740
 - spin-rotational interaction 480, 482, 741
 - spin sensitivity 185, 291, 571, 812, 814, 821
 - spin-spin relaxation 47, 191, 199, 206, 456–458, 461, 466, 654, 720, 721, 723, 725, 796, 922
 - spin system 41, 148, 191, 202, 203, 205, 206, 209, 216, 218, 273, 454, 457–459, 465, 470, 495, 568, 638, 650, 652, 656, 719, 726, 729, 734, 742, 744, 747, 811, 860, 879, 894, 903, 922, 926, 931, 933, 934, 939, 941, 942, 958, 999, 1001
 - spin temperature 922, 931, 932, 934
 - negative 931, 932, 934
 - spin trapping 18–20, 827
 - spin vector 551, 575
 - spins, minimum detectable 270
 - SPM, *see* superposition model
 - SPST switch, *see* single pole-single throw switch
 - square-planar copper 660, 662, 664, 670
 - SRLS, *see* slowly relaxing local structure
 - SSM, *see* single-sideband modulator
 - standing waves 7, 177, 290

- stochastic Liouville equation (SLE)
498–500, 505–507, 511, 513, 514, 523–526,
528, 536–539, 977
- sucking-in effect 256
- super-hyperfine interaction (SHF) 103,
104
- superconducting gaps (SCGs) 913–918
- superparamagnetic resonance 828
- superparamagnetism 17, 828, 845
- superposition model (SPM) 57, 58, 83–85,
88, 89
- surface radicals 833
- surroundings 16, 59, 85, 438, 483, 892
- susceptibility, *see* magnetic susceptibility
- switching of the external magnetic field
(SEMF) 960
- SWNTs, *see* single-wall carbon nanotubes
- Symmetry 107–108
- Symmetry, descent of 329
- Cubic 62–64, 67, 73, 96, 108, 110, 330,
343, 351–357, 637, 657
- low symmetry 320, 361, 413, 414, 449,
599, 746
- Monoclinic 108, 330, 347, 359, 657
- Orthorhombic 108, 361, 386, 413
- Spherical 59, 108, 110
- Tetragonal 64, 65, 78, 334, 343, 351, 855,
868
- Triclinic 107, 448, 618, 657
- symmetry axis 121, 123, 126, 330, 350, 357,
430, 883, 900
- symmetry, local 110, 852, 884
- synchronous demodulation 139, 141,
143–145, 149, 159, 162, 172, 175
- t**
- Tanabe-Sugano diagrams 73
- TEM, *see* transmission electron microscopy
- temperature
- effective 46, 95, 201, 273, 278, 341, 348,
362, 455, 470, 473, 474, 483, 495, 521, 628,
797, 801, 804, 812, 829, 837, 861, 871, 890,
922, 932, 934, 979
- liquid helium 14, 23, 404, 405, 463,
999
- terminating load 5
- tetragonal field 64, 336, 340, 342, 354
- thermal equilibrium 460, 561, 727, 867,
924, 930, 931, 933, 934, 970, 974, 976,
980
- three-coordinate copper 677, 678, 681,
711
- three-/four-pulse DEER/PELDOR 546, 549,
555, 557, 575
- three spin mixing (TSM) 954, 964, 965
- Tikhonov regularization 221, 223, 547, 573,
574
- time constant 9, 199, 200, 203, 205, 208,
275, 285, 455, 456, 462, 464–467, 479, 536,
678, 692, 721, 774, 881, 882, 890
- time domain 203, 231, 524, 536, 554, 557,
568
- time resolution 19, 193, 196, 806, 900, 940,
957, 975, 998, 1001
- togglng frame 219
- tomography 777, 778
- transition metal ions 57, 59, 80, 85, 327,
328, 330, 332–363, 366, 368, 370, 372, 374,
376, 378, 380, 382, 384, 412, 596, 620, 637,
655, 743, 851, 1001, 1002
- First transition series ($3d^n$) ions
- raising operator 529
- Second and Third transition series ($4d^n$,
 $5d^n$) ions
- transition moment 499, 733
- transition probability 413, 414, 418, 424,
441, 450, 472, 657, 658, 930
- transmission electron microscopy (TEM)
826
- transmission line 119, 154, 155, 161, 194,
230, 262, 272, 273, 291, 801, 808, 937, 939
- transmitter 130, 190, 193–197, 199, 200,
957
- trapped atoms and molecules 20
- trapped electrons 477
- traveling-wave tube amplifier (TWTA) 195,
196
- traveling-wave tubes 12
- trigonal field 336, 339, 342
- triplet state 105, 338, 344, 881, 895, 896,
899, 942, 948–952, 964, 967–969, 972,
983, 985, 999, 1001, 1002
- TSM, *see* three spin mixing
- two-dimensional electron-electron double
resonance (2D-ELDOR) 497, 517–522, 541
- TWTA, *see* traveling-wave tube amplifier
- u**
- uniform field cavities 249, 258–260
- v**
- VCO, *see* voltage-controlled oscillator
- vibronic coupling 94, 95, 99–101
- visible light 832
- voltage standing wave ratio (VSWR) 184
- voltage-controlled oscillator (VCO) 134,
180, 182
- VSWR, *see* voltage standing wave ratio

w

W-band EPR, *see* electron paramagnetic resonance (EPR)
 wavefunctions 42, 57–60, 62, 63, 74, 75, 80, 82, 86, 92, 95–100, 103, 301, 335, 347, 430, 672, 928
 – antisymmetrized 301
 – electronic 59, 74, 95, 96, 99
 – orthogonal 58
 westillamide complexes 707
 Wigner-Eckart theorem 64, 69, 77, 96, 308

x

X-band EPR, *see* electron paramagnetic resonance (EPR)
 X-ray absorption near edge structure (XANES) 901
 XANES, *see* X-ray absorption near edge structure
 Xsophe 658, 665, 673, 689, 693

z

Zeeman energy 50, 59, 105, 307, 393, 933, 979
 – dominant 59, 979
 – electronic 59, 105
 – nuclear 59, 393, 933, 979
 Zeeman field 42, 201, 204–206, 211, 212, 218, 219, 329, 340, 356, 358, 609, 611, 883, 886, 890, 892, 902, 903, 996, 999, 1000

Zeeman interaction 25, 28, 30, 35, 38, 39, 42, 59, 78, 101, 103, 104, 108, 209, 338, 414, 425, 606, 607, 647, 650, 652, 664, 970
 – electron and nuclear 647, 970
 – second-order 28, 38, 414, 652
 Zeeman terms 106, 414, 416, 507, 579, 664, 925, 931
 – electronic 925, 931
 – high-spin 416
 – nuclear 106, 414, 925, 931
 zero-field EPR (ZFR) 16, 28, 117–128, 159, 167, 168, 209, 314, 341, 392, 417, 441, 591, 592, 620, 650, 853, 854, 863, 871, 879, 895, 903, 927, 968, 998, 999
 – examples 119, 121
 – spectra 119, 124
 – spectrometer 117, 119, 120
 – zero-field energy levels 122
 zero-field splitting (ZFS) 16, 28, 105, 106, 117, 167, 298, 308, 314, 341, 392, 417, 473, 591–596, 599, 620, 650, 719, 731, 735, 743–747, 846, 879, 895, 903, 927, 999
 zero-order regular approximation (ZORA) 673
 zero-quantum coherence (ZQC) 220, 221
 ZFR, *see* zero-field EPR
 ZFS, *see* zero-field splitting
 ZORA, *see* zero-order regular approximation
 ZQC, *see* zero-quantum coherence