

Index

a

activation

- carboxylic acid groups 16, 38
- chemical 10
- plasma-assisted surface 146, 149, 156, 160 ff.
- wet chemical surface 146, 148, 156 ff.

adhesion 55

- cell 136 ff.
 - chemical, *see* chemisorption
 - diffusive 56
 - dispersive 56
 - electrostatic 55
 - failure 72
 - fibroblast 138, 169
 - focal 169
 - inorganic-organic 60
 - interfacial 56, 60
 - mechanical 55
 - nonspecific 137
 - physical, *see* physisorption
 - polymer-polymer 58, 72
 - promotion 58 ff.
 - selective 128 f.
 - silane-based 60 f.
 - strength 56 f., 161
 - tests 70, 149
- #### adsorbates
- short-chain 10
 - structure 14 f.
- #### adsorption
- contaminations 10
 - multisite 23
 - nonspecific 5, 23, 90 f., 170, 187
 - physical 37
 - protein 57, 66, 187
- #### analyte
- chromophore-labeled 456 ff.
 - concentration 83 f.

- detection 188, 190
 - extraction 188 ff.
 - injection 43
 - recognition 36, 85, 91 f.
 - separation 188 ff.
- #### analytical surface chemistry 190 ff.
- #### anchimeric effects 9
- #### anchor
- functionalities 224
 - group 208, 223 f.
 - lipid 225
- #### angle of incidence 33, 36, 39 f.
- #### anodic aluminium oxide (AAO) 383 ff.
- AAO-buffer adsorbed layer composite film 389
 - dendrimer nanotubes 384
 - films 383 ff.
 - functionalization 392 ff.
 - membranes 383
 - pore diameters 386 f.
 - pore shape 388
- #### antibody
- capture 39, 191, 198
 - enzyme-labeled 84
 - fragments (Fv) 21
 - immobilization 65, 93
 - oriented 23
 - single chain antibody fragment (scFv) 36 f.
- #### aprotic media 16
- #### association constant 42 ff.
- #### atomic force microscopy (AFM)
- AFM-based single-molecule force spectroscopy (SMFS) 364, 405 ff.
 - AFM-cantilever deflection 406 f., 411, 429 f., 436 f.
 - AFM-cantilever tip dimensions 436 f., 439
 - CFM (chemical force microscopy) 433

- contact-mode 134, 430, 432, 442, 467 ff.
- deflection–displacement profile 407
- force–displacement curves 436 f.
- force–extension curves 407 ff.
- friction force microscopy 243, 429
- imaging modes 430
- intermittent contact-mode 469 f.
- LFM (lateral force microscopy) 429 ff.
- tapping-mode 12, 114 ff.
- topography images 432 f., 440
- attachment 14
 - antibody 23
 - cell 137, 238
 - covalent 14 f., 170, 176, 245, 254
 - noncovalent 14, 20 ff.
 - robust 17
 - stereospecific 18
- attenuated total reflection infrared (ATR-IR) spectra 147 f., 157 f., 454, 477 f.
- Auger spectroscopy 466

b

- band
 - conduction (CB) 344 f.
 - valence (VB) 344 f., 350
- bandgap energy 344 f.
- base-pair mismatch 280
- basic local alignment search tool (BLAST) 95
- binding
 - affinity constants 42
 - biomolecular 39
 - capacity 38
 - constant 20, 44
 - covalent 56, 58 ff.
 - energy 158
 - ionic 56
 - matrix 38, 41
 - nonspecific 90 f.
 - selective 23
 - strength 37
- bilayer lipid membranes (BLM) 221 ff.
 - planar 222
 - protein incorporation 227 ff.
 - resistance 222, 226 ff.
 - solid-supported 221 ff.
 - stability 222
 - tethered (tBLMs) 223, 226 ff.
- biocompatibility 3
- bioconjugation 4 f., 18, 20, 23, 86, 165, 191
- biofilm 58
- biointegration 3
- biointerfaces 3, 5, 23
- bioimaging 353
- biological platforms 128
- biomarkers 186 f.
- biomaterials 3
 - mineralization 132
 - synthetic 234
- biomimetic applications 410
- biomolecular interaction analysis (BIA) 42 ff.
- biomolecular recognition elements (BRE) 34 ff.
 - immobilization 37 f.
 - surface density 38
- biomolecule, *see* molecule
- biorecognition 172
- biosensor 3, 8, 17
 - accuracy 90, 98
 - analytical concepts 81 ff.
 - antibody-based 192
 - antibody sandwich assay sensing platform 92 ff.
 - application of SPR 46 ff.
 - bacterial sensing 92
 - biosensor-based test devices 186, 191
 - brush surfaces 89 ff.
 - chip 3, 23, 34, 84
 - 3-D surface structuring 89 f., 457
 - design 81 ff.
 - DNA 96, 99
 - electrochemical 85 f., 96 f.
 - enzymes sensing 95
 - glucose-oxidase- (GOD) based 98
 - limit of detection (LoD) 83 f., 89, 95, 97
 - LRSP-based 454 f.
 - nucleic-acid-based 95 ff.
 - optical 192
 - output 42 ff.
 - parameter 81
 - performance 82 f.
 - response 457
 - reversible 17
 - reuseable 17, 21
 - selectivity 83
 - sensitivity 39 ff., 82, 89, 383
 - signal amplification 84 f.
 - signal recognition 81, 83, 89
 - signal transduction 81
 - surface-based 3, 22 f., 186 ff.
 - SPFS-based 29 f., 197 f., 454, 457
 - technologies 29
 - viruses sensing 94
- block copolymer 59, 105 ff.
 - amorphous 105 ff.

- amphiphilic 127
- comb 168
- nonpolar 109
- organic-organometallic 108
- PFS (poly(ferrocenylsilane)) 106 ff.
- PI-*b*-PFS (polyisoprene-*block*-poly(ferrocenylsilane)) 106 ff.
- PS-*b*-PFS (polystyrene-*block*-poly(ferrocenylsilane)) 106 ff.
- PS-*b*-PtBA (polystyrene-*block*-poly(*tert*-butyl acrylate)) 170 f., 175, 240 ff.
- self-organization 105
- Bohr radius 324, 344
- Boltzmann constant 44, 409
- bonding
 - adhesive 145
 - covalent 58 f., 67
 - failure 70
 - interfacial 162
 - silicon 67
 - strength 68, 159
- bottom-up approaches 136, 207, 419
 - nanoporous oxide thin films 384 f.
 - quantum dots 323
 - self-assembled monolayers, *see* SAMs
- bovine serum albumin (BSA) 195 f., 245 f.
 - fluorescence image 245 f.
- Bragg peaks 116
- Bruggeman equations 389
- buffer 16, 43
 - PBS (phosphate buffered saline) 66, 195, 278, 281, 389, 457
- C**
- calibration
 - friction forces 434 ff.
 - lateral calibration factor 435, 441, 443
 - monolayer surface coverage 335
 - response-concentration curve 82 f.
 - wedge calibration method 437 f., 441
- carbohydrate deficient transferrine (CDT) 186
- carboxymethyl dextran (CMD) 38 f.
- catalyst 150 f.
- cell
 - adhesion 136 ff.
 - adhesion tests 65
 - apoptosis 4, 166, 234
 - attachment 137, 238
 - cancer 233 ff.
 - cell-adhesive protein 4, 18, 57
 - cell-culture tests 64 f.
 - cell-ECM contact 169
 - cell-membrane model 221 f., 251
 - cell-surface receptors 137, 139
 - cytoskeleton 137, 235
 - endothelial 234, 236
 - epithelial 234, 239
 - eukaryotic 258, 260
 - focal points 138
 - immobilization 65, 126
 - membrane 138, 166, 221 ff.
 - migratory 137
 - morphology 139
 - proliferation 4, 57, 166, 245
 - spreading 137 f., 169
- centrifugation 288
- chain
 - compression 113
 - coupling 59
 - elasticity 408 f., 411, 413
 - flexibility 138, 410
 - freely jointed chain model (FJC) 408 f., 410 f., 413 f., 416 f.
 - interdiffusion 59 f.
 - mechano-electrochemical cycles 412
 - PFS 410 f.
 - polymer 56, 58 f., 62, 125 f., 138, 129 f., 278
 - reversible chain-terminators 129
 - rigidity 138
 - scission 59, 410
 - stiffness 408
 - stretching 113, 407 f.
 - tethered 138 f.
 - viscoelasticity 408
 - worm-like chain model (WLC) 408 f., 417
- chain-segment fluctuation 407
- charge coupled device (CCD) 36, 85
- chelator
 - metal-ion 21
 - multivalent chelator thiol 24
- chemisorption 56, 211
 - selective 134
- chromatography
 - GC (gas chromatography) 183, 191, 201
 - GC/MS (gas chromatography/mass spectroscopy) 184 f., 187, 189 ff.
 - GPC (gel permeation chromatography) 107 f.
 - HPLC (high-performance liquid chromatography) 184 f., 187
 - LC (liquid chromatography) 183, 189 ff.
 - LC/electrospray ion-trap multiple-stage mass spectroscopy 188

- LC/MS (liquid chromatography/mass spectroscopy) 184 f., 187, 190
 - overlap 187
 - SEC (size exclusion chromatography) 354
 - click chemistry 18, 168
 - coating
 - antiadhesive 175
 - dip-coating 5, 23, 61
 - hard 64
 - high loading capacity 8
 - microcontact printing, *see* printing
 - optical 64
 - passivating 5
 - polymeric 7, 349 ff.
 - spin-coating 5, 18, 107, 116, 120, 168, 175, 289, 308
 - cohesion 55, 70
 - colloidal crystals 287 ff.
 - artificial 287, 312
 - beads 290
 - binary 289, 307 ff.
 - building blocks 287 ff.
 - crystal structure 288, 290 f., 293, 301 ff.
 - crystallization 287, 289 f., 294, 302
 - 2-D assemblies 288, 290
 - 3-D assemblies 288, 290
 - growth 287, 291, 295, 299, 302, 313
 - light-propagating blockage 287, 312
 - monolayers 289, 293, 295 f., 299, 307 ff.
 - NaCl structure 314 f.
 - nanocrystals, *see* quantum dots
 - orientation 289, 291
 - PBG (possessing a photonic bandgap) 287, 312
 - planar defects 312 f.
 - self-assembly 287, 291
 - surface charge density 297 ff.
 - suspension 289, 294 ff.
 - symmetry 287, 306 ff.
 - thickness 289, 294, 296 f., 302
 - colloidal multilayers 290, 299, 309
 - colloidal particles 287 ff.
 - deposition control 294 ff.
 - electrophoretic deposition 291 ff.
 - hollow 288
 - nanoparticles, *see* quantum dots
 - polydispersity 294, 343
 - polymer 291 ff.
 - complexation 13, 21
 - confirmation test 186 f.
 - confocal laser scanning microscopy (CLSM) 239, 367, 369 f., 373 ff.
 - contact angle 10, 12, 58, 69, 472
 - dynamic Wilhelmy method 472 f.
 - contact angle goniometry 471 ff.
 - contaminants 9 f., 62
 - correlation spectroscopy (COSY) 354
 - coupler
 - grating 32, 34 f.
 - Kretschmann geometry 32, 34, 32, 34, 225, 386 f., 488
 - prism 32, 34 f., 39, 41
 - coupling
 - affinity 38
 - chemistries 3 f., 14 ff.
 - chemoselective 19
 - covalent 14 f., 192, 223, 245
 - diffraction 34
 - layer 21
 - noncovalent 14, 20 ff.
 - quantum dots 341
 - C-reactive protein (CRP) 186, 195
 - crossreactivity 6, 18, 187
 - crystallization 115 f., 132, 287
 - kinetics 287
 - temperature-induced 132
 - CVD, *see* deposition
 - cyanate ester monomers (CEMs) 145 ff.
 - PT30 146 f., 150 ff.
 - thermal curing 150
 - cyanate ester resins (CERs) 145
 - cyclic voltogram (CV) 378, 412
 - cyclotrimerization 145 f., 150 ff.
- d**
- Damköhler number 44 f.
 - decarboxylation 9
 - dendrimer 7, 168
 - AAO-templated nanotubes 384
 - polyelectrolytes 391, 395 f.
 - thickness 396
 - deoxyribonucleic acid (DNA) 5, 10, 16
 - arrays 165, 167, 272
 - DNA-detection method 272, 279 ff.
 - DNA-polymer film 171
 - hybridization 46, 96, 175 f., 273, 279, 281
 - immobilization 17, 96, 172, 278 f.
 - mechanics 405
 - sensing 36, 272
 - single-stranded 96, 165
 - synthesized 21
 - sulfhydryl-terminated 17
 - deposition
 - chemical vapor deposition (CVD) 168
 - electrophoretic 290 ff.

- layer-by-layer (LbL) 289, 306 f., 363 f., 373, 383 f., 391
 - parameter 299, 313
 - plasma-enhanced chemical vapor deposition (PE-CVD) 166
 - vertical 290
 - deprotection 172
 - reaction 243
 - thermal 175
 - depyrogenation 64
 - derivatization 23
 - analyte 199
 - PS-*b*-PtBA (polystyrene-block-poly(*tert*-butyl acrylate)) 171
 - surface 91
 - detection
 - amperometric 98
 - electrochemical 85 f., 96 f.
 - inhibition immunoassay-based 48
 - label-free 29, 392
 - limit of detection (LoD) 184, 190, 197 f., 459
 - real-time 29
 - dielectric 29 f., 324 f., 449 f.
 - constant 145, 324 f.
 - material 288
 - response 326
 - differential interference contrast microscopy 260
 - differential scanning calorimetry (DSC) 109, 120, 147, 150 ff.
 - diffusion 42 ff.
 - barriers 64
 - coefficient 45, 257, 259, 264
 - constant 44
 - distance 59
 - passive 222, 256 ff.
 - rate 45
 - surface 209
 - dilution 4, 21
 - dispersion
 - aqueous 290
 - medium 290
 - relation 30 ff.
 - size 288
 - dissociation 42 f., 62
 - aromatic rings 160
 - constant 42 ff.
 - phase 42 ff.
 - rate 45, 257
 - dithiothreitol (DTT) 17
 - domain, *see* morphology
 - dyeing processes 63
 - dynamic light scattering 354
 - dynamic secondary ion mass spectroscopy (DSIMS) 107, 109, 113, 121
- e**
- EDC (1-ethyl-3-(3-dimethylamino-propyl)carbodiimide hydrochloride) 9 ff.
 - EDC/NHS chemistry 10 f., 14 f., 87 ff.
 - effective medium theory (EMT) 383 f., 387 ff.
 - elastic modulus 3, 58
 - electrical double layer 56
 - electrochemical potential 412 f.
 - electrode
 - patterned 292 ff.
 - periodicity 287, 290, 294 ff.
 - surface coverage 292, 294 ff.
 - unpatterned 293
 - withdrawal speed 292 f., 296 ff.
 - electromagnetic field 29 f., 63, 451
 - distribution 451
 - intensity 455
 - electron
 - plasma 29, 451
 - radiative recombination 331 f.
 - electron spectroscopy for chemical analysis (ESCA) 493
 - electrophoresis
 - deposition 290 ff.
 - gel 96, 354
 - separation 194
 - electrostatic repulsion 36, 412
 - ellipsometry 71, 170 f., 216, 366, 368, 465, 474 ff.
 - embossing 34, 236, 238
 - enantioseparation 191
 - enzyme
 - activity 81 f.
 - concentration 85
 - immobilization 98
 - etching
 - electrochemical 384
 - reactive-ion 121
 - resistance 106
 - eutectic die attachment 64
 - exciton 324, 326, 332 f.
 - Mott–Wannier 344
 - quenching 347
 - extracellular matrix (ECM) 136 f., 234 f.
 - extraction 185, 188 ff.
 - ethanol 278
 - liquid/liquid 185, 188
 - solid-phase (SPE) 188, 190

- stir bar sorptive (SBSE) 191
- extrusion 254 f.

f

- Faraday constant 413
- Fermi level 326 f.
- fibronectin 240 ff.
- film, *see* thin film
- fluorescence
 - background 336
 - band-edge 331, 347, 349
 - concentration 256
 - efficiency 336
 - emission 279, 323, 331, 333, 336
 - image 8, 167, 173, 176, 245 f.
 - intensity 176, 456 f.
 - plasmon-enhanced 336
 - quenching 333, 335 f.
- fluorescence-time curve 256
- fluorescent
 - enhancement 262 f.
 - labeling 131
- fluorophores 222, 431
- force–extension curves, *see* AFM
- forces
 - attractive 55, 57, 251, 429
 - capillary 288, 290, 298 f., 441
 - Coulomb 56, 187
 - crossover 420 f.
 - electrostatic 36, 288, 290, 412
 - friction 429, 433 ff.
 - gravitational 288, 290
 - interfacial 58
 - lateral 429 ff.
 - pull-off 441
 - repulsive 57, 125, 429
 - surface-normal 429
 - tractive 439
 - van der Waals 13, 56 f., 59, 187, 251, 254
 - wetting 473
- forensic
 - diagnostic 200
 - new forensic fields 193 ff.
- forensic-toxicological analysis 183 f., 186 f., 198 f., 200
- Fourier transform 115 f.
- Fourier transform infrared spectroscopy (FT-IR) 12, 152, 158, 274 f., 277, 331, 476 ff.
- Fresnel equations 225, 274, 389 f., 392
- friction 429
 - anisotropy 434
 - calibration factor 437

- coefficient 437, 441
- force contrast 432 f.
- force images 432 ff.
- kinetic 429
- wearless 429
- friction force microscopy, *see* AFM
- functional group 4, 6, 60, 62, 86
 - activity 85
 - density 66
 - immobilized 9, 19
 - pending 21
 - substrate 7
 - surface-bound 9, 16
 - terminal 7

g

- genome sequencing 95
- glass transition temperature 107, 116
- GPC, *see* chromatography
- grafting
 - density 137 f., 170 f.
 - electro-grafting 168
 - from technique 126 f., 133
 - photoiniferter-based 129 f.
 - to technique 126 f., 129, 133
 - UV-initiated 134 f.
- grain 114 f., 117
- graphoepitaxy 106, 116
 - alignment 119 f.
 - templating 116
- groove 106 f., 112, 116 f.
 - hexagonal 118 f.
 - length 117
 - linear 116 f., 119
 - templating 106
 - walls 112
 - width 107, 116
- growth factors 234

h

- heterobifunctional spacers 7, 19 f.
- high-throughput system 221
- host-guest
 - binding potential 405
 - complexes 419
- hydrocarbons 69, 255 ff.
- hydrodynamic
 - radius 353 f.
 - size 354
 - volume 131
- hydrogel 89, 95, 168, 191, 193, 457 ff.
 - dextran 8, 89, 91, 95, 198, 457
 - matrix 89, 95, 457 f.

- hydrogen
 - abstraction 212
 - bonding 57, 60, 187, 251, 254, 415 ff.
 - H-bonded supramolecular polymer chains 409
- hydrolysis 9 f., 12, 16, 150, 208, 210
 - amphiphile 255
 - base-catalyzed 10
 - membrane 261

i

- immunoassay technique
 - enzyme-linked immunosorbent assay (ELISA) 184, 187
 - enzyme-multiplied (EMIT) 184, 187
 - radioimmunoassay (RIA) 187
- immunochemical
 - reactions 183
 - screening techniques 183
- immunofluorescence 139 f.
- immunoglobulin G (IgG) 38, 45, 90, 457 f.
 - adsorption 67
 - antimouse 457 f.
 - mouse 457
- immunoreactions 38, 166
- impedance spectroscopy 226 f., 479 ff.
 - Bode plots 226 f., 479
- incommensurability 118, 120
- injection molding 34
- inorganic shell, *see* quantum dots
- in-situ* infrared absorption reflection spectroscopic (IRRAS) 66, 477
- integrin-receptor clustering 166
- intensity modulated photocurrent spectroscopy (IMPS) 329
- interaction
 - acid–base 60
 - antigen–antibody 166
 - avidin–biotin 20, 38
 - cancer–cell–surface 169, 240 ff.
 - cell–surface 3 f., 18, 137, 171, 176, 234, 237
 - cell–surroundings 169
 - controlled 44
 - DNA–PNA 37, 46
 - electrostatic 6, 13, 23, 36, 131, 279, 378, 412
 - hydrophobic 37, 187
 - hydrophobic–hydrophobic 346, 351
 - integrin–cell 138
 - intermolecular 405 f., 409, 419, 433
 - intramolecular 405 f., 414
 - ionic 37

- ligand–receptor 252
 - long-range intermolecular 13, 408
 - macromolecules 29, 409
 - mimic cells–ECM adhesion 137
 - non-specific 4
 - polar 37
 - protein–cell 137
 - protein–protein 45, 47
 - RGD–integrins 139
 - secondary 13
 - selective 4
 - site-specific 252
 - solid/liquid interface 13
 - specific 4
 - toxin–membrane 261 ff.
- interface
 - cell/polymer 233
 - chemical reactions 59
 - coating/surface 70
 - fracture 71
 - layer 126
 - liquid/vapor 472
 - metal/dielectric 30 f., 448
 - PEEK/PT30CEM 159
 - polymer/inorganic 60
 - polymer/polymer 71 f.
 - solid/gas 13, 472
 - solid/liquid 13, 472
 - interfacial
 - energy 472
 - long-range forces 109
 - short-range forces 109
 - structure 6, 21
 - ion
 - counter 132
 - suppression 187
 - ion-channel fluctuations 225
 - ionic
 - crosslinking 373
 - radii 288
 - strength 131
 - IUPAC 81, 83

j

- joint strength 146 f., 149
 - PEEK–CER–PEEK 146 f., 154 f., 159 ff.
 - PEEK–epoxy–PEEK 155 f.
 - PEEK–PEEK 146

k

- kinetic
 - friction 429
 - mode 225

- trapping 114
- kinetics 45
- binding 46 f., 195 f.
- crystallization 287
- plots 265
- reaction 42, 44
- Kretschmann configuration 32, 34, 225, 386 f., 488
- Kuhn segment length 364, 408 f., 413 f.

I

- lab on a chip technology 69, 98 f.
- Langmuir film balance 225
- Langmuir–Blodgett transfer 225
- Langmuir–Schaefer transfer 225
- laser beam scattering 465
- lateral force microscopy (LFM), *see* AFM
- layer
 - adhesion 66
 - bilayer 369, 374 ff.
 - brush 116, 129 f., 132, 141
 - capsule-capping 380
 - functional 66
 - mediating 7
 - monomolecular 60
 - multimolecular 60
 - organo–silane 67
 - passivating 64, 238
 - periodicity 112
 - plasma-deposited 65
 - precursor 5
 - self-assembled polymer layers 168
- layer-by-layer, *see* deposition
- ligand
 - bidentate 349
 - binding strength 349
 - capping 324, 326, 330, 348
 - cell-adhesive 137
 - designer 341
 - extracellular 234
 - inhomogeneous coverage 23
 - monodentate 349
 - nucleic acid 36
 - polymeric 349 f.
 - quantum dots (QD) 343 ff.
 - trioctylphosphine oxide (TOPO) 343 f., 346, 348 ff.
- ligand-exchange reaction 349, 351, 353
- lipid bilayer vesicles (LBVs) 251 ff.
 - application 261 ff.
 - cholesterol 258 f.
 - fabrication 254 ff.
 - large unilamellar vesicles (LUVs) 253

- lipid chain length 256
- multivesicular vesicles (MVVs) 253
- small unilamellar vesicles (SUVs) 253
- solid-supported 255
- stability 259
- surface-tethered lipid vesicles 252 f., 261 ff.
- lithographic technique
 - AFM-assisted 133
 - anodization potential 134
 - colloidal 166
 - dip-pen nanolithography (DPN) 431 f.
 - imprint 167 f., 170, 174, 289
 - nano-lithographic 116, 129, 166
 - pattern quality 430
 - photolithography 167, 172, 207, 209, 211, 216 ff.
 - scanning near-field lithography 432
 - scanning probe lithography (SPL) 430
 - soft 170, 172, 289, 430
- lower critical solution temperature (LCST) 128

m

- macromolecular motor, *see* molecular motor
- macromolecules
 - complex architectures 133, 407
 - elasticity 405, 407 ff.
 - mechanical characterization 406, 410
 - mechano-electrochemical cycles 412 ff.
 - nanotechnology 133
 - photochemical energy conversion 410
 - relaxing 412
 - stress 414
 - stretched 406, 409, 412
 - stretching ratio 413 f.
 - supramolecular structures 406 f.
 - uncoiled 406
- mass spectroscopy (MS), *see* chromatography
- matrix-component repelling 190
- Maxwell equation 387
- Maxwell-Garnett approach 387
- melting 107 f.
- membrane 60
 - bilayer lipid membranes, *see* BLMs
 - filter 90
 - polymer 90
 - thickness 256
- microbeads 191
- microcantilever sensors 466
- microcapsules 364 f., 367 ff.
 - capsule wall thickness 375 ff.
 - chemical oxidation 369 f.

- chemical redox-responsive behavior 372 ff.
- chemical reduction 370 ff.
- composite-wall 374 ff.
- electrochemically redox-responsive 378
- permeability 374 ff.
- microchannel 7
- microemulsion synthesis 348
- microfabrication techniques 57
- model
 - binding kinetic model 47
 - cell–membrane model 221 f., 251
 - effective mass approximation 345
 - freely jointed chain (FJC) 408 f., 410 f., 413 f., 416 f.
 - particle in a box 324
 - passive diffusion 256 ff.
 - statistical-mechanical 408
 - two-compartment 44
 - worm-like chain (WLC) 408 f., 417
- molecular
 - mass 9, 36, 45, 108
 - mobility 115
 - recognition imaging 406
- molecular imprinted polymers (MIPs) 188, 191 ff.
- molecular motor
 - artificial 410
 - electrochemically-driven 411, 413
 - molecular–macromolecular motor 409
 - natural 410
 - redox process 410
 - single-molecule 411
 - surface-immobilized 410
 - synthetic chain 410
- molecule
 - amphipathic 251 f.
 - biologically active 3, 5, 7, 37 ff.
 - biotin-labeled 38
 - biotin–streptavidin 86 f.
 - derivatized 18
 - functional 5
 - His-tag 89
 - immobilization 4, 8 f., 86 ff.
 - macromolecule 127, 131 f.
 - optics 4
 - polypeptide 4
 - position initiator 133
 - protein-repelling 39
 - single-molecule measurements 265 f.
 - target 39 f.
- monolayer
 - mixed 4
 - ordered environment 8, 10
 - self-assembled, *see* SAM
 - well-ordered 113 f.
- morphology 55
 - bcc 113 f., 119
 - hexagonal packed (HP) 113 f., 118, 120
 - microdomain 107, 112 f., 117, 119 f.
 - microphase-separated 106, 121
- multilayer
 - colloidal 290, 299, 309
 - polyelectrolyte 209
 - polyelectrolyte multilayers (PEMs) 363 ff.
 - self-assembled polyelectrolyte 168
 - system 66
- n**
 - nanocrystals 343 ff.
 - growth 344
 - QD, *see* quantum dots
 - nanindentation 466
 - nanoparticles 209, 237, 323 f., 343
 - nanopillars 7 f.
 - nanoporous
 - AAO with polypeptide brushes 392 ff.
 - oxide structures 383
 - oxide thin films 383 ff.
 - waveguide sensing 389 ff.
 - nanorods 57
 - nanowires 134 ff.
 - N-hydroxysuccinimide (NHS)
 - NHS-esters 10, 12, 14 ff.
 - NHS-terminated disulfide 11
 - N-hydroxysulfosuccinimide (NHSS) 14 f.
 - N-isopropylacrylamide (NIPAM) 129
 - nonfouling 38 f.
 - Normanski microscope 465
 - N-nitilotriacetic acid (NTA) 89
 - NTA/His₆-tag 21
 - nitroveratryloxycarbonyl 9, 212 ff.
 - nuclear magnetic resonance spectroscopy (NMR) 108, 211, 354, 415, 417
 - nucleation 287, 289, 306
 - nucleophilic attack 156
- o**
 - oligonucleotide hybridization 8
 - optical
 - beam principle 406
 - bleach 333
 - coupling 387
 - diffraction limit 431
 - excitation, *see* SPs
 - fibers 34

- microscopy 465
- transitions 350
- waveguides 34, 383, 386 f., 465
- wide-field micrograph 242
- organometallic
- capsules 364
- chain 364
- organic microcapsules 380
- redox-responsive polymers 364
- OWS, *see* waveguide 465

p

- pair-distribution function 114
- patch-clamp experiments 222, 224 f.
- patterned
 - controlled 166
 - nano-patterned 166, 168, 383
 - substrates 116 ff.
- patterned surfaces 4, 166 ff.
 - application 208 ff.
 - cell adhesive/cell repulsive 243
 - 2-D 238 f.
 - 3-D 238 f.
 - polyelectrolyte 208 f.
- PE-CVD, *see* deposition
- penetration depth 30 f., 41
- peptide nucleic acid (PNA) 36, 96 f., 272, 278 ff.
 - hybridization 280 f.
 - immobilization 278
- peptides
 - immobilization 137, 168
 - polypeptide brushes 392 ff.
- perturbation theory 41
- PFS (ferrocenylsilanes), *see* stimuli-responsive polymers
- pH 16, 20, 48, 190, 255, 433
 - dissociation 350
- pH-responsive materials 131, 363 f.
- photoablation 62 f., 236
- photocatalyst 350
- photochemical treatment 62 f.
- photodeprotection 9, 212, 216
- photodiode 430, 434 f., 437, 442
- photoexcitation 329 f.
- photoiniferters 129, 140
 - albumin-modified 129
 - DTCA 140
- photoirradiation 129
- photoisomerizable groups 127
- photoluminescence 332 f., 336
- photolytic cleavage 212 f.
- photometric measurements 183
- photomultiplier tube 84
- photon 33, 62
- photo-oxidation reaction 350, 354
- photoprotecting group 209 ff.
 - NVoc (nitroveratryloxycarbonyl group) 9, 212 ff.
- photosensitive, *see* silanes
- physical confinement 288
- physiosorption 5, 9, 56, 126, 137, 170, 191, 210
- Planck constant 324, 493
- plasma
 - activation 67, 145, 149
 - continuous wave 66
 - deposition 64, 67
 - gas 63, 67
 - input power 66
 - nonequilibrium 64, 68
 - oxygen-plasma 67, 121, 161
 - plasma-assisted processes 62 ff.
 - plasma-enhanced cleaning 63 f.
 - polymer films 64, 66, 170, 192, 271 ff.
 - polymerization system 273 f.
 - polymers 64 ff.
 - relaxation 68
- plasma polymerization of allylamine (ppAA) 271 ff.
 - DNA adsorption 278 f.
 - film analysis 274 ff.
 - PNA adsorption 278 f.
 - structural change 278
- point-of-scene testing 186
- Poisson's ratio 435, 437
- poly methyl methacrylate (PMMA) 7 f., 135 f., 138 ff.
- polycyanurate (PC) 145 f., 150
- polymerase chain reaction (PCR) 84, 96 f.
- polydimethyl siloxane (PDMS) 172
 - coated stir bar 190
 - stamp 174
- poly(allylamine hydrochloride) (PAH) 365 f., 373 ff.
- polydispersity 294, 343
- polyelectrolyte multilayers (PEMs) 363 ff.
 - fabrication 365 f.
 - redox characteristics 366 ff.
- polyelectrolytes
 - ferrocenylsilanes, *see* PFS
 - microcapsules 364 f., 367 ff.
 - multilayers, *see* PEMs
 - poly(allylamine hydrochloride), *see* PAH
 - polymer brushes 125, 127, 131, 393 ff.
 - poly(styrene sulfonate), *see* PSS

- polyether ether ketone (PEEK) 145 ff.
 - chemical structure 146
 - –OCN 148 ff.
 - –OH 148, 156 f., 159 f.
 - tensile bone 149
 - polyethylene glycol (PEG) 7, 16, 170 ff.
 - brushes 23, 137
 - chains 352 f.
 - –NH₂ 172 f., 177, 242 f., 245
 - poly(2-hydroxyethyl methacrylate) (PHEMA) 137 ff.
 - poly-(L-lysine) (PLL)
 - adhesion-promoting 176
 - –PEG (poly(ethylene glycol)) conjugates 7, 21, 23 f., 170
 - –g-PEG (-g-poly(ethylene glycol)) 238 f.
 - polymer brushes 125 ff.
 - high-density 126
 - length scales 133 ff.
 - pH-responsive materials, *see* pH
 - PMAA (poly(methacrylic acid)) 132, 135 f., 138 ff.
 - PNIPAM (poly(*N*-isopropylacrylamide)) 127 ff.
 - polyelectrolytes 125, 127, 131, 393 ff.
 - stimuli-responsive 127 ff.
 - synthesis 126 f., 129
 - thermosensitive 129, 133
 - tri-block-copolymer 131
 - polymer chains 56, 58 f., 62, 125
 - conformations 125 ff.
 - reorientation 278
 - tethered 129 f.
 - polymer
 - coupling layer 21
 - film 16, 56, 64, 67
 - homo-polymer 171, 192
 - interfaces 62
 - platform 170
 - protein-imprinted 192
 - supramolecular 419 ff.
 - synthetic 133, 406
 - thermoplastic 145
 - polymerization
 - anionic 106, 126
 - atom transfer radical polymerization (ATRP) 126, 129, 131 f., 133
 - cationic 126
 - iniferter-mediated 139
 - initiator-transfer-terminator agent 126
 - photopolymerization 8, 129, 140
 - plasma-assisted 5, 65 f., 170, 192, 271 ff.
 - reversible addition-fragmentation chain transfer (RAFT) 126
 - ring-opening polymerization (ROP) 126, 134, 364
 - surface-initiated polymerization (SIP) 126, 130, 133, 136, 168, 170
 - poly(*N*-hydroxysuccinimidyl methacrylate) (PNHSMA) 171 f., 176
 - poly(poly(ethylene glycol)methacrylate) (PPEGMA) 137 ff.
 - polysaccharide
 - conformational change 415 f.
 - HA (hyaluronan) 416 ff.
 - stretching 414 f.
 - superstructure 417 ff.
 - poly(styrene sulfonate) (PSS) 365 f., 368 f., 372
 - postmortem interval (PMI) 197, 201
 - printing
 - inverted microcontact 244 f.
 - microcontact 61, 172, 175, 208 f., 235 f., 238 f., 242, 244, 430
 - processes 63
 - transfer 172
 - profilometry 465
 - protein
 - BT toxin 10, 12
 - clusters 4
 - folding 405
 - fouling 90
 - immobilization 4 f., 10, 16 f., 25, 65 f., 168
 - ion-channel 224
 - position 5
 - transmembrane 233
 - purification 9, 199, 349
- q**
- quantitative analysis
 - quantitative compositional mapping 441
 - quantitative imaging 434, 441
 - lateral force microscopy 429 ff.
 - surface coverages 4
 - quantum dots (QD)
 - blinking 337
 - charged 330 ff.
 - core shell 343 f., 347 f.
 - crosslinking 348
 - 2-D structures 323, 325
 - 3-D structures 323, 325
 - dispersability 341
 - electrochemical charging 326 ff.
 - electromechanical measurements 326 ff.

- energy levels 324, 326, 331, 333
- film 331, 337
- highest occupied molecular orbital (HOMO) 323, 327 ff.
- HOMO–LUMO bandgap 327 f., 331 f., 337, 344
- inorganic shell 346 ff.
- lowest unoccupied molecular orbital (LUMO) 323, 326 ff.
- optical properties 330, 344
- passivation 346 ff.
- photochemical charging 326, 328
- QD–ligand assembly 341, 343
- QD/polymer assemblies 350 f., 354
- QY (luminescence quantum yields) 341, 343 f., 347, 351
- shape 323
- silica coated 347 f.
- size 323, 345 f., 350, 353
- solubility 342, 347, 349 f.
- surface engineering 341 ff.
- surface functionalization 345 ff.
- surface plasmons 334 ff.
- synthesis 325, 351
- toxicity 342, 348
- quartz-crystal microbalance (QCM) 190, 192, 194, 199 ff.

r

- radar transparency 145
- radicals 62, 69
 - 4-amino-TEMPO (tetramethylpiperidyl-1-oxyl) 130 f.
 - exchange method 130
 - macroradicals 130
 - reactive carbon 129
- Raman spectroscopy 466
- reaction
 - addition 14, 17 ff.
 - by-products 9
 - complexation 13
 - Diels–Adler cycloaddition 18
 - disulfide exchange 17
 - Huisgen (1,3-Dipolar cycloaddition) 18 f.
 - Michael addition 17 f.
 - multistep 19 f.
 - photochemical 9
 - post-plasma 69
 - product 16 f.
 - proteolytic 8
 - rate 10
 - rate constant 13
 - selective 9

- side 4, 9, 16 f.
 - solution 9, 13
 - substitution 14 ff.
- reactive gas 63, 69
 - reactive group 59, 62, 64, 162
 - recrystallization 107
 - redox
 - active groups 127
 - activity 364
 - PFS multilayers 366 ff.
 - potential 350
 - redox-induced changes 364
 - reductive cleavage 17
 - refractive index 29 ff.
 - AAO 391
 - avidin 389 f.
 - bulk refractive index change 40
 - bulk refractive index sensitivity 41
 - change 34, 39 ff.
 - contrast 287
 - dielectric 30, 32 f.
 - gold 31 f., 41
 - metal 30, 32 f.
 - phosphate buffered saline (PBS) 389
 - prism 32 f., 41
 - protein induced 41
 - spacer layer 455
 - surface refractive index change 40
 - surface refractive index sensitivity 41
 - refractive index units (RIU) 36
 - RGD (arginine-glycine-aspartic acid)
 - sequence 18, 137 ff.
 - functionalized polymer brushes 138, 140
 - peptide absorption 138 f.
 - thiols 234, 237 f.
 - regenerative medicine 137
 - regioselective colloid assembly 209
 - regiospecificity 21, 23
 - ribonucleic acid (RNA) 96

s

- scanning electron microscopy (SEM) 7, 72, 112, 116, 237, 240 f., 260, 465, 483 f.
- scanning probe lithography (SPL), *see* lithographic technique
- scanning probe microscopy (SPM) 4, 207, 237
- Scratch-peel tests 466
- screening test 186 f.
- secondary ion mass spectroscopy (SIMS) 72, 466
- sedimentation 288 f.
- self-assembled monolayer (SAM) 5 ff.

- activation 10f.
- amino-terminated 20
- anhydride 16
- bottom-up approach 207
- carboxylic-acid-terminated thiols 38
- conformational order 13
- degradation 6
- long-chain 13
- NHS-ester terminated 10
- (PEG)-terminated thiol 39
- silane-based 6, 207 ff.
- thiol 65 f.
- semiconductor
 - bulk 344
 - direct bandgap 345
 - LED-like 337
 - materials 323 ff.
 - nanocrystals 341, 343
 - technology 291, 307
- shear
 - modulus 435
 - oscillatory 288
 - strength 67 f.
 - tests 68, 466
- SI units 82
- side chains 4 ff.
- silane
 - alkoxysilanes 208, 211, 225
 - photosensitive 207 ff.
 - synthesis 214 ff.
- silane-based membranes 225
- silanization 208
- silica
 - functionalized 188
 - gel 188
 - self-organization 208
 - shells 347 f.
 - slides 365
- silicon
 - AFM tip 431
 - bonding 67
 - hydride-terminated 134 f.
 - nitride 431
 - wafer 67 f., 109 f., 291, 365, 369
- silicon-based stabilizers 72
- silicon-oxide patterns 134, 171
- single-molecule force spectroscopy (SMFS),
 see AFM
- size exclusion chromatography (SEC),
 see chromatography
- small-angle X-ray scattering (SAXS) 112 ff.
- soft-matter physics 406
- solid-phase microextraction (SPME) 188 ff.
 - direct immersion (DI-SPME) 188 f., 193, 201
 - head-space (HS-SPME) 188 f., 201
- solution
 - chemistry 5, 8 f., 13
 - protonate 66
 - viscosity 44
- spacer
 - flexible 4
 - heterobifunctional 7, 19 f.
 - immobilized 9
 - LRSP (long-range SPFS) 447 ff.
 - oligomeric PEG 13
 - polymeric group 223 f.
 - SRSP (short-range SPFS) 448, 450
 - thickness 296
- stickiness 56, 58
- stimuli-responsive polymers 363 ff.
 - catalytic activity 106
 - chemical stimuli 363 ff.
 - PFS (ferrocenylsilanes) 364 ff.
 - physical stimuli 363
- Stöber process 348
- Stokes formula 44
- substrates
 - flat 5, 7, 106, 117, 365
 - inorganic 59
 - ordering 114 ff.
 - planar 114 ff.
 - silica 109 f., 208, 210
 - silicon 109 f.
 - supporting 8
 - templating 289
- sudden infant death syndrome (SIDS) 186, 197 f., 202
- surface
 - activation 68 ff.
 - analytics 4
 - anionic 66
 - antifouling 137, 242
 - area 7 f., 57
 - asperity 429
 - cationic 66
 - charge 433
 - chelator 21, 24
 - chemical composition 3 f.
 - chemistry 3 ff.
 - cleaning 63 f.
 - coverage 4, 7, 9 f., 12, 21, 334 f., 431
 - crosslinking 62, 69
 - energy 431
 - engineering 128 ff.
 - forces 9, 13

- fouling-antifouling 129
- gold 10 f., 14 f., 23, 31, 38 f., 65, 432, 455
- gradient 430, 432 f.
- heterogeneously functionalized 9
- hydrophilic 57, 62, 67, 95
- hydrophobic 57
- immobilization 5
- liquid 57
- multifunctional tunable 128
- passivation 171, 176, 241
- pretreatment 57
- reaction 9
- reconstructing 72
- regeneration 17
- roughness 3, 57, 465
- solid 13, 18, 57
- spatial separation 19
- sterilization 63 ff.
- surface-initiated polymerization 7
- surface modification 3, 8, 18 f., 60
 - light-directed 8, 21
 - physiochemical methods 62 ff.
 - plasma-assisted 62 ff.
 - solution-phase 8
 - technique 57
- surface plasmon enhanced fluorescence spectroscopy (SPFS) 21, 85, 95 f., 175, 194, 261 ff.
- surface plasmon resonance (SPR) 23, 71, 91, 261 f., 274, 465, 485 f.
 - angular modulation 35 f., 39, 41
 - dip 33 f., 39
 - intensity modulation 36, 39
 - kinetic scan 171
 - minimum angle 335
 - optical platforms 34 f.
 - reflectivity 40, 196, 278
 - SPR-based biosensors 29 ff.
 - wavelength modulation 35 f.
- surface plasmons (SPs) 29 ff.
 - coupler 32, 35, 39
 - coupling condition change 34
 - field 30
 - interrogation 34, 36
 - modes 448 ff.
 - optical excitation 32, 33, 37, 452 f.
 - strength 32
- surface structure
 - hierarchial 57, 209
 - surface-tethered macromolecules 127, 132 f.
 - thermoresponsive 129
- surface tension 350

t

- tensile
 - strength 70
 - stress 149
- thermal gravimetric analysis (TGA) 153 f.
- thin film
 - anodic aluminium oxide, *see* AAO
 - architectures based on polymers 105 ff.
 - calcite 132
 - fibronectin-functionalized 240 ff.
 - multilayered polymeric 363 ff.
 - oxide particles 383
 - plasma-polymerization of allylamine, *see* ppAA
 - polyurethan (PU) 90
 - spin-coated polymer 168, 170, 175
 - stability 109, 170
 - stamp-polymer 172 ff.
 - surface functionalization 165 ff.
 - surface-induced ordering 106
 - surface passivation 171, 176
 - surface structuring 165 ff.
 - thickness 66, 112 ff.
 - thin film based platforms 165 ff.
 - TiO₂-particle 384 f., 392, 398 f.
- time-of-flight secondary ion mass spectrometry (TOF-SIMS) 23, 109 f., 431
- tissue engineering 137
- top-down techniques 207 f.
- TOPO, *see* ligand
- trace analysis 186
- transition
 - endothermic 153 f.
 - exothermic curing 150 ff.
 - hydrophobic-hydrophilic 128
 - melting 108
 - temperature 255
- transition state 14
 - crowded 10
 - entropy 10
 - sterically demanding 16
- transmission electron microscopy (TEM) 260, 323 f., 353
- transverse magnetically (TM)
 - polarized 30
 - reflectivity 33, 40
- tribology 429, 439

u

- ultrasonic agitation 288
- UV
 - crosslinker device 218
 - irradiation 72, 129 f., 210

- laser 62
- light 23, 62
- radiation 68
- UV/ozone 62, 126, 172
- UV/VIS-absorption spectrum 187, 190, 216 f., 366, 379

v

- vesicles, *see* LBVs
- vibrational spectroscopy, *see* FT-IR
- viscosity 150, 379
- Voronoi-diagram 114 ff.

w

- Watson–Crick hydrogen bonding rules 272
- waveguide
 - modes 383, 386 f., 389, 391
 - nanoporous oxide thin-film 383 ff.
 - optical 34, 383, 386 f., 465
 - optical waveguide mode spectroscopy (OWS) 71, 274, 386 f., 465, 488 ff.
 - sensing 384, 389 ff.
 - simultaneous 397 f.

- WaMs (waveguide mode spectroscopy) 491 f.
- wavelength 30 ff.
- wettability 55, 57 f.
- polymer 63
- surface 471 ff.
- wetting
 - asymmetric 112, 117, 119
 - force 473
 - poly(ferrocenylsilane) (PFS) layer 107, 109 ff.
 - substrate 112, 116
 - surface 112
 - symmetric 170

x

- X-ray absorption near-edge spectroscopy 354
- X-ray photoelectron spectroscopy (XPS) 72 f., 147 f., 157 f., 170, 276 f., 353, 431, 466, 493 ff.

y

- Young's modulus 435, 437, 472

