

Index

a

activation energy 437 ff.
 active matrix liquid crystal display (AMLCD) 401
 adsorption geometry 173
 adsorption induced restructuring 215
 aluminium oxide 139 ff., 178ff., 499
 aluminium/insulator/gold (MIM) structures 500
 ambipolar 347 ff.
 – transport 441
 angular resolved photoelectron emission study (APES) 305 ff.
 anodisation factor 501
 anti-Bragg point 169 ff.
 aromatic core 62 ff.
 Arrhenius dependence 437
 atomic force microscopy (AFM) 64, 77ff., 102ff., 125, 128 ff., 135, 431, 441
 atomically flat 286
 Au/DIP interface 289 ff.

b

π^* -band 453
 band like transport 228
 benzene 210
 benzothiadiazole-cyclopentadithiophen (BTZ-CDT) 67
 binding energy 457
 64-Bit RFID 9, 22
 96-bit electronic product code™ 13
 blends 347
 bonding distance 173
 bottom contact 431
 bottom contact transistors (BOC) 80
 Bragg formula 89
 BT3 (bis(terthiophene)) 96 ff.
 BT5 (bis(pentathiophene)) 96 ff.

BT7 (bis(heptathiophene)) 96 ff.
 bulk transport 548
 2-buthanone 458

c

C60 300, 350
 Ca
 – hydroxide 522, 523
 – oxide 522, 523
 – passivation 523 ff.
 capacitors (MIS) 317 ff., 323 ff., 344
 capacitors (MFIS) 460 ff.
 carbon black 454
 carbon nanotube (CNT) 567 ff.
 – chemical functionalisation 575
 – Schottky barriers 570, 588
 change in OFET polarity 533
 charge
 – ambipolar 347 ff.
 – (carrier) injection 311 ff., 362
 – (carrier) mobility 30, 148, 189, 307 ff., 354, 388, 433, 439
 – (carrier) traps 157
 – (carrier) transport 62, 64, 189, 539 ff.
 – (carrier) traps 520, 535
 – density 427, 433
 – transient spectroscopy (QTS) 428, 429, 436 ff., 441
 chemical stability 76, 85, 247, 553
 chemical synthesis 39
 chemical vapor deposition (CVD) 116 ff., 134, 380 ff., 581
 CMOS Circuits 10
 CNBTPA (5-cyano-2-(butyl-4-phosphonic acid)-3-butylthiophene) 76 ff.
 commercial applications 6, 9, 180, 429
 common vacuum level 209
 complex organic circuits 9

conductivity 45, 52, 54, 58
 – change 596
 conductors 25
 confocal microscope 312, 588
 contact potential difference (CPD) 79
 contact resistance 363, 481
 copolymer 456
 cross-sectional transmission electron
 microscopy (TEM) 176, 178
 crystal growth 201, 204, 286, 544 ff.
 Curie temperature 460
 cushion effect 211
 cyclic voltammetry 78, 84
 cyclic voltammetry (CV) 84 ff.
 – characterization 449
 – curves 317 ff., 325 ff.

d

DBQT (β,β' -dibutylquaterthiophene) 77,
 80 ff.
 DBST (β,β' -dibutylsexithiophene) 77, 80 ff.
 DCNDBQT (α,ω -dicyano- β,β' -dibutyl-
 quaterthiophene) 76 ff.
 deep level transient spectroscopy (DLTS)
 428, 437, 438
 deep trap 437, 433, 441
 deformation pattern 264, 276
 degradation 373 ff., 393 ff., 553
 demodulated reader signal 9
 density functional theory (DFT) 264, 539
 density of states (DOS) 428, 437
 depth profile 404 ff., 436, 544
 de-trapping 428, 437 ff., 441
 device simulation 433, 435
 dewetting, post-deposition 220 ff.
 DHBTP-SC ((dihexylbithiophene)₂-phe-
 nyl swivel cruciform) 96 ff.
 DHPT-SC (α,α' -dihexylpentathiophene
 based swivel cruciform) 96 ff.
 dielectric interface 516
 dielectrics 27
 diffusion limited aggregation (DLA) 302
 2-dimensional wide angle X-ray scattering
 (2D-WAXS) 68
 diode, pentacene based 227
 DIP (diindenoperylene) 169 ff., 282, 401
 doping 435 ff.
 drain voltage 439
 drop casting 61 ff., 85, 625
 drop-cast film 64
 dynamic scaling 165

e

electret 177, 396, 402 ff., 421 ff.
 electric field 431, 441
 electric potential 440
 electrical characterisation 438
 – ex situ 439
 – in situ 438
 electrochemical
 – field-effect 572
 – functionalisation 577
 – impedance spectroscopy (EIS) 499
 electroless deposition (ELD) 116, 119, 124,
 134
 electron traps 517, 521, 526, 528, 533
 electronic
 – ink 12
 – interface states 517
 – level alignment 207 ff.
 – structure 359, 453
 ellipsometry 119, 134
 encapsulation 177
 epitaxial growth 213, 223, 238, 245
 exciton 98, 362, 369, 453, 544, 554

f

Fermi energy 332, 340 ff., 453
 ferroelectric
 – material 446 ff.
 – OFET 462
 field-effect
 – mobility (FEM) 30, 37, 75
 – transistor (FET) 4, 71, 546
 film
 – morphology 357
 – roughness 179
 flatband shift 460
 flexible substrates 19 ff., 27, 30, 177, 373,
 499, 511, 514
 flexography 24
 formulation 12
 Froehlich-polarons 547
 FTIR 449

g

gate
 – dielectrics 373 ff.
 – electrode 294 ff.
 – insulator 139 ff., 281 ff., 349, 428 ff.,
 478 ff., 547 ff.
 – oxide 322 ff., 429, 434
 – voltage 7, 431, 441

- giant magnetoresistance (GMR) 614
 gradient sublimation 141, 543
 grain boundary 427, 439
 graphene 62, 69 ff., 568
 gravure 24
 growth exponents 166
 growth oscillations 174
 GSH (glutathion) 121
- h**
- HBC (hexabenzocoronene) 62, 213
 HBC-C12 62 ff.
 high vacuum 429 ff.
 highest occupied crystal orbital (HOCO) 549
 high-k material 461
 high-k resist 390 ff.
 HMDS (hexamethyldisilazane) 10, 191, 320
 HOMO (highest occupied molecular orbitals) 41 ff., 78, 84 ff., 264
 hopping barrier 286
 HR-TEM 66
 Huang-Rhys factor 276 ff.
 hydroxyl groups 517, 530, 531
 hysteresis effect 309 ff., 317 ff., 339
- i**
- image charge 434
 in situ 282, 295, 429 ff., 438
 indium tin oxide (ITO) 140
 injection barrier 362 ff.
 injection barrier 428, 434, 436, 440
 injection barriers 427 ff.
 inkjet printing 24
 inorganic semiconductors 30
 integrated circuits 6
 interdiffusion1 66, 175 ff., 283, 290
 interface
 – characterization 448
 – charge 356
 – dipole 209
 – formation 263
 – reactions 449
 – roughness 163
 – treatment 428
 interfacial chemistry 263
 intermolecular coupling 38, 49, 52, 57
 intrinsic mobility 557
 inverter 365
 ion beam sputtering 405 ff.
- IPES (inverse photoemission spectroscopy) 43
 island growth 45, 51 ff., 57, 303
 ITO (indium tin oxide) 26 ff.
- k**
- Kelvin probe 432, 436, 441
 – force microscopy (KPFM) 79
 Keto groups 529, 530
 Kiessig oscillations 163
 Kirova–Brazovskii scenario 341 ff.
 Kondo physics 259
- l**
- large channels 484
 layer formation 38, 45, 49 ff.
 layer-by-layer growth 170
 lift-off structured 388 ff.
 linear regime 439
 low-temperature oxide (LTO) 383 ff.
 LUMO (lowest unoccupied molecular orbitals) 42 ff., 78, 84 ff., 264
- m**
- magnetoresistance (TMR) 613
 magnetron sputtering 140
 matrix assisted laser desorption/ionisation (MALDI) 69 ff.
 MBA (4-mercaptobenzoic acid) 121
 MEE (2-(2-mercaptoethoxy)ethanol) 121
 megahertz operation 488 ff.
 memories 17, 466
 metal
 – diffusion 272, 273, 401 ff.
 – insulator semiconductor (MIS) diode 520, 521, 528
 – intercalation 278, 279
 – penetration 419
 metal/insulator/metal (MIM) structures 499
 metal/organic interface 211 ff., 263 ff., 415, 597
 micro-contact printing 117, 123
 microfabrication 115
 micro-OFET concept 283
 MIS Capacitor 317 ff., 465 ff.
 mobility 464
 molecular
 – beam deposition 216 ff.
 – orientation 171, 218
 morphology 429, 433, 436 439
 MOSFET theory 307, 311, 477, 480

- mound growth 170
 MPS (3-mercaptopropyltrimethoxysilane) 123
 multiple trapping and release (MTR) 159, 428, 549
- n**
- nanographene 70 ff.
 nanoparticles 5, 116 ff., 119 ff., 373, 416, 585, 595
 negative differential resistance (NDR) 596 ff.
 NEXAFS spectroscopy 217, 287
 non-volatile memory 446
- o**
- OFET (organic field-effect transistors) 30 ff., 38, 55, 89, 104ff., 115 ff., 377
 – bottom contact 207
 – geometry 208
 – top contact 207
 offset 24
 oligothiophenes 75
 open circuit potential (OCP) 500
 optical absorbance 48 ff.
 organic
 – lightemitting diodes (OLED) 30
 – molecular beam deposition (OMBD) 263
 – semiconductors 29
 – transistor 4 ff.
 Orientational precursor 223
 OTs (n-octadecyltrichlorosilane) 191, 355
 output characteristic 439
 – of OFET 104
 oxidation 52 ff.
- p**
- P(VDF-TrFE) 446
 P3AT (poly(3-alkylthiophene)) 76, 317
 P4VP (poly(4-vinylphenol)) 518, 519, 530
 PAHs (polycyclic aromatic hydrocarbons) 62
 particle-based inks 25
 passive elements 20
 patterning 28 ff., 365, 403, 472
 Pauli repulsion 210
 P–BP equilibrium 333 ff.
 PC (polycarbonate) 518, 519, 530
 PCBM ([6,6]-phenyl-C61-butyric acid methyl ester) 319 ff.
 PDMS 116, 120, 133
 PEDOT:PSS27
 pentacene (Pc) 139, 167 ff., 216, 301 ff., 402 ff.
 – sublimation enthalpy 217
 pentacenequinone 141
 percolation 45 ff., 51
 permittivity 460
 perylene 215, 264, 273
 – DiMe-PTCDI 264 ff.
 – core 273
 – PTCDA 263 ff.
 phase locked loop (PLL) 79
 μ -photo electron spectroscopy (μ -PES) 452
 π (polyimide) 518, 519, 530
 photo response 301 ff.
 photoelectron
 – emission microscopy (PEEM) 51
 – spectroscopy 359
 photogeneration of charge carriers 435
 photoluminescence spectra – BT3 97 ff.
 photoluminescence spectra – BT5 97 ff.
 photoluminescence spectra – BT7 97 ff.
 photoluminescence spectra – DHBTP-SC 98
 photoluminescence spectra – DHPT-SC 98
 phthalocyanine 37 ff., 350
 physically vapour deposited (PVD) 80
 physisorption 211
 planar device structure 604
 plasma
 – cleaning 133
 – enhanced CVD (PECVD) 384
 plastic
 – electronics 22
 – substrates 19, 21, 320, 469, 579
 PM 3 (Parameterised Method 3) 41
 PMMA (polymethylmetacrylate) 27 ff.
 polarity inversion 536
 polaron 317 ff., 327, 331 ff., 352
 (Poly)crystalline silicon 19
 polyaromatic hydrocarbon (PAH) 539
 polycyclic aromatic hydrocarbons 62
 polymer dielectrics 387
 polymer electrolyte gate 578, 583, 587
 polymer-based transistor 493
 polymers 62
 polymorphism 144, 196
 poly-paraxylylene (PPX) 546
 polythiophenes 75, 475

- potential
- distribution 445
 - drop 454
 - profile 455
- potentiometry 428, 431, 439 ff
- PPV (poly(phenylene-vinylene)) 317
- printing considerations 23 ff.
- printing electronics 3 ff., 17 ff.
- PS (polystyrene) 518, 519, 530
- PTAA (poly(triarylamine)) 320
- PTCDA (perylene tetracarboxylic acid dianhydride) 51, 173 ff., 223 ff.
- p-type transistors 10
- pulse radiolysis time resolved microwave conductivity (PR-TRMC) 107 ff.
- purification 541 ff.
- q**
- Q-band 48 ff.
- quantum capacitance 573
- r**
- radiotracer 403 ff., 430
- Raman
- Ag mode 270, 272, 273
 - breathing mode 267, 268, 269
 - Bu mode 270, 272, 273
 - electromagnetic effect, long range 272
 - external modes 273, 274, 276
 - internal modes 264, 270, 276
 - line-shape 273
 - plasmon resonances 265, 270, 273
 - selection rules 266, 268, 269
 - spectra of PTCDA 265 ff.
 - spectroscopy 263 ff.
 - spectrum 264, 267, 274
 - stretching mode 264, 268, 269
 - surface enhanced Raman scattering (SERS) 265, 266
 - vibrational modes 263
- rapid roughening 170
- reactivity 278, 279
- real-time measurements 167 ff.
- registration 24
- RFID tags 21, 207
- ring oscillators 6 ff.
- roll-to-roll printing process 24
- rubrene 172, 212
- crystalline phase 213
 - molecular conformation 213
 - peroxide 212
- s**
- sapphire 281, 284
- substrate 284 ff.
- saturated calomel electrode (SCE) 500
- saturation 428
- scanning
- force microscopy 145
 - Kelvin force mode (SKPM) 445, 448 ff.
 - photocurrent microscopy 587
 - tunneling microscopy (STM), artefacts 220, 222
- schockley equation 514
- Schwoebel barrier 169, 220
- screen printing 24
- self
- aggregation 65
 - assembled monolayer (SAM) 224 ff.
- semiconductor 28, 115
- sensors 18, 585 ff.
- shadow mask 141
- shallow trap 437
- silicon nitride 382 ff.
- simulation
- single crystal 61 ff., 208, 212, 281 ff., 427 ff., 540 ff., 554 ff.
- SiO₂ (Silicon dioxide) 517
- small molecules 62
- soft-landing mass spectrometry 70 ff.
- solution-processed 27, 62, 67 ff., 97, 318, 491
- space-charge limited current (SCLC) 540, 546, 548, 556 ff.
- spin coating 455
- spintronics 613 ff.
- SQUID measurements 622 ff.
- π -stacking 64 ff., 189, 196, 220
- step sublimation 543
- Stranski-Krastanov 165, 174, 219, 221
- Stranski-Krastanov growth mode 219
- sub-micron channels 485
- substituted oligothiophenes 474
- substrates – passivation 442
- substrates – SiO₂ substrate 429
- surface
- passivation layers 373 ff.
 - potential 445
 - roughness 26 ff., 508 ff., 530
 - transport 548
- sweep directions 318 ff.

switching 416 ff.
synchrotron 453

t

teflon-based layer 421 ff.
temperature activated 428
temperature dependence 198
TEOS oxide 380 ff.
tetracene 213, 236, 238, 244 ff., 540 ff.,
548 ff.
TFT-backplanes 21
thermal stability 180 ff.
thin film
– measurements 41
– molecular semiconductor 38 ff.
– preparation 41
– transistors (TFT) 75
– film phase 140, 159, 168, 218 ff.,
251, 301 ff.
thiophene
– based 494
– based semiconductors 473 ff.
– DH4T 236, 251 ff., 475 ff., 614,
621 ff.
– P3HT 189, 190, 320
– swivel-cruciform 95 ff.
threshold voltage 439, 464
– shift 533
timedependent density functional theory
(TD-DFT) 264, 272
time-of-flight (TOF) 535
tio (Tiopronin) 121
top contact 438
– transistor (TOC) 80 ff.
topography 431
– image 272
transconductance 513, 586 ff.
transfer characteristic 439, 464
– of OFET 105 ff.
transfer frequency 488 ff.
transient spectroscopy 428, 436, 441
transition voltage 506
transport
– ambipolar 353
– band(-like) 228
– n-type 25, 30, 352

– p-type 25, 29, 352
– surface 550, 557, 561

trap states 157
trapping 427 ff.

u

UPS (ultraviolet photoelectron spectroscopy) 43
UV-Vis absorption
– BT3 97 ff.
– BT5 97 ff.
– BT7 97 ff.
– DHBTP-SC 98
– DHPT-SC 98

v

valence band edge 327
van-der-Waals forces 210
vibrations
– infrared active 267, 269, 270
– Raman active 266, 269, 271
Volmer-Weber 165, 410

w

water contact angle 529
Williamson-Hall plot 147
work function 435, 442, 445
– change 211

x

X-ray
– diffraction (XRD) 100, 141 ff.
– grazing-incidence diffraction (GID)
163, 191 ff.
– photo electron spectroscopy (XPS)
446, 518, 521, 522, 525, 526, 531
– reflectivity (XRR) 163
– scattering 79, 142, 163, 357
– standing waves (XSW) 173
XRD-GID (grazing incidence angle XRD)
100

z

zone casting 62 ff., 71
zone refining 542
zone-cast films 65