

## Contents

Preface XIII

### Part One Materials Science and Raman Spectroscopy Background 1

<b>1</b>	<b>The <math>sp^2</math> Nanocarbons: Prototypes for Nanoscience and Nanotechnology</b>	<b>3</b>
1.1	Definition of $sp^2$ Nanocarbon Systems	3
1.2	Short Survey from Discovery to Applications	5
1.3	Why $sp^2$ Nanocarbons Are Prototypes for Nanoscience and Nanotechnology	10
1.4	Raman Spectroscopy Applied to $sp^2$ Nanocarbons	11
<b>2</b>	<b>Electrons in <math>sp^2</math> Nanocarbons</b>	<b>17</b>
2.1	Basic Concepts: from the Electronic Levels in Atoms and Molecules to Solids	18
2.1.1	The One-Electron System and the Schrödinger Equation	18
2.1.2	The Schrödinger Equation for the Hydrogen Molecule	20
2.1.3	Many-Electron Systems: the NO Molecule	21
2.1.4	Hybridization: the Acetylene $C_2H_2$ Molecule	23
2.1.5	Basic Concepts for the Electronic Structure of Crystals	24
2.2	Electrons in Graphene: the Mother of $sp^2$ Nanocarbons	27
2.2.1	Crystal Structure of Monolayer Graphene	27
2.2.2	The $\pi$ -Bands of Graphene	28
2.2.3	The $\sigma$ -Bands of Graphene	31
2.2.4	$N$ -Layer Graphene Systems	33
2.2.5	Nanoribbon Structure	35
2.3	Electrons in Single-Wall Carbon Nanotubes	37
2.3.1	Nanotube Structure	38
2.3.2	Zone-Folding of Energy Dispersion Relations	40
2.3.3	Density of States	44
2.3.4	Importance of the Electronic Structure and Excitation Laser Energy to the Raman Spectra of SWNTs	47
2.4	Beyond the Simple Tight-Binding Approximation and Zone-Folding Procedure	48

<b>3</b>	<b>Vibrations in <math>sp^2</math> Nanocarbons</b>	<b>53</b>
3.1	Basic Concepts: from the Vibrational Levels in Molecules to Solids	55
3.1.1	The Harmonic Oscillator	55
3.1.2	Normal Vibrational Modes from Molecules to a Periodic Lattice	56
3.1.3	The Force Constant Model	59
3.2	Phonons in Graphene	61
3.3	Phonons in Nanoribbons	65
3.4	Phonons in Single-Wall Carbon Nanotubes	66
3.4.1	The Zone-Folding Picture	66
3.4.2	Beyond the Zone-Folding Picture	67
3.5	Beyond the Force Constant Model and Zone-Folding Procedure	69
<b>4</b>	<b>Raman Spectroscopy: from Graphite to <math>sp^2</math> Nanocarbons</b>	<b>73</b>
4.1	Light Absorption	73
4.2	Other Photophysical Phenomena	75
4.3	Raman Scattering Effect	78
4.3.1	Light–Matter Interaction and Polarizability: Classical Description of the Raman Effect	79
4.3.2	Characteristics of the Raman Effect	81
4.3.2.1	Stokes and Anti-Stokes Raman Processes	81
4.3.2.2	The Raman Spectrum	82
4.3.2.3	Raman Lineshape and Raman Spectral Linewidth $\Gamma_q$	82
4.3.2.4	Energy Units: $\text{cm}^{-1}$	84
4.3.2.5	Resonance Raman Scattering and Resonance Window Linewidth $\gamma_r$	85
4.3.2.6	Momentum Conservation and Backscattering Configuration of Light	86
4.3.2.7	First and Higher-Order Raman Processes	86
4.3.2.8	Coherence	87
4.4	General Overview of the $sp^2$ Carbon Raman Spectra	88
4.4.1	Graphite	88
4.4.2	Carbon Nanotubes – Historical Background	92
4.4.3	Graphene	96
<b>5</b>	<b>Quantum Description of Raman Scattering</b>	<b>103</b>
5.1	The Fermi Golden Rule	103
5.2	The Quantum Description of Raman Spectroscopy	108
5.3	Feynman Diagrams for Light Scattering	111
5.4	Interaction Hamiltonians	114
5.4.1	Electron–Radiation Interaction	114
5.4.2	Electron–Phonon Interaction	115
5.5	Absolute Raman Intensity and the $E_{\text{laser}}$ Dependence	116
<b>6</b>	<b>Symmetry Aspects and Selection Rules: Group Theory</b>	<b>121</b>
6.1	The Basic Concepts of Group Theory	122
6.1.1	Definition of a Group	122
6.1.2	Representations	123
6.1.3	Irreducible and Reducible Representations	124

- 6.1.4 The Character Table 126
- 6.1.5 Products and Orthogonality 127
- 6.1.6 Other Basis Functions 128
- 6.1.7 Finding the IRs for Normal Modes Vibrations 128
- 6.1.8 Selection Rules 130
- 6.2 First-Order Raman Scattering Selection Rules 130
- 6.3 Symmetry Aspects of Graphene Systems 132
- 6.3.1 Group of the Wave Vector 132
- 6.3.2 Lattice Vibrations and  $\pi$  Electrons 135
- 6.3.3 Selection Rules for the Electron–Photon Interaction 138
- 6.3.4 Selection Rules for First-Order Raman Scattering 140
- 6.3.5 Electron Scattering by  $q \neq 0$  Phonons 141
- 6.3.6 Notation Conversion from Space Group to Point Group Irreducible Representations 141
- 6.4 Symmetry Aspects of Carbon Nanotubes 142
- 6.4.1 Compound Operations and Tube Chirality 143
- 6.4.2 Symmetries for Carbon Nanotubes 145
- 6.4.3 Electrons in Carbon Nanotubes 151
- 6.4.4 Phonons in Carbon Nanotubes 151
- 6.4.5 Selection Rules for First-Order Raman Scattering 152
- 6.4.6 Insights into Selection Rules from Matrix Elements and Zone Folding 153

## **Part Two Detailed Analysis of Raman Spectroscopy in Graphene Related Systems 159**

- 7 The G-band and Time-Independent Perturbations 161**
- 7.1 G-band in Graphene: Double Degeneracy and Strain 162
- 7.1.1 Strain Dependence of the G-band 163
- 7.1.2 Application of Strain to Graphene 165
- 7.2 The G-band in Nanotubes: Curvature Effects on the Totally Symmetric Phonons 165
- 7.2.1 The Eigenvectors 166
- 7.2.2 Frequency Dependence on Tube Diameter 168
- 7.3 The Six G-band Phonons: Confinement Effect 169
- 7.3.1 Mode Symmetries and Selection Rules in Carbon Nanotubes 169
- 7.3.2 Experimental Observation Through Polarization Analysis 170
- 7.3.3 The Diameter Dependence of  $\omega_G$  172
- 7.4 Application of Strain to Nanotubes 174
- 7.5 Summary 175
- 8 The G-band and the Time-Dependent Perturbations 179**
- 8.1 Adiabatic and Nonadiabatic Approximations 179
- 8.2 Use of Perturbation Theory for the Phonon Frequency Shift 181
- 8.2.1 The Effect of Temperature 181
- 8.2.2 The Phonon Frequency Renormalization 183

8.3	Experimental Evidence of the Kohn Anomaly on the G-band of Graphene	186
8.3.1	Effect of Gate Doping on the G-band of Single-Layer Graphene	186
8.3.2	Effect of Gate Doping on the G-band of Double-Layer Graphene	186
8.4	Effect of the Kohn Anomaly on the G-band of M-SWNTs vs. S-SWNTs	187
8.4.1	The Electron–Phonon Matrix Element: Peierls-Like Distortion	188
8.4.2	Effect of Gate Doping on the G-band of SWNTs: Theory	191
8.4.3	Comparison with Experiments	194
8.4.4	Chemical Doping of SWNTs	196
8.5	Summary	197
<b>9</b>	<b>Resonance Raman Scattering: Experimental Observations of the Radial Breathing Mode</b>	<b>199</b>
9.1	The Diameter and Chiral Angle Dependence of the RBM Frequency	200
9.1.1	Diameter Dependence: Elasticity Theory	200
9.1.2	Environmental Effects on the RBM Frequency	202
9.1.3	Frequency Shifts in Double-Wall Carbon Nanotubes	206
9.1.4	Linewidths	208
9.1.5	Beyond Elasticity Theory: Chiral Angle Dependence	209
9.2	Intensity and the Resonance Raman Effect: Isolated SWNTs	211
9.2.1	The Resonance Window	211
9.2.2	Stokes and Anti-Stokes Spectra with One Laser Line	214
9.2.3	Dependence on Light Polarization	215
9.3	Intensity and the Resonance Raman Effect: SWNT Bundles	216
9.3.1	The Spectral Fitting Procedure for an Ensemble of Large Diameter Tubes	217
9.3.2	The Experimental Kataura Plot	218
9.4	Summary	220
<b>10</b>	<b>Theory of Excitons in Carbon Nanotubes</b>	<b>223</b>
10.1	The Extended Tight-Binding Method: $\sigma$ – $\pi$ Hybridization	224
10.2	Overview on the Excitonic Effect	225
10.2.1	The Hydrogenic Exciton	226
10.2.2	The Exciton Wave Vector	227
10.2.3	The Exciton Spin	228
10.2.4	Localization of Wavefunctions in Real Space	229
10.2.5	Uniqueness of the Exciton in Graphite, SWNTs and $C_{60}$	230
10.3	Exciton Symmetry	231
10.3.1	The Symmetry of Excitons	231
10.3.2	Selection Rules for Optical Absorption	234
10.4	Exciton Calculations for Carbon Nanotubes	234
10.4.1	Bethe–Salpeter Equation	235
10.4.2	Exciton Energy Dispersion	236
10.4.3	Exciton Wavefunctions	237
10.4.4	Family Patterns in Exciton Photophysics	241
10.5	Exciton Size Effect: the Importance of Dielectric Screening	243

- 10.5.1 Coulomb Interaction by the  $2s$  and  $\sigma$  Electrons 243
- 10.5.2 The Effect of the Environmental Dielectric Constant  $\kappa_{\text{env}}$  Term 245
- 10.5.3 Further Theoretical Considerations about Screening 246
- 10.6 Summary 248
- 11 Tight-Binding Method for Calculating Raman Spectra 251**
  - 11.1 General Considerations for Calculating Raman Spectra 252
  - 11.2 The  $(n, m)$  Dependence of the RBM Intensity: Experiment 253
  - 11.3 Simple Tight-Binding Calculation for the Electronic Structure 255
  - 11.4 Extended Tight-Binding Calculation for Electronic Structures 258
  - 11.5 Tight-Binding Calculation for Phonons 259
    - 11.5.1 Bond Polarization Theory for the Raman Spectra 260
    - 11.5.2 Non-Linear Fitting of Force Constant Sets 261
  - 11.6 Calculation of the Electron–Photon Matrix Element 263
    - 11.6.1 Electric Dipole Vector for Graphene 264
  - 11.7 Calculation of the Electron–Phonon Interaction 266
  - 11.8 Extension to Exciton States 269
    - 11.8.1 Exciton–Photon Matrix Element 270
    - 11.8.2 The Exciton–Phonon Interaction 271
  - 11.9 Matrix Elements for the Resonance Raman Process 272
  - 11.10 Calculating the Resonance Window Width 273
  - 11.11 Summary 274
- 12 Dispersive  $G'$ -band and Higher-Order Processes: the Double Resonance Process 277**
  - 12.1 General Aspects of Higher-Order Raman Processes 278
  - 12.2 The Double Resonance Process in Graphene 280
    - 12.2.1 The Double Resonance Process 280
    - 12.2.2 The Dependence of the  $\omega_{G'}$  Frequency on the Excitation Laser Energy 284
    - 12.2.3 The Dependence of the  $G'$ -band on the Number of Graphene Layers 286
    - 12.2.4 Characterization of the Graphene Stacking Order by the  $G'$  Spectra 288
  - 12.3 Generalizing the Double Resonance Process to Other Raman Modes 289
  - 12.4 The Double Resonance Process in Carbon Nanotubes 290
    - 12.4.1 The  $G'$ -band in SWNTs Bundles 292
    - 12.4.2 The  $(n, m)$  Dependence of the  $G'$ -band 294
  - 12.5 Summary 296
- 13 Disorder Effects in the Raman Spectra of  $sp^2$  Carbons 299**
  - 13.1 Quantum Modeling of the Elastic Scattering Event 301
  - 13.2 The Frequency of the Defect-Induced Peaks: the Double Resonance Process 304
  - 13.3 Quantifying Disorder in Graphene and Nanographite from Raman Intensity Analysis 307
    - 13.3.1 Zero-Dimensional Defects Induced by Ion Bombardment 308
    - 13.3.2 The Local Activation Model 310

13.3.3	One-Dimensional Defects Represented by the Boundaries of Nanocrystallites	313
13.3.4	Absolute Raman Cross-Section	317
13.4	Defect-Induced Selection Rules: Dependence on Edge Atomic Structure	317
13.5	Specificities of Disorder in the Raman Spectra of Carbon Nanotubes	320
13.6	Local Effects Revealed by Near-Field Measurements	321
13.7	Summary	323
<b>14</b>	<b>Summary of Raman Spectroscopy on <math>sp^2</math> Nanocarbons</b>	<b>327</b>
14.1	Mode Assignments, Electron, and Phonon Dispersions	327
14.2	The G-band	328
14.3	The Radial Breathing Mode (RBM)	330
14.4	G'-band	332
14.5	D-band	333
14.6	Perspectives	334
	<b>References</b>	<b>335</b>
	<b>Index</b>	<b>351</b>