

Index

- 3d-states 281
 - configuration 281
- 4s-states 281
 - configuration 281
- a**
- ab initio* total energy calculations 312, 314
- ab initio* treatments 309
- absorption coefficient 135, 145, 149–151, 161
- absorption/emission processes 135
- absorption rate 149
- acceptor binding energy 254
- acceptor concentration 255
- acoustic/optical phonon modes 38
- acoustic phonon modes 34
- acoustic phonon scattering 64
- acoustic phonon wave equations 36
- acoustic velocity 449
- acoustic waves 37
 - devices 447
 - longitudinal 37
 - propagation 36
 - transverse 37
- A-free exciton 176
 - temperature-dependent peak positions 176
- Ag Schottky contacts 407
- Al-doped ZnO (AZO) 421, 443
- aluminum-titanium oxide (ATO) 443
- angle-of-minimum deviation methods 190
- angle-resolved photoemission spectroscopy (ARPES) 14, 15, 17, 20
- angular dependent magneto-optical spectroscopy 156
- angular dispersive X-ray diffraction 29
- angular momentum 280
- anisotropic exchange 305
- anomalous Hall coefficient 302
- anticrossing 426
- antiferromagnetic 285
- antiferromagnetism 287
- antisites 251
- a-plane sapphire 107
 - atom positions for basal ZnO grown
- arsenic-doped BeZnO 417
- Au Schottky contacts 407
- average energy per mode 140
- average lifetime 151
- AX center 252
- b**
- backscattering geometry 41
- bandgap 351
 - engineering 351
 - pressure dependence 22
 - temperature dependence 22
- band structure 20, 25
- band-to-band model 300
- band-to-band transitions 151
- barrier height (ϕ_B) 388
- basal stacking faults 84
- Becke three parameter Lee–Yang–Parr (B3LYP) hybrid density functional method 316, 317
- Be_xZn_{1–x}O alloy 359
- biexciton 202
 - binding energies 202
 - emission 202
 - spectral shape 202
- biexponential decay 209
- bimolecular process 151
- bio sensors 453, 454
- Bi_{1.5}Zn_{1.0}Nb_{1.5}O₇ (BZN) 445
- black body radiation 140
- Blombergen–Rowland (BR) interactions
 - mechanism 305–307
- Bohr magneton(s) 291
- Bohr radius 157
- Boltzmann transport 65
- bond angles 3

bond length 3
 Born dynamical charge 35
 Bose–Einstein condensate (BEC) 425
 bound exciton(s) 154, 164
 bound excitonic region 166
 Brillouin function ($B_J(x)$) 291
 bulk modulus 11, 28, 29, 31

c

CaF_2 92
 capacitance-voltage 407
 c/a ratio 3, 4
 carrier concentration 248
 carrier gas 81
 carrier-single magnetic ion interaction 304
 catalyst 366, 367, 368
 – assisted vapor-liquid-solid 365, 370, 375
 cathodoluminescence 132, 134
 Cauchy equation 191
 Cauchy model 194
 Cauchy parameters 195
 cavity polariton dispersion 425, 426
 cavity resonance mode 417
 $\text{Cd}_y\text{Zn}_{1-y}\text{O}$ alloy 353, 360
 channel conductivity 433
 charge-balance equation 65
 chemical vapor deposition 77, 118
 clamped ion 35
 Co-doped ZnO 331
 codoping 259
 cohesive energies 12
 colloidal nanoparticles 454
 compliance coefficients 26
 compliance matrix 27
 conductivity mismatch 278
 copper impurities 183
 correlated Hartree–Fock perturbed ion 8
 coupling coefficient 450
 coupling magnetic ions 307
 c -plane sapphire 106
 – atomic arrangement of ZnO
 crystal deformation 60
 crystal-field, splittings 155, 293
 crystal structure 1
 cubic $\text{Mg}_x\text{Zn}_{1-x}\text{O}$ 357
 Curie constant 286, 290
 Curie law 286, 290, 294
 Curie temperature 278, 287, 291, 292, 294, 302, 311
 Curie–Weiss law 286, 287, 294
 Curie–Weiss temperature 296
 current density 399
 current flow mechanisms 392
 current-voltage 407

– characteristics 431
 – expression 393
 Cu_{Zn} acceptor 184
 – ground state 184

d

d coefficient 213
 Debye expression 58
 Debye temperature 52, 58, 59
 decay time constants 209
 defect complex binding energies 263
 defect formation energies 179
 defect-related currents 400
 defect-related optical transitions 182
 defects 177
 degeneracy of donor 65
 degenerate four-wave mixing (DFWM) 225
 degree of spin polarization 298
 density 88
 density functional theory (DFT) 8, 310
 density of current 398
 density of states 25, 146, 293, 318
 – effective mass 146
 depletion depth 433
 depletion mode device 433
 D–h-type recombination 187
 diamagnetic 285
 diamagnetism 285
 dielectric constants 41
 dielectric function $\epsilon(\omega)$ 40, 135
 difference frequency generation (DFG) 215
 dilute magnetic semiconductors (DMSs)
 277, 284, 295, 318
 – ZnO-based 318
 direct tunneling 399
 dissociation energy 256
 distributed Bragg reflectors (DBRs) 421
 domain rotation 92
 donor-acceptor pair (DAP) 172
 – emission 173
 – recombination 186
 – transition energy 255
 – transitions 254
 donor binding energies 248, 249
 dopant solubility 251
 doping 250
 – p-type 250
 – n-type 246
 double exchange interaction 307, 313
 double heterostructure 415
 double-sided comb structure 383
 drain current 435
 – voltage 436
 drain voltage at saturation 435

drift velocity 69, 70
 dry etching 410
 dye-sensitized solar cells (DSSCs) 454
 Dzyaloshinsky–Moriya (DM)
 interactions 305

e

e-A transitions 174
 effective barrier 390
 effective carrier lifetimes 394
 effective masses 22, 24
 effective Richardson constant 393
 Einstein's A/B coefficients 136
 Einstein's A/B parameters 144
 elastic moduli 34
 elastic stiffness coefficients 26
 electrical desorption 453
 electrical displacement 59
 electrodeposition 380
 electroluminescence (EL) 132, 411
 – spectra 415, 416, 418, 419
 electromechanical constant(s) 29, 37
 electromechanical coupling 37, 449
 – coefficients 450
 electron affinity 388
 electron cyclotron resonance (ECR) 256
 – sputtering 98
 electron-hole (e-h) pairs 135
 electron hole plasma (EHP) 195, 413
 – induced stimulated emission 201
 electron-hole spin exchange interaction 300
 electronic band structure 14
 electron paramagnetic resonance (EPR) 134, 246, 282
 electron-phonon interaction 38
 electron probe microanalysis (EPMA) 322
 electron spin resonance (ESR) 282
 emission spectra 16, 18
 energy dispersive spectroscopy (EDS) 325
 energy gaps ($E_g(x)$) 21, 351
 epitaxial relationships 92, 93
 – for a-plane ZnO grown on R-plane sapphire 121
 etching rate 410
 excited rotational states 168
 exciton 153
 – bound to Cu 185
 – mode 426
 – scattering-related SE 202
 exciton-binding energy 153, 157, 426
 exciton Bohr radius 157, 196
 exciton-exciton collision 201
 excitonic structure 161
 excitonic transitions 153

exciton localization energies 249
 exciton-polariton 157
 – dispersion 162
 extraordinary refractive index 190, 193, 223

f

Fabry–Pérot cavity length 422
 Fabry–Pérot frequency 422
 Fabry–Pérot oscillations 417
 Fabry–Pérot resonator 422
 Faraday geometry 300
 Faraday rotation (FR) 297
 fast decay constant 209
 Fermi dirac statistics 150
 ferrimagnetic 285
 ferrimagnetism 287
 ferromagnetic 285, 328
 – ordering 312
 – resonance spectra 329
 ferromagnetism 286, 297, 315, 319
 – identification 297
 field-cooled (FC) 324
 field effect transistors (FETs) 387, 431
 – nanowire 440
 field emission 398
 first-order phonon Raman scattering 40
 first-principle calculations 314
 formation energy 178, 257
 – of NO 257
 forward current 396, 399
 – density 396
 four-wave mixing (FWM) 224
 free excitons 155
 – fine structure 161
 free hole concentration 255
 full-potential linear muffin-tin orbital 8
 fundamental bandgap 23

g

Ga-doped ZnO (GZO) 420, 421, 443
 gain 142
 gas sensors 452
 gate insulator 445
 Gaussian line shapes 226
 generalized gradient approximation (GGA)
 8, 315
 generation-recombination current 394
 g-factor 290
 green line, GL band 187
 green luminescence band 183
 growth 103, 107
 – on a-plane sapphire 107
 – on c-plane sapphire 103

- on GaN templates 110
- on ZnO substrates 112
- gyromagnetic/magnetogyric ratio 290

h

- Hall scattering factor 64, 65
- Hamiltonian hybridization 305
- hardness 31
- Hartree–Fock (HF) method 8
- Haynes plot 249
- Haynes’ rule 171
- Heat capacity 88
- Heisenberg interactions 305
- Hermann–Mauguin notation 2, 5, 214
- heterojunction LED devices 413
- heterostructure devices 411
- hexagonal close-packed 2
- hexagonal nanowire 368
- hexagonal symmetry, labeling of planes 4, 5
- hexagonal unit cell 85
- hexagonal wurtzite 1, 2
- high-energy electron diffraction 89
- high-field transport 69
- Homoepitaxy 93
- Hooke’s law 26
- Hund’s rules 280
- hybrid beam deposition (HBD) 359
- hybrid light emitting devices 412
- hydride/halide vapor-phase epitaxy 77
- hydrogen, donor(s) 48, 181
- hydrothermal 78
 - growth system 79
 - method 80
 - ZnO 80
- hysteresis curves 334

i

- ideality factors 397, 408
- image charge 390
- image-force lowering 390, 394
- indenter 31
- indium tin oxide (ITO) 387, 412, 444
- inductively coupled plasmas (ICPs) 410
- interdigital transducer (IDT) 447
- internal parameter (u) 2, 3
- internal strain 35
- interstitial(s) 251
 - hydrogen atom 48
 - sites 179
- intrinsic excitons 157
- ionic radii 251
- ionization potential 256
- ionized impurity scattering 64
- isotropic (Heisenberg) exchange 305

j

- joint density of states 147

k

- Kerr effect 231
- Kerr rotation (KR) 297
 - polar 298
- Kleinman symmetry 214, 225
- knoop 88
- Korringa–Kohn–Rostoker (KKR) method 15
- Kramers–Kronig analysis 190
- Kramers–Kronig relations 297

l

- Landé splitting factor 290
- Landé terminology 290
- Langevin model 286
- Langevin equation 290
- laser emission spectra 198
- lasing modes 196
- lasing threshold 201
- lattice parameters 12
- lattice specific heat 52
- leakage current 400, 401
- light-emitting devices 412
- light emitting diodes (LEDs) 387
- LiNbO₃ 93
- linear augmented plane wave 8
- linear combination of Gaussian-type orbitals 8
- linearly polarized light 297
- LiTaO₃ 92
- LO-phonon replicas 171, 172
- local (spin) density approximation (LDA) 8, 310
- localized exciton 202
- longitudinal acoustic 38
- longitudinal moduli 31
- longitudinal optical 38
- love waves 448
- lower polariton branch 162
- lower polariton mode 426
- low-field transport 63
- Lyddane–Sachs–Teller (LST) relation 194

m

- Madelung energy 259
- magnetic circular dichroism (MCD) 278, 298
 - measurements 300
 - spectra 341
 - spectroscopy 339
- magnetic field 288, 289
- magnetic induction 288, 289

magnetic interactions 303
 magnetic ions interaction 305
 magnetic materials 284
 – classification 284
 magnetic moment 277, 290, 332
 magnetic polarization 289
 magnetic polarons 311
 magnetic state 293
 magnetic susceptibility 295
 magnetism parameters 289
 magnetization (M) 289, 290, 294, 330, 333
 – hysteresis 338
 – intensity 289
 magneto optical Kerr effect (MOKE) 297
 magneto-optical properties 339
 magnetron sputtering 77
 Maker fringes 219, 221, 228
 Matthiessen's rule 64
 Maximum energy product 289
 mean field theory (MFT) 293, 313
 mean-field treatments 309
 mechanical properties 26
 melt growth 78, 82
 – apparatus 82
 melting point 88
 metal-insulator-semiconductor diodes 430
 metal n-type semiconductor 389
 – contacts 391
 metal p-type semiconductor 389
 metal-semiconductor field effect transistors (MESFETs) 432
 metal-semiconductor junction 389
 metal-semiconductor system 391
 metal work function (ϕ_m) 388
 metalorganic vapor-phase epitaxy 373
 $\text{Mg}_x\text{Zn}_{1-x}\text{O}$ alloy 352, 353
 MgZnO 189, 355
 – bandgap dependence 355
 – refractive index 189
 microcavity devices 421
 microelectromechanical systems (MEMS) 383
 microlasers 205
 Miller–Bravais indices 85
 minority carrier radiative lifetime (τ_{rad}) 152
 Mn -doped ZnO 323
 – properties 323
 mobility 64, 248
 molecular beam epitaxy 77, 98, 373
 Monte Carlo (MC) simulations 69
 Mott density 196
 multiple quantum wells 207
 Murnaghan equation 11

n

nanobelts 370
 nanopropellers 373
 – arrays 372
 nanoribbon blades 372
 nanorod(s) 376
 – FET device 441
 – FET sensors 452
 nanostructures 452
 nanotip(s) 417, 420
 – dye sensitized solar cells 455
 nanowire arrays 369
 nanowires (NWs) 388
 native defects 251
 near-band-edge electroluminescence 417
 near-edge X-ray absorption fine structure (NEXAFS) 328, 330
 nearest-neighbor bond lengths 252
 Néel temperature (T_N) 287
 neutral bound exciton 168
 nitrogen doping 252
 nonalloyed ohmic contacts 403
 noncentrosymmetric crystals 224
 nondegenerate 282
 nonlinear optical properties 212
 nonlinear refractive index 231
 nonlinear susceptibilities 219
 nonmagnetic state 293
 nonradiative recombination 135
 normal Hall coefficient 302
 nulling ellipsometry 191
 number of modes 139

o

occupancy factors 145
 occupation probabilities 144, 151
 octahedral voids 85
 ohmic behavior 392
 ohmic contact(s) 400, 401, 402
 one-dimensional (1D) nanostructures 388
 one-photon absorption constant 233
 open channel 433
 operating frequency 450
 optical absorption/emission 142
 optical frequency dielectric constant 44
 optical gain, spectrum 199, 200
 optical nonlinearity 212
 optical processes 132
 optical properties 131
 optical rectification (OR) 215
 optical susceptibility 213
 optical transitions 154
 optical transmission spectra 335
 optically pumped lasers 427

- optically pumped lasing 206
 - orbital angular momentum 280
 - orbital spin 280
 - ordinary refractive index 189, 191, 193, 223
 - organometallic vapor-phase epitaxy 77
 - oscillator strength(s) 299, 300
 - O-terminated ZnO basal plane surfaces 101, 102
 - other dopants 264
 - output current-voltage characteristics 436
 - oxygen-deuterium complex 48
 - oxygen vacancies 246
- p**
- P₂O₅ 264
 - paramagnetic 285, 328
 - paramagnetic resonance spectra 329
 - paramagnetism 285, 286
 - Pauli magnetism 291, 292
 - Pauli model 286
 - p-d exchange 340
 - p-d exchange interaction 301
 - permeability 288, 289
 - phonon dispersion, curves 38, 39
 - phonon mean free path 52
 - phonon mode frequencies 38, 43
 - phonon mode splitting 46
 - phonon scattering 52
 - photocurrent 454
 - photodetectors (PDs) 411
 - photodiodes 428
 - photoelectron spectroscopy 14
 - photoluminescence (PL) 416
 - angle-resolved spectra 426
 - decay time 152
 - excitation 133
 - spectra 132
 - time-resolved 132, 209
 - photon dispersion 424
 - photon effective mass 424
 - photon energy mode density 138, 139, 140
 - photonic crystals 427
 - photorefectance 157
 - photovoltage 454
 - piezoelectric constant 35
 - piezoelectric contraction 214
 - piezoelectric coupling strength 448
 - piezoelectric devices 36, 446
 - piezoelectric effect 35
 - piezoelectric field-effect transistors (PEFETs) 440
 - piezoelectric scattering 64
 - piezoelectric stiffening 448
 - piezoelectric strain coefficients 29
 - piezoelectric stress coefficients 29
 - piezoelectric tensor 29, 30, 35
 - pinch-off condition 435
 - point defects 178
 - Poisson's ratio 28
 - polar longitudinal optical phonon scattering 64
 - polaritons 155, 162
 - dispersion 158
 - lasers 425
 - luminescence 426
 - modes 424
 - polarization 30, 59
 - geometry 160
 - induced bound surface charge 453
 - optical 191
 - vector 214
 - polarons 249
 - polyethylene terephthalate (PET) 444
 - population inversion 141, 142, 145
 - Porto's notation 40
 - positron annihilation spectroscopy 250
 - pressurized melt growth method 83
 - p-type ZnO 266
 - reliability 266
 - pulsed laser deposition system 113, 114
 - pyramids 376
 - pyroelectric coefficient 60, 61, 62
 - pyroelectric effects 61
 - pyroelectricity 59
- q**
- quantum efficiency 133
 - quantum well (QW) 415
- r**
- Rabi splitting ($\hbar\Omega_{\text{Rabi}}$) 424
 - radiation outcoupling 420
 - radiative efficiency 152
 - radiative lifetime 151
 - radiative recombination 135, 151, 210
 - efficiency 153
 - lifetime 151
 - probability 151
 - rate 152
 - radio frequency (RF) magnetron sputtering 94
 - radio frequency molecular beam epitaxy (MBE) system 99
 - Raman backscattering spectrum 49
 - Raman modes 38
 - Raman shift 46
 - Raman spectra 45

- random laser 202, 203
- Rayleigh mode 449
- Rayleigh surface wave 29, 448
- recombination dynamics 208
- recombination/generation rates 151
- recombination rate 152
- rectifying behavior 405
- red luminescence band 188
- reduced effective mass 144
- reflection high energy electron diffraction 322
- reflection spectra 163, 423
- refractive index 149, 189, 229
 - dispersion 189, 192
 - intensity dependent 229
- refresh (erase) voltages 453
- rhombohedral unit cells 85
- Richardson constant 393, 397, 399
- right and left hand circularly polarized light 297
- rigid-ion-like behavior 35
- Rochelle salt 1, 2
- rocksalt 2, 6
 - $\text{Mg}_x\text{Zn}_{1-x}\text{O}$ 358
- Ruderman–Kittel–Kasuya–Yoshida (RKKY) mechanism 305, 308
 - interactions 308
- Russel–Saunders coupling 280
- Rutherford backscattering (RBS) 325
- S**
- sapphire 84
 - *r*-plane stacking sequence 91
 - unit cell 86, 87
- saturation, current density 288, 393, 396, 397
- ScAlMgO_4 92
- scanning capacitance microscopy (SCM) 266
- scanning surface potential microscopy (SSPM) 266
- scanning thermal microscopy 53
- Schoenflies notation 2, 5, 214
- Schottky barrier heights 407
- Schottky coefficient 59
- Schottky contacts 405, 407
- s-d exchange 340
- s-d Kondo Hamiltonian 308
- second-harmonic generation 218
- second-harmonic intensity 222
- second-order nonlinear optical properties 217
- second-order nonlinear susceptibilities 219, 220, 222
- second-order susceptibility coefficient ($\chi^{(2)}$) 212, 217
- second harmonic generation (SHG) 212, 215, 224
- second harmonic wavelength 223
- second phase precipitates 322
- Seebeck thermoelectric effect 261
- seeded chemical vapor transport 81, 84
- seeded vapor transport 78
- Seignette salt 1
- selection rules 157
- self-catalyzed effect 383
- Sellmeier dispersion relationship 191, 194
- semiconductor-metal contacts 388
- semiconductor microcavities (MCs) 421
- semiconductor resistance 400
- sensors 452
- Sezawa mode 451
- shallow acceptor-bound exciton 171
- shallow acceptor level 253
- shear horizontal (SH) 448
- shear moduli 31
- sheer longitudinal (SL) 448
- sheer vertical (SV) 448
- silent modes 38, 40
- slow-decay constant 210
- Snell's law 221
- solar cells 452, 454
- solid-vapor process 373
- solubility limit 323
- sound velocity(ies) 34, 448
- space group 2
- s,p-d exchange interaction 339
- s,p-d spin exchange interaction 301
- specific contact resistance(s) 404, 405
- specific contact resistivity 402
- specific heat 57, 58, 59, 62
- specific magnetization 289
- spectral distribution 140
- spectral response 429
- spectra of oxygen plasma 100
- spectroscopic splitting factor 290
- sphalerite 1
- spin angular momentum 280, 290
- spin-orbit coupling 185
- spin-orbit splittings 155
- spin-polarized carriers 278
 - injection efficiency 298
- spin-split donor impurity-band model 316
- spontaneous and piezoelectric polarization 35
- spontaneous emission 134, 135, 141
 - lifetime 137
 - rate 149, 150
 - spectrum 151
- spontaneous polarization 31, 35

- spontaneous recombination times 211
 - stacking order 90
 - stick-and-ball stacking models 6, 7
 - stiffness constant 37
 - stiffness parameters 36
 - stimulated emission 135, 141, 142, 195
 - rate 149, 150
 - strain, tensor 26, 36
 - stress-strain relations 27
 - stress, tensor 26, 36
 - stretching modes 48
 - substitutional impurities 251, 252
 - sum frequency generation (SFG) 212, 215
 - superconducting quantum interference device (SQUID) 278
 - super-exchange 303, 305, 309
 - interaction 313
 - ion–ion interactions 306
 - mechanism 305
 - surface acoustic waves (SAW) 447
 - delay line 447
 - properties 450
 - velocity 447
 - wavelength 448
 - waves 448
 - surface acoustic waves (SAW) device 447, 449, 450, 451
 - frequency response 449
 - susceptibility 286, 289, 294, 327
 - susceptibility tensor elements (d_{ij}) 214
 - synthesis methods, nanostructures 380
- t**
- temperature coefficient of frequency (TCD) 450
 - tetrahedral crystal field 184
 - tetrapod structures 373
 - theory of magnetization 288
 - thermal conductivity 52, 54–57
 - thermal expansion 60
 - thermal expansion coefficients 50, 51, 87, 88
 - thermally activated process 392
 - thermal properties 49
 - thermal stability 407
 - thermionic emission, current 392, 393, 394, 395, 408
 - thermoluminescence 132
 - thin-film transistors (TFTs) 387, 432, 438, 441, 444, 446
 - structure 437
 - third-order nonlinear optical properties 224
 - third-order nonlinear process 225
 - third-order susceptibility ($\chi^{(3)}$) 217, 224, 229, 232
 - third harmonic generation (THG) 216, 226, 227
 - third harmonic power 227
 - threefold degenerate 282
 - total angular momentum 280, 281
 - total energy (TE) guided mode 200
 - total energy (TE) polarized 200
 - transconductance 436
 - transition metal elements 279, 281, 282
 - configuration 281
 - doped ZnO 334
 - transmission electron microscope 322
 - transparent conducting oxides (TCO) 248, 411, 441, 442
 - transparent electrodes 248
 - transparent thin-film transistor (TTFT) 387, 441, 443, 444, 446
 - transverse acoustic 38
 - transverse elastic moduli 31
 - transverse optical 38
 - trapped electrons 401
 - trigonal crystal field 185
 - tubes 379
 - tunneling current 399
 - two-electron satellites, transitions 155, 169, 170, 248
 - twofold degenerate 282
 - two-photon absorption 232
- u**
- Umklapp scattering 52
 - unoccupation probability 398
 - upper polariton branch 162
 - upper polariton mode 426
- v**
- vacancies 251
 - valence band structure 22
 - vapor-liquid-solid (VLS) method 365, 366, 371
 - vapor transport process 365
 - Varshni expression 176
 - vertical cavity surface emitting laser (VCSEL) 425
 - vibrational modes, local 47
 - vibrational properties 37, 355
- w**
- Weiss theory 286
 - wurtzite $\text{Mg}_x\text{Zn}_{1-x}\text{O}$ 356, 357
 - a lattice parameters 356
 - c lattice parameters 356
 - phonon mode frequencies 357
 - wurtzite structures 156
 - selection rules 156

Y

Y₂O₃-stabilized ZrO₂ (YSZ) 412
 yellow luminescence band 187
 Young's modulus 28, 34, 88

Z

Zeeman splitting(s) 297, 298
 Zener treatments 309
 zero-field-cooled (ZFC) 324
 zero-phonon line 183
 zinc blende 1, 2, 5, 156
 – selection rules 156
 zinc phosphide 264
 ZnO 185, 189, 250, 265, 408

– acceptors in 250
 – CuZn acceptor 185
 – epitaxy 85
 – etching 408
 – growth rate 119
 – nanoring 375
 – nanorod arrays 369, 371
 – nanostructures 365, 381
 – nanowire 368
 – phosphorus-doped 265
 – refractive index 189
 ZnO-based DFB laser 427
 – emission spectra 427
 ZnO channel thin film transistors 439

