

Index

a

absolute dosimetry 445
 absorbance 541
 absorbed dose 233, 234, 241, 246, 248, 252
 absorbed-dose fraction 764, 787, 805
 absorption edge 146
 accuracy and precision 22
 activity 755
 cumulated activity 787
 mass activity 756, 757
 partial activity 756
 specific activity 756
 time-integrated activity 787
 ad hoc MC codes 379
 air kerma
 rate constant 757, 796
 spectrum 317
 strength 795, 803
 air kerma–area product 732
 air kerma–length product 732
 alanine dosimeter 464, 547
 alpha decay 774
 amount of substance 227
 analogue MC 353, 362
 angular current density 281
 anisotropy function 797, 800
 apparent activity 796
 A-150 tissue-equivalent plastic 825
 atomic form factor 38, 129, 158, 173
 atomic relaxation 11, 145, 197
 transition probability 16
 transition quantum numbers 12
 transition selection rules 12
 transition width 16

 transition yield 16
 atoms density 9
 attenuation coefficient (mass and linear) 9
 Attila, transport equation solver 285
 Auger electrons 35, 55
 Auger-electron targeted therapy 16
 Auger transitions 15
 Auger yield 19

b

backscatter factor 273, 641, 652, 732, 733, 736, 739, 740, 743, 745, 747
 Barkas correction 66, 77, 87, 133
 beam calibration 631, 736
 beam hardening 421, 701
 beam modulation 336
 beam-quality correction factor 647, 666, 669
 beam quality specification 315, 694, 695, 702, 707
 electrons, R_{50} 332
 kV x-rays, HVL 322
 MV photons 327, 330, 707
 protons, R_{res} 336
 beta decay 776
 Bethe
 bremsstrahlung 96
 form factor 38, 129
 integral 128
 maximum 88
 Molière 48, 53
 multiple scattering 44
 ridge 59

- Bethe (*contd.*)
 stopping power 57, 60, 66, 77, 126,
 128, 131, 138
 sum rule 59, 61, 130
 surface 58, 130
- BIPM key comparison database (KCDB)
 491
- Birge test 24
- blob 534
- Bloch correction 63, 66, 77, 87, 133
- Bohr magneton 549
- Bohr velocity 63, 67
- Boltzmann transport equation (BTE)
 284, 360
- Boolean algebra 371
- Born approximation 40, 41, 43, 58, 63,
 66, 88, 96, 122, 208
- boron-neutron capture therapy (BNCT)
 205, 818
- brachytherapy 753, 789, 795
- Bragg additivity rule 103
- Bragg–Gray
 cavity integral 248, 401, 413, 435
 cavity theory 248, 252, 399
 detector 247, 409, 412, 527
 in kilovoltage x-rays 411
 principle 639, 645, 671, 736
 stopping-power ratio 401, 413
- Bragg-peak 71, 81, 91, 113, 294, 298,
 660, 663
- Bragg's law (x-ray diffraction) 209
- bremsstrahlung 35, 62, 70, 96, 98
 efficiency 101
 Kramer x ray spectrum 98
 tail 288, 292
- broad-beam geometry 264, 271, 327
- build-up cap 643, 644
- build-up factor 271, 767, 792, 794
- Burlin
 cavity theory 425
 detector 426, 434
- C**
- calibration and measurement
 capabilities (CMCs) 491
- calibration coefficient
 absorbed dose to water 633,
 646–648, 651, 736
 air kerma 633, 639, 640, 642, 643,
 651, 731, 736
 definition 444, 632
 calibration factor 632
 calorimeter 461, 484, 538
 A-150 TE calorimeter 825
 graphite calorimeter 485
 radiation-induced chemical reactions
 487
 water calorimeter 487, 826
- capacitor 507
- cavity ionization chamber 481
 absorbed dose measurements 483
 axial non-uniformity correction 483
 chamber wall correction 483
- cavity theory 239, 397
 Bragg–Gray 399
 Burlin 425
 consistency 435
 deviation 432
 general 425
 intermediate detector 426
 large detector 423
 small detector 399
 Spencer–Attix 404
 transition (from BG to large cavity)
 438
- cema 231, 234, 238, 252
 restricted 232, 238
- central limit theorem 357
- central potential 39, 120
- Cerenkov radiation 34
- characteristic x rays 14, 35, 55, 88
- charged-coupled device (CCD) 605
- charged-particle equilibrium (CPE)
 239, 242, 397, 410, 475, 499, 696,
 721, 763, 791
- charge measurement 506
- chemical heat defect 485, 488, 538
- chemical stage 535
- chemical vapor deposition (CVD) 624
- CIPM Mutual Recognition Arrangement
 (CIPM MRA) 490
- CO₂ concentration in air 525
- combinatorial geometry 371, 385, 386

- combined uncertainty 26, 358
 - combining results from MC runs 359
 - complex dielectric constant 144
 - Compton continuum 302
 - Compton scattering 161
 - binding effects 172
 - Compton edge 170
 - Compton line 164
 - Compton profile 174
 - Compton wavelength 164
 - Doppler broadening 172
 - Doppler shift 174
 - energy transfer 172, 198
 - impulse approximation 173
 - kinematics 162
 - Klein–Nishina cross section 166
 - condensed-history MC 364, 365, 389
 - Class I and II 367
 - hard and soft collisions 367
 - continuous slowing-down
 - approximation (CSDA) 402
 - approximation 30, 53, 62, 90, 117
 - range 31, 105, 106, 364, 375
 - contrast (film) 560
 - correlated quantities 27
 - Coster–Kronig transitions (electrons) 15
 - coverage factor 26
 - critical energy 100
 - cross-calibration 635, 648
 - crossers (cavity electrons) 426
 - cross section 221, 358, 359, 364
 - ionization and excitation 116
 - microscopic and macroscopic 8, 29, 283
 - CT air kerma index 733
 - CT dose index (CTDI) 733
 - cumulative probability distribution (CPD) 352, 364
 - current measurement 508
 - cut-off energy 362, 368
- d**
- daughter products 756
 - decay constant 755, 787
 - degradation spectrum 117
 - delta ray 34
 - density effect 34, 66, 70, 73, 77, 85, 94, 103, 413, 467
 - in graphite 77
 - depth of maximum dose
 - z_{\max} 326, 327, 332
 - z_{\max} 696, 700
 - detector
 - diamond 466
 - diode 466
 - energy dependence 454
 - pile-up 345
 - reproducibility 449
 - response 444, 822
 - sensitivity 444, 822
 - stability 453
 - deterministic/analytical methods 360
 - deterministic methods (transport eq.) 285
 - detour factor 106
 - diamond dosimeters 623
 - dielectric 34, 58, 60, 61, 70
 - dielectric response function (DRF) 60
 - differential air kerma 317
 - differential exposure 317
 - diode dosimeters 611
 - diode over-response 715
 - Dirac theory 41, 57, 96, 125
 - directional flux 281
 - discrete ordinates method 285
 - divergence (of a vector) 283
 - divergence theorem 282
 - dose kernels 767, 772, 805
 - dose–length product (DLP) 733
 - dose percentile distance 772
 - dose-rate constant 799, 802, 803
 - dose-to-air chamber coefficient 643
 - dosimetry formalism 632, 736
 - dosimetry protocols 331, 701, 723
 - absorbed dose-megavoltage beams 646
 - air kerma kV x rays 638, 652, 730, 736, 740
 - air kerma-megavoltage beams 642
 - dosimetry protocols/codes of practice 631, 636

e

effective accelerator potential 330
 effective attenuation coefficient 251,
 262, 273, 313, 324, 327, 764, 765
 effective charge 67
 effective photon energy 318, 323
 effective point of measurement 410,
 665, 681
 efficiency (of MC) 358, 367, 369, 371
 electrometer 505
 calibration 508
 electron
 broad beam 292
 build-up 306
 capture 780, 781
 contamination 326, 329
 density 9
 paramagnetic resonance (EPR) 547
 pencil beam 292
 spectra 302
 spin resonance (ESR) 547
 energy
 deposit 232
 fluence, rate 217, 218, 234, 235, 252
 flux 217
 loss function 61
 per nucleon 83
 radiance 220
 energy-absorption coefficient 224, 235
 ratios 652, 737, 739, 740, 743, 746,
 751
 energy dependence
 diamond 627
 diode 613
 MOSFET 622
 OSLD 595
 scintillating fiber 608
 energy distribution
 of particle radiance 281
 of vector particle radiance 281
 energy imparted 232, 255
 mean energy imparted 232, 240,
 243, 245
 energy spectra determination
 absorption/transmission analysis
 342

Birch and Marshall x-ray model
 340
 experimental (photoactivation) 346
 experimental (spectroscopy) 345
 forward calculations 339
 inverse calculations 342
 Monte Carlo calculation 339
 energy spectrum 219, 315, 332,
 699
 Kramer x-ray spectrum 319
 energy-transfer coefficient 223, 235
 energy transferred 229, 252
 net energy transferred 230, 254
 entrance surface
 air kerma 732, 736
 water kerma 737, 739
 equilibrium dose constant 784
 equivalent photon energy 655
 error and uncertainty 23
 exchange effects 34, 57, 84, 88
 expanded uncertainty 26
 expectation mean value 351, 357
 exponential attenuation 259
 exposure 231, 234, 252
 exposure-rate constant 760
 exposure spectrum 317
 extinction coefficient 60, 144

f

Fano factor 118
 Fano theorem 239, 392, 402, 430, 683,
 721
 Fermi function 777
 Fermi golden rule 32, 122, 148, 208
 film dosimetry 464, 556
 flattening-filter-free (FFF) beams 420,
 707
 fluence 217, 234, 235, 238, 252
 differential in energy 220
 planar 218
 rate 218
 spectrum 220
 fluence modulated radiation therapy
 (FMRT) 717
 fluence rate 282
 fluorescence 14, 35
 fluorescence yield 17

- flux 217
 density 282
 Fokker–Planck transport equation 284
 fragmentation 113, 299
 free-air ionization chamber 474
 cylindrical 478
 diaphragm correction 478
 electron loss correction 477
 parallel-plate 474
 photon scatter and fluorescence
 correction 477
 wide-angle 480
 Fricke chemical dosimeter 464, 488,
 539
 extinction coefficient 489
 irradiation vials 544
 full width at half maximum (FWHM)
 695, 698
- g**
 G-value 227, 570
 of gels 570
 primary 536
 gas
 compressibility factor 525
 enhancement factor 526
 molar constant 525, 530
 Gaussian 43, 44, 47, 49, 54, 62, 95
 Gauss theorem 282
 Ge(Li) detectors 615
 gel dosimetry 465, 568
 generalized oscillator strength (GOS)
 58
 general purpose MC codes 379
 EGS 380
 EGSnrc 381
 ETRAN 380
 FLUKA 384
 GEANT 384
 ITS 380
 MCNP 383
 MCNPX 385
 PENELOPE 382
 PHITS 385
 SHIELD 386
 TRIM 386
 geometry function 799
- gradient (of a scalar) 283
 Guide to the Expression of Uncertainty
 in Measurement (GUM) 22,
 358
- h**
 half-life 756, 774
 biological half-time 787
 half-value depth, R_{50} 332
 half-value layer 322
 first HVL 322
 second HVL 322
 zero-field-area HVL 322
 hard collision 34, 63, 64, 84, 131
 H&D curve 559, 560
 heat capacity 484
 heat defect 485, 488, 538
 heavy charged particle spectra 309
 homoepitaxial (HPHT) 626
 homogeneity index 322, 324, 722
 HPGe detectors 615, 617
 humid air 525
 density 524, 530
 influence on dosimetric quantities
 527
 humidity correction factor 528–530
 hydrogen radical 535
 hydroxyl radical 535, 540, 541
- i**
 impact ionization 35, 88
 electron-impact 88
 proton-impact 88
 impact parameter 32, 37, 63, 113, 134,
 136
 impulse approximation (Compton)
 173
 incident air kerma 732, 736
 incoherent scattering function 161,
 172, 173, 198
 influence quantities 433, 444, 508, 634,
 736
 air humidity 510
 air pressure 510
 air temperature 509
 polarity 512
 insiders (cavity electrons) 426

- intensity modulated radiation therapy (IMRT) 693, 717
 - beamlet 717
 - beam segment 719
 - interface artifacts 369, 389, 392
 - internal and external variance 24
 - internal conversion coefficient 782
 - internal radiation dosimetry 772, 786, 788
 - International Measurement System 446, 490
 - ionic diffusion 516
 - ionization chamber 461, 497
 - cavity type 498
 - guard ring 501
 - insulators 500
 - liquid (LIC) 461
 - parallel-plate 501
 - plane-parallel 501
 - transmission monitor 503
 - wall thickness and material 499
 - ionization energy 115
 - ionization yield 228
 - ion recombination 513
 - collection efficiency (Boag equation) 518, 520
 - continuous radiation 520
 - free-electron collection 523
 - general recombination 517, 522
 - initial recombination 515, 522
 - Niatel method 522
 - pulsed radiation 518
 - saturation 514
 - two-voltage method (Boag) 516
 - volume recombination 517
 - isobar 776
 - isoeffective dose 337
 - isomer 782
 - I*-value 59, 63, 68, 103, 114, 405, 409, 467, 663
- k**
- KAP-meter 504, 732, 736
 - kerma 230, 233–235, 248, 252
 - collision 230
 - electronic 230, 231, 235, 246, 248
 - neutron kerma coefficient 236
 - radiative 230, 248
 - kinematic relativistic expressions 9
 - Klein–Nishina cross section 166
 - KLP-meter 732, 736
 - knock-on electron (KOE) 34
 - knock-on electron equilibrium (KOE) 91
- l**
- Landé *g*-factor 549
 - lateral charged-particle equilibrium (LCPE) 695, 721
 - lateral electron equilibrium radius 698
 - law of large numbers 357
 - Legendre functions 40, 41, 51, 98, 123, 124
 - light opacity 558
 - linear energy transfer (LET) 92, 225, 535
 - distribution 335
 - Lorentz relativistic factor 11, 37
- m**
- machine specific reference field 702, 719
 - macroscopic cross section 8, 29, 283
 - mass energy-absorption coefficient 715
 - mass number 754
 - mean center of electron production 251
 - mean chord length 427, 659, 681
 - mean electron energy 317, 332
 - at depth 334
 - at the surface 334
 - mean energy 317
 - energy fluence-weighted 317
 - fluence-weighted 317
 - to produce an ion pair 114, 228
 - mean excitation energy 59, 63, 68, 103, 114, 405, 409, 663
 - mean forward range 106
 - mean free path (MFP) 9, 29, 222, 261, 362, 369, 763
 - mean ionization energy 70
 - mean life 757

- mean narrow-beam attenuation
coefficient 271
- mean photon energy 317, 700
air kerma-weighted mean energy
317
dose-weighted mean energy 317,
330
- mean square scattering angle 44, 47,
54
- mean value 24
- Medical Internal Radiation Dose
(MIRD) 773, 786
- metal-oxide semiconductor field effect
transistor (MOSFET)
detector 467
dosimeters 618
- microdosimetry 92, 216, 229
- microscopic cross section 8, 29, 194,
283
- molar extinction coefficient 542
- molar mass 525, 530, 754
- mole fraction 525
- Molière 39, 42, 48
- moments method (transport eq.) 285,
767
- momentum transfer
cross section 40
parameter 158
- Monte Carlo (MC) method 118, 286,
349
applications 386
GPU based 393
numerical integration 356
transport parameters 362
- msr field 702, 719
- multiple scattering 36, 40, 43, 44, 47,
91, 106
- n**
- narrow-beam
attenuation coefficient 263
geometry 262, 322
- net optical density 559
- neutrons
activation 210, 819
Bragg peak 209
capture 210
d-T sources 819
elastic scattering 143, 206
fission 211
fluence-to-kerma conversion 236
inelastic scattering 143, 209
interactions 204
kerma coefficient 236, 814
mixed n + γ dosimetry 821
nuclear spallation 211
p-Be sources 819
reference dosimetry RT beams 833
scattering length 209
sources 818
spectra 309, 819
- nominal accelerator potential (MV)
326
- nominal kilovoltage (kV) 324
- non-radiative transitions 15
- non-stochastic quantities 4
- nuclear magnetic resonance (NMR)
346, 548, 571
- nuclear reactions 112
elastic 112
inelastic 113
non-elastic 113
- nuclear reactor 818
- nucleon number 754
- O**
- optical density 541, 558
- optical energy loss function 61
- optically stimulated luminescence (OSL)
591
- optically stimulated luminescence
dosimetry (OSLD) 465
- optical oscillator strength (OOS) 58
- optical path length 541
- organ dose conversion coefficient 734
- oscillator strength 58, 68, 70, 129
- OSL dosimeters, OSL mechanism
591
- P**
- pair production 178
cross section 181
energy transfer 200
kinematics 179

- pair production (*contd.*)
 - threshold energy 180
 - total cross section 188
- partial charged-particle equilibrium (PCPE) 248, 251, 410, 423, 476, 499, 696, 721
- partial linear attenuation coefficient 261
- partial-volume averaging (detector) 695, 707, 716
- particle current density 281
- particle number 216
- particle number density 281
- particle phase space 281, 361, 362, 365, 369, 374, 387
- particle radiance 220
- particle therapy 335
- particle tracks 361, 362, 369
- pcsr field 719
- peak-scatter factor 329
- percentage depth dose (PDD) 330
- perfect gas equation 525
- perturbation correction factor 391, 393, 645, 655, 664, 672, 707, 712, 725
- perturbation factor 432
 - displacement 665, 679
 - electrode 665, 686
 - fluence 410, 665, 683
 - global approach 434
 - kV x-rays 642, 688
 - wall 664, 674
- perturbation theory 32, 39, 66, 122
- phantom dose conversion factor 723
- phantom material correction factor 747
- phantom thickness correction factor 747
- phase-space 339
 - current density 281
 - density distribution 281
 - flux density 281
- photoeffect 145
- photoelectric effect 145
 - cross section 147
 - energy transfer 196
 - interaction Hamiltonian 148, 149
 - kinematics 146
 - renormalized cross sections 154
 - transition matrix element 149
- photon attenuation coefficient 194, 195, 222
- photon energy-absorption coefficient 202
- photon energy transfer
 - Compton scattering 172, 198
 - energy-transfer coefficient and fraction 195
 - pair and triplet production 200
- partial energy-transfer coefficient and fraction 196
- photoelectric effect 196
- photon fluence scaling theorem 486
- photon interaction
 - coefficients 193
 - data, uncertainties 203
- photon spectra 302
- photonuclear interaction 191
 - cross section 192
- planar fluence 218
- plan-class specific reference field 719
- plasma energy 60, 74
- plastic phantom measurements 723
- point-isotropic specific-absorbed fraction 766, 771, 805
- polarization effect 34, 73, 85, 413
- polyacrylamide gel 569
- polymerization 569
- positron annihilation 35, 57, 62, 101, 188, 304
 - cross section 191
 - kinematics 189
- positron spectra 302
- Poynting vector 154, 155
- practical range, R_p 332, 336
- primary measurement standard 446, 473
- probability distribution function (PDF) 351, 359, 365
- propagation law of uncertainties 23, 26, 358, 359
- pseudorandom numbers 350

r

radial-dose function 799, 800
 radiant energy 216, 229
 radiation chemical yield 227
 G-value 227
 measurement of 489
 radiation equilibrium (RE) 239
 radiation length 102
 radiation quality characterization 315
 radiation-sensitive volume 444
 radiation transport
 equation 280, 282, 360, 430
 theory 280
 radiation yield 101, 223, 224
 radiative fraction 101, 223, 224, 639,
 644, 731
 radiative transitions 14
 radical 535
 radioactive source
 high-dose-rate (HDR) 795
 linear source 792
 low-dose-rate (LDR) 795
 point-isotropic source 792
 radiobiological effect (RBE) 336
 radiochromic film 464, 562
 radiographic film 464, 556
 radiolysis of water 533
 random number generator (RNG),
 multiplicative-congruential
 method 350, 351
 range (of charged particles) 104
 CSDA range 31, 105, 106
 range straggling 105
 ratio of mass energy-absorption
 coefficients 424
 Rayleigh scattering 157
 anomalous scattering factor 161
 reciprocity theorem 242, 371, 764,
 804, 805
 reference air kerma 732, 736
 reference air-kerma rate (brachytherapy)
 795
 reference conditions 509
 reference depth 334
 reference dosimetry 446, 631, 730,
 736, 833
 refraction index 60, 144

relative dosimetry 446
 relative humidity 526, 530
 relative partial pressure 525
 relativistic rise 74, 77, 81, 133, 413
 repeatability and reproducibility 23
 residual range, R_{res} 336
 restricted charged-particle equilibrium
 (RCPE) 247

Rutherford

elastic cross section 37, 40, 41, 43,
 45, 123, 135
 inelastic cross section 56, 130, 136

S

sampling
 from a discrete distribution 355, 364
 from an exponential distribution
 353, 364
 from a Gaussian distribution 354
 inverse-transform 352, 353, 364
 rejection 352, 365
 from a table of CPD values 355
 scattering power 55, 61
 scavenger 535
 Schrödinger equation 32, 120, 126
 scintillating detector 466
 scintillation dosimeters 596
 screening 38, 39, 41, 47, 48
 screening angle 39, 45, 49
 secondary particles 106
 semiconductor detectors 609
 sensitometric curve 559
 shell correction 66, 71, 78, 85
 shell occupation number 12
 short track 534
 Si(Li) detectors 615, 617
 Sievert integral 794
 silicon diode 466
 without bias 611
 single crystal synthetic diamond (SCSD)
 624
 Slater determinant 32
 slowing-down spectrum 117, 404, 410,
 416
 S_n method (transport eq.) 285
 soft collision 33, 62, 64, 74, 84, 131
 solvated electron 535

- source occlusion (accelerator) 695, 698, 713
 specific-dose constant 799
 specific energy 83, 232, 297
 mean specific energy 233
 SpekCalc 324, 341
 Spencer–Attix
 cavity integral 407, 435
 cavity theory 404
 stopping-power ratio 407, 415
 spin effects 29, 34, 38, 41, 51, 57, 64, 84
 spot size (accelerator) 695, 698, 713
 spur 534, 535
 standard density (optical) 559
 standard deviation
 of the mean 24, 358
 of the sample 24
 standard uncertainty 23, 358, 669
 starters (cavity electrons) 426
 step size 367, 369, 389
 stochastic quantities 4, 215, 229
 stoppers (cavity electrons) 426
 stopping power 224
 collision 62, 225
 critical energy 100
 electronic 34, 57, 62, 64, 77, 84, 131, 136, 225
 linear 62, 527, 528
 nuclear 62, 112, 225
 radiative 35, 99
 restricted 91, 100, 225
 stopping number 66, 67, 78, 138, 663
 total 103
 unrestricted 224
 stopping-power ratio 391, 400, 645, 656, 707, 709, 726
 approximation in electrons (Harder) 417
 approximation in MV photons 416
 depth dependence 415, 420
 electron contamination 416
 non-gaseous detectors 422
 restricted 407
 $s_{w,air}^{BG} - s_{w,air}^{SA}$ difference 415
 unrestricted 401, 413
 water/air 415
 straggling 105
 energy straggling 94, 95, 105
 range straggling 105
 straggling parameter 94
 straight-ahead approximation 264, 273, 766, 805
 sub-excitation electrons 115
 super Coster–Kronig transitions (electrons) 15
- t**
 therapeutic range, R_{80} 332
 thermoluminescence dosimeters (TLD) 465, 577
 Thomas–Fermi model 39, 48
 Thomas–Fermi velocity 67
 Thomas–Reiche–Kuhn sum rule 59, 61
 Thomson scattering 154
 threshold energy 362, 368
 tissue-equivalent materials 210, 814, 837
 tissue-phantom ratio (TPR) 326
 TLD dosimeters 577
 energy dependence 587
 glow curve 579
 Randall–Wilkins theory 579
 TLD reader 582
 TL materials 577
 triboluminescence 579
 traceability in radiation dosimetry 490
 track-end term 239
 track-length fluence spectrum 117
 transient charged-particle equilibrium (TCPE) 248
 transport cross section 40
 transport equation 282, 430
 transport theory 280
 triplet production 178
 cross section 181
 energy transfer 200
 kinematics 179
 threshold energy 180
 total cross section 188
 Type A standard uncertainty 24, 358
 Type B standard uncertainty 25, 358

u

uncertainty 22, 358
uncorrelated quantities 27

v

variance reduction techniques 365,
371, 393
vector fluence rate 281
vectorial operator 283

w

water vapor 525
wave function 32, 120

distorted plane-wave 88, 121, 124
partial-wave 41, 51, 98, 123
plane-wave 32, 88, 120
weighted mean value 24, 359
weighted standard uncertainty 24,
359

x

x-ray beam quality 321
x-ray target 319

y

yield spectrum 117

