

Index

a

- acetylcholine 177
- action potential 16–19, 22–26, 29, 58, 146, 148, 182, 193, 199
 - after-hyperpolarization (ahp) 17
 - compound 182
 - depolarization 16
 - electronic currents 18
 - Na^+/K^+ pump 17
 - refractory 17
 - threshold 17
- activation variable 79
- adaptation 7, 140, 142, 144, 145, 151, 165
 - learning 7
 - plasticity 7
- adaptive 1
- adaptive control 139
- address-event representation (AER) 40, 163, 164
 - integrate-and-fire transceivers 40
 - multiplex spikes 40
 - spike communications 40
 - spike timing 40
- adhesion 105
- afferent 148
- algorithms 9
 - learning 9
- AMPA 85
- amplifier 78, 120
- analogue circuits 89, 157
- analogue hardware 82, 194
- analogue very large-scale integration (aVLSI) 133
- analogue-to-digital 54, 60
- analogue-to-digital conversion 80, 81, 118, 120, 124
- analogue-to-digital converter 159
- ankle foot orthosis 4
 - actuated 4
 - articulated 4
- anodal block 184
- antagonist 176
- array processing algorithms 59
- arrhythmia 181179, 185
 - ventricular 185
- artificial neural network 141, 144
- ATP-sensitive K^+ channels 193
- attention 85
- audition 45, 157, 162
 - neural impulses 45
- auditory processing 85
- autonomic control 176
- autonomic nervous system 175, 186
- AV node 175
- axodendritic synapses 12
 - dendritic spines 12
 - postsynaptic neuron 12
 - presynaptic neuron 12
- axon hillock 159

b

- backpropagation 144
- baroreceptor reflex 180, 178, 186
- baroreceptor deafferentation 186
- baroreflex 186
- baroreflex sensitivity 184
- basilar membrane 47, 162
 - boustrophedonic 46
 - filters 47
 - model 47
- Bayesian models 65
- Bernoulli process 60, 64
- Bezold-Jarisch reflex 178
- bifurcation theory 115

- biocompatibility 99, 100, 106, 110, 115, 116, 117, 134
 - biohybrid systems 27
 - biological systems 27
 - computational models 27
 - cable theory-based neuronal models 27
 - dynamic clamp 27
 - living neuronal network 27
 - neurostimulation therapy 27
 - neurotechnology 27
 - nonbiological systems 27
 - biohybrid 6
 - neuromorphic 6
 - orthotic control system 6
 - biohybrid systems 1, 53
 - biology 1
 - biomimetic design 3
 - biomorphic 3
 - actuators 3
 - sensors 3
 - muscles and tendons 3
 - neural control 3
 - neuromorphic 3
 - control 3
 - biomimicry 3, 77, 139, 140, 141, 148, 151, 157
 - biophysical models 26
 - biochemical 26
 - calcium control 26
 - physiological processes 26
 - signal transduction pathways 26
 - bipolar cell 168, 166
 - bradycardia 177, 175
 - brain 143
 - brain-machine interface 133
 - Bainbridge reflex 177, 178
 - bursting 104, 131, 132, 148, 149
 - pattern 199
- c**
- cable properties 17
 - cable theory 21
 - membrane 21
 - capacitance 21
 - resistance 21
 - perpendicular dimension 21
 - space-constant 21
 - time constant 21
 - calcium 80, 81, 147
 - intracellular 80, 81, 147
 - calcium currents 22
 - Goldman-Hodgkin-Katz equation 22
 - high threshold 22
 - intermediate threshold 22
 - low-threshold 22
 - Ohm's law 22
 - capacitance 97
 - interfacial 97
 - capacity 66, 69, 70, 78
 - carbon nanofiber 101
 - carbon nanotubes 103, 105, 109
 - cardiac output 178
 - cardiac pacing 178
 - cell membrane 13, 97
 - electrical insulator 13
 - extracellular 13
 - intracellular 13
 - ion-selective channels 13
 - sodium-potassium transporter 13
 - cellular energy reserves 14
 - voltage sensitive Na^+ channels 14
 - cellular neural network 159
 - central pattern generator 37, 87, 132, 135, 148, 158, 160, 161, 162
 - channel capacity 68
 - chronotopy 175
 - closed-loop 4, 9, 161, 191, 195, 196
 - adaptive control 9
 - biomimetic 9
 - cardiac 9
 - control 4, 179, 186
 - diabetes 9
 - CMOS 197
 - coadaptation 140, 151
 - coadaptive 7
 - synergistic 7
 - cochlea 46, 162
 - basilar membrane 46
 - hair cell 46
 - inner ear 45, 46
 - middle ear 45, 46
 - outer ear 45
 - scala media 45
 - scala timpani 45
 - cochlear implant 163
 - coefficient of variation 61, 62
 - comparator 38, 39
 - computational model 78, 86, 87
 - computational neuroscience 8, 11, 152
 - biohybrid 12
 - compartmental modeling 11
 - electrical cable theory 11
 - mathematical theory 11
 - neuroengineering 11
 - neuromorphic 12
 - neurotechnology 11
 - conditional distribution 71
 - conditional probability function 65
 - conductance 77, 78, 79, 85, 128, 142

- artificial 77, 84
- ligand-gated 79
- transmembrane 78
- conduction velocity 181, 182
- cones 42
 - bipolar cells 42
 - horizontal cells 42
- contractility 175, 176
- control 6, 70, 91, 139, 140, 157, 161, 171
 - algorithm 192
 - cyclic 6
 - feedback 6
 - position 6
 - system 145
 - time-to-target 70
 - voluntary 6
- coordinate transformation 85
- correlation coefficient 63, 64
 - function 63
 - higher order 64
 - lag 63
- correlation function 74
 - pairwise 74
- cortex 85
- cortical microcircuits 87
- cost effectiveness 89, 194
- coupled oscillator 158
- coupling 70
- cultured neurons 98, 100, 104, 106
- currents 124, 125, 126, 129, 131, 132
 - calcium 132
 - clamp 77, 78
 - delayed rectifier 125
 - density 98
 - fast sodium 125
 - injected 125
 - ionic 131, 132
 - leak 125
 - membrane 129
 - mirror 164
 - potassium 126
 - sodium 126
 - steering 159
 - stimulus 129
 - voltage-gated 124, 131
- cycle-to-cycle variability 82

d

- data acquisition 89, 121
 - board 90
- data processing theorem 67
- decoder 66, 69, 70, 74, 78
- defibrillators 175
- dendritic compartment 36

- synaptic cleft 37
- dependencies 60
 - spatial 60
 - statistical 60
 - temporal 60
- detection 199, 200
- detector 197
 - activity 197
- diabetes 191
- differential equation solver 80
- differential pair 34
 - bias voltage 34, 38
 - current-voltage 34
- operational transconductance amplifier (OTA) 34
- steady state 34
- subthreshold (figure caption) 34
- voltage-dependent conductance 34
- digital signal processor 90
- distortion measure 70, 71
- distributed sensors 139
- dromotropy 175
- drug development 194
- dynamic action potential clamp 79
- dynamic clamp 8, 77, 80, 116, 117, 120, 130
 - digital 80
- dynamic neural processing 64
- dynamical systems theory 135
- dynamics 78, 140
- dynamic thresholding 197

e

- edge detection 166
- ejection fraction 184
- electric circuit 95
- electric circuit model 97
- electrical coupling 79
- electrical synapses 21
 - gap junction 21
- electrochemistry 97, 99, 101
- electrode 81, 99, 101, 123, 124, 133, 180, 181, 182, 185, 196
 - capacitance 101
 - cuff 180, 181, 184
 - impedance 101
 - intrafascicular 181
 - materials 101
 - tripolar 180
- electrode array 194
- electrode fabrication 98
- electrode-electrolyte interface 97, 98
- electrode-tissue interface 98
- electrophysiology 77, 79, 90
 - cardiac 84

encoder 66, 69, 70, 74, 78
 end-systolic volume 184
 epilepsy 183, 184
 equilibrium 115
 equilibrium potential 14
 – electrochemical gradients 14
 – Nernst equation 14
 estimation theory 65
 – mean-square estimate 65
 Euler integration 81
 event probability 54
 events per second 54
 evolutionary algorithms 145
 excitation 158
 excitatory chemical synapses 20
 – alpha synapse 20
 – double-exponential synaptic conductance 20
 – presynaptic cell 21
 – synaptic conductance 21
 expectation maximization algorithm (EM) 65
 expected values 63, 64

f

feedback 83, 141, 161, 176
 – control 178, 186
 – loop 78, 80
 feedforward 161
 fibrillation 179, 185
 – atrial 185
 – ventricular 179
 field-programmable gate array (FPGA) 165
 filter 58, 163, 182
 – band-pass 163
 – linear 58
 – low-pass 163
 – spatial 182
 filtering 167
 – spatial 167
 – temporal 167
 finite-difference approximation 80
 firing rate 82, 84, 85, 146
 firing rate models 23
 – artificial neural networks 24
 fovea 167, 168, 169

g

GABA 85
 Gain modulation 84, 85
 gait 6, 7
 – active 6
 – cadence 6
 – dorsiflex 6
 – kinematics 7

 – passive 6
 – plantarflex 6
 – stance 6
 ganglia 176, 177
 – parasympathetic 176
 – paravertebral 176
 – prevertebral intrathoracic 176
 ganglion cells 41
 gap junction 78, 79, 84
 gating variable 122
 gating variables 126, 128, 131
 Gaussian noise 55, 68
 glucagon 193
 glucose 191, 193, 195, 198, 199
 Golgi cells 86
 gradient descent 144
 graphical user interface 90, 117

h

half-center oscillator 122
 Hawke's process 59
 hazard function 57, 61, 62
 – constant value 57
 hazardous dynamics 116, 128
 heart 131, 175
 heart failure 179, 182, 184, 185
 heart rate 175, 179, 186
 – turbulence 179
 – variability 179, 184
 heart rhythm 175
 Hebbian learning 145
 hippocampal slice 103
 histogram 62, 63, 69, 74
 – binwidth 62
 – poststimulus or persitmulus 62
 – PST 62, 69, 74
 – stimulus related temporal variation 63
 Hodgkin-Huxley model 18, 58, 80, 126, 127, 128, 129
 – action potential 18
 – squid 18
 – activation states 18
 – conductance-based 18, 19
 – delayed-rectifier potassium current 18
 – empirical fits 19
 – fast sodium current 18
 – gating variables 18
 – inactivation states 18
 – ionic conductances 18
 – refractory period 19
 – spike threshold 19
 homeostasis 192, 193
 horizontal cell 166
 hormone 193, 195, 199

hybrid circuit 87
hypoglycemia 193

i

impulse response 58, 59, 60
– delta function 60
in vitro preparation 87
inactivation variable 79
incretin 193
inflammation 96
information theory 53, 66, 69, 74
inhibition 86, 150, 158
– mutual inhibition 150
– reciprocal inhibition 150
– recurrent inhibition 150
injection current 79, 81
inner hair cell 163
inotropy 175
instability 116, 135
– catastrophe 116, 135
– multistability 116, 135
insulin 191, 193, 195
– demand 200
– pump 192
– resistance 191
– secretion 191, 199
– therapy 192
integrate-and-fire neuron models 38, 163, 164, 165, 167
– ideal 38
– leaky 38
– membrane capacitor 39
– Mihalas-Niebur model 39
– nonleaky 38
– refractory period 39
– resistance 39
– resting potential 38
– rheobase 39
– self-resetting neuron 39
– synaptic input current 39
– threshold 39
integrated circuit 157, 194
intensity 63
– time dependence 63
intervent intervals 56, 61
– independent 56
– random variables 56
interspike interval 165
interval histogram 61, 62
intracellular recording 107
ion channel 84, 121, 145
ion channel density 81
ion channels 78, 79, 148
– voltage-dependent 78, 148

– voltage-gated 79
– voltage-independent 78
ion currents 35
– calcium-dependent potassium current 35
– Hodgkin-Huxley models 35
– leakage current 35
– Morris-Lecar models 35
– persistent sodium current 35
– potassium conductance dynamics 35
– sodium conductance dynamics 35
ionic current 122
ionized calcium 22
– neurotransmitter 22
– NMDA 22
– potential dynamics 22
– presynaptic action potential 22
– synaptic plasticity 22
– voltage-sensitive calcium channels 22
iridium oxide 101
islet 193
islet cell 199
islets of Langerhans 192

j

jitter 81, 82

k

knockin 84
knockout 84

l

lamprey 6
latency 81, 82
lateral connections 70
learning 65, 140, 141, 142, 144
– algorithm 144
– supervised 144
learning algorithm 142
leech 118, 130
limb 7
linux 90
– real-time 89
locomotion 4, 148, 157, 158, 161, 162, 166
– feedback 4
– pattern generator 4
– spinal 4
– sensors 4
– walking 4
low-pass filter 79
low-power circuit 171

m

Markov model 79, 91
Markov point process 58

- order 58
 - time-weighted average 58
 - MATLAB 117, 118, 119, 120, 127, 128, 134
 - dSPACE 117, 118, 119, 120, 128, 134
 - Simulink 118, 119, 120, 127, 134
 - mechanosensor 91
 - membrane 58, 194
 - capacitance 145, 159, 164
 - conductance 123, 124
 - currents 97, 120, 121, 123, 149
 - dynamics 58, 149
 - semipermeable 194
 - voltage 78, 79
 - membrane potential 15, 78, 85, 121, 126, 131
 - current clamp 16
 - ion concentration 14
 - Kirchoff's current law 15
 - membrane permeability 15
 - potential gradient 15
 - resting 15
 - threshold 17
 - voltage clamp 16
 - memory 57
 - MEMS 96, 200
 - metabolism 191
 - microcircuit synchronization 88
 - microcontroller 170
 - microelectrode 95, 106, 110, 197
 - microelectrode array 95, 96, 98, 100, 101, 103, 195, 196, 198, 199
 - microfabrication 105, 106
 - microfluidics 110
 - microprocessor 118
 - model 141, 142, 145, 146
 - artificial neural network 141, 142
 - biophysical 141, 142, 145
 - conductance-based 145
 - input/output 141, 142
 - multicompartmental 146
 - neurostructural 141, 142
 - modulation 176
 - neurocardiac 176
 - monitoring 176
 - neurocardiac 176
 - Mossy fibers 86
 - motion detection 167
 - motor 91
 - multi-electrode array 106
 - multilayer network 144
 - multiple scales 4, 7
 - behavioral 4
 - electrophysiological 4
 - macro 4
 - micro 4
 - morphological 4
 - spatial 7
 - time 7
 - mutual information 66, 67, 68
 - mutual information theory 71
 - mutual inhibition 122
- n**
- nanoelectrode 99, 107, 108
 - metal 108
 - nanoelectrodes 109
 - nanofabrication 110
 - nanofibers 99
 - nanomaterial 99
 - nanotechnology 99, 110
 - nanotransducer 95
 - nanotubes 99, 107
 - nanowires 99, 100, 101
 - navigation 170, 171
 - autonomous 170, 171
 - neocortex 35
 - nerve 185
 - recurrent laryngeal 185
 - vagus 185
 - nervous system 2, 11, 12, 23, 25, 27
 - design principles 2
 - function 2
 - nerve cells 11, 12, 23, 24, 27
 - neurons 11, 12, 23, 25, 27
 - network architecture 144
 - network operating principles 87
 - neural (brain) adaptation 78
 - neural circuit 148
 - neural code 11, 29, 53
 - neural control 177
 - hierarchical 178
 - neural discharge pattern 79
 - neural dynamics 115
 - neural interface 152
 - neural modeling 152
 - neural probe 96
 - neural prosthetics 95
 - neural recording 96, 98, 101, 104, 105, 110, 110, 123, 187, 198
 - neural signal processing 53, 66
 - neural signals 40
 - auditory system 40
 - visual system 41
 - neural stimulation 96, 98, 105, 110, 186
 - neural systems 37
 - learning 37
 - synaptic modulation 37
 - synaptic weighting 37
 - neural transduction 41

- neural tissue 41
 - photosensitive 41
 - neural-electrode interface 101, 105, 110
 - neuroanatomy 143
 - neurocardiology 175
 - neurodesign 2, 8
 - access 2
 - adaptation 2
 - control 2
 - influence 2
 - interfaces 2
 - neural activity patterns 2
 - plasticity 2
 - neurodesign approach 3
 - access 3
 - biological 3
 - endogenous 3
 - engineered 3
 - exogenous 3
 - influence 3
 - integration 3
 - living 3
 - plasticity 3
 - neuromodulator 84, 147
 - neuromorphic 8
 - neuromorphic engineering 32
 - address event representation (AER) 32
 - artificial 33
 - biological entity 32
 - biological systems 33
 - field programmable gate arrays (FPGA) 32
 - silicon 33
 - neuromorphic hardware 152, 157, 162
 - neuromorphic systems 31, 33
 - circuits 31
 - devices 31
 - neuromorphic vision 41
 - photoreceptors 42
 - retina 42
 - rods and cones 42
 - neuromorphic photodetector 43
 - band-pass filter 44
 - inverting amplifier 44
 - negative feedback loop 44
 - subthreshold 46
 - temporal adaptation 44
 - neuromusculoskeletal system 4
 - neuron membrane 142, 145
 - neuron model 116, 117, 118, 119, 125, 131, 133, 134
 - Hodgkin-Huxley 116, 117, 118, 119
 - neuronal 31
 - activity 32
 - behavior 31
 - computations 31
 - neuronal membrane 15
 - capacitance 17
 - conductance 16
 - equivalent circuit 16
 - ionic channels 16
 - resistance 17
 - neuronal modeling 12, 18, 19, 28
 - physiological 12, 18, 28
 - theoretical principles 12, 18, 28
 - neuronal network 84
 - neurons 12, 33, 36
 - action potential 33
 - axon 12
 - axonal compartment 36
 - dendrites 12
 - dendritic compartment 36
 - glial cells 12
 - neural processes 33
 - neuromorphic circuit 36
 - soma 12
 - somatic compartment 36
 - subthreshold/weak inversion region 33
 - synapses 36
 - neurophysiology 84, 143
 - neuroplasticity 152
 - neuroprostheses 133
 - neuroprosthetics 115, 171
 - neurotransmitter 147
 - neurotransmitter chemicals 13
 - effects 13
 - excitatory 13
 - inhibitory 13
 - receptors 13
 - ionotropic 13
 - metabotropic 13
 - synaptic cleft 13
 - non-markovian point process 58
 - nonlinear kernels 143
 - nonlinearity 143
 - nonrenewal process 58
 - nonstationary 61
 - norepinephrine 177
 - numerical integration 80, 82, 126, 131
 - Nyquist-Shannon sampling theorem 80
- o**
- object tracking 167, 169
 - obstacle avoidance 170
 - oculomotor control 143
 - ODE solver 83
 - Ohm's law 78
 - operational transconductance amplifier (OTA) 47, 48

- follower integrators 47
- positive feedback configuration 48
- sharp (high-Q) bandpass filter 48
- subthreshold 48
- optimization 144, 158
- orthosis 6, 7
 - ankle-foot 6
- orthosympathetic system 175
- oscillations 115, 122, 149, 150
- oscillator 117, 118, 132, 135
 - half-center 132
- outer plexiform layer (OPL) 42
 - adaptation 42
 - photoresponsive iris 42
 - pigment changes 42
 - retinal receptors 42
- oxidation 101

p

- pacemaker 87, 88, 175
 - currents 149
- pancreas 192
 - artificial 192
- pancreatic beta cells 191, 193, 196, 197
- pancreatic endocrine cell 191
- pancreatic islet cell 191, 195
- parasympathetic 176, 177, 182
- parasympathetic system 175
- patch clamp 195, 199
- pattern generator 6
 - entrain 6
- pattern recognition 139
- pharmaceutical 194
- pharmacological screening 199
- phase relationships 87
- phenomenological model 25
 - absolute synaptic strength 25
 - presynaptic spike 25
 - spike timing dependent plasticity (STDP) 26
 - spike pairs 26
- pheochromocytoma cells 100
- photodiode 168
- photoreceptor 166, 168
- plasticity 84, 146
 - spike timing-dependent 146
- plateau potential 133
- plateau potentials 148
- platinum black 99
- point process 53, 54, 55, 57, 59, 60, 68, 70, 79
 - deadtime-modified 57
 - intensity 55, 59, 68
 - log-linear model 59
 - marked 59

- regular 53
- statistical structure 55
- theory 53
- Poisson point process 56, 70
 - stationary 56
 - unique 56
- Poisson process 55, 68, 69, 85, 86
 - doubly stochastic 55
 - intensity 55
 - memory 55
 - stationary 55
- polymer 99, 101, 106
- post-synaptic potential 148
- posture control 143
- potassium currents 22
 - big conductance potassium currents 22
 - calcium 22
 - voltage 22
- calcium dependent small conductance potassium currents 22
- calcium-dependent potassium currents 22
- power consumption 163
- pre-synaptic inhibition 147
- probability 54
 - conditional 54
- probability density function (pdf) 56, 57, 61, 62
 - interval 62
- probability function 65
 - posterior distribution 65
- processor 89, 90
 - multi-core 89, 90
- programming 119
- prostheses 79, 151
 - measurement 79
- prosthetics 53
 - measurement 53
 - stimulation 53
- pyramidal cell 102

q

- Q-factor 164
- qualitative dynamics 19
 - ODE 19
- quality control 194
- quantization error 80

r

- random process 55, 59
 - theory 55
- random variables 58, 61
- rate 55

- instantaneous 55
- rate distortion function 66
- rate distortion function 71
- theory 78
- rate distortion theory 74
- rate equations 127
- rate of discharge 56
- real-time computing 81, 116, 117, 120, 128, 134
- real-time control 91, 171
- real-time operating system 89
- real-time processing 91
- receptive field 166
- center-surround 166
- receptor 178
- baro 178
- chemo 178
- mechano 178
- reciprocal inhibition 88, 149
- recording 180, 196
- selectivity 180
- reflex 176, 177, 178
- refractory 55
- refractory interval 56
- refractory period 160
- rehabilitation 140
- therapy 140
- renewal process 56, 57, 58
- stationary 57
- resistance 97
- charge-transfer 97
- solution 97
- retina 104, 166
- retinomorphing imaging 167
- reversal potential 16, 78, 79, 124
- robot 165, 170, 171
- robotics 140, 158
- Runge-Kutta integration 81

S

- saccade 167, 168, 169
- sampling frequency 80
- second messenger 81, 193
- selective attention modulation 167
- self-consistent process 57
- sensing 179
- sensitivity 55
- sensor 141, 180, 191, 192, 194, 199, 200
- biohybrid 191
- biomicroelectronic hybrid sensor 194
- chemical 180
- glucose 192, 199
- mechanical 180
- sensor array 169

- sensorimotor function 53
- sensorimotor integration 141
- sensory afferent 158
- sensory processing 139
- Shannon 68
- Shannon's information theory 70
- Shannon's theory 67
- short-term depression 86
- signal-to-noise ratio 79, 98, 107, 109, 196, 197
- silicon basilar membrane 47
- time constant 47
- silicon cochlea 163
- silicon cochlear 46
- filter stages 48
- resonant elements 48
- serial cascade 48
- silicon neuron 35, 131, 133, 158
- neural systems 35
- neuron emulation 35
- silicon retina 42, 43, 166
- bipolar cell type 42
- electrical response 43
- feed-forward photoreceptor 43
- feed-forward retina 43
- horizontal cell-type 42, 43
- log-domain space 43
- photoreceptor with adaptive feedback 43
- phototransduction 42
- simplified neuronal models 23
- firing rates 23
- rate code 23
- spike/pulse models 23
- integrate and fire (if) 23
- leaky if 23
- nonleaky if 23
- temporal code 23
- temporal patterns 23
- simulation 22
- GENESIS 22
- NEURON 22
- single electrode current clamp 81
- discontinuous 81
- single-neuron recording 79
- sinoatrial node 175
- smooth pursuit 169
- sound localization 163
- space clamp 81
- spatial perception 85
- spatial variation 146
- spatiotemporal integration 147
- speech recognition 163
- spike 58, 122, 160, 164
- spike detection 194, 199

- spike intensity 54
 - spike shape 82
 - spike sorting algorithms 59
 - spike timing 146
 - spike trains 54, 59, 62, 65, 68, 74
 - spiking 104, 128, 130, 194
 - spiking neuron 146
 - spiking pattern 160
 - spinal cord 4, 143
 - injury 159, 186
 - lamprey 4
 - pattern generator 4
 - squid giant axon 117, 125, 128
 - stability 83, 99, 116, 117, 130, 135, 151
 - mechanical 99
 - standard deviation 61
 - state machine 169
 - state transitions 115
 - state-dependent response 147
 - statistical dependence 67
 - stem cells 192, 194
 - stimulation 161, 179, 184, 185, 187
 - AV node 185
 - intracardiac 185
 - intrafascicular 184
 - intramuscular 161
 - intraspinal 161
 - parasympathetic 179, 186
 - sympathetic 179
 - vagus nerve 184
 - ventricular 185
 - stochastic 53
 - stomatogastric ganglion 87, 88
 - superiorcolliculus 168
 - support vector machine 158
 - sympathetic 176, 177
 - sympathetic system 175
 - sympathovagal balance 185
 - synapse 13, 37, 87, 122, 123, 124, 125, 131, 146, 147, 159
 - chemical 13, 87
 - electrical 13
 - electrical membrane properties 38
 - gap junction 12
 - inputs 147
 - modulation 37
 - reversal potential 147
 - synaptic cleft 13
 - synapse model 78
 - synaptic background noise 85
 - synaptic conductance 86
 - synaptic currents 20, 85
 - synaptic depression 86
 - synaptic dynamics 146
 - synaptic inputs 20, 84
 - conductance-based models 20
 - synaptic models 37
 - digital-to-analogue 37
 - excitatory postsynaptic potentials 37
 - external 37
 - fixed neural spiking 37
 - programmable 37
 - shunting inhibition 37
 - spike timing-dependent plasticity 37
 - synaptic plasticity 24
 - excitatory postsynaptic conductance 24
 - long-term depression (LTD) 25
 - long-term potentiation (LTP) 25
 - paired-pulse facilitation/depression 26
 - short-term synaptic plasticity 24
 - spike timing dependent plasticity (STDP) 26
 - synaptic strength 24, 26
 - synaptic reversal potential 85
 - synaptic weight 159
 - system identification 186
 - systems 7
 - biohybrid 7
 - biological 7
 - engineered 7
- t**
- tachycardia 175, 178, 185
 - technology 1
 - therapy 194
 - hormone replacement 194
 - time-constant 121, 122, 132
 - voltage-dependent 121, 122
 - titanium 101
 - topology 78
 - toxicity test 194
 - toxicological screening 199
 - transducers 9
 - transfer function 60
 - transistor 33, 86
 - CMOS 34
 - MOS 33
 - MOSFET 47
 - NMOS 39
 - NMOSFET 44
 - tungsten 108
- v**
- vagus nerve 178, 180, 182, 183, 184, 186, 187
 - vapor deposition 105
 - variance 64

vasodilation 176
ventricular fibrillation 175
vision 157, 166, 170
– binocular 170
– controller 170

visual cortex 166
visual system 42
– silicon implementation 42
voltage clamp 77, 81
– discontinuous 81

