

Index

a

- Abelian Higgs model 525
- Abelian QCD 422–423
- adjoint representation 274
- AEEC 409
- ALEPH 142
- α vs. G_F 178
- α, β, γ 205
- angular ordering 384, 425, 428
- anomalous dimension 337–338, 342, 431
- anomalous magnetic moment 61, 105
- anomalous moment 433
- ARGUS 215–216
- ARIADNE 384, 393
- asymmetry
 - $e^-e^+ \rightarrow l + \bar{l}$ (A_{FB}^l) 66, 69
 - formula 67
 - forward–backward - A_{FB}^f 123–124, 147, 150
 - heavy quark 151
 - left–right 123, 147, 150
 - measurements at LEP/SLD 150
 - of $b\bar{b}$ 66, 72, 75
 - of $c\bar{c}$ 66, 71, 75
 - of EEC 409–410
 - of $\tau\bar{\tau}$ 124
 - parameter 123
 - $q + \bar{q} \rightarrow l + \bar{l}$ 76
 - W decay 93
 - Z decay 93
- asymptotic freedom 262, 282, 284, 307, 415
 - test of 398
- axial gauge 266–267
- axion 257

b

- B -factory 202, 240, 243, 249
- b -quark production in hadronic collision 493
- BaBar 250

- bag parameter 226
- bare coupling constant 158, 169
- bare mass 158
- baryon
 - number 258
- beam cooling 82
- Belle 250
 - detector 251
 - events XXVI, 251
- BFKL equation 346
- Bhabha scattering 127
- Bjorken scaling 307–308, 316, 327
- Born approximation 110–111, 158–159, 170
 - improved 114, 122, 176
- Bose–Einstein statistics 242
- box diagram 117, 171, 225–226, 253, 254
- Breit frame 537
- Breit–Wigner
 - broadening 100
 - formula 91, 98, 120
 - shape 116
- BRST symmetry 527

c

- c -quark production in hadronic collision 490
- Cabibbo allowed, *see* Cabibbo favored/suppressed 219
- Cabibbo favored/suppressed 221–223
- Cabibbo–Kobayashi–Maskawa matrix 5, 40, 87, 193, 195, 197, 206, 508
 - phase 246–247
 - V_{cb} 201
 - V_{cd} 200
 - V_{cs} 200
 - V_{tb} 204
 - V_{ts}, V_{td} 204, 232
 - V_{ub} 198, 202, 216, 232, 236
 - V_{us} 199
- Cabibbo rotation 82, 197, 403

- Callan–Gross relation 65, 316
 - Casimir operator 273, 426, 546
 - Cauchy’s theorem 404
 - CDF 362
 - charge conjugation
 - Dirac matrix 502
 - charge renormalization 169
 - charge symmetry 365
 - charged current 39–41, 65, 314
 - CHARM 44
 - chiral
 - representation 502
 - chiral gauge symmetry 275
 - chiral perturbation theory 275, 278, 285, 563, 567, 570
 - chiral symmetry 4
 - chiral symmetry breaking 17
 - chirality 4, 35, 49, 59, 64, 312
 - ChPT, *see* chiral perturbation theory 275
 - Chudakov effect 424–425
 - CKM matrix 197
 - CLEO 215
 - cluster model 392–393, 397
 - coefficient function 335
 - collider detector 125
 - collinear 296
 - singularity 321
 - Collins–Soper frame 77, 535
 - color
 - charge 261
 - strength of 272
 - coherence 424
 - degrees of freedom 261
 - factor 423
 - spin 261–262
 - suppressed 234
 - Compton polarimeter 129, 150
 - cone algorithm 466
 - confinement 262, 362
 - confining potential 361
 - Cooper pair 13
 - counter term 162
 - coupling constant
 - continuity 292
 - running 414–415
 - NLLA 286
 - covariant derivative 6–8, 264
 - covariant gauge 264
 - CP invariance 209
 - CP parameters
 - B meson 207
 - K meson 210
 - CP violation
 - ϵ_B 232
 - ϵ_K, ϵ_K' 227
 - B sector 232
 - beyond the SM 257
 - direct 233
 - in interference 212, 238–239
 - indirect 232
 - CPT invariance 209
 - critical temperature 10, 12, 13
 - CTEQ 393, 461, 471–472
 - Curie temperature 12
 - current algebra 279
 - custodial symmetry 106, 173
- d**
- Dalitz plot 417, 472
 - Dashen’s theorem 295
 - decay constant 199, 226
 - kaon 277
 - pion 276
 - decay width
 - difference $\Delta \Gamma$ 219
 - decoupling theorem 291, 569
 - deep inelastic scattering 307
 - $\Delta I = 1/2$ rule 211, 228
 - depolarization method 129
 - DGLAP evolution equation 77, 263, 327–328, 330–332, 335, 366, 382, 448–449
 - \overline{MS} scheme 335
 - basic form 324
 - DIS scheme 335
 - numerical program 347
 - solution 337
 - with angular ordering 430
 - di-jet 438
 - mass 438, 461
 - production XXXI, 461, 475
 - dilogarithm function 378
 - dilution factor 246, 250
 - Dirac
 - equation, plane wave solution 501
 - γ matrix 502
 - matrix 501
 - direct photon production 476
 - DIS, *see* deep inelastic scattering 307
 - dispersion relation 401
 - double logarithm 343
 - Drell–Yan process 76, 351
- e**
- E1 transition, *see* electric dipole transition 55, 56

EEC, *see* energy correlation 408
 electric dipole transition 55
 electric quadrupole 540
 electroweak unification 64–65
 Ellis–Karlner angle 419–420
 emittance 82
 energy correlation 408, 410
 EPR paradox 242
 equivalent photon 317
 – cross section 317
 Euler’s constant 161, 280
 event generator 380
 event topology
 – *B*-factory 252

f

FAC: fastest apparent convergence
 approach 288
 factorization 77, 262–263, 296, 321,
 324–325, 358
 – hadron scattering 358
 – scale 324, 354, 359, 457, 469, 478, 479,
 482–484, 489
 – scheme 324, 335
 – theorem 358, 489
 Fermi coupling constant 111, 517
 Fermi theory, *see* four-Fermi interaction
 39, 40, 45, 170
 ferromagnet 11–12
 Feynman rules 23, 267, 507
 Fierz transformation 47, 531
 fluorescence 56–58
 FONLL 493
 four-fermion interaction 16, 39, 164, 474,
 531, 532
 four-fermion processes 162
 fragmentation 361, 363
 – function 263, 296, 363, 366, 385, 387,
 390, 490, 494
 – scaling violation 448
 – scaling violation 387
 fragmentation function
 – longitudinal 441
 – transverse 441
 fragmentation model 152
 Froissart bound 346, 451
 ft value 198

g

g-2 109, 129, 157
G-parity 406
 γ -*Z* mixing 118, 167, 176–177
 Gargamelle 40

gauge
 – axial 28, 265, 330
 – Feynman 264
 – fixing term 162, 264–266
 – interaction 18
 – invariance 269, 330
 – R-gauge 30, 525, 527–528
 – sector 7, 37
 – symmetry
 – of QCD 423
 – ’t Hooft–Feynman 528
 – unitary gauge 14, 28, 30, 525–527
 gauge boson
 – self-interaction 19
 – 3-W vertex 20
 – 4-W vertex 21
 gauge theory
 – non-Abelian 27
 gauge transformation
 – boson 6
 – chiral 4–5
 – fermion 5
 – *SU*(2) 6
 Gell–Mann matrix 265, 272, 544
 Gell–Mann–Okubo mass formula 295
 ghost 27–29, 162, 264–265, 267, 268,
 283, 528
 GIM mechanism 71, 195, 253, 496
 Ginzburg–Landau free energy 13
 gluon
 – Compton scattering 269, 476
 – distribution 342, 463
 – emission 329
 – fragmentation function 441
 – in 4-jet
 – θ_{BZ} , θ_{NR} 422
 – jet 422, 444–445, 449
 – scalar 264, 417–421
 – self-coupling 268–269, 421
 – spin 340, 417
 – vertex
 – 3-gluon 269
 – 4-gluon 269
 Golberger–Treiman relation 566
 Goldstone boson 12–13, 277, 295
 – would-be 13, 30, 526–528, 530
 Goldstone theorem 277
 Gross–Llewellyn–Smith sum rule 399
 group
 – adjoint representation 546
 – conjugate representation 546
 – connectedness 544
 – direct product 547

- fundamental representation 544
- generator 273, 543
- rank of 546
- reducible 547
- structure constants of $SU(3)$ 544
- $U(N)$ 543
- GWS 40
- h**
- H1 66, 346, 350
- hadronization 363
- hadronization model 384, 398
 - test of 393–394
- heavy electron 35
- heavy quark effective theory 201
- heavy quark production 484
 - flavor excitation 486–487
- HERA 64, 346, 350
- HERWIG 384, 392–393, 408, 466
- hierarchy problem 257
- Higgs
 - coupling
 - boson 22
 - fermion 22
 - self 22
 - interaction 22
 - mechanism 12–13
 - role of 28, 35
 - sector 7, 22, 37
- Higgs mechanism 500
- HQET, *see* heavy quark effective theory 201
- humpback distribution 435–436, 438
- hypercharge 5–9, 15, 18, 106
- i**
- IF model, *see* fragmentation model 397
- impact parameter 138, 140, 446, 481
- impulse approximation 308, 310
- independent fragmentation model 385, 397
- infinite momentum
 - approximation 329
 - frame 321, 327–328
- infrared divergence 296, 322
- infrared safe 303, 370–371
- Isgur–Wise function 201
- isolated lepton 498
- isoscalar target 314
- isospin 161, 172, 173, 189, 275, 314, 365, 520, 524
 - of τ , c , b 69, 75
- ISR 81, 452, 465
- j**
- Jacobian peak 97–98, 100
- JADE algorithm 420
- Jarlskog parameter 206
- jet 263, 303, 361–362
 - algorithm 464
 - axis 367–368
 - clustering 464
 - dijet 461
 - event shape 408
 - hadronic production 460
 - 2-jet 362–363, 373
 - 3-jet 362, 373, 377, 378, 446
 - 4-jet 421–422
 - multi-jet
 - production 472
 - multijet 473
 - event display 472
 - multiplicity 380, 408
 - particle flow 396
 - Q -plot 368–369
 - separation 375, 380
 - method of ϵ , δ 375
 - method of γ_{cut} 377
 - three-jet 429, 446
- jet shape variable 367
 - acoplanarity 367, 373
 - C-parameter 368, 371
 - heavy jet mass 372
 - jet broadening variable 372
 - oblateness 367
 - planarity 368, 394
 - sphericity 367–369, 453
 - thrust 73, 137, 152, 367, 369–374, 394, 411, 418–419
- JETRAD 461
- JETSET 393, 395, 408
- k**
- K -factor 356
- k_T algorithm 468
- l**
- Lamb shift 109, 157
- \mathcal{A} , $\mathcal{A}_{\overline{MS}}$ 284, 293
 - ambiguity 293
- lattice QCD 263, 285
- leading log approximation 284, 287, 303–304, 327, 329
- left–right symmetric model 258
- Lego plot 84–85, 362, 455, 497
- LEP
 - beam energy 131
 - climate effect 131
 - earth tide effect 131

- train effect 133
 - detectors 125
 - energy determination 128
 - lepton flavor 40
 - LeviCivita tensor 504
 - Lie algebra 543
 - light cone gauge 266
 - light cone variable 303–304, 328, 385
 - linear sigma model 563
 - LLA, *see* leading log approximation 284
 - local parton hadron duality 381, 429, 437
 - long distance contribution 226, 253
 - LPHD, *see* local parton hadron duality 381
 - LQCD, *see* lattice QCD 263
 - luminosity 81, 128, 249, 250
 - *B*-factory 250
 - monitor 127
 - Lund model, *see* string model 389
- m**
- M1 transition, *see* magnetic dipole transition 55, 56
 - magnetic dipole
 - of the gauge boson 107
 - magnetic dipole transition 55
 - magnetic moment 538
 - majoron 146
 - Mandelstam variable 298, 477
 - MARKII 394
 - mass
 - constituent 296
 - current 296
 - difference
 - $\Delta m_d, \Delta m_s$ 215, 229
 - Δm_K 226
 - eigenstate 193
 - matrix 207–208
 - *B* meson 229
 - *K* meson 225
 - of quarks 294, 405
 - of the fermion 17
 - of the gauge boson 15
 - of the Higgs 17
 - of top quark 499
 - pole mass 557
 - regularization 302
 - running 289
 - singularity 301, 321
 - matching 484
 - p_T distribution 483
 - matrix method 381, 409
 - Meissner effect 13
 - Mellin transformation 337, 386
 - inverse 338–339, 434
 - method of characteristics 281
 - method of moments 337, 347
 - Mexican hat potential 10
 - minimum scheme 163
 - minimum subtraction scheme 161, 517
 - mixing
 - $B^0 - \bar{B}^0$ 211, 246
 - $\chi, \bar{\chi}$ parameter 215
 - $D^0 - \bar{D}^0$ 220
 - *r* parameter 216, 218
 - r, \bar{r} parameter 214
 - x, γ parameter 214, 220, 223–224, 231
 - MLLA, *see* modified leading log approximation 435
 - modified Bessel function 345, 437
 - modified leading log approximation 435–437
 - modified minimum subtraction scheme 162, 182, 280, 517
 - Monte Carlo program
 - DGLAP based 346
 - inputs 350
 - MRSA 393
 - \overline{MS} , *see* modified minimum subtraction scheme 162
 - multiplicity distribution 434, 446
 - multipole expansion 537
- n**
- Nachtman moment 340
 - Nambu–Goldstone
 - boson 276–278
 - mode 275–276, 565
 - neutral current 39, 41, 42, 63, 118
 - neutral gauge boson 9
 - neutron electric dipole moment 257–258
 - next leading log approximation 285
 - Nishijima–Gell–Mann’s law 6, 9
 - NLLA, *see* next leading log approximation 285
 - non-Abelian gauge theory 103, 348, 528
 - nonlinear sigma model 278, 567
 - number of generations 146
 - number of neutrino species 145
 - NuTeV 53–54, 76
- o**
- octet-singlet mixing 295
 - on-shell renormalization 162
 - on-shell scheme 517
 - OPAL 128, 394
 - operator product expansion 324, 401, 404
 - optical rotation 56
 - order parameter 11–13, 277, 295

- oscillation
 - $B^0 - \bar{B}^0$ 218
- p**
- P, C, T transformation 106, 193
- parity violation 258
 - in atomic process 54, 61, 63
- partially conserved axial vector current 276, 563, 565
- parton 361
 - distribution function XXVII, 76, 263, 322, 351, 464
 - nonsinglet 331, 337
 - reproducibility 470
 - singlet 331
 - luminosity 353
 - model 307, 311
 - shower model 366, 380–381
 - substructure 474
- Pauli–Dirac
 - representation 503
- PCAC, *see* partially conserved axial vector current 276, 406
- pdf, *see* parton distribution function 76, 322
- penguin diagram 225–226, 228, 254
 - electroweak 234
- penguin pollution 248
- PEPI 67
- Peterson function 388, 490, 492, 494
- PETRA 67, 75, 422, 445
- phase field 14
- Phase transition 11
- phase transition 12
- ϕ_1 205, 246, 255
- ϕ_2 205, 246–247
- ϕ_3 205, 235
- planarity 368
- “+” function 333, 335, 480
- PMS: Principle of minimal sensitivity 288
- PNC 55
- polarization
 - sum 505
- polarized e – D scattering 58
- polarized electron beam 150
- Pomeron 345
- power correction 280, 370, 411, 413, 419
- pQCD 263
- preconfinement 392–393, 397
- primordial momentum 479
- primordial motion 363
- pseudorapidity 455
- PYTHIA 384
- q**
- Q-plot 370
- QCD 261
 - axioms 264
 - vacuum 274
- QCD Compton scattering 297
- quadrupole
 - of the gauge boson 107
- quadrupole moment 105, 537, 539–540
- quantum anomaly 275
- quark
 - jet 422, 444, 445, 449
- quark condensate 275
- quark model 543
- quark number conservation 334
- r**
- R-gauge 30, 527, 528
- R value 68–69, 222, 282, 287, 399
- radiative correction 114, 157, 513
 - $\varepsilon_2, \varepsilon_3$ 174, 188, 521–522
 - $\Delta\alpha$ 520
 - box correction 121, 170–171
 - box diagram 117–118, 121
 - direct correction 170
 - electroweak 117
 - oblique correction 170
 - QED 114
 - Δr 157, 159, 170–172, 174, 176, 184, 520
 - $\Delta\rho$ 172, 175, 188, 522
 - ρ parameter 49, 51, 106, 118, 121, 155, 160, 172, 180, 522, 523
 - S, T, U parameter 187–188
 - self-energy 170, 518
 - universal correction 117
 - vertex correction 117, 121, 170–171, 180
- rapidity 91, 377, 386, 450–452, 455, 457, 460, 477
 - pseudo- 84–85, 465
- rare decay
 - $K^+ \rightarrow \pi^+ \nu \bar{\nu}$ 253
 - $K^0 \rightarrow \pi^0 \nu \bar{\nu}$ 254
- Regge
 - theory 344
 - trajectory 345, 349
- Reggeon 345
- renormalization 161–162, 280
 - mass 164
 - modified minimum subtraction scheme 517
 - on-shell scheme 517
- renormalization group equation 262, 279, 281, 286–287, 290

- resum 166
- resumed expression 484
- RGE, *see* renormalization group
 - equation 279
- R_τ 401
- running coupling constant 164, 167, 174
- Rutherford scattering in QCD 462, 473
- R_Z 407
- s**
- saddle point 434, 436
- Sakharov 258
- scale dependence 286, 288, 470
 - jet production 469
 - W production 482
- scale parameter 162
- scaling in fragmentation 363, 365
- scaling variable 312, 364
- scattering phase shift 211, 233
- sea quark 309
- self-energy 165
 - gauge boson 164
- SF model, *see* string model 397
- sigma model 563
- Slavnov–Taylor relation 164, 169
- SLD 126
- small x distribution 430
- SN1897A 43
- Sokolov–Ternov effect 129
- spectral function 400, 403, 406, 557
- spectral representation 553, 555
- sphericity, *see* jet shape variable 367
- spin precession frequency 129
- spin tune 129–130
- splitting function 321, 332, 352, 421, 573
 - regularization 332
- spontaneous symmetry breaking 10, 12, 17, 30, 276, 526
- $S\bar{p}\bar{p}S$ 82, 452
- SPS 81
- Stark
 - effect 56
 - induced 56
- strained lattice GaAs photocathodes 150
- string 362
 - effect 428, 430
- string model 389, 391, 395, 397
- strong CP problem 257
- strong phase, *see* scattering phase shift 222, 223, 233, 236, 238
- structure constant 265, 274, 543
- structure function 314, 316
 - computer based 348
- $SU(3)$ 543–544
- $SU(N)$ 543
- subquark 474
- Sudakov form factor 356, 382–383, 483
- superallowed transition 198
- superconducting phase 3, 13–14
- supersymmetry 257
- superweak phase shift ϕ_{SW} 211
- symmetry
 - chiral invariance 570
 - global chiral – 275
 - $SU(2)$ 5
 - $SU(2) \times U(1)$ 7
- synchrotron radiation 129–130
- t**
- 't Hooft Feynman gauge 30
- 't Hooft–Feynman propagator 528
- 't Hooft's gauge 525
- T invariance 209
- tagging
 - B^0, \bar{B}^0 240
 - heavy quark 135
 - jet charge 152
 - lepton 136
 - lifetime 138
 - mass 139
- τ
 - polarization 150
 - signal 70
- technicolor 190
- TGC, *see* triple gauge coupling 103, 105, 108, 540
- theta vacuum 257
- Thomson scattering 169
- thrust, *see* jet shape variable 367, 369, 418, 419
- thrust axis, *see* jet axis 70, 137, 367
- top quark
 - mass 499
 - production 496
 - event display XXXII, 497
 - search 373
- traces
 - of the γ matrices 503
- transverse kick 305
- transverse mass 98, 489
- triangular anomaly 496
- triple gauge coupling 99, 103–104, 540
 - beyond the Standard Model 104
- TRISTAN 67, 75, 362, 422, 445
- twist 293, 324, 399, 401
- two Higgs model 257

- two-point correlation function, *see* two-point function 401
 - two-point function 276, 400–401, 556, 558
 - two to two reaction
 - 2 – 2 reaction 454–456
 - matrix elements 457, 458
 - matrix elements squared 457
- u**
- U-gauge 14, 525
 - UA1 82–83, 86
 - UA2 82, 84, 452
 - unitarity 29, 31, 33, 103, 204, 230, 248, 264, 401
 - relation 175, 400, 551, 558, 560
 - test of 253
 - triangle XXVI, 205, 246, 255–256
 - Υ ($4S$) 215, 240
- v**
- vacuum expectation value 16
 - valence quark 308–309
 - vector particle production 475
 - VENUS 69, 362, 446
 - virtuality 366, 384, 393, 438
 - relation 328
- w**
- W** 186
- branching ratio 89
 - decay width 87, 89, 99
 - hadronic production 479, 481
 - mass 96
 - pair production 98, 102–103, 108
 - polarization 88
 - production 89
 - properties 93
 - p_T distribution 479, 481
 - spin 95
 - transverse mass 98, 101
- Ward identity 164, 169, 527
- weak
- charge 4
 - current 4
 - eigenstate 193
 - neutral boson 9
 - phase 233, 238
- weak neutral boson 9
- Webber model 392, 395
- Weinberg angle 9, 45, 47–49, 52, 53, 63, 76, 79, 155, 157
- \overline{MS} 49, 159, 182, 185
 - effective $\sin^2 \theta_{\text{eff}}^f$ 121, 148, 151, 156, 159, 181
 - on-shell 119, 121, 159, 185
 - relations among 186
 - s_{MZ}^2 179
 - scale dependence 184
- Weizsäcker–Williams formula 305
- Weyl
 - representation 502
- width
 - difference $\Delta \Gamma$ 230
- Wigner–Eckart theorem 539–540
- Wigner mode 564
- Wolfenstein’s parametrization 198, 246, 256
- y**
- yo-yo 389–390
- Yukawa interaction 7, 193–194
- z**
- Z**
- branching ratio 112
 - cross section 112
 - decay width 110, 112
 - energy dependent width 119
 - hadronic production 89, 479
 - invisible width 143, 145
 - p_T distribution 479
 - spin 95
 - total width 143
- ZEUS 66, 346–347, 352