

Index

a

accelerator 243–262
 – beam–beam effect 246, 248
 – beam emittance 245
 – beam protection system 258
 – beamstrahlung 246
 – bunch trains 249
 – bunches 245
 – charge exchange injection 252
 – CLIC 259, 261
 – collider 243
 – damping time 248
 – emittance 245
 – energy 244
 – fixed target 243, 434
 – HERA 253–255
 – ILC 259, 261
 – interface to detector 266
 – LEP 244–250
 – LEP 2 249
 – LHC 245, 255–258
 – linear collider 245, 258–262
 – Livingston plot 244
 – luminosity 245, 248, 251, 255
 – muon collider 259
 – muon cooling 259
 – particle source 250, 252–253
 – performance 248, 251, 255
 – pinch effect 246
 – Pretzel scheme 248
 – PS 258
 – separation scheme 248
 – SPS 250, 253, 258
 – storage ring 243
 – superconducting magnet 244, 250
 – synchrotron radiation 244, 246
 – Tevatron 250–253
 – tune shift parameter 248
 – two-beam acceleration 259

accelerator laboratories, *see* big labs 417
 active pixel detector 300, 303
 ADD model 215
 ALEPH 272
 ALICE 19, 280, 296, 384
 alignment 291, 309–310
 α_s 8, 38, 41, 45, 63, 75
 alternative Higgs 209–211
 analysis framework 394
 astroparticle physics 16–19
 – air showers 18
 – cosmic rays 17
 – dark matter 18
 – multi-messenger approach 18
 – neutrinos 16
 – photons 17
 – point sources 17
 – weakly interacting massive particle (WIMP) 18
 asymptotic freedom 74, 93
 ATLAS
 269, 281, 296, 299, 320, 325, 335, 337, 363, 371, 375, 384
 automated calculation 97
 avalanche photodiode 322
 axino 149

b

B factories 173
B-meson mixing 174–178
 – measurements 176–178
 – mixing phenomenology 174–176
 – time-dependent decay rates 176
 bandwidth 371
 baryon number 44
 baryon parity 146
 baryon triality 147
 beam–beam effect 246, 248
 beam emittance 245

- beam-pipe 266
 - beamstrahlung 246
 - beta function 75
 - Bethe–Bloch formula 295, 314
 - Bethe–Heitler process 351
 - BFKL evolution 230
 - Bhabha scattering 348
 - big labs 417–419, 431–447
 - access 441
 - assets 434–439
 - budget 433
 - collaborations 439–440
 - decision process 442–444
 - examples 432–433
 - facilities 432
 - functions 434–439
 - future 444–446
 - history 431
 - organisation 440–441
 - politics 442–444
 - staff 438–439
 - strategic planning 441–442
 - universities 433
 - Born level 97–98
 - branes 213–216
 - Breit frame 84
 - bremsstrahlung 314, 334, 351
 - brochure 456
 - BSM 209–221
 - ADD model 215
 - alternative Higgs 209–211
 - branes 213–216
 - compactification 213
 - composite Higgs 211–213
 - compositeness 211–213
 - 5D warped models 213
 - duality 214
 - extra dimensions 213–216
 - extra gauge bosons 218
 - flavour changing neutral currents 169–172
 - grand unified theory 216–218
 - heavy quarks 169–172
 - hidden sector 220
 - hidden-valley models 220
 - Kaluza–Klein 213
 - Kaluza–Klein excitations 215
 - leptiquarks 218–219
 - little Higgs model 211
 - model-independent search 220–221
 - partial compositeness 211–213
 - quirk model 220
 - Randall–Sundrum model 216
 - sequential standard model 218
 - strings 213–216
 - technicolour 211–213
 - top quark 189, 204–205
 - unparticle model 220
 - budget
 - big labs 433
 - collaborations 410–412
 - buffer 363, 368
 - bump-bond 302
 - bunch identification 366
 - bunch trains 249
- c**
- CALICE 328
 - calorimetry 267, 313–330
 - active medium 313
 - bremsstrahlung 314
 - compensation 324
 - confusion 327
 - conversion 315
 - digital approach 330
 - dual readout 326–327
 - e/h ratio 323
 - e/mip ratio 320
 - electromagnetic energy loss 314–315
 - electromagnetic shower 316–318
 - hadronic energy loss 315–316
 - hadronic shower 318–319
 - homogeneous calorimeter 267, 319
 - ion/ mip ratio 323
 - ionisation 314
 - minimum ionising particle 315
 - mip 315
 - Molière radius 317
 - nuclear interaction length 315
 - PandoraPFA algorithm 328
 - particle detection 313–316
 - particle flow 284, 327–330
 - particle shower 316–319
 - radiation length 314
 - readout 322
 - resolution 319–325
 - response 319–325
 - sampling calorimeter 267, 319
 - sampling fraction 320
 - shower shape 317
 - spallation process 315
 - total absorption calorimeter 327
 - cascade decay 151–152
 - CASTOR 237
 - cathode-strip chamber 296, 337, 342
 - CDF 188, 278

central trigger 364, 367, 371
 CERN 432
 CERN Council 383, 419, 428, 441, 443
 charge exchange injection 252
 charge trapping 305
 charged current 36
 charged-current interaction 47
 chargino 145
 charm quark 5
 chirality 47
 CKF, *see* combinatorial Kalman filter 306
 CKKW algorithm 109
 CKM matrix 35, 43, 164–166, 188, 199, 201

- CP violation 166
- limits on new physics 168
- parameters 166
- unitarity 165
- unitarity triangle 166–168
- Wolfenstein parametrisation 166

 CLIC 259
 clocked readout 363
 cloud computing 394
 cluster hadronisation 114
 CMS

- 266, 282, 296, 299, 322, 335, 337, 371, 384

 collaborations

- 270, 401–413, 419–420, 439–440
- budget 410–412
- Collaboration Board 404
- communication 408
- contractual framework 402
- cost indexation 403
- data analysis 408–410
- decisions 408
- funding 401–404
- host lab 403
- international 402, 419–420
- leadership 405
- manpower 403
- Memorandum of Understanding 402, 420
- organisation 406
- publication process 408–410
- resources 401
- role of individuals 407
- size 404
- spokesperson 405
- technical coordination 406
- technology 405
- time scale 410–412
- working groups 409

 collider 243
 collinear safety 78

colour 28, 74
 colour charge 75
 colour glass condensate 19
 combinatorial Kalman filter 306
 communication 408, 449–461

- audience 454–455
- brochure 456
- culture 450
- curiosity 451
- event 458
- exhibition 458
- fear of science 451
- newsletter 455, 457
- press release 457
- social media 458
- strategic goals 453
- tools 454–455
- website 457

 Compact Linear Collider, *see* CLIC 259
 compactification 213
 compensation 324

- hardware compensation 325
- software reweighting 325

 computing

- analysis framework 394
- cloud computing 394
- data preservation 395–396
- distributed computing 383
- event skimming 391
- event slimming 391
- Grid 383–396
- ROOT 394
- Tier-0 386
- Tier-1 386
- Tier-2 386
- Tier-3 388
- Tier architecture 384
- user analysis on the Grid 390–391
- Worldwide LHC Computing Grid 384

 confinement 41, 74, 93, 112, 220
 cosmic microwave background 14
 cosmic rays 17
 CP violation 6, 43, 166, 178–179, 185
 CSC, *see* cathode-strip chamber 296
 culture 450

d

DAF, *see* deterministic annealing filter 308
 dark matter 18
 data analysis 408–410
 data-driven procedure 379
 dead-time 294, 363, 369

- bunch-specific dead-time 370

- DELPHI 273
- DEPFET 303
- depletion 300
- DESY 432
- detector 265–287
 - beam-pipe 266
 - cables 269
 - calorimeter 267
 - collaborations 270
 - concept 265–268
 - control systems 269
 - cooling 269
 - cryogenics 269
 - electromagnetic calorimeter 267
 - gas 269
 - hadron calorimeter 267
 - infrastructure 269–270
 - interface to accelerator 266
 - missing energy 268
 - muon detector 268
 - number of channels 269
 - omni-purpose detector 265
 - operation 270
 - organisation 270–271
 - pixel detector 266
 - push–pull operation 286–287
 - safety 270
 - solenoid magnet 267
 - strip detector 266
 - subdetector 265
 - vertex detector 266
 - wire chamber 266
- deterministic annealing filter 308
- DGLAP evolution 229
- diamond 305
- diffraction 225–238
 - BFKL evolution 230
 - CASTOR 237
 - DGLAP evolution 229
 - diffractive final states 233
 - diffractive parton distribution function 234
 - diffractive scattering 227
 - diffractive structure function 234
 - elastic scattering 226
 - energy dependence 226, 228
 - ep scattering 225–228
 - gluon density 230, 232
 - hard diffraction 234
 - Higgs boson 235
 - impact parameter 226
 - instrumentation 237–238
 - LUCID 238
 - multiple scattering 235–237
 - new physics 235
 - optical theorem 226
 - parton distribution function 228–231
 - parton dynamics 228–231
 - pomeron 226, 233
 - pp scattering 225–228
 - QCD 226
 - rapidity gap 225, 234
 - rapidity gap survival probability 235
 - saturation 231–233
 - small x 228–231
 - soft diffraction 234
 - t dependence 226, 228
 - total cross section 226, 228
 - TOTEM 238
 - underlying event 235–237
- distributed computing 383
- Drell–Yan process 79, 107, 116, 130, 195, 233
- drift-tube detector 340–341
- DSP, *see* logic implementation
 - Digital Signal Processor 368
- dual readout 326–327
- duality 214
- DØ 188, 267, 279
- e**
- EC funding 426–427
- effective theories 44–45
- elastic scattering 226, 358
- electroweak interaction
 - 23, 28–37, 39–40, 47–69, 123
 - charged-current interaction 47
 - chirality 47
 - measurements 51–60
 - neutral-current interaction 47
 - theoretical predictions 61
- electroweak precision measurements 188
- electroweak symmetry breaking
 - 123, 164, 189
- electroweak unification 4, 8
- elliptic flow 19
- emittance 245
- ENC, *see* equivalent noise charge 293
- energy loss 308
- energy resolution 319–325
 - constant term 320
 - electromagnetic sampling calorimeter 320–321
 - hadron calorimeter 322–325
 - homogeneous calorimeter 322
 - noise term 320
 - sampling fraction 320

- standard parametrisation 320
- stochastic term 320
- equivalent noise charge 293
- European Research Area 426–427
- event builder 370, 378
- event shape 84
- event skimming 391
- event slimming 391
- extra dimensions 154, 213–216
 - compactification 213

f

facilities 432

factorisation 76, 97

fast clear 374

fear of science 451

Fermi constant 39, 51

Fermilab 432

fermion masses 34–36

FF, *see* Monte Carlo

- fragmentation function 77

fine-structure constant 51, 61

fine tuning 12

fixed-order calculation 97–98

fixed target 243, 434

flavour changing neutral currents 5, 169–172, 205

flavour mixing 6

flavour oscillation 171

flavour tagging 292, 310–311

forward-backward asymmetry 48, 54, 58

forward-backward charge asymmetry 195

forward physics 225–238

fourth generation 67

FPGA, *see* logic implementation

- Field Programmable Gate Arrays 368

fragmentation function 77, 83, 112

fragmentation, *see* Monte Carlo

- hadronisation 112

funding 401–404, 415–430

- BMBF 421–422
- decision-making 428
- EC funding 426–427
- European Research Area 426–427
- European Research Council 426
- federal structure in Germany 421–426
- laboratory budgets 417–419
- LHC 429–430
- organisation of HEP 415–416
- politics 416–420
- project funds 416, 423–425
- public finances 417
- research infrastructure 415

- research institutions in Germany 422–423
- third-party funds 416, 420
- time scale 416
- universities 420

g

Gargamelle 4

gas electron multiplier 298

gas gain 295

gas mixture 295–296

gaseous detector 266, 291–299

gauge symmetry 147

gauge theory 24–27

Gaussian sum filter 308

GEM, *see* gas electron multiplier 298

generalised parton distribution 21

ghost hit 302

GIM mechanism 5, 170, 205

global trigger decision 365

gluon 6–7, 74

gluon density 230

$g_{\mu} - 2$ 60

Goldstone boson 32, 42

GPD, *see* generalised parton distribution 21

grand unified theory 216–218

Grid computing 383–396

GSF, *see* Gaussian sum filter 308

GUT, *see* BSM

- grand unified theory 216

h

H1 8, 21, 276, 325, 363, 374

hadronisation 98, 111–115

- cluster hadronisation 114
- independent fragmentation 112
- Lund string fragmentation 113

hard diffraction 234

heavy ion physics 19–20

- abundances 20
- colour glass condensate 19
- elliptic flow 19
- final-state properties 20
- gluon density 19
- jet quenching 20
- QCD 19
- quark–gluon plasma (QGP) 19
- RHIC 19
- saturation 19, 233
- small x 19

heavy quarks 163–185

- asymmetric B factories 173

- *B* factories 173
 - *B*-meson measurements 172–185
 - *B*-meson mixing 174–178
 - *B*-meson mixing measurements 176–178
 - *B*-meson production 173
 - CKM matrix 164–166
 - CP violating phase 178–185
 - CP violation 166, 179
 - flavour oscillation 171
 - flavour violation 166
 - generations 163
 - limits on new physics 168
 - mass 164, 166
 - mass eigenstates 164
 - mixing 164, 166
 - mixing phenomenology 174–176
 - neutral meson mixing 170
 - new physics 163, 169–172
 - null tests 172
 - parameters 166
 - rare decays 184–185
 - Standard Model 163–168
 - time-dependent decay rates 176
 - unitarity triangle 166–168
 - Yukawa interaction 164
 - Helmholtz Alliance XIX, 425
 - HERA 253–255, 275–278
 - parton distribution function 9
 - HERA-B 276
 - HERA model 440
 - HERMES 276
 - hidden sector 220
 - hierarchy problem 12
 - Higgs 11, 123–140
 - alternative Higgs 209–211
 - composite Higgs 211–213
 - coupling 140
 - decay 126
 - decay to $\gamma\gamma$ 134, 136
 - diffraction 235
 - electroweak fit 139
 - electroweak precision observables 125
 - electroweak symmetry breaking 123
 - exclusion 131–132, 134–135, 138
 - gluon fusion 129, 134
 - Higgs-strahlung 127, 130, 132
 - LHC prospects 136–139
 - LHC sensitivity 138
 - LHC vs. Tevatron 136
 - little Higgs model 154, 211
 - mass 123
 - mass determination 139
 - mass limit 123, 134–135, 139
 - production at hadron colliders 129–131
 - production at LEP 127–129
 - production at LHC 136
 - radiation off top quarks 130
 - reconstruction 132
 - search implications 139–140
 - searches at LEP 132–134
 - searches at Tevatron 134–135
 - selection strategies 131
 - signal-to-background ratio 131
 - vacuum stability 125
 - VBF 134, 136
 - vector boson fusion 134, 136
 - *WW* fusion 127, 130
 - *ZZ* fusion 130
 - Higgs boson 123–140
 - Higgs mechanism 31–34
 - Higgs-strahlung 127, 130, 132
 - homogeneous calorimeter 319
 - host lab 403, 416
 - hybrid pixel detector 299, 302–303
- i*
- ideogram method 202
 - ILC 259, 283–287, 303
 - ILD 284–286, 311
 - impact parameter 226
 - inelastic cross section 353
 - infrared safety 78
 - International Linear Collider, *see* ILC 259
- j*
- jet 86
 - jet algorithm 86
 - jet quenching 20
 - jet shape 91
 - jet structure 91, 99
- k*
- Kalman filter 308
 - Kaluza–Klein 154, 213
 - Kaluza–Klein excitations 215
 - KEK 433
- l*
- L3 274
 - laboratories, *see* big labs 431
 - lattice gauge theory 75
 - left-right asymmetry 54
 - LEP 8, 244–250, 271–275
 - LEP 2 249
 - lepton number 44
 - lepton parity 147

- leptoquarks 218–219
- LHC 245, 255–258, 280–283
- LHCb 280, 296, 384
- LHCf 280
- lightest supersymmetric particle 148
- linear collider 245
- little Higgs model 154
- Livingston plot 244
- logic implementation
 - CAM 368
 - Contents Addressable Memories 368
 - Digital Signal Processor 368
 - DSP 368
 - Field Programmable Gate Arrays 368
 - FPGA 368
 - lookup table 367
 - LUT 367
- LSP 148
- LUCID 238
- luminosity 245, 248, 251, 255, 347–359
 - Bethe–Heitler process 351
 - Bhabha scattering 348
 - bremsstrahlung 351
 - counting of inelastic events 353–358
 - e^+e^- machines 348–351
 - elastic scattering 358
 - hadron colliders 353–359
 - HERA 351–352
 - ILC 351
 - inelastic cross section 353
 - LEP experiments 349–350
 - optical theorem 354
 - parton luminosity 80
 - total cross section at the LHC 357
 - TOTEM 357
 - W/Z production 359
 - zero-counting method 355
- Lund string fragmentation 113
- m**
- Majorana neutrino 148
- manpower 403
- MAPS, *see* monolithic active pixel sensor 303
- mass scheme 202
- matrix element method 203
- matter parity 146
- MC, *see* Monte Carlo 97
- MDT, *see* monitored drift-tube chamber 337
- Memorandum of Understanding 402, 420
- micro-pattern gas detector 293, 298–299
- Micromegas 298
- microstrip gas chamber 298
- Millepede program 309
- minimal supergravity 147
- minimum bias 116, 366
- minimum ionising particle, *see* mip 300
- mip 300, 315, 320, 323
- missing energy 268
- MLM algorithm 109
- Molière radius 317
- momentum resolution 336, 338
- monitored drift-tube chamber 337
- monolithic active pixel sensor 303
- Monte Carlo 97–118
 - automated calculation 97
 - Born level 97–98
 - CKKW algorithm 109
 - cluster hadronisation 114
 - factorisation 97
 - fixed-order calculation 97–98
 - fragmentation function 112
 - hadronisation 98, 111–115
 - independent fragmentation 112
 - infrared singularities 97
 - jet structure 99
 - large logarithms 97
 - Lund string fragmentation 113
 - matching 108–111
 - MLM algorithm 109
 - next-to-leading order calculation 98–99
 - next-to-next-to-leading order calculation 99
 - parton shower 99–103
 - phase-space integral 97
 - regularisation 98
 - renormalisation 97
 - singularities 97
 - subtraction scheme 98
 - tree level 97
 - ultraviolet singularities 97
 - underlying event 115–118
- MoU, *see* Memorandum of Understanding 402
- MPGD, *see* micro-pattern gas detector 298
- MSSM 147
- MSSM18 159
- mSUGRA 147
- multiple scattering 235–237, 308, 336
- multivariate analysis 198
- muon collider 259
- muon cooling 259
- muon detector 268, 333–344
 - ATLAS 337
 - cathode-strip chamber 296, 337, 342
 - CMS 337

- combination with tracking information 338, 343
 - drift-tube detector 340–341
 - gaseous detector 339
 - magnetic field integral 336
 - momentum resolution 336, 338
 - monitored drift-tube chamber 337
 - multiple scattering 336
 - muon chamber 339–342
 - muon energy loss 334–335
 - muon identification 337–338, 343–344
 - muon momentum 336
 - region of activity 343
 - resistive-plate chamber 296, 337, 341–342
 - scintillator 339
 - solenoid magnet 337–338
 - thin-gap chamber 296, 337
 - toroid magnet 337–338
 - track reconstruction 343–344
 - muon energy loss 334–335
 - muon identification 334–335, 337–338, 343–344
 - muons 268, 333–334
 - bremsstrahlung 334
 - direct electron–positron pair production 334
 - excitation of atoms 334
 - identification 334–335
 - ionisation 334
 - nuclear interactions 334
 - sources 333–334
- n**
- NA48 322
 - NAF 392
 - National Analysis Facility 392
 - neural network 202
 - neutral current 36
 - neutral-current interaction 47
 - neutralino 145
 - neutrino 13–16
 - accelerator-based experiments 14
 - atmospheric 14
 - β decay 13–14
 - cosmic microwave background 14
 - Dirac vs. Majorana 14
 - double- β decay 14
 - Majorana 148
 - mass 13
 - mass hierarchy 14
 - oscillations 14–16
 - solar 15
 - SUSY 148
 - neutron 316
 - new physics, *see* BSM 50, 60, 69, 163, 169, 172, 209
 - newsletter 455, 457
 - next-to-leading order calculation 98–99
 - real corrections 98
 - virtual corrections 98
 - NLO 98–99
 - NNLO 99
 - noise 293
 - November revolution 4
 - nuclear interaction length 315
 - nuclear tomography 21
- o**
- OPAL 274
 - optical theorem 61, 226, 354
 - outreach, *see* collaborations
 - communication 449
- p**
- particle detection 313–316
 - particle flow 284, 327–330
 - particle shower 316–319
 - electromagnetic shower 316–318
 - hadronic shower 318–319
 - Molière radius 317
 - shower shape 317
 - parton 73
 - parton density function, *see* HERA
 - parton distribution function 77
 - parton distribution function 9, 77, 80, 117, 228
 - BFKL evolution 230
 - DGLAP evolution 229
 - diffraction 228–231
 - diffractive 234
 - evolution 81
 - generalised 21
 - HERAPDF 9
 - splitting function 81
 - parton luminosity 80, 190
 - parton shower 99–103
 - angular-ordered shower 104–105
 - antenna dipole shower 107–108
 - approximations 99
 - implementation 104–108
 - leading-order parton shower 99–103
 - partitioned dipole shower 106–107
 - shower evolution 100–101
 - shower scheme 104–108
 - shower time 99
 - splitting operator 102–103
 - unitarity condition 99

pattern recognition 306–307
 PDF, *see* HERA
 – parton distribution function 77
 phase-space integral 97
 photomultiplier 322
 pinch effect 246
 pixel detector 266, 299
 pn-junction 300
 Poisson distribution 368
 politics 416–420, 442–444
 pomeron 226
 prescaling 371, 379
 – downscale factor 372–373, 377, 380
 press release 457
 Pretzel scheme 248
 project funds 416, 423–425
 proton decay 146–148
 proton hexality 147
 proton structure 8
 public relations, *see* collaborations
 – communication 449
 publication process 408–410

q

QCD 27–28, 41–42, 73–94, 226
 – α_s 8, 38, 41, 45, 63, 75
 – asymptotic freedom 74, 93
 – beta function 75
 – confinement 41, 74, 93, 112, 220
 – diffraction 226
 – heavy ion physics 19
 – jet structure 99
 – parton luminosity 190
 – running coupling 38, 41, 45, 75
 – strong coupling 8, 38, 75
 QCD structure constant 75, 93
 QED 24
 Quantum Chromodynamics, *see* QCD 73
 Quantum Electrodynamics, *see* QED 24
 quark 73
 quark flavour physics 163–185
 quark–gluon plasma (QGP) 19
 quarks 5, 28
 quirk model 220

r

R-parity 146
 radiation damage 304–305
 radiation length 314
 radiative return 58
 Randall–Sundrum model 216
 rapidity gap 225, 234
 – survival probability 235

rare decays 169, 184–185
 readout
 – buffers 377
 – latency 364
 – path 364
 – phase 363
 – pipelines 365
 – system 363
 real time 364–365, 367
 region of interest 365, 377
 regularisation 98
 renormalisability 4
 renormalisation 37, 97, 202
 renormalisation equation 75
 resistive-plate chamber
 294, 296, 337, 341–342
 response 319–325
 ROOT 394
 RPC, *see* muon detector
 – resistive-plate chamber 294
 running coupling 38, 41, 45, 75

s

sample-and-hold 374–375
 sampling calorimeter 319
 saturation 19, 231–233
 – gluon density 232
 – heavy ion collisions 233
 scale uncertainty 78
 scaling violation 74
 sea-saw mechanism 148
 selectron 144
 self-triggering 364
 semiconductor detector 291, 299–305
 shower evolution 100–101
 SiD 284
 silicon 300–301, 305
 single top quark
 – cross section 196–197
 – non-SM production 204
 – observation 197–199
 – production 195–199
 – production at the LHC 199
 singularities 97
 SLAC 433
 soft diffraction 234
 solenoid magnet 267, 337–338
 sphericity 84
 spin crisis 20
 spin-off 451
 spin physics 20–21
 – generalised parton distribution 21
 – structure functions 21
 – transverse structure 21

- spin puzzle 20
- splitting function 81
- spontaneous symmetry breaking 32
- SPS 250, 253, 258
- Standard Model 4, 7–8, 23–45, 47–69
 - asymmetries 48, 52
 - charged-current interaction 47
 - CKM matrix 164–166
 - constraints 60–69
 - electroweak interaction 28–37, 39–40
 - electroweak observables 39–40
 - electroweak parameters 39–40
 - ϵ parameters 66
 - extensions 13, 65–67
 - fermion masses 34–36
 - fine-structure constant 61
 - flavour changing neutral currents 169–172
 - forward-backward asymmetry 48, 54, 58
 - fourth generation 67
 - $g_\mu - 2$ 60
 - heavy quarks 164–168
 - Higgs mechanism 31–34
 - left-right asymmetry 54
 - lineshape 53
 - low energy data 60
 - measurements 51–60
 - neutral-current interaction 47
 - new physics 50, 60–69
 - parameter fits 52, 65, 68
 - precision measurements 49–51
 - problems 12–13, 24
 - STU parameters 66
 - theoretical predictions 61
 - top quark 187
 - two-fermion process 58
 - W -boson couplings 57
 - W -boson mass 55–57
 - weak mixing angle 62
 - Yukawa interaction 34–36, 164
- storage ring 243
- straw-tube detector 296
- strings 213–216
 - duality 214
- strip detector 266, 299, 301–302
- strong coupling 8, 38, 75
- structure function, *see* HERA
 - parton distribution function 8
- subjet multiplicity 91
- Sudakov exponent 101
- Sudakov exponential 80
- Sudakov factor 108
- Sudakov logarithm 80
- SUGRA 147
- superconducting magnet 244
- superfield 145–146
- supergravity 147
- superpotential 145–146
- supersymmetry, *see* SUSY 11, 65, 143
- SUSY 143–159
 - at the LHC 151–152
 - axino 149
 - baryon parity 146
 - baryon triality 147
 - broken symmetry 147
 - cascade decay 151–152
 - chargino 145
 - coupling determination 155
 - discrete gauge anomaly-free 147
 - discrete gauge symmetry 147
 - E_6 151
 - gravity 147
 - lepton parity 147
 - LHC mass reach 152
 - lightest supersymmetric particle 148
 - LSP 148
 - mass eigenstates 145
 - mass reconstruction 152, 154, 156–157
 - mass spectrum 148, 158
 - matter parity 146
 - measurements 151–159
 - minimal supergravity 147
 - MSSM 147
 - MSSM18 159
 - neutralino 145
 - neutrino mass 148
 - parameter determination 157–159
 - particle masses 144
 - phenomenology 149–151
 - Poincaré algebra 143
 - properties at the ILC 155–157
 - properties at the LHC 152–155
 - proton decay 146–148
 - proton hexality 147
 - R -parity 146
 - sea-saw mechanism 148
 - search strategy 151
 - selectron 144
 - signature 151
 - spin measurement 154, 157
 - SPS1a benchmark point 158
 - stransverse mass 153
 - superfield 145–146
 - supergravity 147
 - superpartner 144

- superpotential 145–146
- transformations 143
- symmetries 42–44
- synchrotron radiation 244, 246
- t**
- tau lepton 5–6
- tau neutrino 11
- technical coordination 406
- technicolour 211–213
- technology 405
- template method 202–203
- Tevatron 250–253, 278–280
- TGC, *see* muon detector
 - thin-gap chamber 296
- thin-gap chamber 296, 337
- third generation 5
- third-party funds 416
- thrust 84
- thrust axis 84
- Tier architecture 384
- time of passage/interaction 363
- time projection chamber 296
- time scale
 - collaboration 410–412
 - funding 416
- timing 363
 - delay 364
 - L1 latency 377
 - latency 364
 - optimal 366
- top quark 187–205
 - CKM matrix 188, 199, 201
 - decay 189, 192, 199–201
 - decay rate 199
 - discovery 10, 188
 - electroweak precision measurements 188
 - electroweak symmetry breaking 189
 - extensions of the Standard Model 189
 - flavour changing neutral currents 205
 - forward–backward charge asymmetry 195
 - ideogram method 202
 - LEP indications 187
 - lepton+jets channel 203
 - lifetime 188
 - mass 189, 201
 - mass measurement 188, 202–204
 - mass scheme 202
 - matrix element method 203
 - measurement of R_b 201
 - modified minimal subtraction scheme 202
 - neural network 202
 - new physics 204–205
 - non-SM single top-quark production 204
 - non-SM top-quark decays 205
 - on-shell scheme 202
 - pair-production cross section 190–192
 - pair production in hadronic collisions 190–195
 - pair-production measurement 192–193
 - polarisation 189, 193
 - pole-mass scheme 202
 - properties 188
 - QCD background 192
 - quasi-free quark 189
 - renormalisation scheme 202
 - single top-quark cross section 196–197
 - single top-quark multivariate analysis 198
 - single top-quark observation 197–199
 - single top-quark production 195–199
 - single top-quark production at the LHC 199
 - size 187
 - spin correlations 193–194
 - Standard Model 187
 - $t\bar{t}$ final states 192
 - template method 202–203
 - Tevatron 188, 192
 - top–antitop resonances 204
 - V–A structure 189
 - W-boson helicity 199–201
- top-quark mass 188–189, 201–204
- toroid magnet 337–338
- total absorption calorimeter 327
- total cross section 226, 228, 357
- TOTEM 238, 280, 357
- Townsend coefficient 293
- TPC, *see* time projection chamber 296
- track fit 306–309
- track reconstruction 306–309
- tracking
 - alignment 291, 309–310
 - combinatorial Kalman filter 306
 - flavour tagging 310–311
 - hit residual 309
 - Kalman filter 308
 - local reconstruction 306
 - parameter resolution 306
 - pattern recognition 306–307
 - track fit 306–309
 - track reconstruction 306–309
 - vertex reconstruction 306

- tracking detector 291–305
 - active pixel detector 300, 303
 - amplification 293, 295
 - annealing 305
 - bump-bond 302
 - bunch-crossing tagging 296
 - cathode-strip chamber 296, 337
 - charge trapping 305
 - dead-time 294
 - DEPFET 303
 - depletion 305
 - diamond as detector material 305
 - drift velocity 295–296
 - electron multiplication 293
 - equivalent noise charge 293
 - flavour tagging 292
 - gas electron multiplier 298
 - gas gain 293, 295
 - gas mixture 295–296
 - gaseous detector 266, 291–299
 - Geiger–Müller mode 293
 - ghost hit 302
 - hybrid pixel detector 299, 302–303
 - MAPS 303
 - micro-pattern gas detector 293, 298–299
 - Micromegas 298
 - microstrip gas chamber 298
 - monolithic active pixel sensor 303
 - noble gas 295
 - noise 293
 - particle identification 296
 - pixel detector 266, 299
 - position resolution 295, 301
 - proportional mode 295
 - quench gas 295
 - radiation damage 304–305
 - radiation tolerance 304–305
 - resistive-plate chamber 294, 296, 337
 - semiconductor detector 291, 299–305
 - signal shape 293
 - silicon as detector material 300–301, 305
 - space-charge effect 293
 - straw-tube detector 296
 - strip detector 266, 299, 301–302
 - thin-gap chamber 296, 337
 - time projection chamber 296
 - Townsend coefficient 293
 - track reconstruction 291
 - triggering 293–294, 296
 - vertex detector 266
 - working principle 292, 300
- tree level 97
- triangle anomaly 38, 43
- trigger 363–381
 - bits 365
 - efficiency 371, 379
 - exclusive trigger 373
 - inclusive trigger 373
 - latency 364
 - level-1 logic 370
 - level-1 trigger 365
 - level-2 trigger 370
 - logic 363, 367
 - minimum bias 366
 - mix 372
 - monitor 371
 - multi-level 370
 - multi-purpose 365
 - orthogonal conditions 365
 - path 364
 - T_0 363
- two-fermion process 58
- u**
- underlying event 115–118, 235–237
- unitarity triangle 166–168
- universities 415, 420, 422, 433
- unparticle model 220
- v**
- vertex detector 266, 292, 300, 310
- w**
- W-boson couplings 57
- W-boson helicity 199–201
- W-boson mass 55–57
- W/Z production
 - luminosity 359
- weak gauge bosons 7
- weak mixing angle 4, 33, 62
- weak neutral currents 4
- website 457
- wire chamber 266
- WLCG, *see* Worldwide LHC Computing Grid 384
- Wolfenstein parametrisation 166
- working groups 409
- Worldwide LHC Computing Grid 384
- y**
- Yukawa interaction 34–36
- z**
- Z lineshape 53
- ZEUS 8, 21, 277, 324