

Contents

Preface *IX*

Acknowledgments *XIII*

| | | |
|----------|--|-----------|
| 1 | Introduction: Faster, Further, More Information | 1 |
| 1.1 | Principle of Optical Fiber | 3 |
| 1.2 | Plastic Optical Fiber | 6 |
| | References | 9 |
| 2 | Transmission Loss | 11 |
| 2.1 | Absorption Loss | 11 |
| 2.1.1 | Electronic Transition Absorption | 11 |
| 2.1.2 | Molecular Vibration Absorption | 12 |
| 2.1.3 | Effect of Fluorination on Attenuation Spectra of POFs | 15 |
| 2.2 | Scattering Loss | 19 |
| 2.2.1 | Definition of Scattering Loss | 19 |
| 2.2.2 | Heterogeneous Structure and Excess Scattering | 20 |
| 2.2.3 | Origin of Excess Scattering in PMMA | 21 |
| 2.2.4 | Empirical Estimation of Scattering Loss for Amorphous Polymers | 23 |
| 2.3 | Low-Loss POFs | 26 |
| 2.3.1 | PMMA- and PSt-Based POFs | 26 |
| 2.3.2 | PMMA-d ₈ -Based POF | 26 |
| 2.3.3 | CYTOP [®] -Based POF | 27 |
| | References | 28 |
| 3 | Transmission Capacity | 31 |
| 3.1 | Bandwidth | 32 |
| 3.1.1 | Intermodal Dispersion | 32 |
| 3.1.2 | Intramodal Dispersion | 34 |
| 3.1.3 | High-Bandwidth POF | 35 |
| 3.2 | Wave Propagation in POFs | 38 |
| 3.2.1 | Microscopic Heterogeneities | 39 |
| 3.2.2 | Debye's Scattering Theory | 40 |

| | | |
|----------|--|------------|
| 3.2.3 | Developed Coupled Power Theory | 42 |
| 3.2.4 | Mode Coupling Mechanism | 44 |
| 3.2.5 | Efficient Group Delay Averaging | 46 |
| 3.3 | Mode Coupling Effect in POFs | 50 |
| 3.3.1 | Radio-over-Fiber with GI POFs | 50 |
| 3.3.2 | Noise Reduction Effect in GI POFs | 50 |
| | References | 55 |
| 4 | Materials | 59 |
| 4.1 | Representative Base Polymers of POFs | 59 |
| 4.1.1 | Poly(methyl methacrylate) | 59 |
| 4.1.2 | Perfluorinated Polymer, CYTOP® | 61 |
| 4.2 | Partially Halogenated Polymers | 63 |
| 4.2.1 | Polymethacrylate Derivatives | 63 |
| 4.2.2 | Polystyrene Derivatives | 67 |
| 4.3 | Perfluoropolymers | 70 |
| 4.3.1 | Perfluorinated Polydioxolane Derivatives | 70 |
| 4.3.2 | Copolymers of Dioxolane Monomers | 74 |
| 4.3.3 | Copolymers of Perfluoromethylene Dioxolanes and Fluorovinyl Monomers | 74 |
| | References | 76 |
| 5 | Fabrication Techniques | 79 |
| 5.1 | Production Processes of POFs | 79 |
| 5.1.1 | Preform Drawing | 79 |
| 5.1.2 | Batch Extrusion | 80 |
| 5.1.3 | Continuous Extrusion | 81 |
| 5.2 | Fabrication Techniques of Graded-Index Preforms | 82 |
| 5.2.1 | Copolymerization | 82 |
| 5.2.1.1 | Binary Monomer System | 84 |
| 5.2.1.2 | Ternary Monomer System | 85 |
| 5.2.2 | Preferential Dopant Diffusion | 90 |
| 5.2.3 | Thermal Dopant Diffusion | 91 |
| 5.2.4 | Polymerization under Centrifugal Force | 93 |
| 5.3 | Extrusion of GI POFs | 95 |
| | References | 98 |
| 6 | Characterization | 101 |
| 6.1 | Refractive Index Profile | 101 |
| 6.1.1 | Power-Law Approximation | 101 |
| 6.1.2 | Transverse Interference Technique | 102 |
| 6.2 | Launching Condition | 105 |
| 6.2.1 | Underfilled and Overfilled Launching | 106 |
| 6.2.2 | Differential Mode Launching | 107 |
| 6.3 | Attenuation | 107 |

| | | |
|-----------------|---|------------|
| 6.3.1 | Cutback Technique | 108 |
| 6.3.2 | Differential Mode Attenuation | 110 |
| 6.4 | Bandwidth | 111 |
| 6.4.1 | Time Domain Measurement | 112 |
| 6.4.2 | Differential Mode Delay | 113 |
| 6.5 | Near-Field Pattern | 114 |
| | References | 117 |
| 7 | Optical Link Design | 119 |
| 7.1 | Link Power Budget | 120 |
| 7.2 | Eye Diagram | 120 |
| 7.2.1 | Eye Opening | 121 |
| 7.2.2 | Eye Mask | 122 |
| 7.3 | Bit Error Rate and Link Power Penalty | 122 |
| 7.3.1 | Intersymbol Interference | 125 |
| 7.3.2 | Extinction Ratio | 126 |
| 7.3.3 | Mode Partition Noise | 126 |
| 7.3.4 | Relative Intensity Noise | 127 |
| 7.4 | Coupling Loss | 127 |
| 7.4.1 | Core Diameter Dependence | 128 |
| 7.4.2 | Ballpoint Pen Termination | 129 |
| 7.4.3 | Ballpoint Pen Interconnection | 132 |
| 7.5 | Design for Gigabit Ethernet | 134 |
| | References | 135 |
| Appendix | Progress in Low-Loss and High-Bandwidth Plastic Optical Fibers | 139 |
| A.1 | Introduction | 139 |
| A.2 | Basic Concept and Classification of Optical Fibers | 140 |
| A.3 | The Advent of Plastic Optical Fibers and Analysis of Attenuation | 143 |
| A.3.1 | Absorption Loss | 144 |
| A.3.2 | Scattering Loss | 147 |
| A.4 | Graded-Index Technologies for Faster Transmission | 149 |
| A.4.1 | Interfacial-Gel Polymerization Technique | 150 |
| A.4.2 | Coextrusion Process | 152 |
| A.5 | Recent Studies of Low-Loss and Low-Dispersion Polymer Materials | 153 |
| A.5.1 | Partially Fluorinated Polymers | 156 |
| A.5.2 | Perfluorinated Polymer | 159 |
| A.6 | Conclusion | 165 |
| | Acknowledgment | 165 |
| | References | 166 |
| | Index | 169 |

