

Index

a

- AC electro-osmosis (ACEO) 163
- action–action–angle fluid flows 6
- adiabatic diffusion 19, 20, 30
- adiabatic invariant (AI) 6, 8, 9, 16, 27
 - destruction 12
 - diffusion, quantitative properties 12
 - improved 21, 22
 - jump (*See* jumps)
- advection–diffusion equation 113
- advection–diffusion system 116
- advection-reaction-diffusion (ARD)
 - systems 112
 - behavior 120
 - equation 118
 - front propagation 125–127
 - local behavior 120–122
 - local pattern formation 122
 - principles 118–120
- advective mechanism 115
- AI. *See* adiabatic invariant (AI)
- angular rotation rate 36
- angular speed 37
- angular velocity 37, 42
- approximate approach 104
- Archimedean spiral 36
- asymptotic flow
 - analytical solution 45
 - Poincaré map 46
- autocatalytic reaction, pattern 121
- autonomous flows
 - 3D autonomous base flows 8
 - flow structure 18
 - frequency of unperturbed flow 17
 - passages through resonances in 17–19
- axis crossings 17
- azimuthal velocity 36

b

- Belousov-Zhabotinsky (BZ) reaction 112, 117, 118, 123
- blinking vortex flow 120
- Boger fluids 150
- Boltzmann’s constant 152
- boundary layers
 - development 104
- Brownian motion 101
- Brownian tracers 102

c

- canonical flows
 - viscoelastic instabilities in 156–160
- capillary break up extensional rheometer (CaBER) 145
- capture into resonance 20, 21
 - captured motion 21
 - phase portrait 20
 - as probabilistic phenomenon 21
- carboxy methyl cellulose (CMC) 142
- Carreau–Yasuda model 148
- Cartesian coordinates 36, 38, 39
- Cauchy–Green strain tensor 66
- chaotic domain 7, 10–12
 - boundary of 15, 23
 - size of 11
- chaotic flow 71, 92, 97, 99, 102, 106, 107, 131, 141, 165
- chemical reactions 111, 117, 118, 138, 146
- Chilcott–Rallison approximation 150
- connected networks models 123
- conserved quantity 6
- consistency index 148
- continuity equation 146
- continuously stirred tank reactor (CSTR) 117

- continuum approximation 136, 137
 convection–diffusion equation 104, 113
 convective–diffusive process 103
 coordinate system 141
 corotating vortices 116
 Couette cell 36, 144
 Couette flow 141, 148
 Coulomb forces 152
 Crimale–Eriksen–Filbey (CEF)
 equation 148
 cross-slot geometry 158, 159
- d**
- Damkohler number 119
 Dean flows 97
 Deborah number 135, 136
 Debye–Hückel parameter 153
 deformation 46
 – DNA molecule 164
 – extensional 144
 – of fluid elements 36, 37
 – gradient 67, 73, 74, 76, 82
 – grid 72
 – oscillatory 144
 – rates 136, 161
 – spherical fluid element 69
 – tensor 147, 148
 diffusion coefficients 24, 138, 139, 152
 diffusion equation 100
 diffusion length 35, 36
 diffusion-limited flux 93
 dipole component 13
 direct numerical simulations (DNS) 161
 distribution function 24
 DNA molecules 158, 164. *See also*
 deformation
 – analysis 135
 – relaxation process 165
 domain boundaries 17
 drift velocity 123
- e**
- Eckman pumping 25, 26
 eigenvalue equation 42
 elasticity number 135
 elastic turbulence 141, 160, 161
 – transition to 160
 electric double layer (EDL) formation 132
 electrochemical methods, advantages 97
 electrochemical reactions 95–97
 electrochemical systems 91, 103
 electrokinetic instabilities (EKI) 162
 electro-osmosis (EO) 132, 162, 163
 – equations 151–153
- principle 151
 electro-osmotic flows (EOF) 132, 151
 – complex fluids 163
 – disadvantages 162
 – polymer solutions 163
 – velocities 147
 electrophoresis 133, 162, 164, 165
 energy exchange 7
 EO. *See* electro-osmosis (EO)
 EOF. *See* electro-osmotic flows (EOF)
 Eulerian frame, numerical solutions 100, 101
 extensional viscosity 144, 145
 extra-stress tensor 149, 150
- f**
- Faraday's constant 97
 FENE-MCR model 149, 150
 FENE-P constitutive equations 163
 FENE-P model 151
 Fick's law 100, 146
 filament stretching extensional rheometer
 (FiSER) 145
 finite element method (FEM) 100
 finite perturbations 16
 finite-size Lyapunov exponent (FSLE) 65
 finite-strain (FS) field 64
 – computation 64, 65
 finite-time Lyapunov exponent (FTLE) 63,
 65–67, 113, 120. *See also* Lagrangian
 coherent structures (LCSs)
 – backward and forward time FTLE
 fields 65
 – Cauchy–Green strain tensor 66
 – computation 72–76, 80, 81
 – Euclidean norm 66
 – grid 78
 – Lyapunov exponents 66
 – ridges 67, 68
 – extraction 81
 – lock-in and enhance 79
 FKPP approach 126
 FKPP theory 117, 125
 flip–flop microfluidic device 158
 flow
 – in microchannels 5
 – in tilted rotating tank 39
 – vorticity 36
 fluid elasticity 154
 fluid–fluid interfaces 91
 fluid viscosities 12
 Fokker–Planck equation 11
 forcing methods 162–165
 Fourier coefficients 29
 Fourier's law of heat conduction 154

- free-surface flows 5
- FTLE. *See* finite-time Lyapunov exponent (FTLE)
- g**
- generalized Newtonian fluids (GNF) 147, 148
- generalized viscosity function, values of parameters 148
- Giesekus model 149, 151
- Gordon–Schowalter derivative 150, 151
- governing equations 146–154
- for flows of complex fluids 141
 - for Newtonian and non-Newtonian fluid flow 131
 - for nonisothermal flows 153
- Grætz analysis, of interfacial transfer 103
- Grætz prediction 106
- h**
- Hamiltonian function 9
- Hamiltonian systems 7, 9, 10, 12
- heat flux 154
- heteroclinic tangle 62
- high-molecular-weight polymeric solutions 137
- high-order resonances 29, 30
- homogeneous fluid 36
- KAM region the mode of transport in 36
 - laminar flow experiments 48, 51–53
 - low Reynolds number experiments 47
- hyperbolicity time (HT) 65
- i**
- improved AI *vs.* original AI, 22
- induced-charge electro-osmosis (ICEO) 163
- inelastic non-Newtonian fluids. *See* generalized Newtonian fluids (GNF)
- inhomogeneous fluids
- laminar flow experiments 48, 53, 54
- integrable system 6
- interfacial mass transfer measurements 95
- interfacial transfer processes 100
- modeling approaches 100–107
 - interfacial transport 91
 - interphase mass transfer 98
 - from droplets in microfluidic flows 99
 - renewal theory 104
- invariant tori 6, 23
- j**
- Johnson-Segalman (JS) model 149
- Josephson junctions 7
- jumps
- accumulation 7, 10, 11
- AI associated 7, 16
 - at boundaries of system 17
 - decay 29
 - distribution 11, 17
 - due to scattering 22
 - and ergodicity, correlations 12
 - between first- and second-layer boundaries 22, 23
 - magnitude 31
 - statistical properties 7, 12
 - types 17
- k**
- KAM regions 35
- KAM surface 35, 38, 56
- KAM tori 6
- Knudsen number 137
- l**
- lab-on-chip devices 165
- Lagrangian coherent structures (LCSs) 59, 114
- applications 83
 - computation 72–75, 82, 83
 - grid-based 74, 75
 - integration time 75–79
 - detection 75
 - HT approach 70
 - extraction 79–81
 - hyperbolic 77
 - identification 72, 73
 - as most repelling/attracting material surfaces 64
 - robustness 82
 - spurious 78
 - *vs.* stable/unstable manifolds 63
 - *vs.* backward time FTLE 71
- Lagrangian frame, numerical solutions 101–103
- laminar flows 5, 44
- heat transfer measurement 97
 - homogeneous fluid 51–53
 - interfacial transfer processes 100
 - microfabrication using UV laminar flow patterning 133
 - Newtonian fluids in ducts 138
- laminar mixing effects
- advection–diffusion equation 113
 - ARD systems
 - front propagation in 125–127
 - local behavior 120–122
 - background 113–118
 - impurities, long-range transport 115–117

- oscillating reactions, synchronization 122–124
- reaction-diffusion systems 117, 118
- on reaction fronts and patterns 111–113
- short-range mixing 113–115
- large amplitude oscillatory shear flow (LAOS) 145
- LCSs. *See* Lagrangian coherent structures (LCSs)
- Lévy flights 116, 124
- trajectories 122
- life-cycle processes 111
- linear velocity distributions 36
- liquid–liquid interface 91
- local mass transfer coefficient 93
- long-time dynamics 19, 20
- Lorentz force 147
- low-order resonance 30
- Lyapunov exponents 12, 37, 66

- m**
- macroscopic coiled pipes
- heat transfer from 98
- mass transfer rates in microfluidic potential cells
- electrochemical measurements 96
- metrics of mixing
- rate of mixing D 11
- volume of the chaotic domain, V_c 10
- microfabrication techniques, recent developments 134
- microfluidic device
- *flip-flop* microfluidic device 158
- junction of two Newtonian fluid streams in 138
- length scales 139
- Newtonian fluid streams, junction 138
- series of connected triangular elements 157
- microfluidic flows 131–166
- complex fluids in 135, 136
- Lagrangian method, interfacial transfer from 92
- microfluidics 5, 131–137
- applications 133–135
- basic principles 131–135
- characteristics 133
- Reynolds number 133
- microfluidics mixing 138–141
- challenges 138, 139
- enhancement, methods 139–141
- microfluidic T-junction geometry 158
- microfluidic T-shaped channel 164
- mixing domain 11, 12, 23, 29–31
- mixing processes 99
- mode-locking 125, 126
- Moffatt vortices 44
- momentum equations 146, 147
- momentum transport 35

- n**
- Navier–Stokes equations 25, 100
- near-integrable 5
- near-integrable flows, general properties 8
- near-integrable systems 5
- Nernst–Planck equations 152, 153
- Newtonian fluids 38, 131, 137, 138, 144, 145
 - flow in complex geometries 162
 - generalized model 148
 - micromixing in 140
 - Newtonian plateau 142
- nonautonomous flows
 - averaging 26, 27
 - evolution equations 26
 - equations 24, 25
 - passages through resonances 24, 25
 - two-dimensional 26
 - unperturbed flow 25, 26
- nonautonomous systems 9
- nondimensional mass transfer coefficient 94
- nonlinear equations of motion 42, 45
- non-Newtonian fluid 56, 131, 141, 142
 - EO flows of 163
 - as incompressible fluids 148
 - inelastic 147
 - rheology 141
- non-Newtonian viscoelastic fluids 141–145, 153
- normal stresses 143
- shear viscosity 142, 143
- storage and loss moduli 144
- numerical simulations 16, 24
- numerical solutions
 - in Eulerian frame 100, 101
 - evolution of distribution of concentration 93, 94
 - Poincaré map 46
- Nusselt number 94, 97

- o**
- Oldroyd-B constitutive equation 161
- Oldroyd-B models 150, 161
- oscillating BZ reaction
 - sequences of images 124
- oscillating/drifting vortex chain 123
- oscillating vortex chain flow 124–126
- Ostwald de Waele power law 148

p

- partial averaging 28
- particle image velocimetry (PIV) 65, 71
- passive mixing 154–161
- Péclet numbers 91, 113, 119, 138
- periodic shearing 36
- perturbation theory 5, 6, 13
- perturbed-phase trajectory 14
- Peterlin’s approximation 151
- Phan-Thien–Tanner model (PTT) 149
- phase trajectory 14
- phase waves 118
- planar Cartesian coordinate 36
- plane Couette flow 141
- Poincaré mapping 38, 46, 60
- Poincaré sections 12
- Poiseuille flow 94, 105
- Poisson–Boltzmann–Debye–Hückel model 153
- Poisson–Boltzmann model 153
- polar geometry 37
- polyacrylamide (PAA) 143, 151, 163
- polyethylene oxide (PEO) polymer 157
- power index 148
- Prandtl number 91
- pressure-driven flows 132
 - parabolic velocity profile 132
- probability density function (PDF) 11
- protein binding 93, 95, 100

q

- quadrupole flow 13

r

- radial velocity 36
- rate of deformation tensor 147
- reaction–diffusion patterns 119
- reaction-diffusion (RD) systems 112, 117, 118
- Reiner–Rivlin equation 149
- relative dispersion (RD) 65
- resonance condition 27
- resonance phases 12
- resonance surfaces 7–9, 27
- resonant phenomena 27–29
- Reynolds number 38, 44, 91, 97, 112, 127, 133, 135, 136, 140, 141, 165
 - inhomogeneous flow 38
- Reynolds stresses 161
- rheological constitutive equation 145, 147–151, 165
 - generalized Newtonian fluid model 148
 - viscoelastic stress models 148–151
- rotating tank motion 37

r

- rotational vortex 37
- rotation rates 35, 36, 38
- Runge–Kutta scheme 101
- Runge–Kutta algorithm 45

- s**
- scattering on resonance 19, 20
 - jump, magnitude of 19
 - phase portrait 20
- Schmidt number 91
- Sentmanat device 145
- separatrix crossings 12, 17
 - component flows 13, 14
 - in volume-preserving systems 12–14
- separatrix surface 9
 - dynamics 15, 16
 - vs. resonance surface 9
- serpentine channels 98
- shear viscosity 142, 143
- Sherwood number 94, 96, 97, 101
- 2D singular surfaces 9
- small amplitude oscillatory shear (SAOS) flow 143, 144, 150
- solid-body rotation 37, 38, 43
- solid–liquid interfaces 91
- spatial resolution 95
- standard electrokinetic model 147
- stirred laminar flows
 - electrochemical reactions 95–97
 - experimental methods 95–99
 - experimental observations, summary 99
 - heat transfer from macroscopic coiled pipe 96, 97
 - interfacial transfer from 91
 - interphase mass transfer from droplets 97–99
 - macrotransport approach 103
 - modeling approaches 100–107
 - phenomena and definitions 91–95
 - protein binding 95
 - theoretical approaches 103–106
- Stokes flow equations 38
- stress coefficient function 150
- stress components 40
- stress difference coefficient 143
- stretching
 - DNA molecules 164
 - fluid elements 114
 - impurities in flow 120
 - long molecules 158
 - periodic shear 36
 - polymer molecules 161
 - rates 78, 79

- for stirring of fluid element 36
- in tilted rotating tank 45
- use of stretching fields 120
- superdiffusive transport 116
- surface plasmon resonance (SPR) 95
- surface tension 5, 12, 13, 38, 132, 165
 - confining effect 5
 - gradients 166
 - surface-to-volume ratio 132

- t**
- Taylor–Couette flow 155
- Taylor flow 13
- temperature coefficients 12, 13
- temporal inhomogeneity in shear 36
- thermal energy equation 153, 154
- thermocapillary effect 13
- tilt angle 40, 43, 49, 51, 53–55
- tilted-rotating tank
 - equations of motion, asymptotic limit 40
 - general solution of reduced equation 41
 - liquid rotation axis in asymptotic limit 41
 - model equation 38–40
- time-dependent perturbation 26, 27
- time-varying processes 122
- T-junction arrangements 164
- transfer coefficients 107
- trigger waves 118
- Trouton ratio 145
- turbulence 112
- turnstile mechanism 116

- u**
- UCM fluids, creeping flow in smooth contractions 159
- unperturbed flow 5, 14, 25, 26
 - frequency 17
- unperturbed system 6, 8, 9, 14, 18, 26
 - variables 18
- upper-convected Maxwell (UCM) model 149, 150, 158
- UV laminar flow patterning 133

- v**
- velocity field 8, 59, 60, 66, 72, 73, 78, 82, 113, 154
- viscoelastic constitutive equations
 - model parameters 149

- w**
- Watts/Strogatz small-world network model 124
- Weissenberg effect 143
- Weissenberg number 135, 136
- Williams–Landel–Ferry (WLF) equation 149

- z**
- zeta potential 147