

Contents

List of Contributors XIII

1	Advances in Electronic Structure Methods for Defects and Impurities in Solids	1
	<i>Chris G. Van de Walle and Anderson Janotti</i>	
1.1	Introduction	1
1.2	Formalism and Computational Approach	3
1.2.1	Defect Formation Energies and Concentrations	3
1.2.2	Transition Levels or Ionization Energies	4
1.2.3	Practical Aspects	5
1.3	The DFT-LDA/GGA Band-Gap Problem and Possible Approaches to Overcome It	6
1.3.1	LDA+U for Materials with Semicore States	6
1.3.2	Hybrid Functionals	9
1.3.3	Many-Body Perturbation Theory in the GW Approximation	12
1.3.4	Modified Pseudopotentials	12
1.4	Summary	13
	References	14
2	Accuracy of Quantum Monte Carlo Methods for Point Defects in Solids	17
	<i>William D. Parker, John W. Wilkins, and Richard G. Hennig</i>	
2.1	Introduction	17
2.2	Quantum Monte Carlo Method	18
2.2.1	Controlled Approximations	20
2.2.1.1	Time Step	20
2.2.1.2	Configuration Population	20
2.2.1.3	Basis Set	20
2.2.1.4	Simulation Cell	21
2.2.2	Uncontrolled Approximations	22
2.2.2.1	Fixed-Node Approximation	22

2.2.2.2	Pseudopotential	22
2.2.2.3	Pseudopotential Locality	23
2.3	Review of Previous DMC Defect Calculations	23
2.3.1	Diamond Vacancy	23
2.3.2	MgO Schottky Defect	25
2.3.3	Si Interstitial Defects	25
2.4	Results	25
2.4.1	Time Step	26
2.4.2	Pseudopotential	26
2.4.3	Fixed-Node Approximation	26
2.5	Conclusion	29
	References	29
3	Electronic Properties of Interfaces and Defects from Many-body Perturbation Theory: Recent Developments and Applications	33
	<i>Matteo Giantomassi, Martin Stankovski, Riad Shaltaf, Myrta Grüning, Fabien Bruneval, Patrick Rinke, and Gian-Marco Rignanese</i>	
3.1	Introduction	33
3.2	Many-Body Perturbation Theory	34
3.2.1	Hedin's Equations	34
3.2.2	GW Approximation	36
3.2.3	Beyond the GW Approximation	37
3.3	Practical Implementation of GW and Recent Developments Beyond	38
3.3.1	Perturbative Approach	38
3.3.2	QP Self-Consistent GW	40
3.3.3	Plasmon Pole Models <i>Versus</i> Direct Calculation of the Frequency Integral	41
3.3.4	The Extrapolar Method	44
3.3.4.1	Polarizability with a Limited Number of Empty States	45
3.3.4.2	Self-Energy with a Limited Number of Empty States	46
3.3.5	MBPT in the PAW Framework	46
3.4	QP Corrections to the BOs at Interfaces	48
3.5	QP Corrections for Defects	54
3.6	Conclusions and Prospects	57
	References	58
4	Accelerating GW Calculations with Optimal Polarizability Basis	61
	<i>Paolo Umari, Xiaofeng Qian, Nicola Marzari, Geoffrey Stenuit, Luigi Giacomazzi, and Stefano Baroni</i>	
4.1	Introduction	61
4.2	The GW Approximation	62
4.3	The Method: Optimal Polarizability Basis	64
4.4	Implementation and Validation	68
4.4.1	Benzene	69

4.4.2	Bulk Si	70
4.4.3	Vitreous Silica	70
4.5	Example: Point Defects in a-Si ₃ N ₄	72
4.5.1	Model Generation	72
4.5.2	Model Structure	73
4.5.3	Electronic Structure	74
4.6	Conclusions	77
	References	77
5	Calculation of Semiconductor Band Structures and Defects by the Screened Exchange Density Functional	79
	<i>S. J. Clark and John Robertson</i>	
5.1	Introduction	79
5.2	Screened Exchange Functional	80
5.3	Bulk Band Structures and Defects	82
5.3.1	Band Structure of ZnO	83
5.3.2	Defects of ZnO	85
5.3.3	Band Structure of MgO	89
5.3.4	Band Structures of SnO ₂ and CdO	90
5.3.5	Band Structure and Defects of HfO ₂	91
5.3.6	BiFeO ₃	92
5.4	Summary	93
	References	94
6	Accurate Treatment of Solids with the HSE Screened Hybrid	97
	<i>Thomas M. Henderson, Joachim Paier, and Gustavo E. Scuseria</i>	
6.1	Introduction and Basics of Density Functional Theory	97
6.2	Band Gaps	100
6.3	Screened Exchange	103
6.4	Applications	104
6.5	Conclusions	107
	References	108
7	Defect Levels Through Hybrid Density Functionals: Insights and Applications	111
	<i>Audrius Alkauskas, Peter Broqvist, and Alfredo Pasquarello</i>	
7.1	Introduction	111
7.2	Computational Toolbox	112
7.2.1	Defect Formation Energies and Charge Transition Levels	113
7.2.2	Hybrid Density Functionals	114
7.2.2.1	Integrable Divergence	115
7.3	General Results from Hybrid Functional Calculations	117
7.3.1	Alignment of Bulk Band Structures	118
7.3.2	Alignment of Defect Levels	120

7.3.3	Effect of Alignment on Defect Formation Energies	122
7.3.4	“The Band-Edge Problem”	124
7.4	Hybrid Functionals with Empirically Adjusted Parameters	125
7.5	Representative Case Studies	129
7.5.1	Si Dangling Bond	129
7.5.2	Charge State of O ₂ During Silicon Oxidation	131
7.6	Conclusion	132
	References	134
8	Accurate Gap Levels and Their Role in the Reliability of Other Calculated Defect Properties	139
	<i>Peter Deák, Adam Gali, Bálint Aradi, and Thomas Frauenheim</i>	
8.1	Introduction	139
8.2	Empirical Correction Schemes for the KS Levels	141
8.3	The Role of the Gap Level Positions in the Relative Energies of Various Defect Configurations	143
8.4	Correction of the Total Energy Based on the Corrected Gap Level Positions	146
8.5	Accurate Gap Levels and Total Energy Differences by Screened Hybrid Functionals	148
8.6	Summary	151
	References	152
9	LDA + <i>U</i> and Hybrid Functional Calculations for Defects in ZnO, SnO₂, and TiO₂	155
	<i>Anderson Janotti and Chris G. Van de Walle</i>	
9.1	Introduction	155
9.2	Methods	156
9.2.1	ZnO	158
9.2.2	SnO ₂	160
9.2.3	TiO ₂	161
9.3	Summary	163
	References	163
10	Critical Evaluation of the LDA + <i>U</i> Approach for Band Gap Corrections in Point Defect Calculations: The Oxygen Vacancy in ZnO Case Study	165
	<i>Adisak Boonchun and Walter R. L. Lambrecht</i>	
10.1	Introduction	165
10.2	LDA + <i>U</i> Basics	166
10.3	LDA + <i>U</i> Band Structures Compared to GW	168
10.4	Improved LDA + <i>U</i> Model	170
10.5	Finite Size Corrections	172
10.6	The Alignment Issue	173

10.7	Results for New LDA + U	174
10.8	Comparison with Other Results	176
10.9	Discussion of Experimental Results	178
10.10	Conclusions	179
	References	180
11	Predicting Polaronic Defect States by Means of Generalized Koopmans Density Functional Calculations	183
	<i>Stephan Lany</i>	
11.1	Introduction	183
11.2	The Generalized Koopmans Condition	185
11.3	Adjusting the Koopmans Condition using Parameterized On-Site Functionals	187
11.4	Koopmans Behavior in Hybrid-functionals: The Nitrogen Acceptor in ZnO	189
11.5	The Balance Between Localization and Delocalization	193
11.6	Conclusions	196
	References	197
12	SiO₂ in Density Functional Theory and Beyond	201
	<i>L. Martin-Samos, G. Bussi, A. Ruini, E. Molinari, and M.J. Caldas</i>	
12.1	Introduction	201
12.2	The Band Gap Problem	202
12.3	Which Gap?	204
12.4	Deep Defect States	207
12.5	Conclusions	209
	References	210
13	Overcoming Bipolar Doping Difficulty in Wide Gap Semiconductors	213
	<i>Su-Huai Wei and Yanfa Yan</i>	
13.1	Introduction	213
13.2	Method of Calculation	214
13.3	Symmetry and Occupation of Defect Levels	217
13.4	Origins of Doping Difficulty and the Doping Limit Rule	218
13.5	Approaches to Overcome the Doping Limit	220
13.5.1	Optimization of Chemical Potentials	220
13.5.1.1	Chemical Potential of Host Elements	220
13.5.1.2	Chemical Potential of Dopant Sources	222
13.5.2	H-Assisted Doping	223
13.5.3	Surfactant Enhanced Doping	224
13.5.4	Appropriate Selection of Dopants	226
13.5.5	Reduction of Transition Energy Levels	229
13.5.6	Universal Approaches Through Impurity-Band Doping	232

13.6	Summary	237
	References	238
14	Electrostatic Interactions between Charged Defects in Supercells	241
	<i>Christoph Freysoldt, Jörg Neugebauer, and Chris G. Van de Walle</i>	
14.1	Introduction	241
14.2	Electrostatics in Real Materials	243
14.2.1	Potential-based Formulation of Electrostatics	245
14.2.2	Derivation of the Correction Scheme	246
14.2.3	Dielectric Constants	249
14.3	Practical Examples	250
14.3.1	Ga Vacancy in GaAs	250
14.3.2	Vacancy in Diamond	252
14.4	Conclusions	254
	References	257
15	Formation Energies of Point Defects at Finite Temperatures	259
	<i>Blazej Grabowski, Tilmann Hickel, and Jörg Neugebauer</i>	
15.1	Introduction	259
15.2	Methodology	261
15.2.1	Analysis of Approaches to Correct for the Spurious Elastic Interaction in a Supercell Approach	261
15.2.1.1	The Volume Optimized Approach to Point Defect Properties	262
15.2.1.2	Derivation of the Constant Pressure and Rescaled Volume Approach	264
15.2.2	Electronic, Quasiharmonic, and Anharmonic Contributions to the Formation Free Energy	266
15.2.2.1	Free Energy Born–Oppenheimer Approximation	266
15.2.2.2	Electronic Excitations	269
15.2.2.3	Quasiharmonic Atomic Excitations	271
15.2.2.4	Anharmonic Atomic Excitations: Thermodynamic Integration	272
15.2.2.5	Anharmonic Atomic Excitations: Beyond the Thermodynamic Integration	274
15.3	Results: Electronic, Quasiharmonic, and Anharmonic Excitations in Vacancy Properties	278
15.4	Conclusions	282
	References	282
16	Accurate Kohn–Sham DFT With the Speed of Tight Binding: Current Techniques and Future Directions in Materials Modelling	285
	<i>Patrick R. Briddon and Mark J. Rayson</i>	
16.1	Introduction	285

16.2	The AIMPRO Kohn–Sham Kernel: Methods and Implementation	286
16.2.1	Gaussian-Type Orbitals	286
16.2.2	The Matrix Build	288
16.2.3	The Energy Kernel: Parallel Diagonalisation and Iterative Methods	288
16.2.4	Forces and Structural Relaxation	289
16.2.5	Parallelism	289
16.3	Functionality	290
16.3.1	Energetics: Equilibrium and Kinetics	290
16.3.2	Hyperfine Couplings and Dynamic Reorientation	291
16.3.3	D-Tensors	291
16.3.4	Vibrational Modes and Infrared Absorption	291
16.3.5	Piezospectroscopic and Uniaxial Stress Experiments	291
16.3.6	Electron Energy Loss Spectroscopy (EELS)	292
16.4	Filter Diagonalisation with Localisation Constraints	292
16.4.1	Performance	294
16.4.2	Accuracy	296
16.5	Future Research Directions and Perspectives	298
16.5.1	Types of Calculations	299
16.5.1.1	Thousands of Atoms on a Desktop PC	299
16.5.1.2	One Atom Per Processor	299
16.5.2	Prevailing Application Trends	299
16.5.3	Methodological Developments	300
16.6	Conclusions	302
	References	302
17	<i>Ab Initio</i> Green’s Function Calculation of Hyperfine Interactions for Shallow Defects in Semiconductors	305
	<i>Uwe Gerstmann</i>	
17.1	Introduction	305
17.2	From DFT to Hyperfine Interactions	306
17.2.1	DFT and Local Spin Density Approximation	306
17.2.2	Scalar Relativistic Hyperfine Interactions	308
17.3	Modeling Defect Structures	311
17.3.1	The Green’s Function Method and Dyson’s Equation	311
17.3.2	The Linear Muffin-Tin Orbital (LMTO) Method	313
17.3.3	The Size of The Perturbed Region	315
17.3.4	Lattice Relaxation: The As_{Ga} -Family	317
17.4	Shallow Defects: Effective Mass Approximation (EMA) and Beyond	319
17.4.1	The EMA Formalism	320
17.4.2	Conduction Bands with Several Equivalent Minima	322
17.4.3	Empirical Pseudopotential Extensions to the EMA	322
17.4.4	<i>Ab Initio</i> Green’s Function Approach to Shallow Donors	324

17.5	Phosphorus Donors in Highly Strained Silicon	328
17.5.1	Predictions of EMA	329
17.5.2	<i>Ab Initio</i> Treatment via Green's Functions	330
17.6	<i>n</i> -Type Doping of SiC with Phosphorus	332
17.7	Conclusions	334
	References	336
18	Time-Dependent Density Functional Study on the Excitation Spectrum of Point Defects in Semiconductors	341
	<i>Adam Gali</i>	
18.1	Introduction	341
18.1.1	Nitrogen-Vacancy Center in Diamond	342
18.1.2	Divacancy in Silicon Carbide	344
18.2	Method	345
18.2.1	Model, Geometry, and Electronic Structure	345
18.2.2	Time-Dependent Density Functional Theory with Practical Approximations	346
18.3	Results and Discussion	351
18.3.1	Nitrogen-Vacancy Center in Diamond	351
18.3.2	Divacancy in Silicon Carbide	353
18.4	Summary	356
	References	356
19	Which Electronic Structure Method for The Study of Defects: A Commentary	359
	<i>Walter R. L. Lambrecht</i>	
19.1	Introduction: A Historic Perspective	359
19.2	Themes of the Workshop	362
19.2.1	Periodic Boundary Artifacts	362
19.2.2	Band Gap Corrections	367
19.2.3	Self-Interaction Errors	370
19.2.4	Beyond DFT	372
19.3	Conclusions	373
	References	375
	Index	381