

Index

a

accent lighting 339, 340
 acceptable P/W ratios 247
 achromatic channel 10
 achromatic contrast 7, 10, 124, 129
 – sensitivity 9–11
 achromatic signal 3
 acousto-optical modulator 176
 adaptation 101, 280
 adapted reference 49
 adapting field luminance 188
 adaptive brightness intensifier
 method 80
 additive mixture 27, 35
 additivity 35
 addressability 266, 267
 Adobe RGB 251
 adopted reference white 49
 aged and young observers 146
 ambient light 46
 – reflections 20
 AM-LCD 45, 46, 61–66
 AM-LCD monitor 68
 analog film camera 161
 angle-of-view dependence 45, 51
 angular size 100
 angular velocity 101
 antagonistic receptive fields 197
 anthropometric results 99
 anti-aliasing 259
 AOM (acousto-optical modulator) 176
 artificial light sources 273
 attractiveness 298
 attributes of perceived color 13
 augmented reality 67

b

background 97
 background luminance 101

backlight 72, 77, 78, 80
 backlight luminance compensation
 (BLC) 80
 backlight sources 72, 75, 76
 balanced harmony rendering 293
 Bayer pattern 262
 Bezier spline 149
 bit depth 199
 black-corrected matrix 64
 black emission 56
 black level emission 57
 black point 79
 bleaching field 103
 blue channel 216, 219
 blur 147
 brightness 12, 48, 298, 311

c

calculated color differences
 (ΔE_{calc}) 280
 camera 19
 categorical color names 294
 categorical identification 107
 CCD filtering mosaic 262
 CCFLs 76
 CCT. *See* correlated color
 temperature (CCT)
 ceramic lamps 223
 channel independence 62
 channel interdependence 35, 37, 39–41,
 56, 61, 68
 characterization models 26, 58
 characters 97
 chart 179
 “checkerboard” arrangement 260
 CHF formulas 288, 289
 CH formula 288
 chip LEDs 333, 335, 338, 339
 chip LEDs display 337

- chroma 12, 13, 15
- chroma enhancement transform 154
- chroma extension 334
- chromatic adaptation 355
- chromatic adaptation formula 283
- chromatic brightness 120
- chromatic channels 8, 10
- chromatic contrast 7, 9, 125
- chromatic contrast sensitivity 9
 - functions 11
- chromatic gratings 124
- chromaticity contrasts 107, 111, 116, 120–123, 125, 126, 129, 131, 133
- chromaticity contrast thresholds 131
- chromaticity coordinates 6
- chromaticity differences 46, 62, 65, 112, 113, 218, 251
- chromaticity error 270
- chromaticity gamut 239, 338
- chromatic lightness (L^*) 343, 347, 348, 352
- chromatic signals 3
- chromatic textures 356
- chromostereopsis 107
- CIECAM02 49, 81, 82, 88, 106, 144, 240, 243, 289
 - CIECAM02 a_C, b_C diagram 356, 357
 - CIECAM02 a_C - b_C plane 255
 - CIECAM02 color appearance model 15
 - CIECAM02-dark version 190
 - CIECAM02-dim version 190
 - CIECAM02 J value 147
 - CIECAM02 $J(Y)$ function 69
 - CIECAM02-LCD 17, 280
 - CIECAM02 model 48, 50
 - CIECAM02-SCD 17, 280
 - color space 243
 - CIECAM02-UCS 17, 280, 281
- CIE 1931 chromaticity diagram 6
- CIE (x, y) chromaticity diagram 6
- CIE 1964 color differences 275
- CIE colorimetry 14
- CIE color rendering indices (R_a) 274, 276, 277
- CIEDE2000 17, 280
- CIELAB 14, 49, 50, 89, 90, 284
 - CIELAB chroma (C^*_{ab}) 14
 - CIELAB color differences 31, 58, 118
 - CIELAB color space 14
 - CIELAB differences 43
 - CIELAB hue angle (h_{ab}) 14
- CIE 1976 lightness 14
- CIELUV 14, 49, 50
 - CIELUV chroma (C^*_{uv}) 15
 - CIELUV color space 15
 - CIELUV hue angle (h_{uv}) 15
- CIE 1924 photopic $V(\lambda)$ function 342
- CIE 1931 standard colorimetric observer 4, 82
- CIE 1964 standard colorimetric observer 4
- CIE standard photometric observer 3
- CIE 1931 tristimulus values X, Y, Z 275
- CIE 1976 UCS chromaticity differences 43
- CIE 1960 UCS coordinates u, v 275
- CIE 1976 uniform chromaticity scale diagram (UCS diagram) 14
- CIE 1976 uniform color spaces 14
- CIE 1964 U^*, V^*, W^* values 275
- CIE x, y chromaticity diagram 336, 338
- cinema motion picture films 174
- circadian behavior 21
- circadian clock 341
- circadian optimization 341
- circadian rhythm 21, 341
- circadian stimulus (CS) 341–346
- Circle 32 test 295
- ClearType™ 259, 260
- clipping effect 69
- closed-view HMD 67
- CMOS technology 175
- cognitive color 17, 319
- cognitive hints 103
- cognitive representation of the scene 143
- cold cathode fluorescent lamps (CCFLs) 72
- color accent 339
- color acceptability 295
- color algorithms 162
- color appearance 12, 25, 48, 81, 87, 88, 143, 190, 274
 - models 15
 - reproduction 106
- color appearance space 238, 250, 252
- color artifacts 97
- color balance preference 245
- color breakup (CBU) artifact 71
- color categories 17, 299
- color channels 27, 35, 40
 - crosstalk 40
 - independence 35
- color circles 300, 301
- color cognition 17
- color constancy 354, 355
- color differences 17, 32–34, 37, 38, 59, 60, 65, 70, 88, 274, 280
 - ΔE^*_{ab} 39, 60
 - formulas 280, 281
 - magnitude 17
 - perception 15
 - scales (RCRI) 305

- color discrimination 294
- color discrimination index (CDI) 275
- color distortions 26, 33
- color distributions 356, 357
- colored objects 273, 274
- color ergonomics 98, 107, 121, 124
- color error 34
- color fidelity 20, 276, 293, 302
- color fidelity index (R_{UCS}) 312
- color filters 78, 79
 - mosaic 20, 79
 - wheel 70
- color fringe artifact (CFA) 237, 258, 261, 268
- color fringe error 47, 261
- colorfulness 12, 48
- color gamut (G) 18, 21, 27, 46, 68, 73–77, 237, 238, 245, 253, 254, 256, 257, 299, 311–315, 346–348, 352, 353
- color gamut area 252
- color gamut differences 191
- color gamut extension 334
- color gamut mapping methods 238
- color gamut projections 255
- color gamut volume 244
- color gradations 70
- color harmony 17, 286, 287, 294, 298, 299
- color harmony rendering 289, 314, 346, 352
- color harmony rendering index (R_{hr}) 289, 290, 312, 315, 347, 348, 353
- color image descriptors 151
- color image preference 19, 142–144, 149
 - scores 151
- color image quality 238
- color image rendering methods 262, 268, 269
- color image transforms 144
- colorimetric characterization 18, 25, 26, 51, 54, 56, 57, 61, 62
 - models 27
- colorimetric errors 26, 28
- colorimetric reproduction 106
- colorimetry 4, 48
- color management 18
 - workflow 106
- color mapping algorithms 334
- color matching functions 4
- color memory 19, 33, 47, 57, 60, 107, 353
- color monitors 19
- color mottle 70
- color names 33, 137, 138
- color perceptions 1, 4, 12
- color preference 20, 294, 303
- color preference index 275
- color primaries 238, 239, 249, 267, 269, 270
- color primary optimization 243
- color primary systems 253
- color primary systems (sRGB, NTSC) 251
- color process 162
- color quality 20, 134, 141, 273, 275, 286, 293, 295–297, 303, 320–322, 341, 347, 348
 - factors 303
 - four-factor model 302
 - of light sources 318
 - scale 285, 295
 - variables V_1 – V_9 323
- color quality scale (CQS) 285, 295
- color rendering 20, 223, 273–275, 282, 291, 292, 294, 310, 322, 340, 343, 346, 347
- color rendering index (R_{UCS}) 282, 313, 314, 321, 323, 345, 348, 352, 353
 - difference 284
- color rendering scales 305
- color resolution 18, 27, 70
- color samples 275
- color scheme 122
- color sequential
 - LED displays 78
 - mode 74
- color size effect 19, 81, 86, 87, 89, 90
 - model 88
- color space 12, 13, 178, 334
- color stimulus 4
- color temperature 341
- color tracking 57, 60, 62, 64–66
- color transitions 294, 299
- color vision 18
 - mechanisms 319
- color wheel 79
- combinations of watercolors 299
- combined fidelity-preference indices 294
- comfort, 98
- command length 114–117
- compact fluorescent lamp (CFL) 353
- complex indoor scenes 304, 311
- compression algorithms 9
- compression efficiency 210
- compression factors 205
- compression methods 205
- computer workplace 19
- cone mosaic 2
- cone opponency 8
- cones 2
- conspicuity 103, 104, 107, 108, 118, 119, 121
- conspicuity function 120
- conspicuity levels 111, 118, 120–122
- constant current reduction (CCR) 332
- constrained body postures 99
- constrained postures 99

continuous judgments 307
 contrast 30, 113
 contrast level 127
 contrast preferences 123, 133
 contrast ratio 9
 contrast sensitivity (CS) 2, 6, 9, 19, 123,
 196, 216
 – chart 10
 – function 196
 cool white 345, 346
 cool white fluorescent lamps 278
 correlated color temperature (CCT) 274–277,
 317, 340, 343, 344, 351
 – groups 347
 – preference 147
 corresponding colors 179
 cost function (p) 239, 250
 cost surface 250
 coverage 250, 252, 256
 coverage computation 243
 CQS 285
 CQS scale 295
 CRI-CAM02UCS 285
 CRI-CAM02UCS color rendering index 322
 critical flicker frequency (CFF) 10, 101
 CRT 51, 53, 54
 CRT characterization models 53
 CRT display 33, 41, 43, 242
 CRT gamma 51
 CRT projectors 72
 CRT tone curve 64
 crystalline lens 134
 CS. *See* contrast sensitivity (CS)
 cubic interpolation 220
 cultural differences 143
 cutoff voltage 54
 C/V whiteness index 316
 cycles per degree (cpd) 9

d

dark adaptation 101, 103
 dark viewing condition 69
 data conversion 220
 dataflow quantity 216
 data transformation 220
 daylight 15, 273
 degree of similarity 280
 descriptor input-output function 153, 154
 detectability 104
 detection threshold 102
 deuteranope 18
 device-independent 28
 – color system 163
 – format 19

diffuse illumination 223
 digital cinema 163
 digital color value 35
 digital intermediate 205
 digital master 205
 digital projectors 199
 digital signage displays 20
 direct glare 102
 direct-view CRT displays 72
 discomfort glare 47
 displaced box filter RGB decimation 259
 display backlighting 20
 display black 29, 30, 47, 64, 65
 – luminance 36
 – point 250
 – radiation 62
 display characterization 25, 35
 – models 25
 display ergonomics 98
 display fill factor 40
 display light source 72
 display setting 54
 display tristimulus values 55
 display white point preference (p_w) 246
 distort the harmony 293
 distractor objects 118
 DLP projector 71
 DMD 51, 68, 73
 DMD projectors 70–72, 74, 79
 3D optimization 239
 Double-chamber viewing booth 277
 double opponent 7
 downsampling 215
 DVD resolution 215
 dynamic range (D) 29, 30, 68, 76, 174
 dynamic watermark 217

e

E.B.U. chromaticities 74
 edge-type backlight 75
 effect of variability on color quality 320
 elderly observers 147, 152
 electronic color signals 25
 ELL formula 118
 ELL scale 109, 110
 emerging self-luminous visual
 technologies 329
 emotional color 17
 emotions 17, 19
 equiluminance legibility (ELL) 108
 equiluminous 113
 ergonomic color 120
 – design 107, 108, 110
 ergonomic design 98, 122

- ergonomic furniture 99
- ergonomic guidelines 97, 98
- ergonomic principles 98
- ergonomics 19
- ergonomic standard 111
- esthetic image 106
- Euclidean differences
 - in CIECAM02 280
- Euclidean distances 15
- extended color gamut 258
- eye fatigue 105
- eyestrain 97

f

- familiar objects 134, 135
- Farnsworth's D-15 test 298
- fidelity 303
- fields of attention 103
- fill factors 41, 42
- film density 176
- film laboratory 162
- film scanner 174
- filter mosaic 76, 262
- finest spatial details 261
- Fitts law 98
- five-primary system 251
- fixation dwell time 103
- flare 70
- flexible display 329
- flexible substrates 329
- flicker 9
- flicker artifact 12, 80
- flower shape 267
- fluorescent general lighting 339
- focusing range 101
- four primaries 251
- four-primary color sequential (RGCB)
 - LED display 335, 337
 - model 338
- four-primary display 76, 257
- four-primary system 251
- frame rate 205
- full chip LED display 337
- full screen 29

g

- gain and offset controls 27, 53
- gain and offset setting 32
- gain control 54
- gain/offset settings 28, 29
- gain setting 29
- gamma 64
 - problem 28
- gamut 349, 350

- gamut area-based index (FCI) 294
- gamut boundary 255
- gamut color primaries 251
- gamut mapping 238
- gamut optimization 74
- ganglion cells 7, 342
- general color rendering index (R_a) 274–276, 284
- general lighting 303, 339
- global contrast 30
 - enhancement 147–149
- global lightness contrast enhancement 144
- global lightness transform 153
- GOG model 56, 58, 59
- GOG (gain-offset-gamma) model 55
- graphics card 34
- graphic user interface 98
- grayscale 69
- grayscale color difference anchor 278
- green spatial resolution 261
- grouping 121

h

- hard clip method 193
- harmonic color 17
- harmonic color combinations 33
- harmony rendering 291–293
- Harmony rendering index R_{hr} 346
- HDR appearance 106
- HDR illusion 80
- HDR image 80
- HDTV resolution, 219
- head-mounted displays (HMDs) 19, 51, 67
- head-up display (HUD) 51, 67
- Helmholtz-Kohlrausch effect 119, 248, 311
- hexagonal architectures 265, 266
- hexagonal pixel grid 267
- hexagonal RGB subpixel architecture 263
- hexagon architectures 268
- hexagon patterns 267
- Hick-Hyman law 98
- high aperture ratio 261
- high dynamic range (HDR)
 - displays 80
 - imaging 18, 79, 106
- high pressures 74
- HMI discharge lamp 225
- HMI reference light source 278
- holographic displays 331
- horizontal addressability 267
- horizontal MTF 266
- (HSV) color space 138
- HUD projection 67
- hue 12, 13

- hue angle 15
 - hue angle differences (Δh_{ab}) 16
 - hue-dependent chroma boost 144, 151
 - hue-dependent chroma boost transform (CH), 150
 - hue-dependent chroma preference 152
 - hue differences (ΔH_{ab}^*) 16
 - hue transforms 144
 - human color constancy 354
 - human eye optics 197
 - human perception 221
 - human visual system 2, 178, 216
 - hybrid spatial-temporal color synthesis 78
 - hyperbolic tangent function 63
- i**
- iCAM 49, 238
 - ICC color management 178
 - ideal descriptor function 153, 154
 - illegal copies 215
 - illuminating spectral content 242
 - image color appearance (iCAM) 106, 259
 - image compression 19, 205
 - image cues 135
 - image descriptor (ζ^{out}) 151–153
 - image differences 218
 - image preference 143, 155
 - image processing transforms 151
 - image quality 18, 205
 - image stabilization time 53
 - image transforms 144
 - parameter 148
 - immersive 19
 - condition 87
 - scene 84
 - stimuli 89
 - immersive colors 88
 - stimulus 82–84, 88
 - immersive self-luminous condition 89
 - immersive self-luminous stimuli 89
 - imperfect color constancy 283
 - impression of harmony 293
 - improve color image quality 134
 - independence of the color channels 35
 - index (R_{UCS}) 347
 - indoor illumination 20
 - indoor light sources 273
 - indoor productions 223
 - information content 104
 - information-intensive mobile displays 104
 - infotainment 19
 - intercultural differences 134, 139
 - interindividual differences 281
 - interindividual variability 18
 - interobserver variability 318, 320, 322–324
 - interpersonal variability 321
 - intrinsically photosensitive retinal 342
 - intrinsically photosensitive retinal ganglion cells (ipRGCs) 22, 341
 - invalid decisions 303
 - ipRGC(λ) 342
 - ISO international ergonomic standard 98
 - isotropy 260, 263, 268
 - ITO 330
 - ITU recommendation 218
- j**
- jitter 55
 - JND 1 218
 - JPEG 9
 - judgment scales 304
 - junction temperature (T_j) 332, 333
 - just noticeable difference 218
- l**
- Lambertian emission 51
 - Lambertian light sources 45
 - Lambertian radiator 61
 - Lambertian surface 70
 - large gamut 76
 - large-gamut primary colors 250
 - large self-luminous displays 82
 - large stimuli 85
 - large viewing angles 19
 - displays 81, 84
 - laser displays 330
 - laser film recorder 176
 - laser home theaters 331
 - laser projectors 330
 - laser radiation 176
 - lateral inhibition 197
 - LCD characterization models 65
 - LCD light leakage 79
 - LCD projectors 51, 68, 70
 - LCDs 44, 45, 51, 60, 66, 68, 79
 - LCD tone curves 64
 - L-cones 3
 - leakage 57, 65
 - LED backlighting 79
 - LED-based projector 74
 - LED dimming 332
 - LED displays 331, 336, 338
 - LED driving current 333
 - LED lamps 340
 - LED lifetime 332
 - LED projectors 20
 - LEDs 77, 80

- legal colors 240
- legibility 97, 104, 107, 111
- lifetime 333
- light guide plate 75
- lightness (L^{**}) 12, 13, 15, 48, 311, 344, 349, 350, 353
 - correlate 312, 313
 - formula 311
- lightness contrast enhancement 144
- lightness differences 15
- light source 21
 - chromaticity 316
 - color quality 293
 - design 324
- liquid crystal 76
- local contrast 355
 - enhancement 147, 148
- local dimming 72, 79, 80
- logical pixel 259, 269
- long-term color memory 136, 137
- long-term memory 139, 273
- long-term memory colors 17, 33, 134–136, 140, 242, 294, 301, 334
- look-up table (LUT) 51, 62
- low-pass function 10
- LuAG 74
- luminance 9, 11, 29
- luminance balance 102
- luminance channel 3, 219
- luminance contrast 100, 107–109, 111, 112, 121, 125, 127
- luminance contrast thresholds 131
- luminance outline 120
- luminance range 101
- luminance ratio 37
- luminance resolution 261
- luminous efficiency 3
- LUT 63–65
- m**
- MacAdam ellipses 15
- Macbeth ColorChecker® chart 179, 279, 285, 295
- macular pigment 2, 4
- mapping algorithm 334
- masking model 65
- matching colors 4
- matrices (P_0 , M_0 , and χ_0) 37
- matrices M , χ , or T 57
- matrices P , M , and χ 38
- matrices P , M , χ , P_0 , M_0 , and χ_0 38
- matrix (χ) 36, 38, 54
- matrix M 38
- matrix P 39, 41, 54, 57, 58
- matrix P_0 39, 41
- matrix T 56, 57, 59
- MCDM(mean color difference from the mean) 85
- M-cones 3
- mean similarity ratings 308
- measure of coverage (p_C^{-1}) 243
- mechanical vibrations 104
- melatonin suppression effect 343
- memory color 134, 138, 139
 - reproduction 107
- memory colors 30, 141
- memory-related color phenomena 17
- MEMS scanners 331
- mercury pressures 73
- metameric 242
- metameric color stimuli 245
- Michelson contrast 9, 126
- minimum CFA 259
- minimum color fringe artifact 259
- mixed adaptation 50
- mixed color sequential (MCS) algorithm 76
- mode of color appearance 49
- modulation (M) 260
- modulation transfer function 260
- Moiré pattern 47
- monochrome sensor 175
- motion pictures 205
- motor performance 98
- MPEG 9
- MTFs 262, 263, 266, 267
- multi-color primaries 237
- multi-component LED light source 343
- mutiprimary 259
- multi-primary architectures 264
- multi-primary color displays 238, 257
- multi-primary displays 237, 245, 334
- multi-primary mosaics 237
- multi-primary subpixel architectures 257, 262, 264, 269
- multi-primary subpixel image rendering 264, 265
- multi-primary subpixels 258
- multispectral imaging 106
- n**
- native tone curve 27
- naturalness 141
- natural objects 242
- natural spectral reflectances 240
- nausea 105
- near-eye displays (NEDs) 105
- negative film 161
- neighboring subpixels 265

- neural compensation 319
- neutral white 345, 346
- NIST 285
- NIST color quality scale 294
- NIST color set 279
- NIST's spectrally tunable lighting facility 295
- nocturnal human melatonin
 - suppression 342
- noise pattern 215
- non-rgb sequence 259
- NTSC 239
- NTSC color gamut 76, 77
- NTSC color primaries 74
- NTSC gamut 78, 79, 336
- NTSC primaries 239
- NTSC triangle 75, 77
- NTSC white point 338
- number of color primaries 245
- number of subpixels 265
- numerical correlate of perceived
 - saturation 15
- numerical correlates 1, 12
- o**
- objective methods 206
- objectives of color image reproduction 105
- oblique effect 260
- observer preference curve 145
- ocular media 2, 4
- off-center cell 7
- offset knob 54
- offset light 46
- offset setting 29
- OLED displays 71
- OLEDs 51, 71, 72, 330
- on-center cell 7
- optimal color primary sets 251, 255, 256
- optimal surface colors 240
- optimization principles 238
- optimization procedure 249
- optimization workflow 21
- optimum color gamuts 252
- optimum color primary sets 251–254
- optimum coverage 251
- optimum 4P gamut 256
- optimum preference parameter (p_{opt}) 146
- optimum wide 250
- ordinal ratings 286
 - scale 280
- organic user interface (OUI) 330
- original image 206
- outdoor film production 223
- out-of-color-gamut error term E_{col} 269
- out-of-gamut colors 193, 238
- out-of-gamut indicator 194
- overcoloring 97
- overcrowding the display 108
- p**
- parallel search 112
- parameter (p_{opt}) 146
- pcLEDs 73, 75, 276, 336–338
- 4-pc WLEDs 348, 351, 352
- PDPs 51, 55–60, 82, 83–86, 88
- peak red, green, and blue 41
- peak white 35, 36
- peak white luminance 6, 29, 30, 43
- PenTile Matrix™ 262
 - subpixel architectures 263
- perceived chromaticity differences 15
- perceived colors 12
 - differences 278, 321
 - harmony 289
- perceived similarity (Z_p) 280, 281
- perceived whiteness 316
- perception and cognition 17
- perceptual differences 12
- perceptually not uniform 15
- perceptually uniform 12, 15
- perfect reflecting diffuser 14
- phosphor blends 348
- phosphor chromaticities 28
- phosphor constancy 35, 53, 54
- phosphor-converted LEDs (pcLEDs) 73, 74, 331, 333, 337
- phosphor-converted white LED
 - technology 348
- phosphor matrices 27, 35
- photoreceptor mosaics 18
- photoreceptors 2, 342
- photoreceptor structure 2
- pixel architectures 237
- pixel faults 47
- pixel rendering 257
- Planckian radiator 317
- Pointer's database 243
- postreceptoral mechanisms 18
- predicted color harmony values
 - ($CHF_{i,test}$) 290
- preference-based color image
 - enhancement 151
- preference differences 133
- preference functions 147
- preference scores 143, 145
- preferred appearance 17
- preferred chromaticity contrasts 126, 129, 131
- preferred colors 17, 33

- image reproduction 107
- preferred contrast 123, 125, 127
- preferred global contrast 147
- preferred hue 150
- preferred local contrast 147
- preferred luminance contrast 131
- preferred white point 144
- primary colors 20, 238, 240, 265
- principal components of color
 - quality 294, 303
- projector light sources 72, 73
- projectors 20, 68
- protanope 18
- prototypical colors 141
- pseudo-technological constraint (p_T) 247, 250, 252
- PSNR metric 238
- PSNR values 206
- psychological relationship $R_p(\Delta E_{UCS})$ 305, 306, 310
- 3P system 255
- 5P system 255
- 6P system 255
- 4P systems 256
- pulse frequencies 332
- pulse width modulation (PWM) 332
- pupil area 9, 11
- pupil diameter 197
- purple line 6
- P/W criterion 249
- PWM. *See* pulse width modulation (PWM)
- P/W ratio ($p_{p/w}$) 247, 248, 250, 255, 265
- P/W values 249

- q**
- $Q(f)$ functions 41, 42
- quantization artifact 47
- quantization efficiency 244
- quasi-monochromatic radiations 6

- r**
- rainbow artifact 71
- rapid adaptation 102
- raster artifact 47
- RCRI 286
- readability 104
- Rea *et al.*'s model 341, 342
- real-world colors 240
- receptive fields 7, 8
- receptoral changes 319
- recognition safety 218
- reddish objects 242
- redefine color rendering index 285
- red–green opponent channel 3
- red or green channel 216
- reference display 33
- reference illuminant 273, 275
- reference light source 274, 277, 283
- reference white 12, 14, 49
- reflecting color samples 5
- reflections 47
- refocusing time 101
- regions of visual attention 102
- relational color constancy 356
- relative background luminance 188
- relative tristimulus values 6
- remainder XYZ_{rem} 269
- remote phosphor LED 333
- rendering 349, 350
- reproducing total appearance 106
- reproduction of highlights 106, 107
- resolution 174
- retinal contrast 133
- retinal illuminance 9, 11
- retinal mosaic 21
- retrofit LED lamp 353
- $R(f)$ functions 41, 42
- RGB backlight 77
- RGB color 337
 - filters 76
 - space 220
- r, g, b digital color counts 26
- RGB filters 73, 77
- RGB LEDs 72, 73, 75, 79, 276
 - backlights 76, 78, 79
 - driving system 332
 - illuminators 74, 75
 - light source 74
 - mosaic displays 72
- RGB stripe 257, 259, 260, 262, 263, 265, 267, 268
 - architecture 258
- RGB values 26, 27, 29, 31, 35, 36, 38, 40, 41, 51, 56, 61, 63, 65, 66, 77, 80, 282
- RGCB display 338
- RGCB gamut 336
- robustness 218
- rods 2, 342
- rotating filter 72
 - wheels 74
- rotational symmetry 265
- roundness 249

- s**
- saccade 103
- saturation 12, 48
- SBI 285
- scalable user interface 105

- Schanda's combined preference rendering
 - index 294
 - scheme of colors 122
 - S-cones 3, 342
 - screen position 28
 - SDS test method 219
 - search commands 111, 113, 114, 118, 121
 - search performance 111
 - search target 112, 118
 - search time 112, 115–118
 - search zones 114, 115, 117
 - see-through head-mounted display 67
 - segmentation 121
 - self-luminous objects 6
 - semantic differential scales 296
 - semiconductor sensors 199
 - sensor pixels 162
 - sensor temperatures 333, 338
 - setting no. 32
 - settings 27, 30, 33, 34
 - seven-primary architecture 265, 268
 - seven-primary hexagon architecture 267
 - sharp vision 102
 - short-term color memory 135
 - short-term memory colors 135
 - sigmoid function 147
 - signal-to-noise ratio 199
 - similarity 307
 - to memory colors 301
 - ratings 309, 310, 322–324
 - simultaneous color contrasts 107, 112, 124
 - sinusoid gratings 124, 125
 - six-primary architecture 264
 - six-primary system 251
 - small and large color stimuli 81
 - small color differences 17, 300, 301
 - small-field tritanopia 2
 - SOCS database 242, 243
 - soft clip method 193
 - software ergonomics 111
 - solid-state laser 176
 - space of display color primary sets 250
 - spatial color distributions 237
 - spatial cone excitation ratios 356
 - spatial contrasts 7
 - spatial frequencies 6, 8–11, 123–125, 127, 129, 133, 147, 154, 197, 209, 221
 - characteristics 7
 - spatial independence 39
 - spatial interdependence 40, 41, 70
 - spatial low-pass prefiltering 259
 - spatial nonuniformity 43, 71
 - spatial opponency 8
 - spatial power distributions 341
 - spatial resolution 18, 21
 - spatial structures 6, 7, 222
 - spatial-temporal characteristics 195
 - spatial uniformity 43, 44, 79
 - special color rendering indices
 - ($R_{\text{UCS, special}}$) 274, 340, 354
 - spectral design 339
 - spectral locus 6
 - spectral power distributions (SPDs) 73, 77, 273, 276, 297, 335, 337, 351, 352
 - spectral reflectance 340, 345
 - curves 240
 - functions 240–242, 290
 - spectral sensitivities 4, 175, 342
 - spectral transmission 73
 - spherical aberration 197
 - spotlight 223
 - sRGB. *See* standard display color space (sRGB)
 - S-shaped tone curve 64
 - standard colorimetric characterization
 - model 28
 - standard display color space (sRGB) 27, 28, 31, 33, 34, 35, 58, 59, 60, 65, 238
 - color gamut 243
 - model 28
 - standard tone curve 31
 - tone curves 28, 29, 32, 33
 - white point 34
 - static mask 217
 - Stiles and Burch experiment 319, 320
 - still life 296
 - arrangement 297
 - stroke width 101, 267
 - subjective evaluation index 285
 - subjective method 206
 - subpixel luminance error term
 - (E_{lum}) 270
 - subpixels 77, 257, 260, 266, 267, 268
 - architectures 21, 257–259, 261
 - color image rendering 262
 - layouts 266
 - mosaic 72, 237
 - rendering 18, 258, 270
 - suitable white tone 317
 - superposition 220
 - surround 50, 188
 - ratio 50
 - switch-on characteristics 331, 332
 - system-independent color space 163
 - Szabó *et al.*'s model 287
- t**
- tabletop arrangement 296
 - tanh functions 63

- target colors 237, 238
 - gamut 240, 242, 243
 - set 237, 252
 - sets 240
- task lighting 339
- TCS. *See* test color (TCS)
- technological constraints 246
- temperature dependence of four-primary color
 - sequential (RGCB) model 336
- temperatures 338
 - changes 334
 - dependence 335, 337, 338
- temporal contrast sensitivity 9–11
- temporal frequencies 9, 10
- test color samples 274, 282
- test image 206
- test light source 273–275, 277
- test objects 290
- thermal environment 334
- three-color combinations 286, 288
- three-dimensional optimization 237
- three primary 237
 - architectures 262
 - mosaics 237
 - system 251
- threshold 9, 125
- threshold chromaticity contrasts
 - 126, 129
- threshold contrast 123, 127, 196
- tolerable color difference 284
- tolerance ellipsoids 284
- tolerance volume 141
- tone curves 28, 29, 31, 33–35, 51, 58–62,
 - 64–66, 68, 72, 144, 147
- models 27, 55
- tone mapping operators 80
- total appearance 105, 106
- total color differences 15
- total immersion 280
- trichromatic 2
- tristimulus values 25, 26
- tritanope 18
- troland (Td) 9
- tubular fluorescent lamp 223
- tunable correlated color temperature 340
- tunable LED lamps 339
- tunable white LED lamp 340
- tungsten halogen 276, 343
- tungsten incandescent lamp (INC) 353
- tungsten light 223, 273
- TV resolution 215
- twilight range 30
- two-color combinations 286, 288, 289
- two-color harmony formulas (CHF) 288
- two-dimensional fast Fourier transform
 - (2D FFT) 154
- two-primary crosstalk model 65
- u**
- UHP (ultrahigh pressure) 72, 75
 - discharge lamps 73, 74
- under color removal 65
- uniform color spaces 17
- unusual tone of the light source 316
- use of color 107
- user acceptance 273
- user interfaces 98, 108, 113, 122
- users characteristics 21
- u', v' diagram 14, 15
 - chromaticity 252, 258
- $U^* V^* W^*$ color space 274, 283
- v**
- ΔE^*_{ab} value 32
- RGB values 55
- variability of retinal mosaics 18
- viewing angle 45
- viewing conditions 139, 179
 - parameters 48, 50
- viewing direction
 - dependence 66
 - nonuniformity 46, 61
 - uniformity 45, 53, 60
- viewing distances 101, 102
- viewing environment 49
- viewing parameters 280
- virtual primaries (p_v) 250
- virtual reality 67
- virtual reality-induced symptoms and
 - effects (VRISE) 67
- visibility 104
- visual acuity 9, 100, 101
- visual artifacts 25, 43
- visual attention 97, 103
- visual clarity 294
- visual color difference ($z_{\Delta E_{vis}}$)
 - 280, 281, 318
- visual comfort 109, 111
- visual complexity 103
- visual display 1
- visual ergonomics 17, 19, 100, 123
- visual experience 178
- visual experiment 178
- visual image quality 222
- visual information 98
- visually acceptable lightness 249
- visually acceptable P/W ratios 248, 253
- visually evoked emotions 19

visually nonuniform 284
 visual mechanisms 21
 visual overload 97
 visual performance 108
 visual preference 142
 visual psychophysics 98
 visual ratings 320
 visual scaling of color harmony 287
 visual search 107, 108, 110, 112, 113, 120
 visual similarity 280
 $V_{10}(\lambda)$ 342
 $V(\lambda)$ function 3
 volumetric displays 331
 von Kries transformation 274, 275, 283

W

Wallis filter 147
 Ware and Cowan conversion factor (WCCF)
 formula 109
 warm-up 46, 47
 warm white 345, 346
 warm white phosphor LED 276
 watermarking 9, 214, 215
 wavelet-based 205
 wearable computing 67
 white acceptance ellipse 246
 white LEDs 72, 282, 333, 340
 – lamp 340
 – light sources 74
 whiteness perception 316
 white pcLEDs 339
 white point (p_w) 28, 34, 79, 145, 245, 250,
 336, 337, 338
 – illuminant D65 179
 – light source 188
 – luminance 188
 – monitor 186
 – preference 145, 146
 white region in the chromaticity diagram 245

white tolerance ellipses 246
 white tone 20
 wide color gamut 240
 wide-gamut CCFL backlights 79
 wide-gamut color primaries 237
 wide-gamut displays 238, 334
 wide-gamut LED display 334
 wide viewing angle (WAV) LCD 61
 workflow in cinema film and TV
 production 161
 working memory 104
 work performance 98
 work psychology 98

x

xenon 75
 xenon discharge lamp 72
 $x(\lambda)$ 4
 $x_{10}(\lambda)$ 4
 $x(\lambda), y(\lambda), z(\lambda)$ color matching functions 319
 x, y chromaticity diagram 239
 XYZ tristimulus values 4, 5
 XYZ values 26, 56, 65

y

YAG 74
 YCbCr color space 220
 yellow–blue opponent channel 3
 yellow pigment 2
 $y(\lambda)$ 4
 $y_{10}(\lambda)$ 4
 young and elderly observers 123, 133,
 142, 143
 young observers 152

z

$z(\lambda)$ 4
 $z_{10}(\lambda)$ 4
 z-scores 280