

Index

a

affinity 235, 241, 245–251, 254
 anomalous
 – diffusion 265, 294, 295, 320, 323, 328, 331, 410
 – dynamics 2, 259, 260, 265,
 267–277, 286, 296, 357
 – fluctuation relation 259–278
 – heat transport 323, 328
 atomic force microscopy 1, 132, 160, 215

b

biopolymer 161, 275
 Brownian motion 52, 85, 128, 144, 145, 259,
 260, 270–275, 278, 285, 286, 294, 302

c

cantilever 1, 132, 133, 136–141, 160, 161, 166
 cell migration 2, 260, 265, 269–272, 275–278
 chaos 107, 110, 252, 284, 287, 288, 307, 327,
 361, 362, 372, 380, 384
 chaotic hypothesis 93, 105, 106, 261
 chemical gradient 260, 270, 275, 276
 colloidal particle 132–134, 138–141, 143,
 144, 194, 196, 260, 261, 286, 287, 292,
 294, 295, 350
 comb model 296–298
 continuous-time random walk 260, 269,
 349, 357
 counting statistics 216, 228, 234, 238,
 245–247, 249, 252, 254
 covariant Lyapunov vector 362, 364, 376,
 381, 385
 Crooks relation 33–35, 44, 48, 57, 79, 80,
 93, 130

d

detailed balance 21, 25–27, 37, 41, 45, 53,
 292, 293, 298, 300, 301, 306, 307, 312, 313,
 340, 348

– local 293, 298, 301
 deterministic dynamical systems 261
 diffusion 10, 85, 89, 160, 215, 252, 259,
 264–266, 269, 271, 272, 274, 275, 278,
 284, 286, 287, 294–296, 301, 313, 320–325,
 327–331, 350, 362, 393, 396, 402–413
 – anomalous. *see* anomalous diffusion
 dissipation 1, 4, 12, 39, 42–44, 57–67, 71–76,
 80, 83, 85, 89–92, 94, 96, 97, 106, 109, 111,
 115, 117, 120, 131, 137, 140, 142–144, 146,
 147, 149, 156, 165, 175, 177, 197, 214, 216,
 229, 245, 250, 251, 253, 259, 260, 264, 265,
 283, 285–287, 295, 298, 300–302, 313, 362
 – function 42–44, 57–61, 63–66, 71–73, 75, 76,
 80, 89–92, 96, 109, 111
 – theorem 58, 61, 64, 67, 73, 85, 115, 117, 137,
 142–144, 197, 229, 286, 287
 DNA 57, 92, 156, 157, 161–163, 166, 174–177,
 406–407, 410
 drift 262, 275, 276, 287, 295–297, 299, 313
 driven harmonic oscillator 115, 136

e

electron quantum transport 234, 241,
 253, 254
 entropy production 4, 6, 12, 19, 20, 21, 23–29,
 31, 32, 36–41, 45, 46, 50–55, 57, 59, 80,
 92, 96, 106, 107, 109, 111, 119, 121, 142, 198,
 199, 202, 205, 214, 216, 241, 243, 245, 252,
 261–263, 266, 283, 285, 300, 301, 305, 306,
 308, 311–313, 356
 ergodic
 – hypothesis 88, 93
 – theorem 363, 407–409, 413
 Evans–Searles fluctuation relation 58

f

feedback control 2, 173, 181–184, 189–190,
 193–197, 199–203, 205, 207, 208

- fluctuation-dissipation relation 12, 83, 85, 109, 143, 144, 146, 147, 149, 216, 251, 259, 260, 264, 265, 2836, 285, 287, 295, 298, 299–302, 304, 306, 313
- of the first kind 264
- of the second kind 265
- fluctuation ratio 261, 266–68, 276, 277
- fluctuation relation 1, 3–55, 57–80, 83–111, 163, 164, 172, 259, 260, 265, 283, 287, 300, 303, 312
- fluctuations 20, 21, 27–29, 36–41, 43–45, 52–54, 57, 59, 71, 72, 75, 77, 115, 121–122, 128, 135, 139, 142, 150, 155, 156, 172, 177, 182, 190, 197, 198, 199, 201–204, 216, 220, 224, 225, 227–230, 235, 238–241, 245, 246, 248–254, 259, 300, 301, 352, 356
- anomalous. *see* anomalous fluctuation relation
- Evans-Searles 44, 57–59
- Gallavotti-Cohen 347, 353
- omega 105
- steady-state 1, 92, 104, 142
- transient 28, 29, 44, 83, 85, 94, 121, 122, 198, 260, 261, 263, 264
- fluctuation theorem 20, 21, 27–29, 36–41, 43–45, 52–54, 57, 59, 71, 72, 75, 77, 115, 121–122, 128, 135, 139, 142, 150, 155, 156, 172, 177, 182, 190, 197, 198, 199, 201–204, 216, 220, 224, 225, 227–230, 235, 238–241, 245, 246, 248–254, 259, 300, 301, 352, 356
- for currents 300, 301
- fluorescence microscope 394
- Fokker–Planck equation 9–11, 18, 19, 22–26, 45, 49, 132, 264, 268, 269, 272, 295
- Fourier’s law 259, 320, 321, 323–328, 331
- fractional
 - calculus 268
 - derivative 268, 269, 273, 274
 - – Riemann-Liouville 269, 273
 - – Riesz 268
 - Fokker-Planck equation 268, 269, 295
 - Klein-Kramers equation 269, 272, 274, 275, 278
- free energy 2, 7, 30, 32–34, 57, 67–69, 73, 74, 77, 79, 93, 97, 142, 155–160, 164, 171–175, 177, 183, 184, 190, 195, 196, 199, 205–207, 217–219, 224, 259, 335, 341, 345, 349, 350
- g**
 - Gallavotti–Cohen fluctuation relation 353
 - Gaussian stochastic process 2, 260, 264–266, 277, 287
 - glassy system 64, 266, 278, 285
 - granular system 302, 307
- h**
 - harmonic oscillator 39, 45, 49, 115–117, 119, 123, 125, 126, 128, 136, 137, 141, 320
 - driven 136
 - heat conduction 259, 320, 323, 325, 327–329, 331
 - hydrodynamic mode 284
- i**
 - information
 - ratchet 194
 - theory 208
 - interacting particle systems 283, 350, 352
 - intermittent 275
 - irreversibility 3, 4, 12–17, 19, 20, 26, 27, 29, 34, 41, 42, 54, 57, 59, 83
- j**
 - Jarzynski equality 31–35, 48, 51, 57, 68, 93, 97, 109, 164, 171, 173, 175, 182, 197, 199, 202, 204, 218
- k**
 - Klein–Kramers equation 269, 272–275, 278
 - kurtosis 272, 273, 393
- l**
 - Landauer principle 206, 207
 - Landauer–Büttiker formula 236, 238
 - Langevin
 - equation 11, 12, 14, 18, 19, 21, 118, 125, 130, 133, 136, 137, 145, 150, 192, 260, 263, 265–268, 270, 274, 287, 291, 292, 294, 302, 307–311
 - process 301–306
 - large deviations 38, 102, 107, 215, 252, 254, 259, 262, 266, 268, 283, 300, 301, 311, 335–338, 341, 343–354, 356, 357
 - Legendre transform 38, 335, 341–343, 345, 353
 - length dependent thermal conductivity 321, 325, 331, 332
 - Levitov–Lesovik formula 216, 234–236, 253
 - Levy flights 330
 - linear response 57–59, 61, 70, 91, 99, 110, 115, 143, 144, 147, 149, 150, 216, 219, 220, 229, 230, 250, 251, 253, 254, 288–291, 293, 309, 313, 328, 331
 - Liouville equation 8, 214, 215
 - local detailed balance 293, 298, 301

- Lyapunov
 – modes 361–389
 – vector covariant. *see* covariant Lyapunov vector
- m**
 Markov process 15, 248, 292, 293, 301, 335, 345–347, 350, 357
 master equation 8, 9, 216, 238–240, 242, 244, 247
 Maxwell's demon 181, 182, 184, 196
 mean square displacement 259, 269, 297, 396, 407
 mesopore 393, 396, 399–401, 404, 406, 407, 409, 412, 413
 mesoporous silica 396–402, 404, 407, 412
 mesoscopic modeling 2, 109, 143
 microreversibility 213, 230, 251, 379
 microscopy
 – atomic force 1, 132, 160, 215
 – fluorescence 394
 – transmission electron 397, 398
 Mittag-Leffler function 274
 mixing 61, 62, 215, 288, 289, 291, 361
 molecular diffusion 402
 molecular dynamics 70, 72, 85, 86, 103, 107, 176, 260, 309, 321, 323
 mutual information 184–190, 192–194, 200–202, 205–208
- n**
 nanopore 260, 396–402, 404–407
 nanostructures 319, 320, 325–328, 330–331
 nanotube 116, 283, 319–321, 323–326, 328, 330, 331
 NMR spectroscopy 408, 409
 nonequilibrium 27, 33, 35, 37, 39–41, 43–45, 52, 51, 57, 58, 60–62, 67–69, 80, 83–86, 88, 89, 90, 92–94, 96, 97, 99, 100, 105–111, 118, 121, 126, 128, 140, 143, 144, 155, 156, 162, 163, 177, 182, 197, 201–203, 208, 213–216, 219–222, 224–228, 230, 232, 234, 236, 238–240, 242–244, 246, 247, 252–254, 259–261, 267, 270, 276, 278, 283–286, 288, 291, 295, 300–302, 307, 312–314, 319, 323, 328, 331, 334–336, 339–342, 345, 347–350, 356, 357, 368
 – molecular dynamics 85, 86, 107, 323
 – stationary states. *see* steady states
 – steady states 27, 37, 41, 45, 52, 51, 58, 62, 89, 99, 118, 121, 140, 143, 144, 202, 215, 216, 225, 227, 228, 240, 247, 252, 259–261, 267
 nonlinear response theory 91, 109
 non-Markovian 150, 215, 239, 265, 277, 354, 357
- o**
 omega-fluctuation relations 105
 Onsager–Casimir reciprocity relations 216, 219, 220, 229, 251, 253
 – optical
 – trap 58, 70, 72, 80, 132, 133, 143–145, 149, 161, 163, 168, 171
 – tweezer 143, 156, 160, 162, 163, 165, 168, 172, 190, 197, 215
- p**
 path probability 15, 18, 23, 25
 polystyrene particle 1, 129
- q**
 quantum
 – dot 216, 227, 230, 232, 240, 244–249
 – point contact 216, 227, 230, 241, 244–246
 – transport, electron 234, 241, 253, 254
- r**
 random walk 9, 10, 260, 269, 294, 295, 299, 330, 331, 347–354, 356, 357
 – continuous time 260, 269, 347–349, 357
 rate function 335, 341–344, 346, 347, 349–356
 relaxation 26, 27, 32, 34, 41, 47, 58, 61, 62, 65, 66, 67, 76, 87, 92, 97, 104, 116, 117, 134, 137, 195, 196, 215, 285, 287, 311, 324, 325
 – theorem 58, 61, 62, 66, 73, 76
 Riemann–Liouville fractional derivative.
 see fractional derivative, Riemann–Liouville
 Riesz fractional derivative. *see* fractional derivative, Riesz
 RNA 157, 163, 165, 175
- s**
 scaling limit 336, 338–340, 346, 349, 350
 second law of thermodynamics 1, 2, 4, 5, 20, 120, 163, 181–183, 189, 190, 196, 197, 199, 202, 207, 208, 216, 241, 243, 259, 261, 262
 Shannon information 184–188, 206, 207
 single molecule 2, 155, 156, 159–161, 164, 166, 177, 215, 284, 350, 393–402, 404–405, 407–410, 412, 413
 – spectroscopy 160
 small system 2, 4, 55, 60, 83, 86, 142, 155, 156, 160, 162, 166, 215, 259, 283, 284, 350, 357
 steady-state fluctuation relations 1
 stochastic thermodynamics 197
 subdiffusion 266, 269, 278, 295, 328
 superdiffusion 266, 272, 295, 323, 324, 328

Szilard engine 182–184, 187, 189–191,
195–197, 204, 205, 207, 208

t

thermostat 42, 70, 71, 73, 77, 86, 87, 89–91,
104, 128, 132, 295

time-fractional kinetics 2, 260, 265, 268

t -Mixing 61, 62, 64, 65, 92, 94, 102, 103, 105,
108, 111

transient fluctuation relation 83, 94, 260, 261,
263

transmission electron microscopy 397, 398

v

velocity autocorrelation function 85, 274, 309,
404

w

work relations 30–32, 49, 73, 77, 80, 94, 96,
219, 259