

Index

a

- absorption coefficients 2–13
 - diamond laser processing techniques 431
 - integrated optical structures and microstructures 318
 - laser micro- and nanoprocessing of diamond materials 387–390, 405, 409
 - optical quality CVD diamond 44–48, 56, 60
 - refractive and diffractive optics 134
 - thermal management using diamond 360
 - thermal stress fracture in Raman lasers 256
 - two-photon absorption 29
- AFM, *see* atomic force microscopy
- AGPM, *see* annular groove phase mask
- amorphous carbon
 - integrated optical structures and microstructures 322
 - laser micro- and nanoprocessing of diamond materials 390, 391
 - polishing and shaping 86, 87, 91, 92, 97
- anamorphic lenses 118, 119
- annular groove phase mask (AGPM)
 - coronagraphy 135, 136
- antireflection (AR) coatings
 - optics 122, 123, 133
 - Raman lasers 241, 256, 257, 267
- antireflective microstructures 122–124, 436
- anti-Stokes scattering 17, 22, 26
- apertures 112, 115, 118
- AR, *see* antireflection
- ArF laser ablation 428
- astronomical applications 133
- atomic force microscopy (AFM)
 - CVD diamond films 41
 - diamond optics 117, 118
 - fluorescent nanodiamonds 456, 457

b – integrated optical structures and microstructures 339

- attenuated total reflectance (ATR) crystals 62
- Auerbach's law 94, 95
- autofluorescence 460, 463
- axicons 118, 119
- band bending model 210, 212–216, 225
- barium nitrate
 - Raman lasers 240, 241, 247, 249, 250, 253, 254, 260, 265, 268
 - Raman linewidth 21
- beam filamentation 414, 415
- beam shapers 433–435
- Bettis–House–Guenther scaling law 257
- biomimaging 445, 446, 458–469
- biolabeling applications
 - fluorescent nanodiamonds 454
 - surface doping 219
- birefringence
 - CVD diamond 49–52
 - nitrogen-vacancy color centers 145
 - Raman lasers 255, 256, 268, 271
 - strain-induced 49–52
 - thermal management using diamond 360
- black spot microfeatures 46, 47, 53, 59
- blazed gratings 119, 120, 122
- blinking fluorescence 168, 233, 446
- boron doping
 - chemical vapor deposition of n-type diamond thin films 178
 - light-emitting diodes 185–193, 197
 - nitrogen-vacancy color centers 145
 - surface doping 209
- boron–deuterium (B–D) complex formation 178

- Bose-Einstein factors 8, 9, 15, 17
 Bragg peaks 221, 222
 Brewster-cut crystals 253, 258
 bright-field fluorescence imaging 461, 465
 Brillouin scattering 25–27
 brittle-to-ductile transitions 87
 brown diamonds 143
 bruting diamond 73
 bulk graphitization of diamond 410–419
 – diamond laser processing techniques 424
 – laser-induced graphitization waves 412–414, 424
 – three-dimensional laser writing in diamond 414–419, 424–426, 435–437
 – threshold conditions 410–412
 bulk magnetometry 305
 bus qubits 279
 B–D, *see* boron–deuterium
- C**
Caenorhabditis elegans 465–468
 CAMPP, *see* chemical-assisted mechanical polishing and planarization
 capacitance–voltage measurements 186
 carbon dioxide lasers
 – CVD diamond windows 36, 47, 54, 56, 60
 – diamond absorption coefficient 8
 – laser micro- and nanoprocessing of diamond materials 432–435
 – laser optics 111, 123, 125, 134
 carbon phase diagram 37
 cathodoluminescence (CL) 84, 189, 190
 cavity quantum electrodynamic (CQED) effects 314, 317, 336
 CCD, *see* charge-coupled device
 cellular uptake 459, 460
 charge-coupled device (CCD) array detectors 408
 charged polymer interactions 231–235
 chemical-assisted mechanical polishing and planarization (CAMPP) 126
 chemical etching
 – laser ablation 394, 404
 – laser micro- and nanoprocessing of diamond materials 391, 392, 394, 404, 424, 429–431
 – micromachining 128, 129, 131
 – polishing and shaping 99–101
 chemical inertness 110, 318
 chemical–mechanical planarization 97, 98
 chemical vapor deposition (CVD) diamond
 – absorption characteristics 44–47
 – diamond optics 110, 111, 113–118, 122, 123, 127, 134
 – integrated optical structures and microstructures 321
 – laser micro- and nanoprocessing of diamond materials 385–387, 389–407, 420–424, 426, 428–431, 433–435
 – n-type doping 177–182, 185, 190
 – nitrogen-vacancy color centers 159, 160, 163, 166, 167
 – nonoptical wavelength absorption 47–49
 – optical applications 35, 36, 60–63
 – polishing and shaping 82, 97, 101
 – properties of optical quality CVD diamond 43–59
 – Raman lasers 241, 242, 257, 258, 271
 – scattering and depolarization losses 52–55
 – strain-induced birefringence 49–52
 – strength characteristics 56–59
 – surface doping 216–219, 226, 228, 229
 – thermal management using diamond 360
 – thermal properties 54–56, 60–63
 chemical vapor deposition (CVD) process 35–69
 – atomic hydrogen role 37–39
 – carbon phase diagram 37
 – competitive grain growth 40, 41
 – dopant impurities 40
 – growth on refractory carbides 39, 40, 56
 – isotopic content of diamond 49
 – morphology and texture 42, 43
 – point defects and defect complexes 44, 45
 – polycrystalline diamond 35, 36, 38–43, 45–49, 52–55, 57, 58, 60, 61
 – principles of diamond growth 36–43
 – single-crystal diamond 35, 36, 38, 39, 42, 43, 49–54, 57, 61–63
 chemiluminescence 89
 chronometry 71, 72
 CL, *see* cathodoluminescence
 cleaving diamond 73, 98, 99
 cluster-state quantum computing 289, 315, 317
 CNOT, *see* controlled NOT
 coatings, *see* antireflection coatings
 coherence time 153, 157, 158, 164, 304
 contact photolithography 324, 325
 continuous-wave (CW) operation
 – laser micro- and nanoprocessing of diamond materials 424

- Raman lasers 241, 244, 245, 255, 257, 258, 261, 262, 268–271
- thermal management using diamond 356, 357
- controlled NOT (CNOT) gates 281, 282, 288, 295–297
- controlled rotation (CROT) gates 287, 288, 295, 298
- copper–diamond composites 375
- copper encapsulation 426, 427
- CQED, *see* cavity quantum electrodynamic
- crack propagation 98, 99, 418, 419
- critical point phonons 5–7
- CROT, *see* controlled rotation
- crystal morphology 42, 43
- current density–voltage (J – V) characteristics 192–196, 198, 203, 204
- current-injected light emission spectra 188–193, 195, 196, 198, 199
- current–voltage (I – V) characteristics 186, 187, 191
- curved diamond surfaces 71, 101, 102
- curved graphitic structures 416–418
- CVD, *see* chemical vapor deposition
- CW, *see* continuous-wave
- cyclotrons 220
- cylindrical lenses 117

- d**
- DBR, *see* distributed Bragg reflector
- Debye temperature 15, 54, 246
- deep-ultraviolet (DUV) generation 187–202, 205, 265–267
- defects
 - absorption in CVD diamond 44, 45
 - applications of NV centers 163–168
 - classification 144–158
 - intrinsic and extrinsic 144, 145
 - nitrogen-vacancy color centers 143–175
 - polishing and shaping 74
 - synthetic diamond 159–163
- density functional theory (DFT) calculations 212, 214
- density of states (DOS) calculations 5, 7, 216
- deterministic QIP protocols 315
- detonation nanodiamonds (DND) 159–161
- DFT, *see* density functional theory
- DH, *see* double heterostructures
- diamond films 100
- diamond laser processing techniques 419–437
 - diamond optics 431–437
 - formation of conductive structures in diamond 424–428
- laser polishing 420–424
- nanoablation 394, 402–406, 428
- surface structuring 428–431
- ultraviolet 2-photon etching 266, 267
- diamond LEDs, *see* light-emitting diodes
- diamond optics 109–142, 431–437
 - applications 134–137
 - CVD diamond 110, 111, 113–118, 122, 123, 127, 134
 - diffractive optical elements 109, 119–125
 - future directions 137
 - lenses 112–118, 120, 121, 136, 137
 - micromachining 126, 128–132
 - novel devices 118, 119
 - polishing and shaping 113, 118, 126–128
 - polymer coatings 110, 113–115, 133
 - prisms 118
 - refractive optics 109, 112–119, 136, 137
 - surface finishing 110, 113–115, 117, 122, 123, 128
 - windows and domes 110–112
- diamond sub-mounts for lasers 355, 363, 367, 369–371
- diamond-like carbon (DLC) films 386, 392, 398, 399, 404, 424
- diamond–diamond friction experiments 92–95
- dielectric loss 61
- differential interference contrast microscopy (Nomarski microscopy) 82, 84, 88, 98, 101, 468
- diffractive optical elements (DOE) 109
 - blazed gratings 119, 120, 122
 - fan-out elements 124, 125
 - Fresnel lenses 120–122
 - laser micro- and nanoprocessing of diamond materials 431–437
 - subwavelength gratings 122–124
- directional dependence of polishing 75–79, 83, 84, 88, 91
- disk lasers, *see* doped-dielectric disk lasers; semiconductor disk lasers
- dislocations
 - nitrogen-vacancy color centers 144
 - polishing and shaping 84
 - strain-induced birefringence 50–52
- distributed Bragg reflector (DBR) 362, 363
- DLC, *see* diamond-like carbon
- DNA grafting 233, 234
- DND, *see* detonation nanodiamonds
- DOE, *see* diffractive optical elements
- domes 110–112

- doped-dielectric disk lasers
 - diamond sub-mounts for mechanical rigidity 369–371
 - future directions 374, 377
 - intracavity applications of diamond 371–374
 - thermal management using diamond 353–355, 360, 361, 369–374, 377
- DOS, *see* density of states
- double heterostructures (DH) 319, 320
- doxorubicin 233, 234
- drug delivery 165
- dry chemical etching 99–101
- DUV, *see* deep-ultraviolet
- dynamic light scattering (DLS) 454, 455
- dynamic nuclear spin polarization 285

- e**
- EBIC, *see* electron beam-induced current
- EBL, *see* electron beam lithography
- ECR, *see* electron cyclotron resonance
- edge dislocations 144
- EELS, *see* electron energy loss spectroscopy
- elastic strain tensor 25, 26
- elaton materials 62, 63
- electrical conductivity 143
- electroluminescence 88, 89
- electron beam lithography (EBL)
 - diffractive optics 122
 - integrated optical structures and microstructures 323, 325
 - nanowires 132
- electron beam-induced current (EBIC) analysis 186
- electron cyclotron resonance (ECR) 129, 327
- electron energy loss spectroscopy (EELS) 81, 89
- electron-hole pair recombination 201, 202, 205
- electron-nuclear double resonance (ENDOR) spectroscopy 295, 296
- electron paramagnetic resonance (EPR)
 - fluorescent nanodiamonds 457, 458
 - integrated optical structures and microstructures 312, 313
 - nitrogen-vacancy color centers 147, 151, 157
 - quantum optical diamond technologies 287, 294
 - surface doping 221
- electron spin echo envelope modulation (ESEEM) 290–292

- electron spin–nuclear spin interactions 282–293
- electron spin resonance (ESR)
 - n-type doping 182
 - nitrogen-vacancy color centers 156
 - quantum optical diamond technologies 283, 284, 286–288
- electron spins
 - dipole–dipole interactions 282, 283, 291–293
 - Fermi contact interactions 282, 291–293
 - generation and detection of entanglement 296–303
 - gyromagnetic ratio 281, 284
 - hyperfine interactions 281–289, 291–294, 296
 - nuclear spin bath 289–292
 - nuclear spins as a qubit resource 281
 - Ramsey frequencies 289, 290, 296, 299
 - single quantum systems 277
 - Zeeman splitting 282–284, 289, 291
- electronic nonlinearity 27–30
- electroplating 117, 118
- embedded grits 87, 88
- end-caps 357–359
- ENDOR, *see* electron-nuclear double resonance
- endoscopic applications 136, 137
- entanglement 296–303
 - Bell states 297–303
 - GHZ states 297, 298, 301–303
 - W states 297, 298, 301–303
- epifluorescence imaging 461, 465, 466, 468
- EPR, *see* electron paramagnetic resonance
- EQE, *see* external quantum efficiency
- Er-doped lasers 260, 261
- Escherichia coli* inhibition 200, 205
- ESEEM, *see* electron spin echo envelope modulation
- ESR, *see* electron spin resonance
- etch rate 266, 267, 397, 402–406, 430
- etch selectivity 115, 131
- excimer laser ablation 119, 121, 405, 427
- external cavity Raman lasers 240, 258–261, 269, 270
- external quantum efficiency (EQE) 199, 200
- extrinsic defects 144, 145

- f**
- Fabry–Perot interferometers 21
- fan-out elements 124, 125
- FCS, *see* fluorescence correlation spectroscopy

- FEM, *see* finite element modeling
 Fermi level engineering 209, 210, 214, 231, 236
 FET, *see* field-effect transistors
 FIB, *see* focused ion beam
 fiber Raman lasers 240, 241
 fiber taper waveguides 339
 field-effect transistors (FET) 212
 finite element modeling (FEM) 359, 371–374, 377, 378
 fluorescence correlation spectroscopy (FCS) 454–456
 fluorescence imaging 459–464
 fluorescence lifetime imaging 453, 454, 461–463
 fluorescence resonance energy transfer (FRET) 454, 458, 459
 fluorescence spectra 450, 451, 457
 fluorescent nanodiamonds 445–471
 - autocorrelation functions 454–457
 - biological applications 445, 446, 458–469
 - cellular uptake and fluorescence imaging 459, 460
 - fluorescence lifetime imaging 453, 454, 461–463
 - fluorescence resonance energy transfer 454, 458, 459
 - fluorescence spectra 450, 451
 - *in vivo* imaging in *Caenorhabditis elegans* 465–468
 - mass production 448–451
 - nitrogen-vacancy color centers 165–167, 446–448, 456–458
 - photostability 451–453, 456
 - single particle tracking 464, 465
 - super-resolution fluorescence microscopy 445, 463, 464
 - surface doping 220, 228, 231–235
 - two-photon excited fluorescence imaging 460–462
 fluorescent proteins 446
 fluorinated nanodiamonds 228, 229, 235, 236
 FND, *see* fluorescent nanodiamonds
 focused ion beam (FIB) fabrication
 - diffractive optical elements 122
 - integrated optical structures and microstructures 321–326, 328, 329, 333, 334
 Förster resonance energy transfer (FRET) 234, 236
 four-wave mixing 27, 28
 Fourier transform infrared attenuated total reflectance (FTIR-ATR) spectroscopy 135
 Fourier transform infrared (FTIR) spectroscopy 229
 Fourier transform spectroscopy 14
 fracture strength 56–59, 87, 256
 freeform optical devices 119
 Fresnel lenses 120–122, 433
 Fresnel reflection 2, 3
 FRET, *see* fluorescence resonance energy transfer; Förster resonance energy transfer
 frozen core 292, 293
 FTIR, *see* Fourier transform infrared
 FTIR-ATR, *see* Fourier transform infrared attenuated total reflectance
 fullerenes 281
 fused silica 62, 63
- g**
 GaInAsSb-based devices 364, 367, 368
 gallium arsenide 304, 354
 gallium hard mask 326, 333, 334
 gallium nitride 354, 375, 376
 gallium phosphide 117, 321
 germanium sulfide 133
 glide set 145
 gold-doped silicon 61
 gold–diamond composites 375
 graphitic carbon
 - bulk graphitization 410–419, 424
 - integrated optical structures and microstructures 322
 - laser micro- and nanoprocessing of diamond materials 388–395, 404, 405, 410–419
 - polishing and shaping 91, 92, 97
 - surface graphitization 388–395, 404, 405, 410, 411
 graphitic wires 414–419, 424–426, 435–437
 Griffiths model 57
 gyrotrons 60, 61
- h**
 H₃ color centers 357
 Hadamard gates 297, 298
 Hahn-echo sequences 289, 290, 292
 Hall-effect measurements 182–185, 190
 heat spreaders 356, 361–369, 375
 HeLa cells 460–463
 HEMT, *see* high electron mobility transistors
 Herzberger formula 14
 heteroepitaxial growth 322
 hexagonal diamond 85

- HFCVD, *see* hot filament chemical vapor deposition
- high electron mobility transistors (HEMT) 376
- high-pressure, high-temperature (HPHT) synthetic diamond
- absorption characteristics 45
 - carbon phase diagram 37
 - diamond optics 118
 - fluorescent nanodiamonds 447–451
 - integrated optical structures and microstructures 326, 327
 - laser micro- and nanoprocessing of diamond materials 385
 - n-type doping 188, 192–193
 - nitrogen-vacancy color centers 159, 160, 166, 167
 - nonoptical wavelength absorption 48
 - polishing and shaping 80, 82
 - Raman lasers 242, 271
 - strain-induced birefringence 50
 - surface doping 215, 216, 219, 220, 226, 228, 229
- high-resolution magnetometry 165
- high-resolution transmission electron microscopy (HRTEM) 455–457
- hole accumulation layers 212
- homoepitaxial diamond junction devices 177–179, 188, 192, 194, 203, 204
- hot filament chemical vapor deposition (HFCVD) 122
- hot metal polishing 97
- HPHT, *see* high-pressure, high-temperature
- HRTEM, *see* high-resolution transmission electron microscopy
- hydrogen bonded surface 82
- hydrogenated nanodiamonds 225, 226, 230, 231, 235, 236
- i*
- ICP, *see* inductively coupled plasma
- in vivo* imaging 459, 460, 465–468
- inclusions 143
- inductively coupled plasma (ICP) etching
- diamond optics 122–124, 129, 130, 136
 - integrated optical structures and microstructures 327, 331
 - n-type doping 191
 - polishing and shaping 101
 - thermal management using diamond 370
- infrared (IR) absorption 3–11, 44–47, 201
- infrared (IR) spectroscopy 61, 62
- infrared (IR) transmission
- diamond optics 110, 111, 135
 - Raman lasers 264, 265
 - transmission spectra 2
- infrared lattice absorption, *see* lattice absorption
- InGaAs-based devices 364
- integrated optical structures and microstructures 311–351
- applications of fluorescent diamond devices 311–318
 - design of diamond-based optical structures 319–321
 - fabrication techniques 323–327
 - hybrid approaches 338–340
 - lift-off/out methods 322–324, 328, 329
 - microcavities 319, 320, 333–335
 - nanobeams 333
 - nanomanipulation of nanodiamond 338–340
 - nanopillars 332, 333
 - nitrogen-vacancy color centers 311–318
 - optical properties of diamond 318, 319
 - optical waveguiding in single-crystal diamond 327–330
 - polycrystalline thin films 335–338
 - quantum information processing 311, 315–318
 - quantum key distribution 311, 313–316
 - ring resonators 334, 335, 337
 - sensing 311–313
 - single-photon generation 311, 313–316, 342
 - single-crystal diamond 311, 318, 319, 321–335
 - solid immersion lenses 330, 331
 - surface emission 330–333
 - thin and ultra-thin single-crystal diamond films 322, 323
 - two-dimensional photonic crystals 333, 334
- interferometry 407–410, 429
- intersystem crossing (ISC) 278
- intervalley scattering 185
- intracavity heat spreaders 56, 355–360, 363–368, 371–374, 377
- intracavity Raman lasers 245, 261, 262, 269, 270
- intrinsic defects 144, 145
- inverse *bremstrahlung* process 388, 389
- ion beam-assisted etching 126, 128
- ion implantation
- integrated optical structures and microstructures 330

– laser micro- and nanoprocessing of diamond materials 426–428
 – nitrogen-vacancy color centers 162, 163
 IR, *see* infrared
 iron films 97
 irradiative NV center formation 162
 ISC, *see* intersystem crossing
 isochronous cyclotron 220
 isotopic content of diamond
 – CVD diamond 49
 – lattice absorption 9–11
 – quantum optical diamond technologies 281, 286
 – Raman scattering 23, 24
 – UV edge absorption 13
I–*V*, *see* current–voltage

j

Jahn–Teller effect 151, 152
 joint-density-of-states (JDS) calculations 5,
 7
J–*V*, *see* current density–voltage

k

Kerr effect 409, 410
 Klaus and Strawson’s stereogram 78, 79
 Klemens model 22, 23
 Kramers–Kronig analysis 27, 29
 KrF lasers 391, 392, 394, 395, 397,
 403–405, 424, 425, 427, 429, 432

l

lanthanum–nickel eutectic alloys 97
 larmor precession frequency 290, 291
 laser ablation 394–410
 – chemical etching 394, 404
 – diamond laser processing techniques 421–424
 – diamond optics 119, 121, 123
 – nanoablation 394, 402–406
 – photoionization of diamond 406–410
 – vaporization ablation 394–402
 laser damage threshold 240, 256, 257
 laser etching
 – diamond optics 119, 125, 126
 – laser micro- and nanoprocessing of diamond materials 427
 – nanoablation 402–406
 – ultraviolet 2-photon etching 266, 267
 laser micro- and nanoprocessing of diamond materials 385–443
 – bulk graphitization of diamond 410–419,
 424

– chemical etching 391, 392, 394, 404, 424,
 429–431
 – diamond laser processing techniques 419–437
 – diamond optics 431–437
 – formation of conductive structures in diamond 424–428
 – graphitization waves 412–414, 424
 – laser ablation 394–410, 421–424
 – laser polishing 420–424
 – nanoablation 394, 402–406
 – photoionization of diamond 406–410
 – surface graphitization 388–395, 404, 405,
 410, 411, 424, 425
 – surface structuring 428–431
 – thermomechanical and optical properties of diamond 386–388
 – three-dimensional laser writing in diamond 414–419, 424–426, 435–437
 – threshold conditions for bulk/surface graphitization 410–412
 – vaporization ablation 394–402, 429–431
 lattice absorption 2–11
 – CVD diamond 44–47
 – isotopic content of diamond 9–11
 – laser micro- and nanoprocessing of diamond materials 388, 389
 – temperature dependence 8, 9
 – two-phonon region 4–7
 Laue geometry 76–78, 80
 LEDs, *see* light-emitting diodes
 lenses
 – integrated optical structures and microstructures 327, 330
 – laser micro- and nanoprocessing of diamond materials 431–435
 – refractive optics 112–118, 120, 121, 136, 137
 – *see also* microlenses; solid immersion lenses
 life sciences applications
 – diamond optics 136, 137
 – fluorescent nanodiamonds 445–471
 – n-type doping 200, 205
 – nitrogen-vacancy color centers 164, 165
 – quantum optical diamond technologies 277
 – surface doping 215, 219, 228, 232–235
 lift-off/out methods 322–324, 328, 329
 light-emitting diodes (LEDs)
 – diamond heat spreaders 375
 – diamond LEDs 187–205, 376

- monolithic structures and GaN epitaxy on diamond 376
- n-type doping 187–202
- thermal management using diamond 353, 354, 375, 376
- linear defects 144
- linear optics, *see* diamond optics
- linear variable displacement transducers (LVDT) 80, 81
- lithium iodate Raman lasers 240, 241, 246, 247
- lonsdaleite** 85
- luminescence**
 - laser micro- and nanoprocessing of diamond materials 414, 415
 - nitrogen-vacancy color centers 166
 - surface doping 210, 216–218, 222–236
 - *see also* photoluminescence
- LVDT**, *see* linear variable displacement transducers

- m**
- magnetic sensing 143, 149, 165
- magneto-fluorescent spin markers 467
- magnetometry 311–313
- manganese powders 97
- mechanical lapping 126
- metallization of diamond 426, 427
- microcavities 319, 320, 333–335
- micro-crack features, *see* black spot
 - microfeatures
- microelectronics 111, 112, 114
- microinjection 467, 468
- microlenses
 - integrated optical structures and microstructures 327
 - refractive optics, fabrication 114–118
 - thermal management using diamond 369
- micromachining 126, 128–132
- microstructures
 - laser micro- and nanoprocessing of diamond materials 435–437
 - polishing and shaping 74, 83, 84
 - ultraviolet 2-photon etching 266, 267
 - *see also* integrated optical structures and microstructures
- microtexturing 128
- microtrons 220
- microwave plasma chemical vapor deposition (MPCVD)
 - fundamentals of growth 37, 38
 - n-type doping 180, 185
- microwave plasma torch technique 167
- microwave transmission 2, 48, 49, 61
- missile domes 8, 61, 111, 112
- molecular dynamics simulations 92, 93
- Monte Carlo simulations 449, 457, 458
- moth eye structures 122
- MPCVD, *see* microwave plasma chemical vapor deposition
- multiphonon absorption, *see* lattice absorption

- n**
- n-type doping 177–208
 - chemical vapor deposition of diamond thin films 177–182, 185, 190
 - current theory and future directions 202–205
 - deep-UV LEDs 187–202, 205
 - electrical properties of diamond pn junctions 185–187
 - electrical properties of n-type diamond 182–185
 - homoepitaxial diamond junction devices 177–179, 188, 192, 194, 203, 204
 - i-layer thickness 197–200
 - light-emission mechanisms 200–202
 - nitrogen-vacancy color centers 143
 - pin junction LEDs 188, 192–200, 203, 204
 - pn junction LEDs 188–192, 202–204
 - surface doping 209
- nanoablation 394, 402–406, 428
 - *see also* ultraviolet 2-photon etching
- nanobeams 333
- nanocantilevers 326
- nanocrystalline (NC) diamond films
 - integrated optical structures and microstructures 321, 336, 337
 - laser micro- and nanoprocessing of diamond materials 392, 397, 398, 402, 403
- nanodiamond
 - integrated optical structures and microstructures 318, 319, 338–340
 - nanomanipulation of 338–340
 - nitrogen-vacancy color centers 144, 159–161, 165–169
 - surface doping 214, 219–236
 - *see also* fluorescent nanodiamonds
- nanogrooving 82–91
- nanoimprint lithography (NIL) 132, 136
- nanomechanical oscillators 305
- nanopillars 132, 332, 333

- natural diamond
 - absorption characteristics 45
 - carbon phase diagram 37
 - diamond optics 110, 111
 - high technology applications 35
 - laser micro- and nanoprocessing of diamond materials 385
 - nitrogen-vacancy color centers 143, 144
 - quantum optical diamond technologies 286
- NC, *see* nanocrystalline
- Nd:YAG lasers
 - design and performance of Raman lasers 239, 253–256, 261, 263
 - laser micro- and nanoprocessing of diamond materials 386, 394, 406, 429, 430
 - thermal management using diamond 354, 356–360, 370–373, 377, 378
- Nd:YAP lasers 394
- Nd:YVO₄ lasers
 - design and performance of Raman lasers 261, 262, 265, 266, 271
 - thermal management using diamond 354, 355, 372
- Nd-doped lasers 239–241, 261, 268, 269
- NEA, *see* negative electron affinity
- near-edge X-ray absorption fine-structure (NEXAFS) spectroscopy 266, 267, 391
- near-infrared (NIR) absorption 360
- negative electron affinity (NEA) 202, 203
- neutron scattering 5
- NEXAFS, *see* near-edge X-ray absorption fine-structure
- nickel encapsulation 426
- NIL, *see* nanoimprint lithography
- NIR, *see* near-infrared
- nitrogen-doping
 - laser micro- and nanoprocessing of diamond materials 405, 406
 - n-type doping 177, 181, 182, 185
 - Raman linewidth 21
 - *see also* nitrogen-vacancy color centers
- nitrogen-vacancy color centers 143–175
 - A-centers 145–147
 - applications 163–168
 - B-centers 145–147
 - bus qubits 279
 - C-centers 145–147
 - charge state of NV centers 150–152
 - classification of defects in diamond 144–158
 - controlled ground-state spin transitions 155, 156
 - CVD diamond 159, 160, 163, 166, 167
 - detonation nanodiamonds 159, 161
 - electron spins 281–294, 296–303
 - emission spectra 150
 - energy level scheme for NV centers 152, 153
 - enhancing surface emission 330–333
 - fluorescent nanodiamonds 446–448, 456–458
 - frozen core 292, 293
 - high-pressure, high-temperature synthetic diamond 159, 160, 166, 167
 - high-resolution magnetometry 165
 - integrated optical structures and microstructures 311–318
 - intersystem crossing 278
 - intrinsic and extrinsic defects 144, 145
 - ion implantation 163
 - irradiation 162
 - life sciences applications 165
 - measurement of fluorescence intensity 156, 158
 - nanotechnology applications 165–168
 - nuclear spins 281–303
 - optical and spin properties of NV centers 153–158
 - optically detected magnetic resonance 278, 285, 291–294, 312, 313
 - platelet defects 145, 147
 - polarizability of NV centers 153–156
 - quantum information technology 148, 149, 163, 164
 - quantum optical diamond technologies 278–305
 - relaxation time 156–158
 - spin-selective optical excitations 278
 - surface doping 209–236
 - surface-related effects 167, 168
 - synthetic diamond 159–163, 166
- NMR, *see* nuclear magnetic resonance
- Nomarski microscopy, *see* differential interference contrast microscopy
- nondeterministic QIP protocols 315
- nonlinear refractive index 29
- nonlocal states 293–303
- nonoptical wavelength absorption 47–49
- nonplanar geometries 101, 102
- nuclear magnetic resonance (NMR) spectroscopy
- quantum optical diamond technologies 286–288, 293, 295
- surface doping 228, 229

- nuclear spins
 - characterization of qubit systems 295, 296
 - dipole-dipole interactions 282, 283, 291–293
 - electron spin decoherence 281, 289–292, 296–303
 - electron spin–nuclear spin interactions 282–293
 - Fermi contact interactions 282, 291–293
 - frozen core 292, 293
 - gyromagnetic ratio 281, 284
 - Hamiltonian operators 282, 283
 - hyperfine interactions 281–289, 291–294, 296
 - isotopes with nuclear spins 281
 - nonlocal states 293–303
 - nuclear spin baths 288–293
 - quantum gates 287, 288, 304, 305
 - Rabi frequency 296, 299, 300
 - Ramsey frequencies 289, 290, 296, 299
 - three-partite entanglement 302, 303
 - two nearest-neighbour ^{13}C nuclear spins 293–295
 - Zeeman splitting 282–284, 289, 291
- nucleation and growth 58
- NV, *see* nitrogen-vacancy

- O**
- ODE, *see* ordinary differential equation
- ODMR, *see* optically detected magnetic resonance
- one-phonon absorption 3
- one-photon excitation (OPE) microscopy 460, 462
- optical absorption spectroscopy 221
- optical coatings, *see* coatings
- optical damage threshold 435
 - *see also* laser damage threshold
- optical microscopy
 - fluorescent nanodiamonds 456, 457, 467, 468
 - integrated optical structures and microstructures 331
 - laser micro- and nanoprocessing of diamond materials 412, 416, 426
- optical properties 1–34
 - *ab initio* calculations 22
 - absorption at wavelengths longer than 5 microns 7, 8
 - Brillioun scattering 25–27
 - critical point phonons 5–7
 - electronic nonlinearity 27–30
- historical background 1, 2
- isotopic content of diamond 9–11, 13, 23, 24
- laser damage threshold 240, 256, 257
- lattice absorption 2, 3–11
- linewidth 20–22
- nonlinear refractive index 29
- Raman gain coefficient 24, 25, 247–254
- Raman scattering 16–24
- refractive index 13–16, 29
- temperature dependence 8, 9, 14–16, 22, 23
- transmission spectra 2–11
- two-phonon absorption 4–7, 29, 30
- UV edge absorption 2, 3, 11–13
- Verdet constant 16
- optical pumping 153, 244, 245, 278
- optically detected magnetic resonance (ODMR) 278, 285, 291–294, 312, 313
- optics, diamond, *see* diamond optics
- ordinary differential equation (ODE) solvers 244
- oxidative etching 454–456
- oxidized nanodiamonds 225, 226, 230, 235, 236

- P**
- p-type doping
- homoepitaxial diamond junction devices 177, 178, 185–193
- nitrogen-vacancy color centers 143
- surface doping 209
- particle induced X-ray emission (PIXE) 181, 182
- particle size analysis 454, 455
- PEI, *see* polyethylenimine
- phonon scattering 185
- phonon wave-vectors 27
- phosphorus-doping
 - homoepitaxial diamond junction devices 177–193, 195, 197
 - surface doping 209
- photochromism 312, 313
- photoconductivity 145
- photoelastic tensor 25, 26
- photoionization of diamond 406–410
- photolithography
 - diamond optics 117, 121, 123
 - integrated optical structures and microstructures 324, 325, 330, 331
 - laser micro- and nanoprocessing of diamond materials 428
 - n-type doping 191

- photoluminescence (PL)
 - fluorescent nanodiamonds 446, 457
 - n-type doping 189, 190
 - surface doping 211, 212, 215–218, 220–233
 - phononics applications 318–320, 333, 334, 336, 342
 - photoresist 114–118, 330, 331
 - photostability 451–453, 456, 465
 - photothermal ionization spectroscopy 201
 - pin junction LEDs 188, 192–200, 203, 204
 - PIXE, *see* particle induced X-ray emission
 - PL, *see* photoluminescence
 - planar slab waveguides 321, 322
 - plasma etching
 - integrated optical structures and microstructures 323, 337
 - refractive and diffractive optics 113–115, 117, 122–124, 128–130
 - trenching 130
 - *see also* inductively coupled plasma etching; reactive ion etching
 - plastic deformation
 - nitrogen-vacancy color centers 143
 - polishing and shaping 71, 83, 90, 91
 - thermal management using diamond 354
 - platelet defects 145, 147
 - pn junctions
 - homoepitaxial diamond junction devices 185–187, 188–192, 202–204
 - surface doping 209, 210
 - point defects 44, 45, 144
 - Poisson equation 214
 - polarizability 17, 18, 153–156, 248, 250–253
 - polishing and shaping
 - *ab initio* calculations 91
 - apparatus and preparation 74, 75, 84–88
 - atmosphere dependence 88, 96
 - chemical-mechanical planarization 97–98
 - diamond optics 113, 118, 126–128
 - directional dependence of polishing 75–79, 83, 84, 88, 91
 - dry chemical etching 99–101
 - high-quality planar surfaces 98–101
 - hot metal polishing 97
 - laser polishing 420–424
 - nanogrooving 82–91
 - nonplanar and structured geometries 101, 102
 - post-mechanical polishing treatment 99
 - shaping techniques 73, 98, 99
 - single-crystal diamond 71–107
 - sliding diamond against other materials 95
 - subsurface damage 84
 - surface characteristics 82–84
 - thermally induced wear 90, 97
 - tribological behavior of diamond 92–95
 - triboluminescence 88, 89, 102, 103
 - velocity dependence 79–81
 - polycrystalline diamond
 - absorption 45–49
 - applications 35, 36, 60, 61
 - diamond optics 111, 117, 118, 123, 131, 132, 134
 - fracture strength 57, 58
 - integrated optical structures and microstructures 318, 319, 335–338, 341, 342
 - laser micro- and nanoprocessing of diamond materials 386, 387, 389–394, 397, 398, 406, 407, 420–424
 - morphology and texture 42, 43
 - n-type doping 177, 178
 - polishing and shaping 97
 - principles of diamond growth 38–41
 - scattering and depolarization losses 52–54
 - thermal conductivity 54, 55
 - thermal management using diamond 360, 376, 377
 - thin films 335–338
 - polyethylenimine (PEI) 233–235
 - polymer coating 113–115
 - post-mechanical polishing treatment 99
 - potassium gadolinium tungstate 247, 249, 250, 253, 254
 - prisms 118
 - proteins, fluorescent 446
 - Purcell regimes 314, 315
- q**
- Q factor 313, 314, 317, 319, 320, 334, 337, 342
 - QD, *see* quantum dots
 - QIP, *see* quantum information processing
 - QKD, *see* quantum key distribution
 - quantum cascade lasers 264, 265
 - quantum computing applications 235, 236
 - quantum conversion efficiency 259, 260
 - quantum cryptography 164
 - quantum dots (QD) 304, 445, 452, 453, 465
 - quantum gates 304, 305
 - CNOT gates 281, 282, 288, 295–297
 - CROT gates 287, 288, 295, 298

- Hadamard gates 297, 298
- Toffoli gates 281, 282, 296
- quantum information processing (QIP)
 - integrated optical structures and microstructures 311, 315–318
 - nitrogen-vacancy color centers 148, 149, 163, 164, 278, 280
 - surface doping 215
- quantum key distribution (QKD) 311, 313–316
- quantum mechanical calculations 16, 17, 91
- quantum optical diamond technologies 277–310
 - *ab initio* calculations 285, 286
 - characterization of qubit systems 295, 296
 - dipole-dipole interactions 282, 283, 291–293
 - electron spin decoherence 277, 281, 289–292, 296–303
 - electron spin–nuclear spin interactions 282–293
 - Hamiltonian operator 282, 283
 - isotopes with nuclear spins 281
 - nitrogen-vacancy color centers 164, 278, 279–305
 - nonlocal states 293–303
 - nuclear spin bath 288–293
 - partial transpose 300, 301
 - quantum gates 281, 282, 287, 288, 304, 305
 - quantum state tomography 298–300
 - qubits 279–305
 - single quantum systems 277
 - three-partite entanglement 302, 303
 - two nearest-neighbor ^{13}C nuclear spins 293–295
- quantum standards 311, 313–316
- quarter-wave antireflection coatings 133
- qubits 164, 279–305

- r**
- Raman frequency 16
 - isotopic dependence 23, 24
 - temperature dependence 22
- Raman gain coefficient 24, 25, 247–254, 377
 - comparison with other materials 247, 248
 - linewidth dependence 253, 254
 - polarization dependence 250–252
- Raman lasers 239–276
 - deep ultraviolet generation 265–267
 - design and modeling 245, 246
- development of diamond Raman lasers 258–263
- extending capability using diamond 264–270
- external cavity design 240, 258–261, 269, 270
- finite difference calculation 244
- future directions 270, 271
- gain coefficient 244, 245, 247–254, 377
- high average power 267–270, 271
- historical context 239–242
- integrated optical structures and microstructures 318
- intracavity design 245, 261, 262, 269, 270
- laser damage thresholds 256, 257
- linewidth dependence 253, 254
- long-wavelength generation 264, 265
- optical, thermal and physical properties of diamond 246–258
- polarizability 250–253
- principles 242–246
- stimulated Raman scattering 239, 241, 242, 243–245, 248, 249, 263
- synchronously pumped mode-locked lasers 262, 263
- target wavelengths for applications 239, 240
- thermal lens strength 255
- thermal management using diamond 356, 357, 377
- thermal properties 254–256, 268
- thermal stress fracture 256
- thermally induced stress birefringence 255, 256, 268
- Raman mapping 468
- Raman scattering 16–24
 - isotopic content of diamond 23, 24
 - linewidth 20–22
 - second-order Raman scattering 5
 - stimulated 24, 25
 - temperature dependence 22, 23
 - wavelength dependence 20, 21
- Raman spectroscopy
 - laser micro- and nanoprocessing of diamond materials 390–392, 410
 - polishing and shaping 82, 85, 86, 89, 92
 - surface doping 217, 218, 221, 222, 226
- Raman tensors 17, 18
- RBS, *see* Rutherford backscattering
- reactive ion etching (RIE)
 - integrated optical structures and microstructures 326, 327, 330, 337
- n-type doping 186

- surface processing of diamond optics 126, 128, 129
- reciprocal polishing 85–88, 90
- red fluorescence 446–454
- reflection electron microscopy 82
- refractive index 13–16
- CVD diamond 54
- diamond optics 110, 113
- integrated optical structures and microstructures 319, 320
- laser micro- and nanoprocessing of diamond materials 409, 410, 435
- nonlinear 29
- temperature dependence 14–16
- refractive optics 109, 112–119
- lenses 112–118, 136, 137
- novel devices 118, 119
- prisms 118
- refractory carbides 39, 40, 56
- relaxation time 156–158
- remote sensing applications
 - diamond optics 133
 - quantum optical diamond technologies 304, 305
 - Raman lasers 260, 264, 265
- rheological properties
 - fracture strength 56–59, 87
 - laser micro- and nanoprocessing of diamond materials 385
 - polishing and shaping 71, 83, 87, 90, 91
 - thermal management using diamond 354, 369–371
- ridge waveguides 370
- RIE, *see* reactive ion etching
- ring resonators 334, 335, 337
- ring-shaped lenses 117
- RNA grafting 233, 234
- Rutherford backscattering (RBS) analysis 181, 182

- s**
- sapphire 54, 61, 358, *see also* titanium-doped sapphire lasers
- sawing diamond 73
- SBD, *see* Schottky barrier diodes
- scaife plates 74, 75, 84–88
- scanning confocal microscopy
 - fluorescent nanodiamonds 451, 462–464
 - integrated optical structures and microstructures 339, 340
- scanning electron microscopy (SEM) 41
 - diamond optics 115, 116, 122–125, 136
 - integrated optical structures and microstructures 324–326, 331, 335, 339–341
 - laser micro- and nanoprocessing of diamond materials 421, 422
 - n-type doping 178, 179
 - polishing and shaping 82
- scanning near-field optical microscopy (SNOM) 339
- scanning probe microscopy 82
- scatter 52–54, 270
- scattering efficiency
 - Brillouin 26
 - Raman 18, 19
- SCD, *see* single-crystal diamond
- Schottky barrier diodes (SBD) 202, 203
- Schottky-pn diodes (SPND) 202, 203
- secondary ion mass spectrometry (SIMS)
 - integrated optical structures and microstructures 333
 - n-type doping 181, 182, 192, 193
- secular approximation 283–285
- self-focusing of laser beams 27, 414, 415
- self-interstitial carbon 144
- self-Raman lasers 261
- Sellmeier formula 14
- SEM, *see* scanning electron microscopy
- semiconducting characteristics, *see* n-type doping; nitrogen-vacancy color centers; p-type doping; surface doping
- semiconductor disk lasers
 - basic principles 360–362
 - future directions 368, 369
 - intracavity and extracavity applications of diamond 363–368
 - quantum well 363
 - strategies for thermal management 362–368
 - thermal management using diamond 353–356, 360–369
 - wavelength diversity 367, 368
- sensing 311–313, *see also* remote sensing
- shaping techniques 73, 98, 99, *see also* polishing and shaping
- Shockley–Read–Hall-type recombination 201
- shuffle set 145
- signal-to-noise ratio (SNR) 451
- SIL, *see* solid immersion lenses
- silicon oxide 133
- silicon Raman lasers 246–247, 250
- silicon wafers 318
- silicone oil 87
- silver–diamond composites 375

- SIMS, *see* secondary ion mass spectrometry
single-crystal diamond (SCD)
– applications 35, 36, 61–63
– diamond optics 111, 117, 118, 132, 134
– fabrication techniques 323–327,
 339–342
– fracture strength 57
– integrated optical structures and
 microstructures 311, 318, 319, 321–335,
 339–342
– laser micro- and nanoprocessing of
 diamond materials 385, 386, 391,
 409–411
– lift-off/out methods 322–324, 328–329
– microcavities 333–335
– morphology and texture 42, 43
– optical waveguiding 327–330
– polishing and shaping 71–107
– principles of diamond growth 38, 39
– Raman lasers 242
– scattering and depolarization losses
 52–54
– strain-induced birefringence 49–52
– surface doping 214–218, 221, 223–226
– surface emission 330–333
– thermal management using diamond
 356, 360, 376
single particle tracking 464–465
single-photon generation 311, 313–316,
 342
single-point diamond turning tools 119
single quantum systems 277
sintered diamond materials 75, 87
slab lasers 355
slot waveguides 317, 318
slow speed diamond–diamond sliding
 92–95
SNOM, *see* scanning near-field optical
 microscopy
SNR, *see* signal-to-noise ratio
solid immersion lenses (SIL) 61, 62, 330,
 331
solid-state quantum technologies 164
spin-flip relaxation time 156–158
spin-selective optical excitations 278
spin-spin relaxation time 157, 158
SPND, *see* Schottky-pn diodes
SRS, *see* stimulated Raman scattering
steady-state Raman gain coefficient, *see*
 Raman gain coefficient
STED, *see* stimulated emission depletion
sterilization applications 200, 205
stimulated emission depletion (STED)
 microscopy 463, 464
stimulated Raman scattering (SRS)
– gain coefficient 24, 25, 247–254
– Raman lasers 239, 241, 242, 243–245,
 248, 249, 263
strain-induced birefringence 49–52
strength characteristics 56–59, 87, 110,
 111, 354
stress fracture 256
structured geometries 101, 102
sub-mounts for lasers 355, 363, 367,
 369–371
subsurface damage 84
subwavelength gratings 122–124
sulfur-doping 178
super-resolution fluorescence microscopy
 445, 463, 464
surface doping 209–238
– annealing techniques for formation of NV
 centers 220, 221, 223–225
– band bending model 210, 212–216, 225
– creation of GR1 vs. ND1 vacancies 220,
 221, 223
– depth of NV centers 216, 217
– fluorescent nanodiamonds 220, 228,
 231–235
– fluorinated nanodiamonds 228, 229, 235,
 236
– formation of variously charged NV centers
 217–222
– interactions with charged polymers
 231–235
– introduction of vacancies to diamond
 lattice 220–222
– irradiation strategies 220–222
– nitrogen-vacancy color centers 209–236
– photoluminescence 211, 212, 215–218,
 220–222
– quenching of NV-luminescence 226–228
– size dependence of NV luminescence
 229–231
– surface functional changes on
 luminescence 216–218
– surface and size effects 228–231
– theoretical considerations 212
– transfection monitoring by nanodiamond
 carriers 232–235
– transfer doping 210, 212, 225–236
surface finishing 110, 113–115, 117, 122,
 123, 128
surface graphitization of diamond 388–394
– diamond laser processing techniques
 424, 425
– experimental data 389–394
– laser ablation 395, 404, 405

- mechanisms 388, 389
- threshold conditions 410, 411
- surface-related effects of NV color centers 168
- surface structuring 428–431
- surface topologies 112
- synchronously pumped mode-locked lasers 262, 263

- t**
- TEM, *see* transmission electron microscopy
- temperature dependent properties
 - lattice absorption 8, 9
 - n-type doping 183–185
 - Raman lasers 254–256
 - Raman scattering 22, 23
 - refractive index 14–16
 - UV edge absorption 12, 13
- tensile strength 354
- terahertz windows 48
- texture evolution 42, 43
- thermal annealing 396
- thermal conductivity
 - CVD diamond 54, 55, 62, 63
 - diamond optics 110
 - laser micro- and nanoprocessing of diamond materials 385–387
 - polishing and shaping 71
 - Raman lasers 268
 - thermal management using diamond 354, 365–367
- thermal expansion 80, 246–247, 255, 256, 268, 354
- thermal lens strength 255
- thermal lensing 254, 255, 269, 353, 354
- thermal management using diamond 353–384
 - advantages of diamond 354
 - diamond LEDs 376
 - diamond sub-mounts for lasers 355, 363, 367, 369–371
 - direct exploitation of diamond for laser gain 356, 357, 377, 378
 - doped-dielectric disk lasers 353–355, 360, 361, 369–374, 377
 - exploiting extreme properties of diamond 357–360
 - extracavity applications of diamond 357–360, 363–367
 - future directions 368, 369, 374, 376–378
 - intracavity applications of diamond 355, 356, 357–360, 363–368, 371–374, 377
 - lasers 353–374
 - light-emitting diodes 353, 354, 375, 376
- material requirements for intracavity applications 360
- monolithic structures and GaN epitaxy on diamond 376
- requirement for 353, 354
- semiconductor disk lasers 353–356, 360–369
- thermal conductivity and rigidity 354
- thinned device approach 355, 362–363, 365–370, 372–374
- wavelength diversity 367–368
- thermal resistance 55, 56, 60, 61
- thermal stress fracture 256
- thermally induced stress birefringence 255, 256, 268
- thermomechanical polishing 126
- thermo-optic coefficients
 - comparison with other crystals 247
 - diamond 15, 16, 254, 255, 354
- thinned device approach 355, 362, 363, 365–370, 372–374
- thorium fluoride 133
- three-dimensional laser writing in diamond 414–419, 424–426, 435–437
- three-partite entanglement 302, 303
- time-resolved confocal imaging 462, 463
- TIR, *see* total internal reflection
- titanium-doped sapphire lasers 353, 354, 356, 394
- Tm-doped lasers 239–240
- TO, *see* transverse optical
- Toffoli gates 281, 282, 296
- total internal reflection (TIR) 319, 328
- TPE, *see* two-photon excited
- transfection monitoring 232–235
- transfer doping 210, 212, 225–236
 - fluorescent nanodiamonds 220, 228, 231–235
 - fluorinated nanodiamonds 228, 229, 235–236
 - interactions with charged polymers 231–235
 - quenching of NV-luminescence 226–228
 - size dependence of NV luminescence 229–231
 - surface and size effects 228–231
 - transfection monitoring by nanodiamond carriers 232–235
 - variously terminated nanodiamonds 225–236
- transient photoconductivity technique 406, 407
- transition metal oxide Raman lasers 240, 241, 246, 247, 249, 250, 260

- transmission
 - diamond optics 110, 111, 135
 - infrared Raman lasers 264, 265
 - lattice absorption 2, 3–11
 - transmission spectra 2, 3
 - UV edge absorption 2, 3, 11–13
- transmission electron microscopy (TEM)
 - fluorescent nanodiamonds 454–457
 - integrated optical structures and microstructures 322, 323, 325
 - laser micro- and nanoprocessing of diamond materials 391
 - polishing and shaping 82
- transverse optical (TO) phonons 188
- transverse relaxation time 157, 158
- tribological behavior of diamond 92–95
- triboluminescence 88, 89, 102, 103
- TRIM simulations 215, 217
- trying rings 75, 76
- tungsten carbide 95
- twinned crystal 49, 50
- two-dimensional photonic crystals 333, 334, 337
- two-phonon absorption 4–7
- two-photon absorption 29, 30
- two-photon excited (TPE) fluorescence imaging 460–462
- two-photon UV laser etching 119, 125, 266, 267
 - *see also* nanoablation
- u**
 - ultrafast coherent phonon spectroscopy 21
 - ultra-nanocrystalline diamond (UNCD) films
 - integrated optical structures and microstructures 318, 319, 326, 336
 - laser micro- and nanoprocessing of diamond materials 386–387
 - ultraviolet 2-photon etching 119, 266, 267
 - *see also* nanoablation
 - UNCD, *see* ultra-nanocrystalline
 - up-conversion fluorescent phosphors 445
 - UV edge absorption 2, 3, 11–13
 - UV-visible absorption spectra 45, 46
- v**
 - vacancies, *see* nitrogen-vacancy color centers; surface doping
- van der Drift model 40, 41
- vaporization ablation 394, 395–402, 429–431
- VECSEL, *see* vertical-external cavity surface emitting lasers
- Verdet constant 16
- vertical-external cavity surface emitting lasers (VECSEL) 262
- w**
 - Wallner lines 99
- wavefront aberrations 112
- waveguides, *see* integrated optical structures and microstructures
- wavelength division multiplexing 62
- wear anisotropy 75–77, 79, 89, 94
- wear debris 80, 81, 89, 90, 92, 94
- Weibull modulus 57, 58
- whispering gallery mode (WGM) 337
- windows 110–112, 135
- x**
 - X-ray absorption 47, 48
 - X-ray diffraction 76, 77, 80, 81
 - X-ray reflectivity 135
 - X-ray topography 50, 52
- y**
 - Yb:KYW lasers 373, 374
 - Yb:YAG lasers 370–373
 - Yb-doped lasers 239–240
 - Young's modulus 56, 57, 354
- z**
 - Z-scan technique 27, 28
 - zeoten 83, 99
 - zero phonon line (ZPL)
 - fluorescent nanodiamonds 447, 451, 456, 457
 - integrated optical structures and microstructures 312, 314, 315, 334, 336
 - nitrogen-vacancy color centers 151–153
 - surface doping 211, 217, 225, 226, 230
 - zinc selenide 54, 60, 431
 - zinc sulfide 133
 - zone center phonons 17, 21, 24
 - ZPL, *see* zero phonon line