

## Index

### **a**

*Abrikosov, A. A.*, 23, 25, 159, 212, 246, 249, 260, 264  
*Abrikosov vortex*, *see* flux line  
*ac Josephson current*, *see* Josephson effect  
*ALMA* 435  
*Ambedekar Baratoff relation* 323  
*amorphous superconductor* 82, 156ff  
*Andreev bound states* 334f  
*Andreev reflection* 331f  
*antenna, superconducting* 424, 431f, 435ff, 438, 462  
*antidot* 27, 300, 305ff  
*APF* 447  
*ARPES* 174ff  
*A15 structure*, *see*  $\beta$  tungsten structure

### **b**

$(\text{Ba}, \text{K})\text{BiO}_3$  103  
*Bardine, J.* 4, 45, 76, 118, 130, 207, 414  
*BCS coherence length* 123  
– dependence on mean free path 220  
*BCS theory* 4, 45, 76, 117, 124ff  
*Bean Livingston barrier* 300  
*Bean model* 306ff  
*bearing, superconducting* 389, 400f  
*Bednorz, J. G.* 5  
*BEDT-TTF compounds* 108f  
*Berezinskii-Kosterlitz-Thouless Transition* 267f  
 $\beta$  tungsten structure 83ff  
*Bi2212*, *see*  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$   
*bias reversal* 447  
*bismuthates* 103ff  
 *$\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$*  6, 54f, 97ff  
*Bitter magnet* 375  
*Bohr, N.* 17  
*Boltzmann's constant* 16

*boron carbides* 91f  
*Bose Einstein Condensation* 5  
*Bose glas* 303  
*Bragg glas* 303f  
*BSCCO*, *see*  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$   
*bubble chamber* 379, 381

### **c**

*cable*  
– superconducting 375ff  
– twist 386  
*cable in conduit* 381  
*calorimeter* 428f  
*canonical momentum* 34  
*cartwheel SQUID*, *see* multiloop SQUID magnetometer  
*characteristic frequency* 340  
*characteristic voltage* 340  
*chemical shift* 390  
*Chevrel phases* 89f  
*Circuit QED* 366ff  
*Clogston-Chandrasekhar limit* 256  
*coherence length*, *see also* BCS coherence length and Ginzburg Landau coherence length  
– BCS 123  
– Ginzburg Landau 41, 44  
*coherent matter wave*, *see* matter wave  
*columnar defect* 299, 303  
*computer tomography* 455  
*condensation energy* 45, 102, 126, 238f, 246, 259, 265, 267, 297  
*conventional superconductivity* 76ff, 117ff  
*Cooper, L. N.* 4,  
*Cooper pair* 7, 35f, 117ff  
– collective pair function 45, 124ff  
– pair density and energy gap 45, 57, 128ff, 133ff

- Cooper pair box 360f
  - Cooper pairing
    - anisotropy effect 151
    - early models 117f
    - effect of lattice deformations 150ff
    - effect of paramagnetic ions 157ff
    - valence effect 152f
    - via antiferromagnetic spin fluctuations 172
    - via electron phonon interaction 117ff, 131f
    - via magnetic excitons 188ff
  - Coulomb blockade 358ff
  - Coulomb staircase 359
  - CRESST 428
  - critical current 8, 283ff
    - depinning 296ff
    - grain boundary Josephson junction 316
    - Josephson junction 48, 55, 67f
    - pair breaking 283ff
    - Silsbee Rule 286f
    - SIS Josephson junction 323f
    - SNS Josephson junction 332f
    - SQUID 63ff
    - type I superconductor 285ff
    - type II superconductor 291ff
  - critical current density, thin plate 286
  - critical field, thermodynamic 213, 220
  - critical magnetic field 23
  - critical magnetic field, thin plate 230ff
  - critical state 306f
  - critical temperature 4, 7
    - BCS formula 129
    - McMillan formula 132
  - cuprates
    - antiferromagnetic state 170
    - discovery 5
    - heat capacity 173
    - magnetic penetration depth 173
    - material properties 96ff
    - phase sensitive measurements of pair wave function 177ff
    - pseudo gap 176ff
    - quasiparticle density of states 173ff
    - spin lattice relaxation rate 173
  - current limiting devices 406ff
  - current voltage characteristic
    - intrinsic Josephson junction 326f
    - Josephson junction under microwave irradiation 342ff
    - Josephson tunnel junction 325f
    - NbTi 311
    - Pb-In 313
    - RCSJ model 341ff
    - SFS junction 335ff
    - SIS tunnel junction 142
  - SNS junction 333
  - subharmonic structures 334
- d**
- dc SQUIDs 27f, 63ff, 69f, 182f, 264, 300, 440ff; *see also* SQUIDs
  - de Broglie, L.* 18
  - de Broglie relation* 18, 34
  - decay length 53, 138, 267, 328ff
  - decoration 24f
  - Debye frequency 79, 125
  - Debye temperature 79
  - demagnetization factor 222, 232, 233, 236, 246, 248, 258f, 288
  - density of states 19, 85, 92, 126ff, 138ff, 145ff, 161ff, 166, 173ff, 189, 192, 206, 229, 258, 439
  - detectivity 427
  - diamagnetism, effect of fluctuations 271
  - dichalcogenides 95ff
  - digital electronics 463ff
  - directly coupled magnetometer 444
  - d* orbitals 163ff
  - Drude, P.* 16
  - d* vector 169, 191
  - d* wave superconductivity 76ff
- e**
- EDX spectrometer 429
  - EEG 455
  - Einstein, A.* 2, 5, 164, 174
  - electrical resistance, Drude model 16
  - electrical resistance, temperature dependence 1f, 11ff
  - electron gas, *see* free electron gas
  - electron holography 26
  - Eliashberg function 145
  - energy gap 45, 57, 128f, 133ff
    - anisotropy 148
    - infrared absorption 133f
    - tables 135f
    - tunnel experiments 136ff,
  - energy-momentum relation, electrons in periodic potential 19
  - energy resolution 427, 429, 447
  - energy storage, superconducting 317, 389, 398f
  - entropy 202f, 204f, 226ff,
  - ET salts, *see* BEDT-TTF compounds
  - excess current 334, 411
  - exchange interaction 121f, 193, 335
- f**
- Fermi energy 19
  - Fermi function 20

Fermi sphere 19, 44, 125, 166, 194  
*Feynman, R.* 48  
 FFLO state 193f, 256, 335  
 field effect, electric 110ff  
 filter  
   – Chebyshev 422  
   – elliptic 422, 424f  
   – superconducting 420ff  
 fishtail, *see* second peak  
 Fiske steps 56, 351, 356  
 flow resistance 277, 312f  
 fluctuation conductance 268ff  
 flux creep 309f  
 flux flow resistance, *see* flow resistance  
 flux flow step 356  
 flux jumps 303, 376, 378ff  
 flux line lattice 21ff, 28ff, 256ff  
 flux line lattice, melting 260  
 flux lines 11, 15, 23ff, 71, 196, 245 256ff,  
   291ff, 296ff, 378, 385  
   – hopping 300  
   – imaging techniques 25ff  
   – motion, dissipation of energy 292ff  
 flux-locked mode 448  
 flux modulation 446f  
 flux noise 426, 447  
 fluxoid 35  
 fluxoid quantization 35  
 fluxon 68, 183, 264f, 350ff, 437  
 fluxon dynamics 350ff  
 flux quantization 33ff, 41  
   – Doll-Näbauer experiment 30ff  
   – Deaver-Fairbanks experiment 30ff  
 flux quantum 4  
   – half integer 181ff  
 flux transformer 294f, 442f  
 fly-wheels 389, 400f  
 Fraunhofer pattern 67ff, 186, 336  
 free electron gas 16  
 free energy, definition 203  
 free enthalpy, definition 203  
*Fröhlich, H.* 118, 130  
 fullerides 88ff  
 fusion reactor 381, 397ff

***g***

gapless superconductivity 161  
 gauge invariance 53  
 gauge invariant phase difference 47  
 generators, superconducting 401ff  
*Giaever, I.* 56ff, 136, 275f, 294f  
 Gibbs energies 202ff, 304

*Ginzburg, V. L.* 212  
 Ginzburg Landau coherence length 41, 44f,  
   55, 216ff, ,220f,  
   – dependence on mean free path 219f  
 Ginzburg Landau equations 215  
 Ginzburg Landau parameter 217, 220, 249f  
 Ginzburg Landau theory 212ff  
   – free energy 212ff  
 Ginzburg number 259  
 GLAG theory, *see* Ginzburg Landau theory  
 Golay cell 430  
*Gorkov, L. P.* 212  
 gradiometer 448, 450ff  
 grain boundary 54f, 181, 184f, 316, 335, 338,  
   341, 345, 384, 432, 441f, 444, 462  
 grain boundary Josephson junction, *see*  
   Josephson junction

***h***

hard superconductor 29, 226, 283, 288, 296ff  
 heavy fermion superconductors 78  
   – material properties 92f  
   – order parameter symmetry 186ff  
 HEB bolometer 430  
 HEB mixer 435  
 helium, boiling point 1  
 heterodyne receiver 432  
 high field superconductor 252f  
 high temperature superconductor, *see* cuprate  
 Hilbert spectrometer 432  
 holon 164  
 homodyne receiver 432  
 hot electron bolometer, *see* HEB  
 Hubbard model 172f  
 hybrid magnets, *see* magnets  
 hysteresis, magnetization 307f

***i***

IBAD 384  
 $I_c R_n$  Product, SIS junction 323  
 $I_c R_n$ -Produkt, SNS junction 332  
 ideal diamagnetism, *see* Meissner Ochsenfeld  
   Effect  
 inductance parameter 62f, 440  
 induction heater 404  
 intermediate state 212, 231ff,  
 internal energy, definition 203  
 intrinsic Josephson junction, *see* Josephson  
   junctions  
 intrinsic pinning 299f  
 inverse problem, MEG 454  
 iron pnictides 7, 104ff  
 irreversibility line 310

isotope effect 87, 129f  
 – cuprates 170  
 – elements 130  
 – experiments 130ff  
 – fullerides 132  
 –  $\text{MgB}_2$  132

**j**

*Josephson, B. D.* 46f  
 Josephson constant 55, 460  
 Josephson coupling energy 360, 362f, 441  
 Josephson current, *see* Josephson effect  
 Josephson effect 46ff  
 – ac Josephson current 48, 55f  
 – dc Josephson current 48, 65ff  
 Josephson equations 47ff  
 Josephson junctions 47, 53ff, 321ff  
 – bridges 53  
 – Fraunhofer pattern 67  
 – grain boundaries 54, 181ff, 328, 335, 338,  
   341, 345, 432, 441f, 444, 462  
 – intrinsic 54f, 56, 326f, 438  
 – pendulum model 338ff, 346ff  
 – SINIS 54, 462  
 – SIS 53, 322f  
 – SNS 53, 332f, 430, 462  
 – overdamped 340  
 – underdamped 340  
 Josephson mixer 433f  
 Josephson penetration depth 66, 264, 347,  
 352  
 Josephson plasma frequency 343f, 347, 364,  
 461  
 Josephson plasma oscillations 339, 350  
 Josephson plasma waves 348, 350, 352  
 – standing waves 350  
 Josephson vortex, *see* fluxon

**k**

*Kamerlingh-Onnes, H.* 1ff, 11, 22, 130, 240,  
 373  
 Knight shift 164ff, 173, 175, 189, 193  
 Kondo effect 160  
 Kosterlitz Thouless Transition, *see* Berezinskii  
 Kosterlitz Thouless transition

**l**

*Landau, L. D.* 5, 41, 50, 212  
 LaO/STO 111  
 Large Hadron Collider 396  
 laser ablation 299, 316  
 latching logic 464  
 Lawrence Doniach model 263

layered superconductors 78, 94f, 101, 260,  
 262ff,

levitated train 29, 389  
 levitation 13ff, 22, 317, 374

load line 461

local oscillator 433ff,

lock in transition 265

LOFF state, *see* FFLO state

*London, F.* 30, 36, 130

*London, H.* 36

London equations 36, 42

London penetration depth 35, 37ff, 216ff

*Lorentz, H. A.* 16

Lorentz contraction 350, 355

Lorentz microscopy 26ff

lower critical field 23, 40, 246ff

– layered superconductors 264

Low Temperature Scanning Electron

Microscopy 26f

**m**

macroscopic wave function, siehe matter wave

MAGLEV, *see* levitating train

magnetic flux, definition 4

magnetic penetration depth, *see also* London  
 penetration depth

– dependence on mean free path 220

– conventional superconductors 207

– unconventional superconductors 207

magnetic resonance imaging 394ff

magnetization 221ff

– of hard superconductors 301ff

magnetization curve, type II superconductor  
 246

magneto cardiology, *see* MCG

magneto encephalography, *see* MEG

magneto-optics 25ff, 303, 309

magnets 374ff

– coil protection 386f

– current feeding 375, 384

– energy storage 398f

– high temperature superconductor 381ff

– hybrid 380

– levitated trains 405f

– magnetic resonance imaging 394f

– magnetic separation 404f

– motors and generators 401f

– NbTi 380f, 393, 435

–  $\text{Nb}_3\text{Sn}$  380f, 392, 417, 419

– nuclear fusion 397ff

– nuclear magnetic resonance 390ff

– particle accelerators 395ff

– permanent 388ff

- stability 376ff,
- wires 375f
- manometer, superconducting 243
- matching 265, 305f
- matter wave 4f, 18, 20, 33
- coherent 4f, 21, 34, 40, 45ff, 59ff, 76, 117, 126f
- Matthias rule 82
- McCumber parameter, *see* Stewart-McCumber parameter
- MEG 453f
- Meissner, W.* 4, 22
- Meissner effect, paramagnetic 184
- Meissner Ochsenfeld Effect 4, 22ff, 35ff, 191, 201, 221ff
- Meissner phase, *siehe* Meissner state
- Meissner state, stability 224ff
- melt texturing 389
- MgB<sub>2</sub> 86
- micro calorimeter 428f
- mixer 431ff,
- MOD 384
- motors, superconducting 401ff
- MRI, *see* magnetic resonance imaging
- Müller, K. A.* 5
- multiband superconductivity 494f
- multifilament wire 315, 378ff
- multiloop SQUID magnetometer 444f
- multipole filter 422
- muon spin resonance ( $\mu$ SR) 28, 40, 105f, 191, 262f
  
- n**
- NbN 75, 84, 135, 434f
- NbSe<sub>2</sub> 26, 78, 95f, 261
- Nb<sub>3</sub>Sn 8, 76, 85f, 253, 314, 380ff
- NbTi 8, 76, 310, 380, 393
- NDE 457f
- NEP 427, 431
- neutron scattering 24f, 190
- nitrogen, boiling point 6
- NMR, *see* nuclear magnetic resonance
- noise 1/f, 426, 446, *see also* thermal noise
- noise parameter 441
- noise temperature 427
- noise, white 426
- non-destructive evaluation, *see* NDE
- non-equilibrium processes 272ff
- nuclear magnetic resonance 164, 173, 390ff
- Nyquist noise, *see* thermal noise
  
- o**
- Ochsenfeld, R.* 4f, 22
- order parameter, *see* pair wave function
  
- organic superconductors 107ff
- oscillator, superconducting 437ff
  
- p**
- pair breaking 160f
- pair breaking critical current 283ff
- pair wave function
  - *d* symmetry 166ff
  - *s* symmetry 125ff
  - phase sensitive measurements 177ff
  - sub-dominant components 186ff
- Palladium-Hydrogen 87f
- pancake vortex 262
- paramagnetic limit 256
- paramagnetic Meissner effect 184
- parity 78
- particle-wave duality 17f
- Pauli, W.* 19
- Pauli limiting field, *see* paramagnetic limit
- Pauli principle 19
- peak effect 315
- permanent current, *see* persistent current
- persistent current 12ff, 42f
- persistent mode 375, 393
- PET 397, 455
- phase slip center 277
- phase transition, order of 205
- phonon detection 439
- phonon generation 439
- phonons 79
- photo effect 174
- picene 109
- pickup loop 442
- $\pi$  Josephson junction 177ff, 335ff
- pinning 29, 294, 296ff
- pinning center 29, 294, 296ff
- pinning force 29, 298f, 310ff
- Planck, M.* 16
- Planck's constant 18
- pnictide, *see* iron pnictide
- pressure, effect on superconducting state 239ff
- proximity effect 329ff
- pseudo gap 176ff
- powder-in-tube method 383
- p* wave superconductivity 77ff
  
- q**
- quality factor 341, 414, 420ff, 449
- quantum computer 111, 362ff, 467f
- quantum fluctuations 358, 427
- quantum hall effect 374
- quantum interference 45ff
- quantum interference filter, *see* SQIF

- quantum resistance 358
- quantum tunneling, macroscopic 364ff
- quasiparticle 124ff
  - density of states, *s*wave pairing 19, 128
  - density of states, *d*wave pairing 173
  - energy-momentum relation, *p* wave pairing 169
  - energy-momentum relation, *s* wave pairing 125
  - recombination time 274f
- qubit 362ff, 467f
- quench 376
  
- r**
- Rabi oscillations 361ff
- RABiTS 384
- Rapid single flux quantum logic, *see* RSFQ
- RCSJ model 337f
- receiver, integrated 431ff
- recombination time 274f, 439
- reentrant superconductivity 77, 91, 160ff
- relaxation processes 273ff
- resistance, *see* electrical resistance
- resonators
  - particle accelerators 395ff
  - communication technology 420ff
- rf SQUID 365, 448f
- RSFQ 464ff
- RSJ model 338
- return current 324, 341
- Rutgers formula 229
- Ruthenates 103ff
  
- s**
- Sagnac interferometer 46
- scanning tunneling microscopy 28
- Schrieffer, J. R. 4
- Schrödinger equation 18
- screen room, magnetic 451
- second peak 304
- sensitivity, *see* detectivity
- sensors, sensitivity 426f
- Shapiro steps 56, 343ff, 425, 432f, 460ff
- shield, superconducting 389
- Shubnikov phase 23ff, 256ff
- signal-to-noise ratio 427
- Silsbee rule 286f
- Sine Gordon equation 348
- single electron electrometer 359
- single electron transistor 359
- single electron tunneling 358ff
- SINIS junction, *see* Josephson junction
- SIS junction, *see* Josephson junction
- SIS mixer 432ff
- skin effect 414
- skin depth 414
- slew rate 448
- SMES 398ff
- SNS junction, *see* Josephson junction
- soliton 350
- Sommerfeld, A.* 17
- Sommerfeld coefficient 206f, 230
- specific heat 205ff, 228ff
- conventional superconductors 205ff
  - Sn 205ff
  - Rutgers formula 229
  - unconventional superconductors 207f
- spinon 164
- splat cooling 156
- sponge model 245, 302
- SQUID 27, 59ff, 300f, 425, 428, 440ff
- SQUID, applications 454ff
- SQUID magnetometer, designs 440ff
- SQUID magnetometer, readout 444ff
- SQUID microscope 456f
- SQUID multichannel systems 454f
- SQUID susceptometer 454
- SQIF 450
- $\text{Sr}_2\text{RuO}_4$  78, 103ff, 165
  - flux line lattice 189
  - pair wave symmetry 191f
  - 3K phase 189f
- stability parameter (against quench) 377
- Stewart McCumber parameter 341
- superconducting elements 78ff
- superconducting quantum interferometer, *see* SQUID
- superconductivity
  - discovery 2
  - conventional, *see* conventional superconductivity
  - improvement at non-equilibrium 275f
  - unconventional, *see* unconventional superconductivity
- superconductor-ferromagnet interface 335ff
- superconductor, hanging 29
- superconductor, high frequency behavior 413ff
- superconductor-insulator interface 321ff
- superconductor-normal conductor interface 328ff
- superconductor of first kind, *see* type I superconductor
- superconductor of second kind, *see* type II superconductor
- supercooling 251
- superfluidity 5
- surface impedance 219, 414f

surface reactance 414  
 surface resistance 414f  
 $s$  wave superconductivity 76ff  
 Swihart velocity 348

**t**

tapes, superconducting 375ff  
 $\text{TaS}_2$  95f  
 thermal conductivity 209ff  
 thermal noise 341f, 426f, 441f  
 thermal switch 209  
 thermodynamic potentials, *see* Gibbs functions  
 thermodynamics, general relations 201ff  
 thermometer, superconducting 428ff  
 time reversal symmetry 52, 191  
 TMTSF compounds 107ff  
 transformer, superconducting 409ff  
 transition edge thermometer 428  
 transition temperature, *see* critical temperature  
 tricrystals 181ff  
 tunnel diode 434ff  
 tunnel effect 28, 47, 57ff  
 tunnel junction 67, 136ff  

- normal conductor - normal conductor 137ff
- normal conductor - superconductor 140f
- superconductor - superconductor 141ff

 tunneling
 

- direct 322
- via localized states 322
- resonant 322
- incoherent 322
- coherent 322
- spin polarized 440

 tunneling spectroscopy 147ff
 

- cuprates 173ff
- Pd-D 147
- $\text{UPd}_2\text{Al}_3$  188ff

 tunnel resistance 323  
 two-band superconductivity 86, 148, 194f  
 type I superconductors 23, 40
 

- dependence on  $\kappa$  250

 type II superconductors 23, 40
 

- phase diagram 252
- dependence on  $\kappa$  250

**u**

Uemura plot 164  
 UMTS 424  
 uncertainty principle
 

- space-momentum 122
- energy - time 161, 358
- particle number-phase 360

 unconventional superconductivity 76ff, 163ff

$\text{UPd}_2\text{Al}_3$  93f, 187ff  
 upper critical magnetic field 23, 246ff
 

- anisotropic superconductors 254
- cuprates 253f
- layered superconductors 254f
- thin plate 254

 $\text{UPt}_3$  93f, 187ff  
 $\text{URhGe}$  94

**v**

vector potential 34  
 voltage standard 48, 55, 344, 459ff
 

- programmable 463

 vortex, *see* flux line  
 vortex gas 262  
 vortex glass 261, 300, 303  
 vortex liquid 260f, 266ff  
 vortex phases, layered superconductors 261ff  
 vortex structure, layered superconductor 264ff

**w**

wall energy 231  
 washboard potential 339, 357, 363f  
 washer SQUID 441f  
 wave vector 18  
 WDX spectrometer 429  
 Weston cell 460  
 WIMP 428  
 Wohllében effect, *see* paramagnetic Meissner effect

**y**

$\text{Y}123$ , *see*  $\text{YBa}_2\text{Cu}_3\text{O}_7$   
 $\text{YBa}_2\text{Cu}_3\text{O}_7$  97ff  
 $\text{YBCO}$ , *see*  $\text{YBa}_2\text{Cu}_3\text{O}_7$

**z**

zero bias anomaly 335  
 zero field steps 353f

