

Index

a

- above-threshold ionization 93–94, 165, 271
- above-threshold photoemission 45–46, 155, 157, 161, 251, 302, 325
- above-threshold photon orders 156
- absorption paradox 143
- acceleration 15
 - theorem 202, 208
- adiabatic focusing 6, 290, 292
- adiabatic nanofocusing 282–286
 - experimental demonstration on tip 286–289
 - femtosecond optical control 291–295
 - nano-spectroscopic imaging 289–291
 - single transmitter quantum coherent control 295–297
- angle-resolved photoemission 309–313
- angular resolved photoemission from SiO₂ nanospheres 175, 176
- anisotropy 89, 112, 113, 132, 243, 288
- atomic phase 17–19
- attenuated total internal reflection (ATR) 286
- attosecond photoemission electron microscopy (ATTO-PEEM) 7
- attosecond pulse trains (APTs) 330, 360
- Auger decay 87

b

- background potential 89–90
- Bessel function 173–174, 206, 214–215, 284
- Bloch functions 200–202, 212
- Bloch oscillations 204, 206
- Bloch theorem 257
- Bogoliubov–Born–Green–Kirkwood–Yvon (BBGKY) hierarchy 124

Boltzmann–Maxwell equations 124
 bulk and surface effects competition with radiation damping in resonant clusters 144–145

c

- carrier envelope phase (CEP) 2, 6, 242, 249
 - -dependent photoemission from SiO₂ nanospheres 166–168
 - detection, using optical-field-induced currents 269, 271–273
 - effects and matter wave interference 160
 - in nanoplasmonic electron acceleration 66–69
- carriers 244
- cascadability 274
- channel-closing 157
- chirped pulse amplification (CPA) 12, 340–341
- cluster dynamics in linear response regime 140–142
- coherent and incoherent electron dynamics 197–200
- coherent pulsed radiation 243
- coherent two-dimensional nanoscopy 329–330
- collective excitation/space charge and modifications 166
- conduction bands (CBS) 240, 243–246, 257, 259, 261–264, 266, 267
- Coulomb complexes 99–100
 - dynamics scaling 105
 - electron spectra formation 103–105
 - ionic background potential 102
 - photo-activation 101
- Coulomb repulsion 140, 353

d

- Debye number 121
- degeneracy parameter 121
- dielectric laser acceleration (DLA) 185
- dielectric nanospheres and experiments
 - CEP-dependent photoemission from SiO₂ nanospheres 165–168
 - collective excitation/space charge and modifications 166
 - photoemission/acceleration process theoretical modeling 168–170
- diffraction limit 39
- direct electrons 103
- dispersion effects 17–18
- Drude model 125

e

- effective electric field 166
- electric currents 235
 - CEP detection using optical-field-induced currents 269, 271–273
 - from vacuum tube to transistor 235–239
 - generation, with light 239–243
 - optical field control in large bandgap materials 243–262
 - strong-field induced changes of dielectric electronic properties attosecond probing 262–269
 - ultrafast photoactive logic circuits 273–275
- electromagnetic solver 130–131
- electron acceleration 41
- electron acceleration with laser light at dielectric nano-gratings 184–186
- future acceleration mechanisms 189–190
 - near-field mode acceleration 186–188
 - proof-of-concept data 188, 187–189
- electron attosecond control at nanoscale metal tips 155–156
 - multi-photon ionization 156–157
 - coherent effects 157
 - light shifts 157–158
 - optical near-field sensor 162–164
 - sub-cycle dynamics 158
 - - CEP effects and matter wave interference 160
 - - - recoil collision and rescattering 158–160
 - - - strong-field physics modeling at metal tip 160–162
 - sub-laser-cycle duration electron source 164–165
- electron dynamics 3D model 229–232
- electron-energy bunching 94

f energy-dispersive X-ray spectroscopy (EDS)

- 27
- extended systems 87–88
 - Coulomb complexes 100
 - - dynamics scaling 105
 - - electron spectra formation 104
 - - ionic background potential 102
 - - photo-activation 101
 - multi-photon absorption 89
 - - energy absorption from intense light fields 90–97
 - general evolution exposed to intense laser pulse 89–90
 - - hard and soft recollisions in atomic systems 93–94
 - - optical swingbys 94–97
 - resonant absorption by electron motion out of phase with light field 97–99
- nano-plasma transients on femtosecond scale 106
- dense non-equilibrium nano-plasma creation and probing 106, 101–108, 111
 - - ultrafast collective electron dynamics in composite systems 111–115
- extreme ultraviolet (XUV) 3, 7, 177–178, 181–185, 242, 251, 263–266, 269, 330, 332, 356–360
- extreme ultraviolet (XUV) radiation
 - nano-antennae assisted emission 11–12
- experimental idea 12–13
- experiments
 - - experimental results 26–28
 - - experimental-setup 24–26
 - - gas density 28–29
 - - historical overview 23–24
 - - spectra 29–31
 - - high-harmonic generation (HHG) 14
 - - field inhomogeneities 19–20
 - - macroscopic effects/phase matching 16–18
 - - phase-matching in case of optical antennas 18–19
 - - semi-classical model 15–16
 - - plasmonics in intense laser fields 20–23

f

- femtosecond optical control 291–295
- field amplitude 42, 46, 55–57, 69, 70
- field ionization 89, 90
- field probing regime 181
- finite-difference time-domain (FDTD) 52–53, 55, 60, 126, 130, 131, 200, 290
- focused ion beam (FIB) milling 287, 291

four wave mixing method 329–330
 Fowler–Nordheim equation 47, 57–58
 free-electron lasers (FELs) 87
 Fröhlich condition 175
 full width at half maximum (FWHM) 29, 46

g

Gaussian-shape particles and microscopic force correction 131–133
 generalized phase-matching condition 18
 geometric phase 16
 grating coupling 286–289
 gravitational swingby 97, 98
 Green’s functions 259

h

Hamiltonian 45, 91, 122, 124, 199–200, 212, 215–216, 229–230, 256–257, 259
 hard recollisions 93
 heat source density 21
 high-harmonic generation (HHG) 3, 11–14, 93, 158. *see also* under photoemission electron microscopy (PEEM)
 – field inhomogeneities 19–20
 – inside solids 4
 – macroscopic effects/phase matching 16–18
 – phase-matching in case of optical antennas 18–19
 – semi-classical model 15–16
 Houston functions 201–202, 230

i

instantaneous field strength 46
 interferometric frequency-resolved optical gating (IFROG) 293–295
 interferometric time-resolved fs-PEEM 327–328
 ionic background potential 102
 ionization 15, 89, 90

j

jellium potential 102

k

Keldysh adiabaticity parameter 44
 Keldysh parameter 303–305, 313–314
 Kretschmann–Raether SPP coupling geometry 40–42, 47, 48, 55, 60

l

Landau–Zener anticrossings 262
 Larmor formula 142

Larmor radiation formula 146
 laser field 162
 laser pulse and solid dielectric response enhancement 225–227
 laser-driven nanoclusters microscopic analysis 137–138
 – bulk and surface effects competition with radiation damping in resonant clusters 144–145
 – cluster dynamics in linear response regime 140–142
 – linear absorption and scattering of light 142–144
 – nanoplasma formation in small rare-gas cluster 138–140
 – nonlinear light scattering microscopic analysis 145–148
 length gauge 257
 light wave driven electron dynamics, in clusters 119–120
 – laser-driven nanoclusters microscopic analysis 137–138
 – bulk and surface effects competition with radiation damping in resonant clusters 144–145
 – cluster dynamics in linear response regime 140–142
 – linear absorption and scattering of light 142–144
 – nanoplasma formation in small rare-gas cluster 138–140
 – nonlinear light scattering microscopic analysis 145–148
 – light-matter interactions resolving on atomic scale 120
 – classical theoretical foundations 120–125
 – microscopic particle-in-cell (MicPIC) method 126
 – molecular dynamics 125
 – particle-in-cell (PIC) method 125–126
 – microscopic particle-in-cell (MicPIC) method 127
 – link to continuum models 135–136
 – link to molecular dynamics 134–135
 – numerical implementation 130–134
 – theoretical background 127–129
 linear absorption and scattering of light 142–144
 linear photoemission 43
 linear scaling with MicPIC 133–134
 linearization 124
 Liouville equation 122–123
 local density of states (LDOS) 296

- localization effects in strong-field regime 303–309
- localized surface plasmons (LSPs) 5, 175.
 - see also* Photoemission electron microscopy (PEEM)
- low-energy structures (LES) 93

- m**
- magnetic bottle electron spectrometer (MBES) 344, 349
- Maxwell's equations 55–57, 64, 126–127, 130, 172, 198, 200
- Maxwell–Boltzmann distribution 104
- metal nanoparticles 40
- metal-oxide semiconductor field-effect transistor (MOSFET) 237–239
- microchannel plate (MCP) 253
- microscopic particle-in-cell (MicPIC) 120, 125–127
 - link to continuum models 135–136
 - link to molecular dynamics 134–135
 - numerical implementation 130–134
 - theoretical background 127–129
- Mie coefficients 173
- Mie solution for nanospheres 171–176
- Mie theory 135–136, 138, 144
- molecular dynamics 125
- multi-band approximation 210–211
- multi-photon absorption, in extended systems 89
 - energy absorption from intense light fields 90–97
 - general evolution exposed to intense laser pulse 89–90
 - hard and soft recollisions in atomic systems 93–94
 - optical swingbys 94–97
 - resonant absorption by electron motion out of phase with light field 98, 98–99
- multiphoton intrapulse interference phase scan (MIIPS) 294
- multiphoton photoemission 255
- multiphoton-induced photoemission and photocurrents 44–46

- n**
- nano-plasma transients on femtosecond scale 106
 - dense non-equilibrium nano-plasma creation and probing 106–111
 - ultrafast collective electron dynamics in composite systems 112–115
- nano-spectroscopic imaging 289–291

- nanometer-sized localized electron sources 251–253
- angle-resolved photoemission 309–313
- localization effects in strong-field regime 303–309
- localized photoemission processes at metal nanotips 255–256
- near-field imaging based on localized multiphoton photoemission 256–257
- transition to strong-field regime 302–303
- nanooptical fields adaptive sub-wavelength control 328–329
- nanoplasma formation in small rare-gas cluster 138–140
- nanoplasma model 136, 138
- nanoplasmonic photoemission from metal nanoparticles 75–79
- nanoslit grating 291
- nanostructures and attosecond streaking 178
- nanowires 359–361
- Navier–Stokes equations 124
- near-field imaging based on localized multiphoton photoemission 256–257
- near-field intensity enhancement 21
- near-field mode acceleration 186–188
- near-field streaking regimes 178–181
- non-ponderomotive effects and quiver motion quenching in nanolocalized fields 69–75
- nonadiabatic tunnel ionization 47
- nonlinear light scattering microscopic analysis 145–148
- nonlinear photoemission and photocurrents 44
- Nyquist–Shannon sampling theorem 251

- o**
- one dimensional tight binding model 200–202
- electrical current and charge transfer 227–229
- electron dynamics and breakdown of dielectric 221–225
- electron dynamics in terms of Wannier–Stark states 213–221
- multi-band approximation 211–212
- single-band approximation 201–210
- solid dielectric response enhancement in strong laser pulse 225–227
- optical field 164
- optical field control of electric current, in large bandgap materials 243–262

optical field dependence 160
 optical field emission 298, 300
 optical near-field sensor 162–164
 optical parametric chirped pulse
 amplification (OPCPA) 340–343, 345,
 346, 361
 optical swingbys 94–97

p
 δ-parameter 304, 306, 308, 313–314
 particle-in-cell (PIC) method 125–126
 Pauli exclusion principle 121–122
 peak shifting 158
 perturbative regime 14
 photo multiplier (PMT) 25
 photo-activation 101
 photoemission electron microscopy (PEEM)
 325, 169–326
 – ATTO-PEEM 330
 – – attosecond nanoplasmonic field
 microscope theory 330–333
 – – high harmonic PEEM with single
 attosecond XUV pulses 333–338
 – – PEEM with high-order harmonics
 338–360
 – time-resolved multiphoton, with
 femtosecond time resolution 326
 – – coherent two-dimensional nanoscopy
 329–330
 – – interferometric time-resolved fs-PEEM
 327–328
 – – nanooptical fields adaptive
 sub-wavelength control 328–329
 – – surface plasmon enhanced “hot spot”
 photoemission in fs-PEEM 326–327
 photoemission mechanisms
 – above-threshold photoemission 46
 – linear photoemission 43
 – multiphoton-induced photoemission and
 photocurrents 44–46
 – nonlinear photoemission and
 photocurrents 44
 – regimes distinction 44
 – tunneling photoemission and currents
 46–47
 photoemission/acceleration process
 theoretical modeling 168–170
 photon counter 25
 physics (attosecond)
 – in isolated nanosystems 4–6
 – on nanostructured surfaces 6–7
 plasmons 4–6, 11
 – in intense laser fields 20–23

ponderomotive energy 91–92, 304, 305,
 313
 ponderomotive force 41
 ponderomotive potential 15, 44
 ponderomotive streaking regime 181
 probe beam 177
 pump beam 177

q
 quantum Liouville (von Neumann) equation
 122
 quiver electrons 304, 303–304, 306,
 311–313, 325

r
 RABBITTs (reconstruction of attosecond
 bursts by interference of two-photon
 transitions) technique 344–345
 recombination 16
 reflectance of the laser pulse 225–226

s
 scanning electron microscope (SEM)
 287–288, 291, 351
 scanning near-field optical microscopy
 (SNOM) 164, 247, 325
 scattering scanning near-field optical
 microscopy (s-SNOM) 289–290
 Schrödinger equation 199–201, 204,
 210–211, 230–231, 256, 259
 second-harmonic generation (SHG) 293
 simple man’s model 306–307
 simulated streaking spectrograms for Au
 spheres 181–184
 single-band approximation 202–210
 soft recollisions 93
 solids theory, in strong ultrashort laser fields
 197
 – coherent and incoherent electron
 dynamics 197–200
 – electron dynamics 3D model 229–232
 – one dimensional tight binding model
 201–202
 – – electrical current and charge transfer
 227–229
 – – electron dynamics and breakdown of
 dielectric 221–225
 – – electron dynamics in terms of
 Wannier–Stark states 213–221
 – – multi-band approximation 212
 – – single-band approximation
 202–210
 – – solid dielectric response enhancement in
 strong laser pulse 225–227

- solids, in strong fields 4
- spatial field decay effects 308
- spatial field distribution influence on
- photoelectron spectra 170–171
 - angular resolved photoemission from SiO₂ nanospheres 175
 - transition from dipolar to multipolar response 171
 - – Mie solution for nanospheres 171–175
- spectral blurring 171
- spectroscopic photoemission and low energy electron microscope (SPELEEM) 348
- streaking amplitude 180–181, 183
- strong-field approximation (SFA) 92–93
- strong-field effects 158
- strong-field induced changes of dielectric electronic properties attosecond probing 262–269
- strong-field physics modeling at metal tip 160–162
- strong-field regime of nonlinear optics 47
- surface plasmon polaritons (SPPs) 5–6, 39–43, 48, 274–275, 283–288, 290
- enhanced electron acceleration 41
 - enhanced photoemission 40–41
 - enhanced photoemission and electron acceleration and research
 - – carrier-envelope phase in
 - nanoplasmonic electron acceleration 66–69
 - – electron acceleration in plasmonic fields 51–54
 - – electron emission channels and currents induced by plasmonic fields 57–58
 - – model results for high-energy electron generation 60–61
 - – modeling tools 53–54
 - – nanoplasmonic photoemission from metal nanoparticles 75–79
 - – non-ponderomotive effects and quiver motion quenching in nanolocalized fields 69–75
 - – particle-acceleration in evanescent field 58–60
 - – photocurrent enhancement 48–50
 - – strong-field photoemission in plasmonic fields 50–51
 - – surface plasmon field electromagnetic wave dynamics 55–57
 - – ultrashort surface plasmon wavepackets time-resolved studies 62–65 - synchronicity condition 186
- t**
- time resolved pump-probe schemes 175–176
- attosecond streak camera 176–178
 - attosecond streaking from nanostructures 178
 - near-field streaking regimes 178–181
 - simulated streaking spectrograms for Au spheres 181–184
- time-dependent density functional theory (TDDFT) 161, 163
- time-of-flight (ToF) 336–338
- PEEM 327, 330, 333–334
- time-resolved studies, of ultrashort surface plasmon wavepackets 62
- autocorrelation reconstruction without fitting parameters 65, 64–66
 - experiments 62–63
- tip-enhanced Raman scattering (TERS) 291
- tools, of attosecond 1
- field control using laser pulses 2
 - light pulses 3
- tunnel-assisted photoemission 253–255
- tunneling photoemission and currents 46–47
- u**
- ultrafast and strong-field plasmonic phenomena 43, 87
- particle acceleration in evanescent surface plasmon fields 47–48
 - photoemission mechanisms
 - – above-threshold photoemission 46
 - – linear photoemission 43
 - – multiphoton-induced photoemission and photocurrents 44–46
 - – nonlinear photoemission and photocurrents 44
 - – regimes distinction 44
 - – tunneling photoemission and currents 46–47
 - surface plasmon-enhanced photoemission and electron acceleration and research
 - – carrier-envelope phase in
 - nanoplasmonic electron acceleration 66–69
 - – electron acceleration in plasmonic fields 51–54
 - – electron emission channels and currents induced by plasmonic fields 57–58
 - – model results for high-energy electron generation 60–61
 - – modeling tools 53–54

- – nanoplasmonic photoemission from metal nanoparticles 75–79
 - – non-ponderomotive effects and quiver motion quenching in nanolocalized fields 69–75
 - – particle-acceleration in evanescent field 58–60
 - – photocurrent enhancement 48–50
 - – strong-field photoemission in plasmonic fields 50–51
 - – surface plasmon field electromagnetic wave dynamics 55–57
 - – ultrashort surface plasmon wavepackets time-resolved studies 62–65
 - ultrafast collective electron dynamics in composite systems 112–115
 - ultrafast nano-focusing for imaging and spectroscopy 282, 325
 - adiabatic nanofocusing 282–286
 - – experimental demonstration on tip 286–289
 - – femtosecond optical control 291, 295
 - – nano-spectroscopic imaging 289–291
 - – single transmitter quantum coherent control 295–297
 - nanometer-sized localized electron sources 251–253
 - – angle-resolved photoemission 309–313
 - – localization effects in strong-field regime 303–309
 - – localized photoemission processes at metal nanotips 255–256
 - – near-field imaging based on localized multiphoton photoemission 256–257
 - – transition to strong-field regime 302–303
 - ultrafast photoactive logic circuits 273–275
- v**
- valence band 240, 244, 246, 257–258, 263
 - velocity map image (VMI) 165, 167, 183
 - velocity operator 230
 - visible/near-infrared (VIS/NIR) 241, 243–249, 251, 253, 256, 262–267, 269, 271–272
 - Vlasov–Maxwell equations 124
- w**
- Wannier–Stark levels 202–210
 - electron dynamics
 - – adiabatic and diabatic electron dynamics 219–221
 - – two-band system 213–219

