

Index

a

abiogenic hypotheses 16, 27
 absorption spectrometer 158, 178–179
 acoustic detectors 204–209
 cantilever-enhanced Laser-PAS
 208–209
 quartz-enhanced photoacoustic
 spectroscopy 205–208
 acoustic plate mode (APM) waves 230,
 231
 acoustics CO₂ sensors 215–241
 quartz crystal microbalance sensors
 222–228
 resonant sensors 216–222
 air-borne measurement techniques 29
 American Conference of Governmental
 Industrial Hygienists (ACGIH)
 329, 330
 anaerobic fermentation process 357,
 359
 ANDIR concept 175
 anodically grown iridium oxide film tips
 (AIROF-tips) 250
 aquarium, CO₂ concentration 369, 370
 aquatic animals, CO₂ measurements
 367–376
 fish 367–371
 mussels 372–376
 Arrhenius plots 125
 arterial blood gas (ABG) 395, 396
 atmospheric CO₂ 275–297
 chemistry 294–296
 CO₂ increase, in twentieth century
 latitudinal variation 289–292

 Mauna Loa CO₂ record 286–289
 cumulative anthropogenic CO₂
 emission 277
 global carbon budgets 278
 global net ecosystem production
 279
 higher CO₂ concentrations 279
 pre-industrial CO₂ level
 Benedict's analysis 282
 historic CO₂ measurements 284
 ice core data 283–286
 Industrial Revolution 279
 Montsouris Observatory
 monitoring 282
 Pettenkofer ordinary process
 280
 seasonal CO₂ variations 281
 soil CO₂ emission 281
 residence time 292–294
 atmospheric sampling methods 28
 attenuated total reflection (ATR) 351
 autosampler 70

b

Beer, August 53
 biogas plants 359–362
 biology, CO₂ measurements 367–385
 aquatic animals
 fish 367–371
 mussels 372–376
 insects
 butterfly pupae 376–379
 honeybees 379–381
 plants 381–385

- biomass burning 26, 30–33, 279
 - air pollutants 31
 - burned area 31
 - domestic fires 30
 - forested areas 31
 - fossil-fuel combustion 30
 - fossil fuels 35
 - global biofuel production 30
 - greenhouse effect 33
 - interannual variations 31
 - land-use change and deforestation 33
 - and released carbon 30
 - savanna biomass 32
 - woodfuel consumption 31
 - bioreactors 5, 356–359
 - biotechnology and industrial processes, CO₂ measurement 349–362
 - beverage and food industry 349–350
 - electrochemical sensor 350
 - NIR-based in-line CO₂ measurement 351
 - pressure/temperature (p/T) sensor 350–351
 - thermal conductivity sensor 351–356
 - biogas plants 359–362
 - bioreactors 356–359
 - Black, Joseph 280
 - Bouguer–Lambert law 53
 - Boyle equation 359
 - bulk resonators or bulk acoustic wave (BAW) sensors 221
 - Bunsen's absorption coefficient 299
 - butterfly pupae, CO₂ measurements 376–379
- C**
- capnography 241, 391, 393, 400, 401, 403
 - capnometry 391, 395, 399, 404
 - carbon budget 23–27, 278, 279, 287
 - carbon capture technology (CCS) 305
 - carbon cycle 13–29, 32, 263, 276
 - carbon budget 23–27
 - carbon pools and global cycling 18–23
 - sources on earth 13–18
 - subsurface CO₂ monitoring 28–29
 - carbon dioxide (CO₂)
 - chemical properties 7–9
 - industrial use of 8
 - critical values and effects, of CO₂ exposure 331
 - measurements
 - in biology (*see* biology, CO₂ measurements)
 - biotechnology and industrial processes (*see* biotechnology and industrial processes, CO₂ measurement)
 - fields of application 272
 - measurement methods, characteristics of 269
 - physical properties
 - electrical properties 12
 - mechanical properties 9–10
 - optical properties 12–13
 - thermally related properties 10–12
 - carbon dioxide analyzer 80, 255, 369, 401
 - carbon dioxide production rate (CPR) 357
 - carbon dioxide (CO₂) sensing 270
 - advantages, disadvantages and applications 264–268
 - analytical determination in liquid 76–81
 - analytical methods, for detection spectroscopy (*see* spectroscopy)
 - chemical and physical measuring methods 6
 - conductometric carbon dioxide sensors 108–110
 - conversion factors 4
 - coulometric and amperometric sensors 103–107
 - detector tubes 136–141
 - development activities 5
 - direct measurement, solid electrolyte cells
 - functional principles 119–123
 - influence 126
 - operating temperature 126

- pellet sensors 123
 - thick-film sensors 123–129
 - hydrogel-based CO₂ sensors 247–250
 - indirect measurement in hot water gas 117–119
 - in medicine (*see* medicine, CO₂ sensing)
 - membrane-based sensors, with pressure measurement 256–257
 - membrane materials 96–98
 - miniaturized and ISFET-based sensor 250–253
 - pressure resistance and compensation 5
 - quinhydrone CO₂ electrode 110–111
 - sensor electrolyte 95–96
 - Severinghaus principle 87–95
 - thermal conductivity detectors (TCD) 253–256
 - carbon dioxide transfer rate (CTR) 357
 - carbonic anhydrase (CA) 96, 383
 - CARBOTEC TR-PT 350
 - Cardano's formula 92
 - carrier gas 67, 69–72, 177, 178, 253, 343
 - cavity-enhanced Raman multigas spectrometry (CERS) 384
 - cavity-enhanced techniques 65–66
 - cavity ring-down spectroscopy (CRDS) 66
 - Chemical Aqueous Phase Radical Mechanism (CAPRAM) model 295, 296
 - Clark-type oxygen electrode 107
 - climate change and CO₂ 275–279
 - atmospheric CO₂ (*see* atmospheric CO₂)
 - carbon dioxide environmental problem 275–276
 - CO₂ detector tubes 136–141, 266, 336
 - CO₂-sensitive coating 226, 235
 - collision broadening 54
 - colorimetric sensor 400
 - column chromatography 67, 69
 - commercial biogas production plants 361
 - conductometric carbon dioxide (CO₂) sensor 108–110, 250
 - conductometric sensors 108, 264, 271
 - controlled atmosphere (CA) 352
 - copolyimide 234
 - coulometric and amperometric CO₂ sensors 103–107, 264
 - cumulative fossil fuel CO₂ emission 277–278
- d**
- de Saussure, H.-B 280, 281
 - detector tubes 136–138, 336
 - dimethyl sulfoxide (DMSO) 106, 107
 - discontinuous gas-exchange cycle (DGC) 377
 - dissolved inorganic carbon (DIC) 278, 292, 293, 297, 301–307, 369
 - Doppler broadening 54, 55
- e**
- electrochemical carbon dioxide (CO₂) sensors 4, 80, 87–111, 257, 264, 311, 312, 314–316, 336–338, 350, 358, 368, 370, 379, 380, 382, 384
 - electrochemical sensor 5, 6, 102, 105, 271, 316, 338, 350, 377
 - electrolytic conductivity detector (ELCD) 73, 74
 - electron capture detector (ECD) 73–75
 - emission spectrometer 179
 - end-expiratory CO₂ 400
 - end-tidal CO₂ concentration (EtpCO₂) 400, 403, 404
 - environmental CO₂ monitoring 275–317
 - atmospheric CO₂ (*see* atmospheric CO₂)
 - carbon dioxide environmental problem 275–276
 - oceanic and waters CO₂ and carbonate content (*see* oceanic and waters CO₂ and carbonate content)
 - ergospirometry 404

European Hygienic Engineering and Design Group (EHEDG) 350
 extractive techniques 65–66
 extrinsic sensors 144

f

Fabry–Pérot interferometer (FPI) 168–171
 Fabry–Pérot interferometer filter (FPF) 168–171
 fiber-optic fluorescence CO₂ sensors 141–152, 266
 advantages 146
 commercial solution 150–152
 dyes, for detection 146–148
 general set up 146
 light and external measurand 144–145
 light propagation 141
 optical fibers 142–144
 set-up and components 142
 fibre Bragg-gratings (FBG) 144
 fish, CO₂ concentration 367–371
 behavior of fishes in regions 369–371
 influence of 367–368
 methods 368–369
 flame ionization detector (FID) 72–76
 flame photometric detector (FPD) 73, 74
 focal-plane array (FPA) 182
 fossil fuels 3, 8, 14, 16, 22, 23, 30, 32, 33, 35–37, 276–279, 285, 286, 289
 Fourier transform infrared (FTIR) spectrometers 5, 76, 179–181, 209
 Fourier transform thermal conductivity analysis (FTTCA) 255
 frequency comb spectroscopy (FCS) 60

g

gas chromatography (GC) 47, 67, 226, 241, 253, 263, 264, 308, 343, 369
 applications 67

autosampler 70
 carrier gas 72–74
 classification 69, 70
 column 71–72
 data analysis 75
 detector 75
 functional principle 67–69
 gaseous CO₂ 76
 sample injection port 70–71
 stationary phase 72, 75
 Gaussian line shape 55
 greenhouse gases (GHG) 275
 gross primary production (GPP) 24, 26, 279

h

heat conduction-based sensors 268
 Henderson–Hasselbalch equation 88
 Henry constant 299, 301
 Henry's law 91, 308, 312, 313, 350, 351
 Holocene carbon emissions 283
 homopolyimide 234
 honeybees, CO₂ measurements 379–381
 human breath, CO₂ analysis 399–405
 non-dispersive infrared absorption, quantitative detection 401–405
 qualitative and semi-quantitative detection 400
 Humboldt, Alexander von 16, 27, 280
 Hydro-Bottom-Station (HBS) 312, 313
 hydrogel-based CO₂ Sensors 247–250
 with pressure transducer 268
 1-hydroxypyrene-3,6,8-trisulfonate 133

i

insects, CO₂ measurements 376–381
 butterfly pupae 376–379
 honeybees 379–381
 intensive care units (ICU) 391, 392, 395, 403
 interband cascade lasers (ICLs) 61
 intracellular potential (ICP) 385
 intrinsic sensors 144
 in vitro-diagnostic devices (IVDD) 392

- in vitro diagnostics (IVD) guidelines 392
- ion-selective field effect transistors (ISFET) 251–253, 268, 394
- IR imaging for CO₂ detection 182–184
- IrO₂-electrode 103–105
- IR spectrometers 55, 157, 178–181, 266
 application 181
 types 178–181
- k**
- katharometers 253
- Keeling curve 286, 287, 289
- Kröger–Vink’s relative notation 119
- Kyoto Protocol 276
- l**
- Lambert–Beer law 53, 157, 191
- Lamb wave 230, 231
 sensors 222
- land-use change 28, 33–36, 275–279, 283, 285
 and carbon release 33
 and deforestation 33–35
- laser absorption spectroscopy (LAS) 58–66
 cavity-enhanced techniques 65–66
 direct absorption spectroscopy 63–64
 intrapulse measurement scheme 62–63
 measurement concepts 60–61
 TLAS 61–62
 wavelength modulation spectroscopy 64–65
- laser-based photoacoustics 195, 196, 205, 267
- laser-based photoacoustic trace gas detection 202–210
 acoustic detectors 204–209
 CO₂ gas analysis 209–210
 resonant photoacoustic cell design 203–204
- Last Glacial Maximum (LGM) 283
- late heavy bombardment (LHB) 13
- Law Dome 283, 285
- liquid reagent-based opto-chemical CO₂ sensors 133–136, 265
- lithium hydroxide (LiOH) absorbers 335
- long-period fibre gratings (LPFG) 144, 145
- Lorentzian line shape 54–55
- Love wave 230, 231
- m**
- mass spectrometer (MS) 73–75, 263
- medicine, CO₂ sensing 391–408
 baby mattresses, CO₂ measurements on 405–408
 clinical applications
 blood gas analyzing devices 395–396
 direct venous/arterial monitoring of blood gases 398–399
 tcpCO₂ 396–398
 human breath (*see* human breath, CO₂ analysis)
 measuring principles
 new and unconventional 395
 optical principles 394–395
 Severinghaus method 393–394
 physiological background 392–393
- mesophilic biogas process 360
- miniaturized CO₂ sensors 268
- mobile phase 67, 69, 70, 72
- modified atmospheres (MAP) 355
- monoethanolamine (MEA) 335
- mono-mode fibers 143
- Montsouris Observatory monitoring 282
- Morse potential 51
- multi-mode fibers 143
- mussels, CO₂ measurement 372–376
 respiratory exchange 373–376
 respiratory quotient 372–373
 carbohydrates 372, 373
 fats 373
 proteins 373

n

- narrow band-pass (NBP) filters 167, 168
- National Institute for Occupational Safety and Health (NIOSH) 329, 330
- net ecosystem production (NEP) 25, 26, 162, 279
- non-dispersive infrared (NDIR) sensors 157–184, 241, 266, 269–271, 338, 339, 341, 342, 354, 355
 - calibration of NDIR CO₂ measuring devices 341, 342
 - commercial sensors 175–177
 - gas mixture measuring 174–175
 - gas selectivity 159
 - general setup 157–159
 - IR radiation sources
 - requirements 171
 - thermal emitters 173–174
 - low gas concentrations 177
 - permeation methods 177–178
 - pressure dependence 341
 - properties 338–341
 - pyroelectric IR sensors 160–163
 - quantitative detection 401–405
 - response time 342
 - thermal detector 165–166
 - thermopiles 164–165
- normalized noise-equivalent absorption (NNEA) 209, 210

o

- Occupational Safety and Health Administration (OSHA) 329
- oceanic and waters CO₂ and carbonate content 297–317
 - changing seawater carbonate 303–307
 - CO₂ water chemistry 297–301
 - oceanic CO₂ measurements 307–313
 - total dissolved carbon 301–303
 - waters and boreholes, CO₂ measurements in 312–317

- off-axis cavity-enhanced absorption spectroscopy (OF-CEAS) 66
- off-axis integrated-cavity output spectroscopy (OF-ICOS) 66
- optical CO₂ sensors 132–152
 - liquid reagent sensor 133–136

p

- Pac 7000, 338, 339
- pellet sensors 123
- photoacoustic detection 191–210
 - gas sample 200–202
 - gas-specific radiation detector 192–193, 197–198
 - miniaturized PA detection systems 199–200
 - sample cell 193–194
 - signal generation 194–196
- photoacoustics 267
 - laser-based 195, 196, 205, 267
 - “URAS” detectors 267
- photoionization detector (PID) 73, 74
- photolysis 17, 295
- photosynthesis 18, 20–22, 24, 281, 286, 294, 352, 381–384
- photosynthetic-active radiation (PAR) 24
- piezoelectric resonators 218–222
 - circuit model 218–220
 - resonance frequencies 220–221
 - types 221–222
- Planck’s law 173
- plants, CO₂ measurements 381–385
- point-of-care testing (POCT) 391, 392, 395, 396, 398, 399
- pollution by persistent organics (POP) 275
- Polytector III G999 339, 340
- pressure release valves (PRVs) 334
- pressure relief devices (PRDs) 334
- pressure/temperature (*p/T*) sensor 350–351
- printed-circuit-board (PCB) technology 108

- pulmonary failure 393
- pyroelectric sensors 160–163, 174
- q**
- QCM quartz crystals 226
- quantum cascade lasers (QCL) 61, 63, 202
- quartz crystal microbalance (QCM)
 - sensors 215, 222, 224, 226–228, 235, 267
 - applications of 226–228
 - CO₂-sensitive coating 226–228
 - resonator material 222–223
- quinhydrone CO₂ electrode 110–111
- quinhydrone measurement cell 265
- r**
- ratiometric analysis 134
- Rayleigh wave 223, 228, 230, 231
- resonant sensors 215–224
 - general setup 216–218
 - piezoelectric resonators 218–222
- retention time 68, 69, 71, 72, 75, 343
- Richtlinie der Bundesärztekammer zur Qualitätssicherung (RiliBÄK) 392
- s**
- safety control, CO₂ 272, 329–343
 - buildings and workplaces, CO₂ in air quality 330–332
 - beverage-dispensing systems 335
 - CO₂ scrubbers 335
 - fire extinguishers 334
 - leaking carbonators 334
 - leaking fittings, connections, piping/tubing/hoses 334
 - LiOH absorbers 335
 - PRDs/PRVs 334
 - SBS 332–334
- limit values for CO₂ concentrations, at workplaces 329–330
- warning devices
 - CO₂ detector and dosimeter tubes 336
 - electrochemical CO₂ sensors 337–338
 - gas chromatograph, with thermal conductivity detector 343
 - NDIR CO₂ sensors 338–342
 - solid-electrolyte CO₂ sensors 342–343
- SAMI-CO₂ Ocean CO₂ sensor 310–311
- SAMI-CO₂ sensor 134
- saturated calomel electrode (SCE) 106
- Sauerbrey-equation 225
- Seebeck coefficient 164
- Seebeck effect 164
- Severinghaus, JohnWendell 88
- Severinghaus concept 247
- Severinghaus-effect 146, 147
- Severinghaus electrodes 89, 93–95, 98, 263, 269, 393, 394, 396
- Severinghaus method 393–394
- Severinghaus microsensor 110
- Severinghaus-type carbon dioxide electrode 96
 - electrochemical sensors 102–103
 - membrane material 96–98
 - principle 87–95
 - response behaviour 98–101
 - sensor electrolyte 95–96
 - temperature dependence 98
- short-term exposure limit (STEL) 329, 330, 343
- sick-building syndrome (SBS) 332–334
- single-channel PAS detectors 267
- solid-electrolyte CO₂ sensors 4, 5, 122, 336, 342–343, 395, 406
- solid electrolyte sensors 5, 117–119, 123, 129, 263, 269–272, 407
 - for direct CO₂ measurement 265
 - for indirect CO₂ measurement, in hot water gas 265
- solid-state sensors 28, 129, 265
- spectroscopes 264
- spectroscopy 47–68
 - CO₂ absorption, in infrared range

- spectroscopy (*contd.*)
- CO₂-linewidth reduction 59
 - isotopic compositions 56
 - line strengths 58
 - fundamental oscillations 49
 - gases wavenumbers and wavelength characteristics 49–52
 - laser absorption spectroscopy (LAS) 58–66
 - molecular absorption, infrared range
 - Gaussian line shape 55
 - high-resolution transmission molecular absorption database 54
 - individual ro-vibrational absorption lines 55
 - line broadening 54
 - line shape applicability 55
 - Lorentzian line shape 54–55
 - radiation absorption, in molecules 52
 - vibrational oscillations and rotations 49
- Staphylococcus aureus* biofilms 250
- stationary phase 67–72, 75
- sudden infant death syndrome (SIDS) 405
- surface acoustic wave (SAW) sensors 215, 221, 223, 229, 231–232, 267
- CO₂-sensitive coatings 235
 - devices 232–233
 - excitation of 228–229
 - operation modes 229–231
 - sensor materials 231–232
- surface transverse waves (STW) 230, 231
- t**
- tetraoctylammonium hydroxide (TOA) 148
- thermal conductivity detectors (TCD) 72–74, 76, 253–256, 336, 343
- thermal resistance noise 165
- thermodynamic equilibrium 308
- thermopiles 159, 164–166, 172, 175
- thick-film sensors 122–129
- thickness shear-mode (TSM) sensors 223–226
- threshold limit value time-weighted average (TLV-TWA) 330, 337, 380
- time-weighted average (TWA) 329, 343
- transcutaneous pCO₂ measurement (tcpCO₂) 396–398
- 2,4,6-trimethyl-1,3-phenylenediamine (3MPD) 234
- Tsvet, Mikhail Semyonovich 67
- tunable laser absorption spectroscopy (TLAS) 59–62
- type I respiratory failure 393
- u**
- ultrasonic CO₂ sensors 110, 235–241
- basic setup 239
 - CO₂ detection 240–241
 - gases and liquid, velocity of sound in 235–238
- ultrasonic sensors 5, 10, 215, 240–241, 268
- US Consumer Product Safety Commission 405
- v**
- volatile organic compounds (VOCs) 183
- w**
- 2*f* wavelength modulation spectroscopy (WMS) technique 64, 65
- wavelength selectors 167
- Fabry–Pérot interferometer filter (FPF) 168
 - IR-filter 167–168
- Wheatstone bridge 253–255, 351
- Wien's displacement law 173