

## Index

\* There are more than 100 occurrences of this index entry. Only the first instance (page number) from each chapter or the page reference that defines the term is listed

### a

- abnormal operations 21
- absolute risk model 694, 695, 741
- absorbed dose 4, 38, 156, 191, 261, 354, 481, 504, 680, 689, 717, 727, 733, 739\*
- <sup>225</sup>Ac 266, 294, 295, 301, 308
- <sup>227</sup>Ac 164, 294
- accelerator
  - destruction of actinides 89–91
  - driven system 89, 98
- accident phases 151–152, 159, 177, 211–212, 214, 215, 220, 232, 455, 457
- actinide(s)
  - recycle 46, 51, 52, 54–56, 66
  - transmutation 6, 88, 90, 92
  - waste 28, 98
- activation
  - air 195, 199
  - cross-section 337, 673
  - product 24, 43, 44, 46, 48, 50, 51, 54, 55, 57–59, 64, 66, 67, 69, 72–74, 93, 94, 123, 162, 195, 199, 206, 226, 441, 582, 603–605, 627, 631
  - reaction 69, 94, 338, 408, 673, 674
  - soil 195, 199
  - water 195, 199
- active safety system 17, 40, 114, 127
- activity median aerodynamic diameter (AMAD) 98, 99, 516–518, 705
- advanced boiling water reactor (ABWR) 40–42
- Advanced Canadian Deuterium reactor (ACR) 40, 41, 43, 100
- advanced centrifuge enrichment technology 32–39, 76
- advanced fuel cycle 17, 18, 88, 89
- advanced nuclear reactors 92
- Advanced Passive Pressurized Water Reactor (AP) 40
- Advanced Pressurized Water Reactor (APR or APWR) 40, 41, 171, 481, 482
- air
  - burst 193–195, 199
  - ejector 72, 119, 381
  - travel 357, 358, 405
- airport scanner 345, 365–367
- <sup>28</sup>Al 48
- <sup>29</sup>Al 48
- ALARA measures 74–75, 148, 563, 593, 600
- alarm set point 97, 218, 514
- Alert 143–145, 147, 177, 179, 214, 218, 256, 394, 404, 555, 624, 625
- alpha 19, 24, 28, 37, 80, 188, 192, 206–208, 213, 238, 239, 245, 251, 252, 267, 270, 271, 277, 282–284, 290, 292, 294, 295, 299–303, 308, 310, 320, 336–338, 348, 349, 358, 441, 488, 522, 523, 541, 557, 575, 593, 595, 597, 598, 600, 633, 663, 692, 700, 701, 703, 744, 746
- aluminum 23, 351, 354, 405, 629
- <sup>241</sup>Am 26–28, 153, 164, 175, 176, 206, 207, 217, 231, 239, 251, 266, 270, 271, 275, 358, 360, 364, 499, 503, 530, 540, 541, 546, 567, 573, 575, 667
- <sup>242m</sup>Am 26
- <sup>243</sup>Am 26
- americium 9, 25, 30, 86, 169, 231, 541
- annihilation 267, 282, 283, 289, 293, 294, 325, 506, 595, 646
- annual limit on intake (ALI) 96, 176, 510, 511, 546, 547, 698–700
- anthropogenic radionuclides 347

- antimatter 1, 6, 277, 293, 308–310, 505, 595  
 antimatter therapy 293–294  
 antimony 232  
 antinuclei 294  
 antiprotons 4, 282, 283, 293, 310, 336, 595  
 AP-1000 41, 120, 122, 129, 130  
<sup>41</sup>Ar 30, 74, 665  
 as low as reasonably achievable (ALARA) 39, 59, 74, 135, 148, 162, 216, 219, 221, 222, 337, 367, 456, 462, 481, 482, 507, 539, 543, 550, 561–563, 568, 581, 587, 591, 595, 600, 602, 636, 638, 640, 749  
<sup>211</sup>At 294, 301  
<sup>217</sup>At 295  
 atmospheric nuclear weapons testing 200, 242, 347  
 atomic bomb survivors 458, 460, 461, 511, 695, 696, 748  
 Atomic Energy Commission (AEC) 418–422, 428  
 atomic vapor laser isotope separation (AVLIS) 34–39, 100, 521  
 attenuation coefficient 91, 97, 102, 278, 288, 320, 403, 405, 514, 528, 584, 588–590, 596, 618, 619, 623, 628, 682, 730  
<sup>197</sup>Au 287, 288, 292, 309  
<sup>198</sup>Au 264, 266, 269–271, 364  
 auxiliary building 58, 112, 113, 116, 118, 120, 132, 133, 135, 136, 440, 482, 553  
 averted dose 151, 454, 455
- b**
- <sup>10</sup>B 73, 197, 198, 268, 272, 282, 296, 603, 664  
<sup>11</sup>B 23, 282  
<sup>137m</sup>Ba 73, 204, 242, 407, 574, 575, 631  
 basal cell layer 73, 645, 651  
<sup>7</sup>Be 195, 347, 664  
<sup>8</sup>Be 735  
<sup>9</sup>Be 48  
<sup>10</sup>Be 48, 735  
 BEIR III 511, 693–695, 738, 742–745  
 BEIR V 510, 511, 694, 695, 738, 741–743  
 BEIR VII 367, 460, 653, 694–696, 701, 738, 739, 742–745  
 beta 19, 173, 188, 264, 347, 484, 505, 663, 691, 723, 746\*  
 beyond design basis event 53, 114, 125, 415, 429, 435, 467, 475  
 BF<sub>3</sub> detector 603  
<sup>210</sup>Bi 50, 266  
<sup>210m</sup>Bi 50  
<sup>212</sup>Bi 294, 301, 308  
<sup>213</sup>Bi 266, 294, 295, 308  
<sup>214</sup>Bi 30, 400, 666  
 bioaccumulation 83, 229, 235, 658  
 bioassay 98, 101, 160, 174, 176, 211, 229, 230, 233–236, 239, 251, 252, 400, 483, 524, 537, 539, 543, 545, 558, 575, 576, 609, 641, 643, 717  
 biodosimetry 157, 159  
 biokinetic model 233, 511, 512, 705, 708  
 biological half-life 489, 656, 657, 672  
 biomagnification 83  
 bismuth 46, 50, 52, 62, 347  
 blast effects 191, 193, 203, 221  
 blood forming organs 353, 354, 509  
 blowdown 171, 172, 530, 534  
 blowdown radiation monitor 171  
 Boiling Water Reactor (BWR) 24, 40–45, 55, 56, 58, 64, 69, 70, 74, 111, 112, 119, 135, 140, 177, 179, 389, 424, 428, 429, 479, 556, 627, 719  
 boosted fission weapon 189  
 boreholes 81–82  
 boron enhanced neutron capture therapy (BENCT) 272  
 boron neutron capture therapy (BNCT) 268, 272, 296, 330  
<sup>81</sup>Br 49, 51  
<sup>82</sup>Br 49, 51  
 brachytherapy 205, 208, 261, 262, 265–273, 277, 279, 283, 306, 318–319, 334, 359, 363, 369  
 brachytherapy radionuclides 262, 265, 269–271  
 Bragg peak 283, 284, 286–290, 292, 293, 310, 548, 595, 728  
 bremsstrahlung 102, 239, 267, 270, 271, 298, 299, 332, 369, 507, 597, 605, 652, 717  
 Brown's Ferry fire 420–421  
 buildup factor 91, 103, 320, 403, 528, 529, 584, 588, 618, 619, 623, 624, 679
- c**
- <sup>11</sup>C 195, 263, 267, 282, 291, 664, 735  
<sup>12</sup>C 12, 281, 282, 284, 287–289, 291, 295, 310, 320–324, 333, 336, 505, 506, 664  
<sup>13</sup>C 48, 664  
<sup>14</sup>C 48, 57, 73, 74, 93, 94, 200, 239, 347, 664  
<sup>40</sup>Ca 287, 288, 291, 320, 321, 323, 324, 731  
<sup>45</sup>Ca 49  
<sup>46</sup>Ca 49  
<sup>47</sup>Ca 49, 263  
 Canadian deuterium (CANDU) reactor 40, 43, 70, 73, 74, 100  
 cancer 4, 96, 160, 209, 261, 352, 458, 505, 694, 715, 727, 733, 738\*

- cancer therapy 4, 12, 273, 293, 305, 331, 337, 505, 506, 573, 715, 727, 733
- CAP88 code 713
- carbon dioxide laser 77
- cardiovascular disease 276
- Carrington flare 11, 348, 349, 354, 355, 630
- category 1 source 275, 363, 364
- category 2 source 275, 363
- <sup>109</sup>Cd 364
- <sup>141</sup>Ce 73
- <sup>144</sup>Ce 73
- centrifugal force 22, 23, 686
- centrifuge 4, 18–20, 22, 23, 31–37, 39, 75–77, 100–102, 188, 190, 521, 525, 526
- centrifuge enrichment 32, 37, 77, 188
- cerium 232
- CERN 293
- cesium 29, 67, 74, 82, 95, 117, 132, 204, 217, 231, 242–244, 441, 627
- <sup>252</sup>Cf 207, 270–272, 275, 336, 364, 573, 597, 667
- chelation therapy 176, 546, 547
- chemical
  - conversion 18, 20, 36
  - separation 26, 294
  - toxicity 19, 21
- chemotherapy 261, 269, 273, 281, 297, 304–306, 327
- Cherenkov luminescence imaging 307, 326
- Chernobyl accident 134, 200, 242, 347, 375, 376, 424, 444
- CHUCK code 715, 717
- <sup>35</sup>Cl 48, 74, 94, 502, 665
- <sup>36</sup>Cl 93, 94
- <sup>37</sup>Cl 48, 51
- <sup>38</sup>Cl 48, 51
- climate change 15, 84, 435, 467–471, 478
- closed fuel cycle 46, 51, 52, 55, 58, 86
- <sup>240</sup>Cm 301, 302
- <sup>243</sup>Cm 26
- <sup>244</sup>Cm 26, 91, 275, 364, 667
- <sup>245</sup>Cm 26
- <sup>246</sup>Cm 26
- CO<sub>2</sub> 36, 57, 74, 467
- <sup>57</sup>Co 364
- <sup>58</sup>Co 30, 51, 57, 59, 64, 69, 73, 441, 627, 665
- <sup>59</sup>Co 73, 408, 502, 634, 665, 674
- <sup>60</sup>Co 9, 30, 173, 204, 265, 360, 441, 501, 665, 674\*
- cobalt 59, 74, 232, 408, 639
- Code of Federal Regulations
  - 10CFR20 160, 354, 370, 456, 464, 482, 483, 486, 522, 569, 639, 641, 644, 651, 693, 698
  - 10CFR37 204, 275
  - 10CFR50 464, 500, 719
  - 10CFR52 385
  - 10CFR72 123
  - 10CFR835 354, 456, 644, 693, 698
  - 40CFR61 714
  - 40CFR190 719
  - 40CFR300 160
  - 42CFR81 745
  - 42CFR82 745
  - 42CFR83 745
- CO<sub>2</sub> gas cooled reactors 74
- cold zone 213, 561, 562
- collective dose 346, 355, 357, 367, 370, 636, 701, 746, 747
- commercial space travel 259
- committed dose equivalent 96, 215, 483, 510, 644, 690, 696, 697
- committed effective dose 98, 101, 147, 245, 452, 483, 485, 510, 516, 523, 524, 535, 540, 558, 568, 644, 650, 696, 698, 699, 703, 704, 720
- committed effective dose equivalent 96, 101, 483, 510, 523, 524, 535, 644, 696, 698
- COMPASS code 714, 723
- compensation programs 156, 231, 232, 745–746, 749
- COMPLY code 714
- computed tomography 239, 261, 262, 266–267, 273, 274, 282, 293, 324, 325, 355, 356, 370, 401
- condenser 44, 45, 72, 119, 121, 125, 126, 381, 553
- condenser air ejector 72, 119
- constraint 100, 318, 467, 522, 523, 671, 703
- containment building 24, 54, 70, 113, 116, 118, 119, 136, 418, 422, 426, 436, 440, 533, 534, 551, 553, 627
- containment building fission product barrier 24, 54
- contaminated consumer products 362, 397
- control rod 42, 65, 72, 119, 133, 137, 139, 427
- core damage 8, 9, 42–44, 53, 111, 114, 115, 118, 122, 127–130, 134, 137, 139, 145, 177, 390, 392, 421, 422, 428, 433, 434, 444, 447, 449, 472, 473, 475, 548
- core damage frequency 115, 130, 433, 475
- cosmic rays 348, 664, 716, 729
- cosmogenic radionuclides 347
- <sup>51</sup>Cr 30, 263
- critical decision guide 227, 231, 246
- criticality 21, 22, 27, 37–39, 53, 65, 66, 70, 92, 93, 95–97, 117, 123, 134, 178, 506–509, 512–514, 525, 528, 530, 531, 550, 551, 718, 719, 721

- criticality safety 92, 94, 97, 123, 514, 718, 719, 721  
 critical mass 93, 188, 507  
 cross section  
   – macroscopic 288–290, 316, 317, 584, 596, 601, 730, 733, 734  
   – microscopic 69, 288, 290, 316, 584, 596, 601, 673, 674, 682, 730, 731, 734  
<sup>131</sup>Cs 270, 271  
<sup>134</sup>Cs 141, 153, 172, 217, 242, 441, 447, 448, 503, 551, 567, 627  
<sup>135</sup>Cs 27, 93, 95, 242  
<sup>137</sup>Cs 8, 27, 113, 195, 265, 360, 441, 499, 503, 666\*  
<sup>60</sup>Cu 291  
<sup>61</sup>Cu 291  
<sup>62</sup>Cu 291  
<sup>63</sup>Cu 287, 288, 291, 502, 665  
<sup>64</sup>Cu 263, 308  
<sup>67</sup>Cu 265, 308  
 cumulated activity 333, 585, 690, 692  
 cumulative effective dose 586, 641, 654, 655, 700  
 curium 25, 30, 231
- d**
- dangerous radiation zone 213, 222  
 Davis–Besse reactor vessel head erosion 427–428, 474, 475  
 DCAL code 714–715  
 decay heat 25, 27, 29, 42, 63, 72, 82–85, 88, 123, 124, 127, 140, 530, 533, 555  
 decision dose 228  
 decommissioning 3, 55, 139, 161, 365, 382, 437, 469, 474, 485, 714, 719, 723  
 decontamination  
   – and decommissioning 139, 382, 714, 719, 723  
   – factor 178, 179, 552, 553  
 decorporation therapy 227, 229, 230, 232, 253, 579  
 deep dose 95, 509  
 deep dose equivalent 486, 651, 700  
 deep injection 82  
 defense-in-depth system 114, 115, 128, 131, 421  
 delayed radiation 196, 199  
 demineralizer 54, 60, 67, 69, 70, 141, 481, 482, 636–640, 671, 673–675  
 Department of Energy 57, 82, 160, 162, 169, 225, 365, 381, 420, 625, 626, 693, 698, 740  
 Department of Homeland Security 187, 246, 251, 453, 563
- derived air concentration (DAC) 101, 524, 698  
 design basis accident 1, 54, 59, 115, 117–129, 165–167, 171, 378, 433–435, 473, 531  
 design basis event 5, 53, 114, 121, 125, 415, 429, 433, 435, 467, 473, 475  
 design feature 63, 64, 179  
 deterministic effects 229, 230, 353, 364, 454, 569, 579, 614, 630, 640, 697, 698  
 diagnostic  
   – radionuclides 262–266  
   – techniques 261, 324, 328  
 disc source 70, 228, 515, 635, 638, 717  
 dispersion factor 172, 178, 489, 656, 682  
 disposal  
   – in ice sheets 83–84  
   – at sea 83  
   – in space 84  
 D<sub>2</sub>O 73  
 dose and dose rate effectiveness factor 459, 695, 742, 749  
 dose coefficients 485, 577, 648, 652, 703–705, 707, 708  
 dose conversion factor 97, 101, 103, 174, 178, 245, 248, 252, 300, 301, 347, 399, 405, 406, 483, 512, 516, 524, 529, 541, 553, 558, 565, 579, 608, 612, 628, 644, 655  
 dose equivalent 96, 101, 122, 160, 161, 176, 200, 215, 333, 362, 370, 404, 483, 486, 509, 510, 523, 524, 535, 568, 581, 586, 587, 644, 651, 653, 690, 696–698, 703, 714  
 dose limits 214, 216, 228, 232, 350, 352–355, 370, 380, 392, 393, 395, 396, 436, 451–459, 461, 462, 464, 469, 482, 486, 542, 568, 569, 571, 641, 644, 645, 654, 693, 698, 703, 746–749  
 dose profiles 224, 274, 277, 278, 282, 284, 288, 293, 311, 313, 315, 320–323, 506, 585  
 dose projections 143, 144, 147, 149, 150, 177, 219, 249, 404, 533, 628, 630, 721  
 dose recommendations 335, 350, 369, 370, 396, 452, 487, 488, 527, 641, 652, 697, 698, 700, 705, 708  
 dose reconstruction 156, 157, 159, 160, 231  
 dose response model 461, 640, 694–696, 737, 738, 740, 741  
 dosimeter 194, 220, 440, 487, 653  
 dosimetric model 233, 524, 704, 706, 717  
 dosimetry 5, 19, 69, 157–159, 250, 278, 295, 367, 392, 396, 461, 490, 509, 518, 543–545, 568, 569, 576, 612, 625, 679, 683, 684, 687, 689–710, 716–718, 729, 730, 737, 739–744, 2353

- Dosimetry System
  - DS02 695
  - DS86 695
  - T65D 695
- doubling dose 743
- DTPA 96, 229–232, 511, 546, 547, 579
- DWUCK Code 290, 715, 717, 729–731, 734
- e**
- early phase 146, 152, 159, 212, 224, 374, 448, 540, 550, 643
- early side effects 276
- earthquake 6, 7, 9, 42, 85, 114, 117, 122, 123, 127, 136, 137, 142, 149, 151, 153, 155, 167, 223, 376, 379, 391, 395, 397, 398, 421, 428–430, 432–435, 438, 445, 448, 450, 451, 473, 474, 531, 555
- Economic and Simplified Boiling Water Reactor (ESBWR) 40, 41, 56
- EDTA 232, 547, 579
- effective dose 11, 19, 122, 215, 279, 345, 440, 508, 680, 694, 714, 727, 744\*
- effective dose equivalent 96, 101, 122, 160, 161, 176, 215, 362, 370, 483, 510, 523, 524, 535, 581, 586, 587, 644, 696–698, 714
- effective removal rate 594, 635, 655, 690
- effluent(s) 29, 30, 63, 67, 73, 74, 169, 377, 554, 719
- effluent releases 67, 74
- electron 36, 37, 50, 80, 91, 102, 160, 194, 267–270, 273, 279, 280, 282, 284–286, 289, 290, 292, 293, 295, 296, 308, 309, 316, 326, 332, 336, 337, 348, 350, 351, 358, 363, 369, 582, 595, 601, 603, 605, 646, 663, 667, 668, 700, 703, 715, 718, 727–729
- electron accelerator 102, 309, 316
- electron capture 50, 282, 363, 663, 667, 668
- Electron Gamma Shower (EGS) code 715
- emergency
  - action level 143, 179, 394, 554, 555
  - classification 116, 143–146, 148, 149, 173, 179, 214, 249, 392, 394, 449, 555, 624, 626
  - dose limits 392, 393, 396, 453, 456, 542
  - medical response 391–392
  - operations 129, 148, 171, 249, 375, 395, 457–458, 544, 572, 625, 637
  - plan 176, 179, 213, 237, 238, 380, 535, 553, 554, 572
  - planning zones 150, 211–213, 390, 391, 628
  - response actions 135, 143, 187, 210–213, 218–223, 240, 247, 378, 391, 448–450
- emergency core cooling system (ECCS) 121, 126, 133, 134, 136, 137, 418, 419, 555
- ENDF library 715
- energy
  - level 34, 35, 647, 668, 681, 683
  - loss 285, 286, 332, 582, 584
- Energy Employees Occupational Illness Compensation Program Act (EEOICPA) 745–746
- engineered safety system 174
- enrichment 4, 18, 115, 188, 475, 501\*
- enrichment cascade 76
- environmental
  - dose 5, 85, 159, 160, 462, 708, 716
  - protection 5, 144, 386–388
  - releases 6, 73–74, 118, 129, 134, 174, 218, 227, 243, 464
  - restoration 381, 382
- Environmental Protection Agency (EPA) 144, 162, 211, 457, 463, 715, 716
- epidemiology 203, 230, 739–740, 745
- equivalent dose 144, 146, 148, 172, 177, 179, 216, 249, 250, 369, 389, 390, 404, 452, 454, 455, 482, 486–488, 534, 535, 549, 555, 567, 569, 627, 641, 651–654, 680, 696, 697, 699, 700, 702, 703
- <sup>253</sup>Es 301, 302
- <sup>151</sup>Eu 50, 51
- <sup>152</sup>Eu 50, 51
- <sup>154</sup>Eu 164
- European Pressurized Water Reactor (EPR) 40, 41
- eutectic mixture 54, 66–68, 112, 551
- evacuation 22, 113, 212, 259, 275, 375, 430, 535\*
- Evaluated Nuclear Data File (ENDF) library 715
- exceptional case 700
- excess relative risk 740
- exclusion area boundary (EAB) 120, 122
- explosion 7, 8, 11, 21, 43, 59, 117, 122, 124, 132, 136, 137, 139–142, 144, 169, 174, 177, 191–194, 201, 207, 210, 221, 227, 237, 239, 248, 249, 252, 364, 369, 374, 390, 421, 447, 449, 472, 473, 484, 531, 548, 549, 555, 568, 716, 721
- exposure
  - pathways 64, 95, 146–148, 150, 157, 164, 214, 217, 226, 400, 507, 554, 608, 716, 718
  - time 158, 174, 211, 228, 515, 516, 519, 523, 524, 538, 541, 589, 614, 615, 618, 651
- external
  - contamination 203, 207, 210, 217, 219, 227, 228, 230, 237–239, 573, 576, 607, 642

- external (*contd.*)
- dose 64, 69, 157, 158, 175, 226–228, 347, 505, 526, 531, 542, 545, 563, 568, 576, 586, 588, 600, 723
  - hazard 19, 57, 473
  - external beam therapy 261, 262, 268, 273, 282, 290, 309, 316, 330
  - extragalactic cosmic radiation 348
  - eye dose 486, 487, 641, 650–653, 698
  - eye dose equivalent 697
  - eye dose limit 641, 652
- f**
- <sup>18</sup>F 48, 263, 267, 664
  - <sup>19</sup>F 19, 48, 664
  - <sup>20</sup>F 48
  - fallout 11, 156, 191, 193, 195, 196, 198–202, 221–223, 228, 231, 241, 244, 250, 347, 444, 503, 504, 559, 570, 571, 679
  - fast
    - fission 24, 31, 69
    - neutron 24, 46, 51, 52, 54, 55, 73, 88, 89, 198, 199, 272, 296, 331, 408, 488, 509, 523, 583, 603, 605
    - neutron therapy 296
    - reactor 29, 46, 47, 51, 52, 55, 56, 62, 87–89, 92, 93, 95, 97, 173, 174, 176
  - <sup>54</sup>Fe 73, 665
  - <sup>55</sup>Fe 74, 337, 364, 605, 665
  - <sup>56</sup>Fe 336, 337, 595, 665, 668
  - <sup>58</sup>Fe 73, 338, 604
  - <sup>59</sup>Fe 30, 51, 73, 337, 338, 603–605
  - fertile material 24, 25
  - filter 67–69, 173, 174, 245, 419, 427, 516, 532, 536–538, 557, 671–674
  - fire 7, 117, 141, 167, 169, 174, 177, 244, 245, 249, 364, 380, 383, 392, 420–422, 533, 560, 618, 624, 626, 716, 722
  - fissile material 24, 27–29, 31, 46, 79, 93, 115, 171, 189, 192, 515, 530
  - fission 6, 24, 112, 188, 270, 390, 417, 499, 663, 700, 715\*
    - fission chamber 205, 206
    - fission gas 58, 67, 68, 70, 118–120, 134, 139, 302
    - fission neutron 31, 72, 207, 271, 509
    - fission product
      - inventory 115, 116
      - release 53, 113, 116, 132–133, 140, 394, 418, 720
    - fission product barrier 11, 24, 42, 44, 45, 52–54, 57, 58, 63, 66, 68, 70–73, 75, 112–114, 116–120, 122–124, 126, 127, 129, 133, 135–138, 140, 143, 152, 172, 178, 208, 249, 404, 418, 424, 426, 429, 434, 443, 462, 463, 473, 475, 501, 503, 533, 534, 551, 555, 567, 627, 628, 1452
  - fission weapon 188–192, 197–199
  - FLEX strategy 431, 475
  - flood 8, 9, 44, 45, 114, 117, 137, 144, 148, 237, 378, 429, 433, 434, 438, 474, 478, 479, 531
  - fluence rate 69, 91, 102, 311, 338, 349, 408, 601, 602, 605, 674
  - FLUKA code 716, 728, 729
  - fluoroscopy 261, 262, 264, 280, 355, 356, 370, 401, 402, 612–618
  - flux 69, 92, 103, 196, 198, 278, 338, 400, 408, 528, 529, 601, 603, 673, 674, 680
  - <sup>221</sup>Fr 295
  - fuel
    - coating 44, 48–50, 70
    - cycle facilities 51, 109, 148, 461, 473, 721
    - damage 43, 44, 67, 68, 70–71, 111, 117, 118, 127, 128, 138–140, 142, 424, 472, 482, 548, 549, 553
    - element 118
    - element cladding 533, 534
    - fission product barrier 44, 52, 53, 58, 66, 68, 70, 72, 73, 112, 118–120, 123, 124, 126, 404, 503, 551, 627
    - neutron production parameter 92
    - repository 4, 27, 380, 432, 479
    - reprocessing 11, 18, 24–29, 51, 54–56, 75, 78–81, 86–89, 93, 95, 96, 162, 170, 174, 176, 241, 242, 247, 381, 439, 465, 466, 499, 563
  - fuel cycle 4, 17, 148, 349, 461, 716, 730\*
  - Fukushima Daiichi accident 4, 40, 109, 113, 203, 259, 281, 347, 418, 503\*
  - full actinide recycling 46, 55
  - full recycle fuel cycle 29, 86
  - fusion 93, 188–190, 192, 197–199, 480, 481, 573, 717–719
  - fusion weapon 188, 189, 197–199
- g**
- <sup>67</sup>Ga 263, 308
  - galactic cosmic radiation 346, 348
  - gamma
    - camera 239, 266, 267, 272
    - constant 97, 204–206, 405, 407, 408, 481, 515, 618, 621, 624, 638, 681, 683
    - knife 205, 363
  - gamma-ray 38, 53, 91, 96, 102, 103, 191, 192, 196, 198, 199, 251, 261, 263, 264, 271–274, 293, 331–333, 347, 369, 484, 527, 528, 574, 583, 584, 586, 595, 618, 621, 622, 631, 648, 649, 669, 717, 722

- gamma-ray free electron laser 91, 102  
 gap activity 70, 112, 116  
 gas centrifuge 18–20, 22, 23, 32–37, 39,  
 75–77, 188  
 Gas-Cooled Fast Reactors (GFR) 46, 47,  
 50–52, 71  
 gas-cooled reactor 27, 31, 60, 73, 74  
 gaseous diffusion 4, 18–23, 32–37, 39, 75,  
 76, 188  
 Gaussian Plume model 714, 718  
<sup>153</sup>Gd 275, 364  
<sup>68</sup>Ge 364  
 Geiger-Muller detector 173, 237, 509  
 General Emergency 116, 143–149, 174, 177,  
 179, 214, 394, 404, 449, 453, 535, 555, 567,  
 624, 626, 627  
 Generation I Reactor 17  
 Generation II Reactor 40, 51, 68, 69, 431,  
 475  
 Generation III Reactor 17, 31, 32, 40–42, 44,  
 73, 120, 130  
 Generation IV Industrial Forum 50  
 Generation IV Reactor 1, 2, 17, 18, 29, 40,  
 45–47, 51, 58, 59, 64, 67, 71–74, 77, 81, 86,  
 88–90, 127, 465, 466, 477, 480  
 GENII-LIN code 716  
 geologic repository 9, 27, 85, 86, 90, 93, 169,  
 170, 428  
 global climate change 84, 467, 468, 478  
 Goiania accident 242  
 graphite 46–51, 54, 57, 74, 133, 134, 424  
 gray equivalent 229, 353, 354, 579  
 greenhouse  
 – emissions 469  
 – gases 467–469  
 ground  
 – deposition 150, 156, 174, 175, 508, 541,  
 559, 566, 673  
 – zero 11, 191, 192, 196, 199, 201, 221, 504,  
 505  
 gun-type device 188
- h**  
<sup>2</sup>H 43, 73, 192, 296, 664, 734  
<sup>3</sup>H 30, 43, 48, 51, 57, 73, 74, 188, 195, 200,  
 231, 239, 296, 336, 347, 441, 545, 573, 596,  
 597, 627, 664, 674, 734  
 hadron therapy 293  
 half-life 25–27, 31, 48–50, 94–96, 99, 102,  
 120, 173, 174, 204–206, 242, 245, 248, 263,  
 265, 266, 270, 273, 291, 292, 299, 301–303,  
 330, 333, 337, 338, 400, 408, 441, 447, 481,  
 485, 489, 502, 519, 529, 535, 536, 545, 546,  
 557, 562, 573, 575, 578, 580, 585, 596–599,  
 605, 610, 637, 649, 656–658, 663–667, 672,  
 680  
 Hanford Site 88, 162, 163, 241, 244, 499,  
 530  
 Hanford Tank Farms 11, 163, 165, 499  
 hard core concept 128, 475–477  
<sup>4</sup>He 48, 73, 74, 188, 287, 288, 291, 292, 296,  
 320, 321, 324  
 health effects 135, 191, 207, 209, 219, 221,  
 223, 250, 352, 353, 363, 401, 461, 462, 500,  
 508, 569, 611, 614, 718, 720, 739, 740,  
 746–748  
 health physics hazards 21, 23, 37, 64, 65, 67,  
 92, 93, 111  
 heavy  
 – ion therapy 4, 262, 277, 284–290, 506  
 – water reactor 40, 66, 73  
 heavy ion 4, 6, 261, 262, 267, 268, 272,  
 275, 277, 279, 281–284, 287–293, 308,  
 309, 319, 321, 350, 405, 406, 506, 595,  
 596, 628, 703, 715, 718, 722, 727–731,  
 733–735  
 helium 40, 51, 74  
 helium cooled reactor 51, 56, 74  
 hereditary effects 209, 460, 697, 746  
<sup>197</sup>Hg 264  
<sup>203</sup>Hg 264  
 high-altitude burst 193–194  
 high-dose rate brachytherapy 363  
 high-level waste 9, 18, 28, 30, 46, 51,  
 58, 79, 81, 82, 84–86, 88, 89, 91–93,  
 109, 110, 122, 169, 170, 378, 380, 382, 384,  
 420, 422, 428, 432, 465, 466, 473, 479, 530,  
 729  
 high-level waste accidents 110  
 high-level waste disposal facility 420  
 highly enriched uranium 32, 96  
 High Temperature Gas Cooled Reactor  
 (HTGR) 27, 31, 40, 42, 44, 56, 57  
 Hiroshima weapon 188  
 hormesis 5, 459–461, 696, 743, 749  
 hot particle 64, 66, 67, 70, 72, 73, 230, 484,  
 485, 645–647, 649, 680, 683  
 hot particle dose 680  
 HOTSPOT code 196, 203, 716  
 hot zone 213, 228  
 HTO 57, 101, 231, 485, 523, 524, 545, 590,  
 648, 650  
 human alimentary tract model (HATM) 235,  
 701, 706–710, 745  
 human respiratory tract model (HRTM) 96,  
 235, 701, 704–706, 717, 745  
 hybrid medical imaging 307, 324–326

- hydrogen 19, 36, 41–44, 46, 47, 51–54, 56, 58–59, 61, 113, 122, 124, 132, 136–142, 168, 249, 288, 325, 374, 390, 440, 447, 449, 472, 473, 531, 548, 549, 555, 584, 603
- hydrogen explosion 43, 59, 122, 132, 136, 137, 139–142, 249, 374, 390, 447, 472, 473, 548, 549
- hydrogen production 44, 46, 47, 52, 53, 58–59, 61
- i*
- <sup>123</sup>I 264, 308, 333
- <sup>125</sup>I 239, 264, 265, 269–271, 303, 308, 336, 597, 666
- <sup>129</sup>I 27, 28, 30, 86, 89, 93, 95, 441, 627, 666
- <sup>131</sup>I 11, 30, 116, 264, 441, 501, 666\*
- IDD-SAM code 716–717, 728
- <sup>113m</sup>In 264
- Image-guided Radiation Therapy (IGRT) 262, 273, 274, 280
- Image-modulated Radiation Therapy (IMRT) 262, 273, 274
- imaging 75, 261, 262, 264, 266, 273, 274, 278, 280, 293, 304, 307, 324–329, 333, 356, 366, 401, 410, 461, 573, 591, 595, 691, 713, 740
- IMBA code 717
- implosion 189, 190
- improvised nuclear device (IND) 1, 6, 10, 191–192, 345, 392, 453
- infrared laser 36
- ingestion 72, 144, 150, 207, 211, 212, 215–217, 226, 230, 231, 234, 238, 239, 243, 246, 399, 502, 504, 508, 538, 554, 570, 608, 609, 704, 706, 707, 714, 716, 720, 721, 745
- ingestion pathway 144, 150, 212, 216, 554, 570, 716
- inhalation 37, 72, 95, 96, 149, 152, 163–165, 174, 176, 207, 211, 212, 226, 230, 231, 234, 238, 239, 243, 245, 248, 252, 346, 457, 483, 485, 502, 504, 508, 512, 517, 538, 541, 542, 546, 558, 564, 565, 608, 609, 648, 650, 673, 703, 704, 710, 720, 721
- Institute for Nuclear Power Operations (INPO) 423, 473, 476, 477
- intake 20, 148, 212, 294, 398, 454, 500, 673, 675, 689, 692, 714, 745\*
- intake retention fraction 252, 483, 518, 577, 609, 641, 642
- intermediate phase 152, 175, 212, 539, 540, 550
- internal
- contamination 210, 211, 217, 226, 227, 230, 238–240, 544, 576, 642
  - conversion 663, 668
  - dosimetry 19, 69, 235, 518, 679, 684, 687, 689–710, 716, 717, 739, 742
  - hazard 207, 502
  - intake 20, 38, 57, 159, 229, 230, 234, 253, 294, 500, 508, 539, 563, 593
- internal dose 21, 27, 64, 71, 157, 158, 176, 226, 228–234, 241, 347, 390, 489, 508, 539, 545, 546, 562, 576, 690, 697–699, 720, 728, 745
- internal dose assessment 233, 390, 720, 728, 745
- internal dose equivalent 698
- internal radiation-generating device 1, 4, 283, 292, 302, 304, 307–313, 315–323, 329, 335, 356, 596
- International Atomic Energy Agency (IAEA) 31, 59, 359, 423
- International Commission on Radiological Protection (ICRP)
- ICRP 2 436, 689, 693
  - ICRP 10 689, 693
  - ICRP 10A 689, 693
  - ICRP 23 511, 642, 704, 705, 708
  - ICRP 26 96, 101, 436, 456, 483, 509, 511, 535, 641, 642, 644, 652, 689, 693, 696–699, 702, 705, 708, 738, 739
  - ICRP 30 21, 37, 96, 511, 512, 650, 701, 704–709, 745
  - ICRP 56 745
  - ICRP 60 369, 436, 452, 454–456, 488, 510, 511, 641, 689, 693, 694, 697–702, 738, 739, 742
  - ICRP 63 454, 455
  - ICRP 66 96, 235, 511, 512, 558, 689, 701, 704–706, 717, 745
  - ICRP 67 512, 745
  - ICRP 68 715, 745
  - ICRP 71 163
  - ICRP 72 163, 715, 716
  - ICRP 89 511, 703–705, 707, 708
  - ICRP 96 454
  - ICRP 100 235, 689, 701, 706–709, 745
  - ICRP 103 102, 146, 229, 369, 370, 380, 396, 436, 452, 454–458, 467, 482, 486–488, 527, 579, 595, 641, 645, 652–655, 689, 693, 696–698, 701–705, 708, 709, 738, 739
  - ICRP 122 466, 467
- International Nuclear and Radiological Event Scale (INES) 112, 130, 131, 162, 177, 439, 445, 450, 549
- in vitro* bioassay 576, 641, 642
- in vivo* bioassay 230, 576, 609, 641–643
- iodine 43, 113, 215, 266, 390, 441, 504\*
- ion chamber tritium-in-air monitor 525



- ionization 268, 358, 360, 575  
 ionization chamber 101, 245, 246, 402, 484,  
 486, 645, 646, 649, 650, 682, 683  
<sup>192</sup>Ir 204, 208, 239, 266, 269–271, 275, 334,  
 364, 573–575, 589–592  
 isomer 196  
 ISO-PC code 302, 303, 717, 729
- j**
- Japanese Evaluated Nuclear Data Library  
 (JENDL) 717
- k**
- <sup>40</sup>K 346, 347, 665  
<sup>42</sup>K 263, 337, 338, 603–605  
<sup>43</sup>K 263  
 kaon 331, 332  
 KI administration 146, 535, 549, 567, 569,  
 627, 628  
<sup>81m</sup>Kr 263  
<sup>85</sup>Kr 30, 51, 73, 116, 120, 121, 441, 627, 645,  
 665  
<sup>87</sup>Kr 30, 73  
<sup>88</sup>Kr 73, 441, 627  
<sup>89</sup>Kr 30  
 krypton 70, 134, 567  
 Kyshtym accident 242
- l**
- lapel air sampler 97, 98, 516, 559  
 laser  
 – infrared 35, 36  
 – ultraviolet 35  
 laser enrichment 18, 20, 32, 35–39, 75–77,  
 188, 501  
 laser isotope separation 4, 33–35, 39, 76, 77  
 late phase 152, 154, 211, 212, 218, 219, 224,  
 225, 453  
 late side effects 276  
 Lead-Bismuth-Cooled Fast Reactor (LBFR)  
 46, 50, 52, 62  
 lead coolant 50, 52, 53, 71, 97  
 Lead-Cooled Fast Reactor (LFR) 46, 47,  
 50–53, 57, 58, 60, 64, 67, 71–73, 97  
 lens of the eye 452, 486, 488, 650, 651, 653,  
 698  
 letdown 70, 119, 171, 534  
 leukemia 265, 266, 272, 276, 294, 295, 458,  
 460, 693–695, 741, 744, 748  
<sup>6</sup>Li 48, 73, 74, 664, 735  
 lifesaving actions 152  
 lifetime 17, 52, 56, 62, 63, 79, 127, 151, 160,  
 161, 229, 331, 352, 353, 360, 400, 434, 456,  
 457, 460, 462, 463, 488, 579, 654, 659, 681,  
 695, 697, 721, 741, 747–749  
 light damage zone 213, 220  
 light water reactor 18, 25, 41, 56, 112, 190,  
 478  
 linear accelerator (LINAC) 273, 274, 337,  
 360, 603, 715  
 linear energy transfer 296, 350, 744  
 linear model 393, 695  
 linear-non-threshold hypothesis 5, 393, 394,  
 452, 458–462, 467, 654, 696, 701, 737, 742,  
 743, 746–748  
 linear quadratic model 740, 742  
 line source 70, 621, 622, 635, 681–683, 717  
 Liquid Metal Fast Breeder Reactor 52, 62  
 liquid scintillation counting 239, 545, 648  
 liquid sodium 48, 55, 58, 67, 68, 72  
 LISE++ code 718  
 litigation 156, 232, 385, 386, 428, 437, 438,  
 458, 478  
 Lorentz factor 682  
 loss of coolant accident 42, 44, 56, 111, 118,  
 122, 421, 555  
 loss of power event 75, 126–128  
 low-coherence interferometry (LCI) 307, 327  
 low-dose rate brachytherapy 363  
 low-earth orbit 6, 349–350, 405, 727, 729  
 low-earth orbit tourism 6  
 low-level radioactive waste 81, 83, 90, 720  
 low population zone 120  
<sup>177</sup>Lu 265, 271, 308  
 Lyons High-Level Waste Disposal facility  
 419–420
- m**
- MACCS2 code 718  
 magnetic resonance imaging 27, 261  
 main steamline break event 122  
 maintenance operations 38  
 manganese 232  
 MARS Code 718  
 MARSSIM code 162, 723  
 mean dose per unit cumulated activity 690  
 mean lifetime 331  
 medical devices 262  
 Medical Internal Radiation Dose (MIRD)  
 585, 689–693  
 medical therapy 294, 573, 696, 737, 748  
 medium-dose rate brachytherapy 363  
 MERCURY Code 290, 715, 717, 729–731,  
 734  
 meteorology 223, 248, 559, 608, 718  
<sup>24</sup>Mg 48, 665

- <sup>25</sup>Mg 48
- <sup>26</sup>Mg 48
- <sup>27</sup>Mg 48
- MICROSHIELD® Code 719, 729
- MICROSKYSHINE® Code 719, 729
- MIDAS code 144, 719
- millimeter wave technology 366
- milling 20, 30
- Millstone safety allegations 425–426
- mining 17, 18, 20, 30, 357, 358, 469
- minor actinide burning 88
- minor actinides 28, 29, 31, 51, 54, 55, 78, 86–93, 102, 178, 465, 727–729
- mixed fission products 163, 176, 232, 246, 547
- mixed oxide fuel 174
- <sup>54</sup>Mn 51, 73
- moderate damage zone 213, 220
- molecular laser isotope separation (MLIS) 34–36, 100, 521
- molten salt coolant 58
- Molten Salt Epithermal Reactor (MSR) 46, 47, 50, 51, 53, 54, 58, 60, 64, 66–68, 71–73, 95, 125, 178, 551, 553
- Monte Carlo N-Particle (MCNP) code 718, 719, 724, 728, 729
- Monte Carlo N-Particle Extended (MCNPX) code 719, 728, 729
- MORSE code 722
- MULTIBIDOSE code 720
- multi-modal therapy 277, 281, 305
- muon 136, 277, 283, 290–293, 295, 309, 310, 312, 332, 336, 348, 506, 582, 595, 700, 718, 722
- n**
- <sup>13</sup>N 195, 263, 267, 664, 734
- <sup>14</sup>N 48, 73, 94, 664, 735
- <sup>16</sup>N 44, 48, 51, 57, 64, 74, 664, 674
- <sup>17</sup>N 48, 57
- <sup>22</sup>Na 48, 195, 337, 347, 605, 664
- <sup>23</sup>Na 48, 337, 338, 509, 601–604, 664, 665
- <sup>24</sup>Na 48, 57, 337, 338, 509, 601–605, 665, 674
- <sup>25</sup>Na 48
- Nagasaki weapon 189
- nanotechnology 4, 277, 283, 304–329, 335, 336
- National Council on Radiation Protection and Measurements (NCRP)
  - NCRP 93 200, 345, 355, 367
  - NCRP 116 370, 456, 488, 654
  - NCRP 130 72, 73, 645, 647
  - NCRP 132 350, 352–354
  - NCRP 136 747
  - NCRP 138 208, 214, 216–218, 220, 226, 455, 563
  - NCRP 142 351
  - NCRP 146 160
  - NCRP 151 591, 592
  - NCRP 155 270, 370
  - NCRP 160 276, 345–347, 355, 357, 358, 365, 367, 368, 370, 371
  - NCRP 161 228–232, 547, 548, 573, 574, 579, 580
  - NCRP 163 156–159
  - NCRP 165 191, 213, 228, 561, 562
  - NCRP 166 206
  - NCRP 170 276
- National Incident Management System (NIMS) 187
- National Response Framework 187
- natural uranium 19–21, 23, 76, 80, 399, 519, 521, 714
- <sup>92</sup>Nb 49
- <sup>92m</sup>Nb 49
- <sup>93</sup>Nb 49, 665
- <sup>93m</sup>Nb 49
- <sup>94</sup>Nb 49
- <sup>94m</sup>Nb 49
- <sup>20</sup>Ne 287, 288, 291, 310, 320–324
- <sup>23</sup>Ne 48, 57
- neptunium 21, 25, 30, 89
- neutrino 282, 292, 332, 663, 668, 669
- neutron
  - capture 73, 77, 93, 94, 196, 198, 268, 296, 603, 631, 667
  - therapy 277, 295–297
- neutron fluence rate (flux) 69, 92, 103, 196, 198, 278, 338, 400, 408, 528, 529, 601, 603, 605, 610, 673, 674, 680
- <sup>58</sup>Ni 73, 665
- <sup>59</sup>Ni 74
- <sup>63</sup>Ni 74, 364
- nickel 59, 74
- nitrogen 74, 94, 139, 196, 197, 243, 288, 331, 349, 522, 648
- noble gas 57, 58, 64, 66, 67, 70, 72, 73, 113, 116, 117, 119, 121, 125, 126, 129, 132, 133, 139, 178, 381, 440–443, 447, 449, 507, 508, 524, 525, 551, 553, 567, 627, 645, 648, 649
- non-linear interferometric vibrational imaging 307, 327–328
- non-stochastic ALI 96, 698
- non-stochastic effects 697, 698, 737
- normal operations 21, 71, 127, 380, 395, 452, 456, 531

- nuclear
  - accidents 6–9, 111–179, 375, 392, 396, 398, 430, 439, 450, 471, 479
  - detonation 191–200, 213, 220, 228, 458, 572, 716
  - forensics 77, 80–81
  - fuel 4, 18, 24–26, 30, 81, 85, 118, 119, 122, 170, 177, 206, 208, 721
  - fuel cycle 4, 6, 17–103, 468, 469
  - medicine 4, 208, 261–338, 345, 355, 356, 365, 370, 613, 691, 719
  - non-proliferation treaty 75
  - proliferation 4, 17, 26, 28, 32, 46, 58, 75–81, 89, 477
  - reactor 3, 7, 8, 17, 29, 40, 46, 59, 61, 63, 70, 80, 111, 121, 205, 206, 214, 242, 326, 347, 437, 439, 477, 480, 481
  - regulations 3, 379, 393, 417, 418, 420, 422, 423, 465, 468, 473, 476
  - safety 17, 170, 417, 432, 436–439, 457
  - security 78, 363, 364, 383
  - terrorism 5, 7, 8, 129, 210, 211, 213, 221, 224, 241, 383
  - waste 17, 206, 384, 428, 431, 432, 451, 479, 480
  - weapons 3–5, 11, 23, 24, 31, 75–78, 80, 89, 101, 188–191, 194, 198, 200, 203, 205, 206, 214, 231, 242, 250, 347, 369, 384, 439, 713
  - yield 11, 189, 191, 208, 504, 505
- Nuclear Energy Institute (NEI) 424, 431
- nuclear power 3, 17, 109, 111, 208, 347, 417, 499, 720\*
- nuclear reactions
  - ( $\gamma$ , p) 48
  - (n, 2n) 19, 48–50, 664, 665
  - (n,  $\alpha$ ) 48, 49, 272, 296, 603
  - (n, d) 48, 73
  - (n,  $\gamma$ ) 48–51
  - (n, n') 49, 50
  - (n, p) 48–50, 73, 74, 94, 502, 664, 665, 674
  - photofission 91, 102, 103
  - photospallation 91
- Nuclear Regulatory Commission (NRC) 162, 214, 359, 417, 482, 486, 489
- O**
  - <sup>15</sup>O 48, 57, 195, 263, 267, 289, 291, 664, 735
  - <sup>16</sup>O 48, 287–289, 291, 294, 310, 331, 333, 469–471, 583, 595, 664, 674, 734, 735
  - <sup>17</sup>O 48, 73, 469, 471, 664, 734
  - <sup>18</sup>O 48, 470, 471, 664, 734
  - <sup>19</sup>O 48, 57
- occupational dose 42, 43, 52, 159, 367, 369, 457, 569, 645, 654, 701, 703–704, 708
- OLINDA/EXM code 720, 728
- open fuel cycle 46, 56, 58
- operational
  - events 111, 165, 417, 421, 425, 475
- opportunistic dosimetry 157–159
- optical coherence tomography (OCT) 307, 328, 329
- optical imaging 326
- orphan sources 8, 359–361
- outage 24, 42, 53, 63–66, 115, 136, 137, 247, 348, 425, 427, 501, 641, 654
- oxygen 52, 58, 100, 288, 296, 297, 304, 327, 349, 374, 463, 468–471, 522, 582, 584
- P**
  - <sup>32</sup>P 11, 231, 239, 246, 265, 267, 271, 297, 303, 336, 357, 501, 502, 546, 562, 563, 573, 597, 598, 665
  - <sup>231</sup>Pa 164
  - <sup>233</sup>Pa 26, 31, 295
  - <sup>234</sup>Pa 30
  - <sup>234m</sup>Pa 19
  - pair production 646
  - partial recycle fuel cycle 28
  - particulates 36, 38, 43, 67, 72, 100, 113, 114, 117, 121, 125, 126, 129, 132, 133, 149, 169, 173, 174, 192, 348, 440, 441, 469, 508, 526, 532, 535, 537, 559, 567, 721
  - partitioning and transmutation 88–91, 94, 728
  - passive safety system 17, 40–42, 44, 55, 56, 63, 75, 120, 123, 125, 126, 128, 130, 475
  - <sup>203</sup>Pb 50
  - <sup>204</sup>Pb 50
  - <sup>204m</sup>Pb 50
  - <sup>205</sup>Pb 50
  - <sup>206</sup>Pb 301
  - <sup>208</sup>Pb 50
  - <sup>209</sup>Pb 50
  - <sup>210</sup>Pb 30, 50, 52, 266, 358
  - <sup>212</sup>Pb 308
  - <sup>214</sup>Pb 30, 400, 666
  - <sup>103</sup>Pd 265, 270, 271, 303, 364
- Pebble Bed Modular Reactor (PBMR) 27, 40, 62
- permanent resettlement 150, 151
- personal dose equivalent [Hp(10)] 703
- personal genomics 329
- PET/CT 274, 280, 325
- PET/MRI 325
- photodisintegration 35, 91
- photodynamic therapy 307, 327
- photon 19, 123, 188, 262, 348, 488, 506, 668, 691, 715, 728\*

- pion 277, 283, 290–295, 309, 310, 332,  
 333, 336, 351, 506, 582, 584, 595, 701, 703,  
 722  
 planned special exposure 456, 457, 654  
 plume 152, 156, 164, 174, 175, 178, 217, 223,  
 224, 226, 248, 376, 377, 443, 450, 503, 508,  
 539, 551, 554, 559, 565, 567, 671, 673, 675,  
 679, 682, 714, 716, 718, 721  
 plume exposure pathway 146–148, 150, 554  
 plutonium  
 – oxide 24, 55  
 – recycling 88, 89  
 Plutonium/Uranium Extraction (PUREX)  
 process 78, 79  
<sup>147</sup>Pm 275, 364  
<sup>210</sup>Po 50, 207, 252, 253, 358, 364, 576–580  
<sup>214</sup>Po 30, 400, 666  
<sup>218</sup>Po 30, 400, 666  
 point source 70, 73, 103, 337, 403, 512, 514,  
 529, 586, 589, 618–620, 622, 631, 633–635,  
 638–640, 646, 683, 717, 719  
 point source approximation 70, 253, 586,  
 589, 618, 620, 622, 631, 633–635, 638,  
 639  
 polonium 347  
 positron 267, 280, 282, 289–292, 646, 663,  
 668, 669, 691, 728  
 positron emission tomography (PET) 266,  
 267, 273, 274, 280, 282, 289, 290, 309, 311,  
 324–326, 363, 728  
 potassium 146, 148, 170, 215, 231, 232,  
 242–244, 376, 504, 546, 551, 567  
 power  
 – output 77, 136  
 – reactor 3, 17, 111, 204, 302, 345, 417, 503,  
 713, 740\*  
 Pressurized Water Reactor (PWR) 24,  
 40–44, 58, 62, 64, 69, 70, 73, 74, 111, 112,  
 119, 120, 130, 132, 135–137, 171, 374, 389,  
 404, 421, 424, 427, 481, 482, 553  
 PRESTO code 720  
 primary 18, 112, 188, 268, 370, 422, 499, 729,  
 748\*  
 primary containment vessel 45, 177, 548  
 primary coolant 24, 45, 54, 57, 59, 63, 67,  
 69–71, 73, 74, 112, 113, 118–121, 125–128,  
 422, 481, 553  
 primary coolant system fission product barrier  
 45, 57  
 primary to secondary leakage 72, 119, 534  
 primordial radionuclide 347  
 probabilistic risk assessment 129–130,  
 425  
 probability of causation 232, 743–745  
 production equations 68, 69, 518, 519, 526,  
 564, 565, 606, 610, 634, 635, 655–657,  
 671–677, 679, 687  
 production-to-absorption ratio 91  
 projected dose 144, 146, 147, 151, 179, 211,  
 215, 229, 393, 453–455, 533, 540, 567,  
 630  
 prompt radiation 191, 196, 199, 332, 375  
 prophylactic drugs 147, 215  
 proportional counter 338, 522, 523, 575, 603  
 protective action(s) 11, 113, 117, 143–150,  
 152, 153, 172, 173, 175–177, 211–217, 222,  
 223, 228, 241, 249, 375, 376, 388, 393–395,  
 405, 445, 452–455, 504, 533, 535, 539, 545,  
 549, 563, 567, 568, 625–628  
 – guide 117, 144–149, 175, 214, 215, 394,  
 453, 540, 563, 567, 568, 627, 628  
 – recommendations 143–145, 147–150,  
 172, 211, 213–217, 249, 404, 452, 533,  
 540, 627  
 proton 4, 89, 261, 348, 582, 663, 703, 722,  
 727, 733\*  
 proton accelerator 89  
 proton generating device 312, 313, 315  
 proton therapy 277, 283–284  
 Prussian blue 229, 231, 244, 546, 547  
 psychological effects 151, 207  
<sup>238</sup>Pu 26, 153, 164, 175, 188, 206, 207, 217,  
 275, 364, 503, 540, 567, 573  
<sup>239</sup>Pu 11, 24, 153, 188, 275, 364, 499, 667\*  
<sup>240</sup>Pu 25, 26, 101, 164, 175, 188, 200, 217,  
 503, 525, 526, 540, 667  
<sup>241</sup>Pu 24–26, 69, 93, 164, 188, 667  
<sup>242</sup>Pu 25, 26, 28, 175, 188, 217, 503, 540  
 public dose limits 216, 353, 370–371, 395,  
 451–452  
 public doses 6, 159, 216, 232, 345, 353, 357,  
 365, 370, 393, 395, 440, 451–455, 465, 467,  
 500, 540  
 public radiation exposure 6, 345–408  
 pulsed-dose rate brachytherapy 269  
 PuO<sub>2</sub> 24
- q**  
 quality factor 509, 510
- r**  
<sup>223</sup>Ra 266, 294, 301, 308  
<sup>224</sup>Ra 294, 301, 511, 744  
<sup>225</sup>Ra 295  
<sup>226</sup>Ra 30, 205, 207, 231, 239, 270, 271, 275,  
 294, 358, 573–575, 667, 714  
<sup>227</sup>Ra 294  
<sup>228</sup>Ra 358

- radiation
  - countermeasures 131, 154
  - damage 39, 168, 276, 459
  - effects 21, 191, 192, 195, 203, 204, 222, 227, 348, 375, 387, 462, 510, 701–702
  - risk 222, 224, 240, 367, 372, 373, 376, 389, 390, 396, 398, 737–739, 741, 748
  - safety system 54
  - therapy 6, 204, 232, 261, 262, 267, 272–281, 304, 305, 319, 327, 573
- radiation exposure device (RED) 191, 209
- radiation types
  - alpha 19, 24, 28, 37, 80, 188, 192, 206–208, 213, 238, 239, 245, 251, 252, 267, 270, 271, 277, 282–284, 290, 292, 294, 295, 299–303, 308, 310, 320, 336–338, 348, 349, 358, 441, 488, 522, 523, 541, 557, 575, 593, 595, 597, 598, 600, 633, 663, 692, 700, 701, 703, 744, 746
  - antimatter 6, 277, 293–294, 308–310, 505, 595
  - beta 19, 173, 188, 264, 347, 484, 505, 663, 691, 723, 746\*
  - gamma-ray 38, 53, 69, 91, 96, 102, 103, 191, 192, 196, 198, 199, 251, 261, 263, 264, 271–274, 293, 331–333, 347, 369, 484, 527, 528, 574, 583, 584, 586, 595, 618, 621, 622, 631, 648, 649, 669, 717, 722
  - heavy ion 4, 6, 261, 262, 267, 268, 272, 275, 277, 279, 281–284, 287–293, 308, 309, 319, 321, 350, 405, 406, 506, 595, 596, 628, 703, 715, 718, 722, 727–731, 733–735
  - kaon 331, 332
  - muon 136, 277, 283, 290–293, 295, 309, 310, 332, 336, 337, 348, 506, 582, 595, 700, 703, 718, 722
  - neutrino 282, 292, 332, 663, 668, 669
  - neutron 19, 123, 188, 261, 348, 462, 506, 663, 673, 700, 715, 729, 746\*
  - positron 266, 267, 273, 280, 282, 289–292, 325, 363, 582, 646, 663, 668, 669, 691, 728
  - proton 4, 90, 261, 348, 582, 663, 700, 722, 727, 733\*
  - x-ray 35, 37, 191, 219, 239, 261–264, 273, 274, 279, 324–326, 334, 347, 348, 356, 363, 365, 366, 401, 402, 545, 588–591, 609, 612–616, 717, 723, 739, 746
- radiation weighting factor 406, 510, 595, 629, 651, 699–703, 730
- radiation worker 354, 368, 369, 392, 393, 408, 455, 456, 458, 488, 592, 654
- radioactive
  - gas 57, 442, 525
  - waste 18, 27, 29, 30, 55, 60, 66, 71, 81–83, 90, 98, 169, 207, 305, 397, 419, 466, 469, 640, 719, 720, 727
  - waste management 66
- radioactive material 4, 37, 111, 187, 261, 345, 418, 499, 671, 689, 716, 740\*
- radiography 70, 205, 208, 261, 262, 280, 350, 355, 356, 359, 363, 370, 573, 718
- radioimmunoconjugates 329
- radioimmunotherapy 262, 272, 280
- radioiodine 113, 114, 116–120, 132–134, 148, 149, 230, 266, 333, 390, 441, 489, 507, 508, 546, 547, 553, 567, 568, 574, 627, 645, 655, 658
- radiological dispersal device (RDD) 8, 191, 204–207, 244, 247, 251, 275, 369, 453, 501
- radiological terrorism 190, 210, 240, 573
- radiopharmaceuticals 148, 261, 266, 267, 270, 271, 277, 282, 294, 369, 581, 586, 691, 693, 720, 728
- radioprotective chemical 453, 504, 509, 543, 576
- radiotoxicity 19, 27, 37, 39, 88, 520
- radium 347
- radon 173, 245, 346–347, 370, 400, 401, 455, 464, 522, 523, 535, 536, 558, 610–612, 642, 721, 746
- RADTRAN code 720
- range 5, 33, 123, 190, 267, 347, 469, 510, 679, 692, 715, 727, 745\*
- RASCAL code 144, 721
- <sup>87</sup>Rb 347
- RBMK reactor 133
- <sup>186</sup>Re 265, 271, 308
- <sup>188</sup>Re 265, 271
- reactor 3, 17, 111, 190, 294, 345, 417, 500, 673, 713, 740\*
  - building 58, 112, 116, 119, 122, 132, 134–137, 139–141, 177, 178, 248, 249, 422, 441, 447, 472, 473, 548, 550
  - building spray 116
  - coolant system leakage 67
  - pressure vessel 44, 112, 136, 177, 424, 427, 463, 548, 554, 555
  - vessel 24, 44, 45, 54, 63, 112, 113, 119, 121, 125, 130, 134, 139, 177, 178, 374, 408, 418, 427–428, 440, 442, 463, 474, 475, 503, 551
- reactor coolant
  - leakage 57
  - system 45, 67, 70–72, 112, 130, 171, 374, 405, 422, 463, 482, 533, 534, 554, 555, 627, 720
- Reactor Safety Study (WASH-1400) 420, 421
- recovery actions 152, 214, 221

- recycle fuel cycle 28–29, 86
- reentry
  - criteria 150–151, 155, 241, 500, 563
- Reference Animals and Plants 387, 388
- Reference Female 702, 703
- reference level 388, 395, 396, 453–455
- Reference Male 702, 703
- Reference Man 333, 511, 512, 585, 642, 704, 705, 708
- regulations 5, 120, 275, 354, 417, 636, 693, 719, 737\*
- relative biological effectiveness (RBE) 229, 279, 281, 288, 289, 293, 295, 296, 579, 701, 730
- relative risk 421, 461, 694, 695, 740–742, 744
- relative risk model 694, 695, 741, 742, 744
- remainder 112, 147, 174, 196, 486, 652, 699–703, 708, 710, 739
- remediation of contaminated areas 160–162
- remote handling equipment 58
- reprocessing waste 11, 25, 79, 81, 82, 89, 162, 247, 465, 466, 499, 563
- reprocessing waste tanks 82, 110, 162–167
- RESRAD code 721
- <sup>103</sup>Rh 73
- <sup>106</sup>Rh 73
- risk
  - analysis 161, 242, 433
  - assessment 85, 129–130, 242, 425, 433–435, 465, 714, 748
  - coefficient 389, 396, 510, 511, 694, 737–739, 742, 746
  - communications 111, 371–377
  - estimates 231, 276, 352, 353, 400, 401, 612, 694–696, 738, 739, 742, 746, 748, 749
  - model 352, 401, 461, 510, 694–696, 737, 738, 741–746, 749
  - population 149, 212
- risk-informed regulatory management 472
- <sup>220</sup>Rn 346, 667
- <sup>222</sup>Rn 30, 245, 270, 271, 301, 302, 346, 400, 556, 610, 611, 667, 673
- rock melting 82
- <sup>103</sup>Ru 73, 153, 217, 503, 567
- <sup>106</sup>Ru 73, 153, 217, 364, 503, 567
- s**
  - <sup>34</sup>S 48, 74, 665
  - <sup>35</sup>S 48, 74, 176, 239, 263, 303, 545, 547, 573, 665
- sabotage 6, 8, 9, 17, 84, 145, 187, 210, 455, 531, 555, 645
- safety
  - analysis report 383, 636
  - system 17, 40–42, 44, 45, 54–56, 63, 75, 111, 114, 115, 117, 120, 123, 125–128, 130, 131, 134, 135, 137, 144, 152, 169, 174, 177, 415, 419, 421, 424, 429, 431, 433, 437, 475, 503, 548
- Salem ATWS 423, 475
- saturation activity 601, 602, 675
- Savannah River Site 241, 381
- <sup>45</sup>Sc 49, 51
- <sup>46</sup>Sc 49, 51
- <sup>47</sup>Sc 49, 303
- <sup>48</sup>Sc 49
- SCALE5 code 721–722
- scrap metal 4, 206, 259, 358, 359, 361–362
- scrap metal recycling 259, 358, 359
- <sup>75</sup>Se 263, 275, 364
- <sup>79</sup>Se 93, 94
- secondary 45, 63, 71, 72, 118, 119, 126–128, 132, 135, 171, 189, 276, 282, 309, 350, 351, 357, 374, 425, 534, 553, 615, 616, 722, 730
- secondary cancer 276
- secondary coolant 71, 118, 119, 126, 128
- separation factor 33, 34, 38, 76
- separation of isotopes by laser excitation (SILEX) 36, 76, 77, 100, 521
- separative work 33, 76
- separative work unit (SWU) 23, 33, 34, 76
- September 11, 2001 terrorist attacks 426
- severe damage zone 213, 220–221
- sex averaging 702–703
- shallow land burial 81, 84–85
- sheltering 113, 146–150, 214–217, 221–223, 227, 228, 241, 404, 405, 445, 453–455, 504, 535, 549, 550, 625–627, 630
- shielding, 37, 123, 193, 332, 349, 440, 507, 716, 728\*
- shielding materials 53, 359
- shock effects 192, 197
- <sup>28</sup>Si 48
- <sup>29</sup>Si 48
- <sup>30</sup>Si 48
- <sup>31</sup>Si 48
- side effects 148, 240, 269, 272, 274–277, 281, 282, 296, 319, 547
- Simplified Boiling Water Reactor (SBWR) 40, 41, 56
- single pass fuel cycle 27–28, 55
- single-photon emission computed tomography (SPECT) 266
- Site Area Emergency 143–145, 148, 179, 214, 394, 404, 555, 624–627
- skin absorption 230, 234, 239, 485, 508, 650

- skin dose
    - equivalent 697
    - limit 641
  - skyshine 722
  - SKYSHINE-KSU Code System 722, 729
  - <sup>145</sup>Sm 265, 271
  - <sup>151</sup>Sm 164
  - <sup>153</sup>Sm 265, 271
  - small modular reactors 31, 61–64
  - smoke detectors 357, 358, 360, 573
  - smoking 357, 358, 373, 398, 612, 745, 746
  - <sup>126</sup>Sn 93, 94
  - sodium coolant 48, 67, 68
  - Sodium-Cooled Fast Reactors (SFR) 46, 47, 50, 51, 55, 57–60, 64, 67, 71, 73, 174
  - Solar flares 8, 176, 345, 348–350, 353, 368
  - Solar particle event
    - August 1972 event 350, 352
    - Carrington Flare 1859, 349
    - dose 349
    - September 29, 1989 event, 354
  - solid tumors 9, 266, 294, 297, 305, 510, 693–695
  - source
    - categories 362
    - security 275, 362
  - space radiation 346, 348, 349, 719
  - space tourism 5, 7, 259, 349, 353, 354, 727, 729, 730
  - spallation 89, 90, 331, 664
  - special nuclear material 79, 80, 187, 191, 383, 384
  - specific effective energy (SEE) 690, 691, 698
  - spent fuel 4, 18, 25, 27–29, 32, 45, 51, 63–65, 68, 70, 75, 77, 78, 84–86, 89, 93, 101, 118, 119, 121–124, 136, 139–142, 176, 177, 204, 249, 326, 378, 380, 383, 425, 428, 430, 432, 465, 466, 473, 474, 548, 553, 721, 722
  - pool 45, 64, 65, 70, 85, 112, 121, 122, 136, 139–140, 142, 176, 177, 249, 326, 378, 425, 430, 473, 548, 553
  - reprocessing 29, 51, 75, 78
  - spent fuel pool accident 121, 473
  - spontaneous fission 206, 207, 270–272, 597, 598, 663, 668–669
  - <sup>85</sup>Sr 263
  - <sup>87m</sup>Sr 263
  - <sup>89</sup>Sr 49, 153, 217, 271, 441, 503, 547, 567, 627, 665
  - <sup>90</sup>Sr 27, 29, 51, 73, 88–90, 93, 97, 98, 113, 153, 164, 195, 200, 205, 207, 215, 217, 231, 239, 247, 265, 271, 275, 364, 441, 442, 465, 485, 486, 499, 503, 505, 516, 529, 547, 550, 551, 563, 567, 573, 627, 665
  - stability class 171, 248, 505, 534
  - stakeholders 3, 79, 147, 212, 366, 415, 417, 502\*
  - Standardized Computer Analyses for Licensing Evaluation (SCALE) Code 721
  - standard mortality ratio 740
  - State-of-the-Art Consequence Analysis (SOARCA) 472–473
  - station blackout 127, 130, 137, 177, 249, 429, 501, 503, 555
  - steam generator
    - tube 65, 71, 75, 118, 119, 534
    - tube rupture 114, 119, 122, 130
  - stereotactic body radiotherapy 262, 273–275
  - stereotactic radiosurgery 205, 262, 274–275
  - stochastic ALI 698, 700
  - stochastic effects 228, 229, 452, 579, 640, 697, 698
  - stopping power 278, 284–289, 293, 312, 314, 584, 596, 717, 718, 722, 727–730, 732, 733
  - Stopping Powers and Ranges (SPAR) code 287, 722, 728, 729
  - straggling
    - angle 286
    - energy 286
    - range 286, 332
  - strontium 29, 67, 82, 117, 232, 441, 443, 627
  - submersion dose 57
  - sub-seabed disposal 83
  - Supercritical Water-Cooled Reactors (SCWR) 46–48, 50, 51, 55, 56, 65, 71
  - supra-linearity 653, 696
  - surface burst 193, 195, 196, 199, 201, 202, 251
  - surface storage 84–85
- t**
- T<sub>2</sub> 485, 560, 648, 649
  - TAOrMINA 330
  - target 4, 69, 168, 190, 261, 347, 485, 503, 672, 689, 719, 734\*
  - <sup>149</sup>Tb 294, 301, 308
  - <sup>99</sup>Tc 28, 86, 89, 93, 94
  - <sup>99m</sup>Tc 263, 294, 303, 574, 575, 666
  - technetium 90, 232
  - terahertz scanners 367
  - terrestrial gamma-ray flash 369
  - terrestrial radiation 346
  - terrorism 5–8, 17, 129, 190, 191, 210, 211, 213, 221, 224, 240, 241, 251, 383, 426, 455, 573
  - <sup>227</sup>Th 294, 301
  - <sup>228</sup>Th 358
  - <sup>230</sup>Th 30, 714

- <sup>232</sup>Th 24, 31, 46, 69, 346, 347, 358, 663, 667, 714  
<sup>233</sup>Th 31, 295  
<sup>234</sup>Th 26, 30  
thallium 231  
therapeutic radionuclides 262, 267, 307, 308  
therapy techniques 4, 12, 261, 269, 272, 274, 305, 307, 329, 330, 505  
thermal  
– effects 191, 306, 572  
– fission 24, 31, 69  
– injury 39  
– neutron 24, 28, 46, 55, 56, 73, 272, 336–338, 408, 488, 595, 601, 603, 605, 634, 674  
– reactor 46, 47, 87–89, 717  
thermoluminescent dosimeter 440  
thick disk source 683  
thorium 17, 18, 24, 27, 31, 40, 43, 54, 60, 347, 357, 358  
thorium fuel cycle 18, 31  
thoron 245, 346, 347, 370, 464  
Three Mile Island accident 3, 7, 371  
threshold (dose) 462, 549, 698, 748–749  
threshold limit value (TLV) 482, 640  
thyroid 96, 144, 207, 263, 390, 442, 510, 695, 744\*  
thyroid blocking 212, 453, 533, 643  
thyroid counting 483, 545, 641, 643  
<sup>45</sup>Ti 49  
<sup>46</sup>Ti 49  
<sup>47</sup>Ti 49  
<sup>48</sup>Ti 49  
<sup>50</sup>Ti 49  
<sup>51</sup>Ti 49  
tissue 96, 147, 215, 261, 355, 484, 506, 691, 714, 728, 733, 738\*  
tissue weighting factor 96, 535, 698, 701, 702, 708, 738, 739, 746  
<sup>201</sup>Tl 204, 205, 264, 336, 574, 575, 597, 666  
<sup>204</sup>Tl 364  
<sup>170</sup>Tm 275, 364  
tomography 136, 239, 261, 262, 266–267, 273, 274, 282, 293, 307, 324, 325, 328, 355, 356, 363, 401, 728  
tornado 114, 117, 148, 378, 421, 531  
Toshiba Model 4S Small Modular Reactor 63  
total effective dose equivalent (TEDE) 122, 160, 176, 215, 362, 370, 581, 586, 587, 641  
total removal rate 518, 610, 672, 674–676  
Towers Perrin Report 424–425  
TRACE code 722–723  
transmission factor 198, 199  
transmutation 6, 81, 88–90, 92–95, 102, 103, 527, 528, 727–729  
transuranic elements 169, 230  
transuranic waste 169  
tritium 43, 44, 65, 66, 73, 74, 100, 101, 176, 189, 232, 451, 463–465, 485, 508, 523–525, 545, 546, 596, 648–650, 716  
tritium bioassay 101  
tritium bubbler 525  
tsunami 6, 9, 111, 114, 117, 122, 123, 127, 131, 136, 137, 142, 148, 149, 151, 153, 155, 223, 376, 379, 391, 395, 397, 398, 428–430, 432–435, 445, 448, 450, 451, 473, 531  
tumor 4, 96, 261, 356, 505, 693, 727, 733, 744\*  
tumor treatment 294  
tumor vascular disruption 273, 277, 283, 297, 301, 320, 336, 598  
Tunguska event 7, 11, 499
- U**  
<sup>230</sup>U 301  
<sup>232</sup>U 31  
<sup>233</sup>U 24, 31, 40, 46, 54, 69, 93, 188, 192, 294, 295, 515  
<sup>234</sup>U 19, 20, 26, 35, 39, 99, 100, 188, 239, 519–521  
<sup>235</sup>U 11, 18, 188, 347, 504, 663\*  
<sup>236</sup>U 25, 26, 80  
<sup>238</sup>U 19, 24–26, 30, 37, 46, 69, 77, 99, 100, 188, 239, 287, 288, 292, 346, 347, 399, 400, 519–521, 526, 606–608, 631, 663, 666, 667  
ubiquitous background radiation 346  
UF<sub>4</sub> 19  
UF<sub>5</sub> 38  
UF<sub>6</sub> 11, 18–22, 35–37, 76, 501  
ultrasound 261, 273, 324, 328  
ultraviolet laser 35  
uncertainties 115, 144, 157, 161, 167, 219, 222, 223, 231–235, 319, 350, 352, 353, 419, 433, 467, 612, 702, 740–742, 745, 748  
underground burst 193  
underwater burst 193, 195  
Union of Concerned Scientists 419  
unit liter dose 163–165  
unlikely events 455  
UNSCEAR 88, 738  
Unusual Event 143–145, 179, 214, 394  
UO<sub>2</sub> 18, 19, 24, 37, 70, 113, 133, 138  
U<sub>3</sub>O<sub>8</sub> 19, 36, 37  
uptake 94, 149, 233, 243, 244, 307, 330, 333, 400, 511, 546, 548, 568, 569, 580, 585, 586, 607, 608, 642, 693, 705, 708, 709



- uranium 4, 17, 138, 190, 302, 347, 473, 501, 714\*
- uranium enrichment 4, 6, 11, 18, 20, 22, 31–37, 75, 76, 78, 101, 102, 190, 501, 525, 526
- uranium fuel cycle 19, 20, 29, 31
- uranium ore 18, 19, 611, 714
- uranium oxide 28
- urinalysis 545, 558, 609, 643
- urine 98, 99, 101, 160, 174, 239, 252, 253, 483, 485, 512, 518, 524, 525, 537, 543, 545, 546, 575, 577, 642, 643, 649
- urine sampling 239, 252, 485, 643
- US Department of Energy (DOE) 57, 82, 147, 169, 170, 225, 241, 365, 367–369, 381, 420, 428, 436, 540, 626, 627, 693, 698, 740, 745
- US Environmental Protection Agency (EPA) 457, 715, 716
- US Nuclear Regulatory Commission (NRC) 36, 59, 96, 129, 500, 521, 693, 698, 714
- US Occupational Safety and Health Administration 436, 693
- v**
- value function 33
- VARSKIN code 73, 723
- vascular disruption 273, 277, 283, 297, 300–302, 304, 319–323, 336, 356, 597, 598
- Very-High Temperature Helium-Cooled Thermal Reactors (VHTR) 46–51, 56–58, 70, 71, 73
- VSM code 723
- VSP code 714, 723
- w**
- waste gas decay tank 67–69, 118, 120, 381, 482, 484, 645
- waste gas decay tank rupture (WGDTR) 114, 118, 120, 121
- waste gas system 73, 113, 116, 132, 440, 553
- Waste Isolation Pilot Plant (WIPP) 9, 86, 169–179
- weapons grade plutonium 170, 188
- weapons grade uranium 4, 76, 188, 190
- weapons production complex 148
- weapon's yield 101, 194, 196–199, 202, 203, 572
- whole body counting 102, 194, 211, 237, 239, 250, 483, 537, 538, 545, 569, 574–576, 579, 643
- whole body dose 440, 508, 569, 696
- width 201, 202, 286, 287, 290, 292, 561, 603, 617, 680, 681
- World Association of Nuclear Operators (WANO) 423, 473, 476, 477
- World Health Organization (WHO) 448
- World Nuclear Association (WNA) 437–439
- wound intake 230
- x**
- <sup>127</sup>Xe 264
- <sup>133</sup>Xe 30, 51, 73, 172, 178, 264, 441, 552, 627, 666
- <sup>135</sup>Xe 30, 51, 73, 172, 441, 627
- <sup>137</sup>Xe 73, 666
- <sup>138</sup>Xe 30
- xenon 70, 134, 567
- X-ray 35, 37, 191, 219, 239, 261–264, 273, 274, 279, 324–326, 334, 347, 348, 356, 363, 365, 366, 401, 402, 545, 588–591, 609, 612–616, 717, 723, 739, 746
- X-ray backscatter technology 366
- X-ray tube 615
- X-ray/MRI 325, 326
- y**
- <sup>88</sup>Y 49
- <sup>89</sup>Y 49, 665
- <sup>89m</sup>Y 49
- <sup>90</sup>Y 49, 51, 73, 90, 113, 164, 231, 239, 265, 267, 271, 272, 295, 297–304, 308, 320, 340, 357, 465, 486, 499, 505, 529, 598, 665
- <sup>90m</sup>Y 49
- <sup>169</sup>Yb 264, 270, 271, 273, 275
- yield 10, 31, 115, 189, 270, 348, 455, 504, 677, 693, 715, 738\*
- Yucca Mountain High-Level Waste Repository 382, 728
- z**
- zinc 232
- zirconium 53, 55, 70, 94, 113, 138, 139, 170, 232, 548
- zirconium alloy fuel cladding 548
- <sup>65</sup>Zn 665
- <sup>89</sup>Zr 49
- <sup>90</sup>Zr 49, 665
- <sup>92</sup>Zr 49
- <sup>93</sup>Zr 27, 49, 93, 94
- <sup>94</sup>Zr 49, 73
- <sup>95</sup>Zr 49, 51, 73
- <sup>96</sup>Zr 50
- <sup>97</sup>Zr 50

