

## Index

### a

acousto-optical modulators (AOM)  
192, 332

amplifier  
electronic 216  
noise 252–254  
optical 216  
parametric 220–221, 333  
saturation 272

amplitude modulator 191, 192, 225,  
226, 386, 490

amplitude quadrature 25  
operator 102–104  
uncertainty 102

amplitude squeezed light 227, 312,  
322, 339, 358–360, 365, 367, 380,  
381

anti-bunching 4, 13, 84–88, 481,  
533

applications, of quantum light  
377–419

atoms 3, 4, 37, 38, 46, 47, 65, 68, 70, 71,  
195, 203, 331, 332, 432, 433,  
535–537  
techniques 544

attenuation 101  
effect on entanglement 459  
effect on squeezed light 325

### b

beam  
divergence 22  
shape 22  
twin photons 365–366  
waist 22

beam splitter  
classical 140–142  
phaseshift 141  
photons 144–146  
polarizing 79–81, 142  
quantum model 143

beat signals 31, 32, 68, 171, 247, 258,  
271, 279, 293, 298

### Bell

inequality 461–468, 534  
measurement 493  
state 493, 508

bit 255, 473, 474, 486, 493

Bohmian interpretation 446

Bose condensation 537

bunching 4, 13, 84–88

### c

canonical quantization 94, 95, 119,  
143, 156, 176, 181, 219

carrier frequency 30, 126, 164, 180,  
255

Casimir force 96

cavity  
locking 290–296  
phase response 171  
power response 167  
QED 542  
reflection 167  
stability 172  
transfer function 178  
transmission 167

chaotic light 46–49

charge coupled device (CCD) 7, 56, 66,  
244, 446

- classical
  - beam splitter 140–153
  - cavity 164–169
  - correlations 41, 42
  - fluctuations 37–39
  - interferometer 153–162
  - mode of light 26–27
  - quadratures 24–25
- clone 9, 492
- coherent state 6, 9, 13, 99–108, 112, 123, 127, 128, 149–151, 178, 228–230, 278, 311
- coincidence imaging 412–414
- communication, classical 384
- commutator 95, 144, 286
- complementarity 441, 445
- controlled-NOT (CNOT) 474
  - experiment 508
  - theory 506
- conventional optics 1, 186, 325, 389, 425, 538
- correlation
  - detection electronically 555
  - function, second order 45, 86
  - independent sources 76
- covariance matrix 111–113, 130, 133–136, 459–461
- cryogenic circuits 542
- cryptography 6, 14, 135, 246, 474, 485, 538
- current junction 151–152
  
- d**
- dark fringe 158, 159, 393, 398, 401, 407
- decibel (dB) scale 261
- dense coding 493
- density operator 101, 108, 118, 146, 228, 382, 482, 483, 508
- detection
  - balanced 273–275
  - beats 247
  - delay 67
  - direct 269–273
  - electronic circuit 251
  - frequency 259
  - heterodyne 279–281
  - homodyne 275–279
  - process 65
  - in quantum optics 117–118
  - saturation 272
  - squeezed light 322–330
- detector
  - circuit 251–252, 254
  - materials 251
- displacement 61–62, 99, 100, 111, 127, 129, 130, 134, 135, 149, 160, 371, 378, 409, 411, 416, 460, 496, 497, 549
- dissipation 101
- down conversion 219–221, 237, 413–415, 448, 451, 477, 479, 480, 501, 504, 508, 511, 517, 519
  
- e**
- efficiency 271
  - detection 271
- detector 249
  - homodyne detector 279
- electronic
  - amplifier 252
  - noise 252
- electronic spectrum analyser 247, 257–260
- electro-optical modulator 189, 191, 366, 468
- energy, zero point 96
- entanglement 453
  - of formation 460–461
- EPR paradox 6, 453, 461
  
- f**
- Fano factor 109
  - beam splitter 148
- feedback
  - classical 282
  - quantum system 285
- fidelity 230, 382, 383, 484, 492, 493, 498, 500, 501, 503, 509, 510, 514, 519, 520
- fineness 94, 166, 167, 170, 175, 181, 204, 345, 347, 348, 481, 513
- Fock state 97–99, 235, 236, 246, 389, 433, 475

- Fourier transform 39, 45, 54, 89, 122, 127, 168, 178, 182, 255, 258, 269, 349, 379
- four wave mixing 307, 330  
effect on noise 309
- Franson interferometer 77
- free spectral range 163, 202, 332, 521
- frequency  
modulation 30–32  
space 122  
spectrum 115, 123
- g**
- gain  
electrical 252  
noise 252
- Gaussian beam 21–24, 26, 28, 57, 115, 173, 184, 185, 189, 202
- Gaussian distribution 9, 10, 38, 104, 105, 107, 248, 309–311, 387, 490, 496, 553
- gravitational waves (GW) 389  
detector 538
- guided acoustic wave Brillouin scattering (GAWBS) 195, 196, 346
- h**
- Hanbury–Brown and Twiss (HBT) experiments 85, 533
- harmonic oscillator 69, 95–97
- Heisenberg picture 115–117, 120, 121, 127, 128, 135, 176, 216, 462, 496
- Heisenberg’s uncertainty principle 9, 13, 77
- heterodyne detection 258, 278–280, 388, 399
- holograms 185–186
- homodyne  
detection 275  
dual 496
- Hong–Ou–Mandel (HOM) 450, 481, 494
- hybrid detection 3, 539
- i**
- impedance matching 168
- indistinguishability 78, 441, 446–453, 481, 482
- information, classical 384
- intensity noise 13  
spectrum 12, 209
- interferometer  
classical 153  
configurations 393  
ideal 394  
Michelson 41, 396  
noise sources 402  
nonlinear 356–358  
quantum model 155–156  
realistic 401  
Sagnac 353, 396  
sensitivity limit 160  
single photon 83–84, 442  
squeezed light 405–411  
stellar 41
- j**
- Josephson parametric amplifier (JPA) 542
- k**
- Kerr effect 343  
classical 305  
simulation 306
- Kirchoff’s law 151, 152
- KLM 510, 522
- l**
- laser  
argon ion 209–210  
different classes 209  
diode 213, 358–360  
dye 209–210  
Nd:YAG 210  
noise suppression 358  
quantum model 207–209  
rate equations 203–207  
threshold 201
- lenses 23, 32, 115, 139, 174, 184–186, 279, 462

linearization 121–124, 208, 215, 318, 341, 363  
 locking  
   Pound–Drever–Hall 292–293  
   tilt locking 293–294  
 Log Negativity 459–460

**m**

matter waves 535–537  
 mean field approximation 170  
 metamaterials 186  
 Michelson  
   interferometer 396  
   stellar interferometer 41  
 micromaser 88, 89, 432  
 minimum uncertainty 102  
   observation 338  
 mirror, mounting 295–296  
 mixed state 101, 329, 338, 452, 458, 478, 479, 485  
 mode matching 161, 172–174, 193, 194, 238, 292, 366, 451, 478, 479  
 mode mismatch 155, 160–162, 173  
 modes  
   classical 26  
   Hermite–Gaussian 23  
   matching 172–174  
   parameters 27  
   photon number 69  
   quantised 94–95  
   spatial 23  
 modulation 30  
   AM 30  
   amplitude 30  
   interferometers 399  
   sidebands 399  
 modulator 189  
   amplitude 191–193  
   phase 191–193  
 multimode lasers 32  
 multimode systems 36

**n**

Nd:YAG laser 210–213  
 no-cloning limit 492, 500  
 noise  
   adding of 262

amplifier 252–254  
 chaotic light 46  
 dark 252  
 in dB 261–262  
 eater 12, 13, 282  
 electronic 271  
 feedback control 282  
 intensity 12  
 Johnson 252  
 optical 195  
 quantum 9, 12  
 shot noise 248–249  
 spectrum 123  
 thermal 252  
 transfer function 126  
 noise spectrum  
   laser 208  
   squeezed state 329  
 non-Gaussian states 106, 112, 135, 363, 388, 504, 539  
 nonlinear optics 1  
 non-linear processes 13, 109, 125, 135, 170, 195–196, 219, 225, 236, 263, 290, 307–309, 318, 319, 326, 330, 351, 352, 425  
 nonlocality 453  
 number state 78, 83, 97–100, 105, 106, 108, 132, 407, 478, 518–520

**o**

operator  
   amplitude quadrature 102–104  
   annihilation 97  
   creation 97  
   density 101  
   displacement 99  
   harmonic oscillator 97  
   linearization 123  
   ordering 67  
   parity 106  
   phase 101  
   phase quadrature 102  
   photon number 97  
   radiation field 97  
   unitary 115  
 optical fibres 6, 188–189, 195, 346, 431, 432, 451, 508

optical parametric oscillation (OPO)  
126, 195, 221, 380, 431  
optical techniques 90, 257, 468, 544

**p**

pair production 221, 223–224  
parametric amplification 125,  
220–221, 230, 338, 415, 454, 455,  
457, 458, 477  
parity operator 106  
partition noise 150, 185  
*P*-function 108  
phase  
classical 20  
modulator 191–193  
operator 101  
quadrature 25  
phase quadrature  
operator 102  
uncertainty 102  
phasor diagram 25  
effect of attenuation 325  
squeezed state 310  
photocurrent 4, 10–12, 19, 25, 31, 36,  
42, 44, 45, 55, 61, 88, 109, 117,  
120, 225, 235, 247; 255–262, 280,  
331, 349  
photo-detection process 9  
photon 67  
bunching 4  
generation process 13  
interference 73–78  
and laserbeams 533  
photon number, distribution 317  
photon pressure 159  
photon statistics  
squeezed state 317–319  
PID controller 294–295  
Poissonian distribution 9, 72, 109, 113,  
147, 148, 151, 248, 264, 313, 339  
polarization 33  
beam splitter 79  
cavity 174  
mirrors 142  
modulator 187  
single photon 79–81  
squeezing 367–368

state 81, 473, 482  
pulsed lasers 33, 121, 199, 215, 482

**q**

Q-function 104  
Gaussian 107  
Q-technology based on optics  
cavity QED 542  
cryogenic circuits 542  
microwaves 542  
quantum communication 539–541  
quantum information transfer 543  
quantum opto-mechanics 542–543  
squeezed light application 537–538  
transferring and storing quantum  
states 544  
quadrature  
amplitude 24–25  
classical 25  
operator 102–104  
phase 24  
rotation 324  
squeezing 316  
quadrature squeezed light 313  
detection 322–330  
quantum communication 195, 234,  
539–541, 544  
quantum computation 235, 475,  
505–525  
quantum cryptography 6, 246, 474,  
484, 538  
quantum effects demonstration 533  
quantum efficiency  
detector 249  
material 250  
quantum enhanced imaging 411–414  
quantum enhanced metrology 2  
quantum imaging 414  
quantum information 14, 16, 135, 230,  
235, 437, 459, 473–525  
quantum key distribution (QKD) 6,  
235, 474, 476, 484–492  
quantum noise 9, 12, 269, 537  
balance 394  
calibration 269, 273–281  
limited images 412  
penalty in feedback 288

- quantum noise (*contd.*)
    - properties 112
    - pulsed 349
    - representation 112–113
    - spectrum 123
    - tomography 361
  - quantum non-demolition (QND) 16,
    - 89, 90, 160, 243, 349, 386, 425, 445
    - concept 425
    - noise transfer 426
    - results 430–432
    - single photon 432–437
  - quantum optics
    - guide 14–16
    - motivation 7–12
    - origin and progress of 3–7
    - photon correlations consequences 12–14
  - quantum optomechanics 542–543
  - qubit 6, 234, 473–475, 482–484, 487, 493–495, 508, 510, 511, 513, 514
- r**
- Rayleigh length 22
  - recycling 397–398
  - reflectivity, matrix description 141
  - representation
    - P 106
    - Q 106
  - resolution bandwidth 257, 270, 332, 409
  - Rydberg atoms 88, 89
- s**
- Sagnac interferometer 352, 353, 393, 396, 397, 405, 466
  - saturation, electronic 254
  - Schrödinger picture 115
  - second harmonic generation (SHG) 135, 170, 339–343
  - shot noise 4, 9, 13, 73, 248–249, 252–253, 356, 366
  - sidebands 123, 126
    - classical 30
    - correlation 308, 319
    - squeezed light 327
  - signal to noise ratio, interferometer 400
  - single mode approximation 213
  - single mode laser 5, 32, 123, 201, 202, 210, 214, 334
  - single photon QND 432–437
  - single photon Rabi frequency 88
  - soliton 346, 354–357, 415, 431, 432
  - spatial light modulators (SLM) 55, 186, 193–195
  - spatial modes 5, 23, 26, 29, 32, 36, 95, 164, 173, 182, 184, 185, 193, 201, 238, 239, 297, 413, 417, 449, 464, 475, 521, 538
  - spatial squeezing 414
  - spectrum analyser 39, 76, 163, 167, 258–261, 270, 272, 275, 324
  - spectrum noise 123
  - squeezed light
    - direct detection 322
    - effect of attenuation 327
    - first observation 331, 332
    - generation 317–319
    - homodyne detection 322
    - phasor diagram 310
    - photon number distribution 317
    - propagation 325–330
    - Q-function 310
    - rotation of quadrature 324
  - squeezed state
    - definition 314–317
    - different types 312–313
    - spectrum 329
    - vacuum 313
    - Wigner function 311
  - squeezing
    - atomic systems 348–349
    - concept 303–313
    - diode laser 358–360
    - ellipse 310
    - formal derivation 314
    - four wave mixing 330–333
    - Kerr effect 343–349
    - nonlinear interferometers 356–358
    - polarization 367–368
    - pulsed 349–358
    - SHG 339–343

- sideband model 319–322
- soliton 354–355
- spatial properties 414
- spectral filtering 355–356
- spectrum OPO 335
- spectrum SHG 354
- twin beams 365, 366
- two modes 319
- standard quantum limit 160, 395
- state
  - Bell 493, 508
  - coherent 99–101
  - Fock 97–99
  - minimum uncertainty 102
  - mixed 101–102
  - number 97–99
  - polarization 473, 482
  - propagation 116
  - squeezed 303
- sub-Poissonian
  - definition 111
  - diode laser 358–360
- superconducting quantum interference
  - device (SQID) 243, 542
- superposition 3, 6, 20, 23, 24, 100, 101, 113, 121, 145, 149, 344, 432, 434, 453, 474
- t**
  - teleportation 492–505
  - thermal light 4, 37, 43, 46, 70, 73, 85, 86, 136, 235
  - threshold of laser 201
  - tomography 258, 325, 360–363, 366, 433, 478, 508
  - traditional physical optics 1
  - transfer coefficient 227, 228, 428, 500
  - transfer function 126
- Bode plot 282, 283
- cavity 177–180
- diode laser 213
- laser noise 208
- Nyquist plot 282, 283
- optical gain 217
- U**
  - uncertainty
    - area 107
    - coherent state 103
  - unitary operator 115, 116, 145
- V**
  - vacuum state
    - detection 322
    - squeezed 313
  - variance 94, 123
    - classical 39
    - of squeezed state 328
  - video bandwidth 260, 270, 332, 361
  - visibility 42, 44, 45, 58, 73, 74, 155, 161, 185, 279, 400, 401, 442, 444, 445, 451, 452, 464, 478, 495, 555
- W**
  - waveplate 79
  - weirdness 2
  - Wigner function 106–108, 110, 128, 310, 311, 321, 326–328, 349, 360–362, 478, 480, 520
- X**
  - X operation 493
- Z**
  - zero point energy 95–97
  - Z operation 492, 512















