а

accelerating and decelerating quasi-Bessel-X pulses 120-121 accelerating localized wave solutions to 3D Schrödinger equation 198-199 accelerating non-diffracting beams 87-88 achromatic field 317 adaptive Shack-Hartmann sensors, with localized waves 277-278 Airy and Airy-type waves 59-60 Airy beams 87-88, 102, 103 – generation 93 Airy function 87, 198 Airy–Gauss extension 198 Airy shaped waves 433-435 - Airy beams 435-436 -- ideal beam 436-437 - Airy pulse considerations 447 - maximal invariance depth 438-441 - truncated airy-type beams analytical description 441-442 -- examples 444-446 - - theoretical background 442-444 angular correlation function 312, 314, 318, 322 - 323angular frequency 231, 232, 239 angular spectrum 311 anomalous dispersion - accelerating localized wave solutions 201-202 - linearly traveling localized wave solutions 200-201 antidark diffraction-free beams 319 aperture weighting with square functions applied to reception 152 - applied to transmission 151-152 Arago spot 127-128 array beams 141-142

array transducer reducing number of elements 154 asymmetric scalar hybrid superluminal localized waves 181 asymmetric scalar modified hybrid superluminal localized waves 182 asymmetric scalar modified luminal localized waves 176 asymmetric wave packet 164 attosecond pulse dynamics 469 axial dependence 409-411 - shadow's theorem 411-413 axicon angle 9 axicons 93, 123, 241, 257-258, 271-279, 282. 363. 369 azimuthal parameter 89, 90

b

Babinet's principle 128 backward components 7, 17-18, 21 - elimination 7, 13-16 backward scattering force 100 Bateman constraint 172 beam-shape coefficients (BSCs) 46-49 Bessel-Airy wavepacket 204 Bessel annular arrays modeling and characterization 345-346 - emission transfer functions and impulsive responses 347-348 - transducers complex electric impedance around resonance energy 346-347 Bessel arrays design 344 - Bessel transducers 344-345 Bessel beams 2, 4, 7, 9–12, 14, 16, 24–27, 30, 31, 34, 37, 39, 49, 84-85, 94-97, 120, 140, 363-365, 417 – forward and backward propagating 73

Non-Diffracting Waves, First Edition.

Edited by Hugo E. Hernández-Figueroa, Erasmo Recami, and Michel Zamboni-Rached. © 2014 Wiley-VCH Verlag GmbH & Co. KGaA. Published 2014 by Wiley-VCH Verlag GmbH & Co. KGaA. 473

Bessel beams (contd.) - higher-order 42-44 - mathematical expression 10 - and Mathieu beam generation 91-93 - as non-diffracting solutions 52-54 - vector 90-91 - zeroth-order 11, 14, 26, 85-86, 92, 101 Bessel functions 6, 37, 54, 55, 89, 120, 195-196, 248, 264, 318, 363, 366-367, 369, 375, 434 - spherical 373 – zero-order 364 Bessel-Gauss beams 21-22, 365-367 Bessel-Gauss focus wave modes 184 Bessel-Gauss light bullet 201 Bessel X-wave 113-114, 116, 118, 120-121, 123 - 129bidirectional wave functions 164 Brittingham's focus wave mode 291-297

С

Cherenkov radiation versus superluminal X-type waves and causality versus acausality 118-120 clearing effect 102 coherent and incoherent superposition 153 complex degree of spectral coherence 308 complex source pulsed (CSP) beam 74 composed pupils 399-401 super resolving pupils -- amplitude measurements 405-413 - theoretical description 401-402 -- analytical details 402-405 computer-generated holograms (CGH) 417-421, 430 conical emission 214, 217 conical waves. See X-wave model (chapter 8) conjugate functions 168, 171, 173 coordinate rotation, for computation reduction 154 counter-propagating Bessel modes 100-101 Courant-Hilbert ansatz equation 163, 165-169, 172-173, 176, 178, 182-183 critical power 213-214 cross-spectral density (CSD) function 308-309, 311, 313, 314, 316 cubic-quintic Ginzburg-Landau equation (CQGLE) 463 cylindrical Debye potential 89

d

2D imaging 144 3D scalar wave equation progressive solutions 161-163

- hybrid superluminal localized waves 166 - 167- luminal localized waves 163-165 - modified hybrid superluminal localized waves 167-168 - modified luminal localized waves 165 - subluminal localized waves 168-169 - superluminal localized waves 165-166 dark diffraction-free beams 319 de Broglie relation 28 definition, of non-diffracting waves 6-7 diffracted amplitude 403-404 diffraction-attenuation resistant beams (DARBs) 50 diffractionless nano-beams 327-328 - diffractionless subwavelength-beam optics on nanometer scale 328-331 - produced by multiple-waveguide metallic nanostructures 331-335 Dirac delta function 11, 112, 191, 202 dispersion 111 distinguishability 265-266 diverging beams - with curved array transducer 153 - with planar array transducer 153 double Bessel solution 195-196 droplet-shaped waves 303 - as causal counterparts of X-shaped waves 302 - superluminal (supersonic) motion general

e

solution 297-302

effective three-wave mixing model (ETWM) 217-219 electric field 239 electric vector field 89 electromagnetic wave propagation 247, 253 electromagnetism 2-3, 12, 13, 21, 26, 34, 35, 39, 44-46, 52-53 electron-multiplying charge-coupled device camera (EMCCD) 261 empty boundary-free three-dimensional space 111 Englert-Greenberger duality relation 265 - 266envelope function 193, 197 evanescent waves 401-402 examples and solutions of non-diffracting waves 8-13 Extended special Relativity (ER) 40

f

fast Fourier transform (FFT) 148-149, 152 - 154femtosecond 451-452, 463, 468 femtosecond filaments 211-212, 215, 217, 219, 224, 226-227 femtosecond pulses 117 femtosecond regime 451, 453, 459, 468 field depth 7, 10, 12-13, 18-20, 27 finite apertures 4, 10, 12, 21, 24–25 finite element analysis (FEA) 332 finite energy non-diffracting waves 7 finite-energy pulses 4, 16 flow velocity vector imaging 155 Foch-Leontovich equation 233 focused X-wave (FXW) 116, 166 focus wave modes (FWMs) 15-16, 69-70, 119, 161, 162, 164, 368-371 forward non-diffracting waves pulses 13-14 - totally forward ideal superluminal waves 14 - 16Fourier-Bessel expansion 6 Fourier-Bessel integral 234 Fourier-Bessel transform 290 - inverse 291, 297 Fourier domains and mapping 148-149 – mapping for steer plane wave imaging 149 - mapping with limited-diffraction-beam imaging 150-151 Fourier expansion 23-24, 30, 32-33, 36 Fourier transformation 54, 93, 142–143, 308, 436, 438, 457 - inverse 457 frequency-resolved optical gating (FROG) technique 122 frequency spectrum 7 Fresnel diffraction integral 21-22 Fresnel-waveguide 328-332, 334 frozen waves 1-2, 32-35, 49, 417 - experimental generation 418-420 - experimental production 38 – holographic experimental setup 420 - in absorbing media 38 - new approach 35-38 -- results 421-429 - theoretical description 417-418

g

Gaussian beams 8–9, 21, 69, 83, 85, 104 Gaussian pulse 8–9, 70 generalized focus wave modes (GFWM) 369 generalized Lorenz-Mie theory (GLMT) and application to biomedical optics 44–50 generalized pupil 371 Ginzburg-Landau equation 383 Green function 69, 117, 119, 287–289 group velocity – plane waves versus three-dimensional waves 110–111 – superluminal versus subluminal cylindrically symmetric wavepackets 111–116

- versus energy transport velocity 116–117
- versus signal velocity 117-118

h

Hamilton-Jacobi equation 190 Hamiltonian 235-237, 239-240 Hankel transformation 54 Hankel-Fourier synthesis 202 Haus master mode-locking equation 463-465 Heaviside function 11, 17, 292, 438 Heisenberg evolution equation 241 Heisenberg's uncertainty principle 400 Helmholtz equation 51, 52, 69, 84-86, 189, 192-193, 247, 248, 367, 433-434 Hermitian conjugate 237 high-frame-rate imaging 135-138, 156 limited-diffraction beams – – array beams 141–142 – – Bessel beams 140 -- imaging 144-145 - - wave equation generalized solutions 138 - 139– – X waves 140–141 - mapping between Fourier domains 148-149 mapping for steer plane wave imaging 149 - - mapping with limited-diffraction-beam imaging 150-151 - methods - - limited-diffraction array beam imaging 146 - 147- - plane-wave HFR imaging without steering 145 -- steered plane-wave imaging 145-146 - multiple steered plane wave imaging 148 - received signals - - 2D imaging special case 144 - - limited-diffraction array beam aperture weighting and spatial Fourier Transform of echo signals 143-144 - - pulse-echo signals and relationship with imaging 142-143 - techniques and applications 151-156 - two-way dynamic focusing 147

high-voltage driving, of annular arrays. See real-time pulsed ultrasonic beams low-cost 2D collimation (chapter 16) historical and preliminary remarks 3-6 homogeneous scalar wave equation 119 horn antenna 410 hybrid superluminal localized waves 166 - 167hybrid superluminal null electromagnetic localized waves 179-181 i image quality and data densification trade-off 154 - 155infinite-energy axisymmetric wave packet 166 infinite geometry 332 input-pulse 211, 213-223, 225-226 integral localized approximation (ILA) 46, 48 - accelerating localized wave solutions to 3D intensity clamping 214 invariant light fields 83 - Airy beam generation 93 - Bessel and Mathieu beam generation 91-93 - experimental applications 93-94 – microscopy, coherence and imaging 94-97 – optical micromanipulation with propagation invariant fields 97-102 – propagation invariant beams for cell nanosurgery 102-104 - non-diffracting light mode 83-84 – accelerating non-diffracting beams 87 - 88 – linearly propagating non-diffracting beams 84-87 – self-healing properties and infinite energy – vectorial non-diffracting beams 88–91 isodiffracting 368 k Kerr effect 213 Kerr nonlinearity 458, 461, 463, 468

Kerr media 239-242 killer waves 211 Klein-Gordon equation (KGE) 189, 203-204, 206, 288, 297

I

Laguerre functions 234 Laguerre-Gaussian (LG) beam 85, 93, 102 laser pulse filamentation. See ultrasound laser pulse filamentation (chapter 8) 212

Liénard-Wiechert scalar potential 71-72, 289 light bullet 201, 203 limited-diffraction beams - array beams 141-142 - - aperture weighting and spatial Fourier Transform of echo signals 143–144 -- imaging 146-147 - Bessel beams 140 - imaging 144-145 - wave equation generalized solutions 138 - 139- X waves 140-141 linear coupling 9 linearly propagating non-diffracting beams 84 - 87linearly traveling and accelerating localized wave solutions 189-191 Schrödinger equation 198-199 - linearly traveling localized wave solutions to three dimensional Schrödinger equation 191 - - finite-energy, localized and traveling wave solutions 196-197 -- MacKinnon-type, infinite-energy, localized and traveling wave solutions and extensions 192-196 - to Schrödinger-like equations 199-200 -- anomalous dispersion 200-202 -- normal dispersion 202-205 linear polarization response function 455 liquid-crystal-on-silicon spatial light modulators (LCoS-SLMs) 277-280 local energy transport velocity 174 local field energy transport velocity 170 localized beams and localized pulses applications in biomedical imaging 375 - 376- Bessel beams 365-379 Bessel–Gauss beam 365–367 - pulsed Bessel beams 367-375 localized waves. See also individual entries 2, 3, 7, 9, 38-39, 76 - historical and personal perspectives – – Arizona era 76–78 -- controversy and scrutiny 73-75 -- experiments 75-76 -- focused wave modes (FWMs) 69-70 - - initial surge and nomenclature 71 -- reflective moments 72-73 -- retrospective 78 -- strategic defense initiative (SDI) interest 71 - 72

Lommel's functions 120, 293 Lommel pulse 372 longitudinal intensity pattern 417, 418, 421, 424, 426-429 Lorentz factor 115 Lorentz transformation 114, 170 - generalized superluminal 165 - subluminal 168 - and special relativity 38-42 - superluminal 303 Lorenz-Mie theory 45 lossy light bullets (LLBs) 379 physically realizable bullets propagation properties 384-386 - in self-focusing media with nonlinear losses 380-381 self-reconstruction property 386–387 - stability properties 387-388 – most lossy light bullet as attractor of self-focusing dynamics with nonlinear losses 388-392 - - stability under small perturbations 392-395 - structured profile and energy reservoir 381-384 – in nonlinear dissipative medium 384 luminal finite-energy pulses 17-20 luminal localized waves 163-165 luminal non-diffracting waves 3 luminal null electromagnetic localized waves 173 - 179m Mackinnon solution 28 MacKinnon wave packet 169, 189

MacKinnon-type, infinite-energy, localized and traveling wave solutions and extensions 192 - 196masking method 155 Mathieu beams 85-87 - and Bessel beam generation 91-93 maximally flat filters 365 Maxwell equations 162, 169, 170, 172, 174, 183, 184, 247, 330, 367, 452-454, 459 micro-electromechanical systems (MEMS) 282 mode-locked lasers 463 Haus master mode-locking equation 463-465 - SPE master equation 465-468 modified focused X-wave (MFXW) 166, 178, 181, 182 modified hybrid superluminal localized waves 167 - 168

modified hybrid superluminal null electromagnetic localized waves 181–182 modified luminal localized waves 165 modified luminal null electromagnetic localized waves 175–176 modified power spectrum (MPS) pulse 70, 164, 175, 181, 182 modulational instability 219 Montgomery's rings 314 multiple steered plane wave imaging 148 mutual coherence function (MCF) 308–309, 314, 317, 320, 323

n

nanometer scale 328-331

negative refractive index (NRI) 49

non-axially symmetric solutions 42-44 nondispersive wave packet 194 nonevanescent waves 3 nonlinear characteristic equation 163 nonlinear image processing 154 nonlinearities 189, 247. See also individual entries nonlinear losses (NLLs) 380, 381, 383, 384, 386-388, 390, 392-394 nonlinear optics. See quantum X-shaped waves and applications in nonlinear optics nonlinear Schrödinger equation (NLSE) 379-380, 386, 387, 389, 390, 392, 452, 457, 459-461, 464, 465 nonlinear wavefront autocorrelation 275 - 276non-monochromatic beam 231, 232, 239 non-paraxial beam 35 Non-Restricted special Relativity (NRR) 40 nonsingular finite-energy scalar wave equation solution 169 nonstationary fields plane-wave representation 311-312 nonstationary propagation-invariant fields 319-320 - coherent fields 320-321 - partially coherent fields 321-324 non-uniform Fast Fourier transform (NUFFT) 149-150 normal dispersion - accelerating localized waves 204-205 - linearly traveling X-shaped localized waves 202 - 204

null complex vector 171

null Riemann-Silberstein vector 170-173

n

observation point 401, 412 optical angular momentum 281 optical bullets 232 optical coherence tomography (OCT) 95, 97-98 optical parametric amplification 237-238 optical resolving power 399-400, 414 optical snowblower 103 optical transfection 103 optinjection 103-104 optofluidics 93 orbital angular momentum (OAM) 85-87, 90, 91, 102

р

paraxial approximation 21 paraxial equations derivation 232-234 phase function 163 photons 257-263, 265-267 plane-wave HFR imaging without steering 145 plane waves 9 - versus three-dimensional waves 110-111 Poynting vector 86, 116, 117, 170, 251 probability distribution function (PDF) 220-221, 223, 225 propagation-invariant optical beams and pulses 307-308 general propagation-invariant solutions 309 – – conditions 310–311 - - nonstationary fields plane-wave representation 311-312 – space-frequency domain solutions 312 - 313 – space-time domain solutions 313-314 nonstationary propagation-invariant fields 319 - 320-- coherent fields 320-321 -- partially coherent fields 321-324 - spectral and angular coherence classification -- Riemann-Volterra solution 290-291 314-315 - stationary propagation-invariant fields 315 -- coherent fields 316-317 - - partially coherent fields 318-319 - theoretical background 308-309 pulsed Bessel beams 367-375 pulse-echo signals and relationship with imaging 142-143 pulse mode self-cleaning 214 pulse splitting and temporal compression 214

pure radiation fields 171 pupils 399

q

quantum gas 231, 236, 242 quantum X-shaped waves and applications in nonlinear optics 231-232 – Kerr media 239–242 - optical parametric amplification 237-238

- paraxial equations derivation 232-234
- quantization 235-237

- X-wave transform and X-wave expansion 234-235

r

radiation pattern 400, 401, 406 Rayleigh theory 45 ray optics method 45 reactive (rest) energy density 171 real-time pulsed ultrasonic beams low-cost 2D collimation 339-340 - classic electronic procedures for lateral resolutions improvement and limitations 341-343 - comparative excitations and field results 357, 360 - low-cost circuits for efficient rectangular driving of annular piezoelectric transducers 356-357 - X-wave-based option with Bessel beams 343-344 - - Bessel annular arrays modeling and characterization 345-348 -- Bessel arrays design 344-345 – broadband X-wave pulses for deriving Bessel arrays excitation 353-356 -- characterization results 348-353 Riemann-Silberstein complex vector 121 Riemann-Silberstein vector 169-170 Riemann–Volterra approach 287–289 - basics -- problem posing 289-290 - causal clipped Brittingham's focus wave mode 291-297 - droplet-shaped waves 303 - - as causal counterparts of X-shaped waves 302 - - superluminal (supersonic) motion general solution 297-302 Robinson congruence 174 Robinson-Troutman luminal null electromagnetic localized waves 174, 183

rogue X-shaped waves 211–212, 219–226 – ultrasound laser pulse filamentation 212–215

– X-wave model 215–219

s

scattered amplitude 218 Schelkunoff's procedure 402 Schelkunoff polynomial method 401 Schrödinger equation, See also linearly traveling and accelerating localized wave solutions 2, 51-60, 70, 233, 241, 402 and soliton-like solutions 50–51 - - Bessel beams as non-diffracting solutions 52-54 - - exact non-diffracting solutions to Schrödinger equation 54-58 - - general exact localized solution 58-59 - three-dimensional 189 Sea Tadpole technique - Bessel-X pulse new results 123-124 - boundary diffraction wave as decelerating quasi-Bessel-X pulse 127-129 - grating-generated Bessel pulses 124-125 - lens-generated accelerating and decelerating quasi-Bessel-X pulses 125-127 - lights fields spatiotemporal measurement 122 - 123self-conjugate real electromagnetic fields 171 self-healing properties and infinite energy 88 Shack-Hartmann sensors with microaxicons 273 - 275Shack-Hartmann wavefront sensor (SHS) 271 Shackled Frog method 273, 276 shadow's theorem 411-413 short-pulse equation (SPE) 453, 457, 460-461 - mode locking (SPMML) 465-468 slingshot pulses 12, 166 - superluminal 166 slowly varying envelope approximation (SVEA) 200 soliton-like solutions, to Einstein equations of general relativity and gravitational waves 60 solitons and ultra-short optical waves 451 - 453- instantaneous nonlinear response 458 – center-frequency asymptotics 459 – short-pulse asymptotics 459–460 -- soliton solutions 460-461 - linear propagation 454-455

– – center-frequency asymptotics 455–456

-- short-pulse asymptotics 457-458 - Maxwell equations 453-454 - mode-locked lasers 463 - - Haus master mode-locking equation 463-465 -- SPE master equation 465-468 - time-dependent nonlinear response 461-462 - - center-frequency asymptotics 462 – short-pulse asymptotics 462–463 space-frequency domain solutions 312-313 space-time coupled intensity fluctuations 223 space-time coupling and spatially resolved pulse diagnostics 272-273 space-time domain solutions 313-314 space-time evolution 18-20 spatial broadening 2 spatial light modulator (SLM) 92-94, 417-422, 430 spatially resolved spectral phase 276 spatial robustness 215 spatiotemporally localized null electromagnetic waves 161-162 - 3D scalar wave equation progressive solutions 161-163 – hybrid superluminal localized waves 166 - 167 – luminal localized waves 163–165 - - modified hybrid superluminal localized waves 167-168 - - modified luminal localized waves 165 - - subluminal localized waves 168-169 -- superluminal localized waves 165-166 construction – null Riemann–Silberstein vector 170 - 173-- Riemann-Silberstein vector 169-170 -- Whittaker-Bateman method 171-173 - illustrative examples - - hybrid superluminal null electromagnetic localized waves 179-181 – luminal null electromagnetic localized waves 173-175 – modified hybrid superluminal null electromagnetic localized waves 181 - 182 – modified luminal null electromagnetic localized waves 175-176 - - subluminal null electromagnetic localized waves 182 – superluminal null electromagnetic

localized waves 176-179

special relativity and Lorentz transformations 38 - 42spectral distribution 369-373 spectral function 9, 11, 15 spherical harmonics 373 splash modes 164, 183 stationary propagation-invariant fields 315 - coherent fields 316-317 partially coherent fields 318-319 steered plane-wave imaging 145-146 step function 292, 294, 298 strain and strain rate imaging 156 strategic defense initiative (SDI) interest 71 - 72subdiffractive propagation 216-217 subluminal localized waves 168-169 subluminal non-diffracting waves 4, 25-26, 39 - 41- examples 29-32 - non-diffracting pulses construction method 32 - 33 physically acceptable pulses construction method 26-29 subluminal null electromagnetic localized waves 182 supercontinuum (SC) 225-226 - emission 214 - generation 224 superluminal finite-energy pulses 17 - 19superluminal localized waves 165-166 superluminal null electromagnetic localized waves 176-179 superluminal versus subluminal cylindrically symmetric wavepackets 111-116 super-resolution 60

t

Taylor expansion 455-456 technology transfer to quantum optics 121-122 TEM fields 171 temporal broadening 2 TE optical beams 248 approximations 250–251 - conditions 248-250 - discussion 253 - energetics 251-253 time-wavefront sensing 278-280 TM optical localized beams. See TE optical beams (chapter 10) totally forward finite-energy pulses 17-20 general functional expression 20–21 transmittance hologram equation 419

transversal dependence 405-409 transverse electric electromagnetic localized waves 183 transverse Laplacian 192 transverse magnetic electromagnetic localized waves 184 transverse phase gradient 367 travel-time mapping 280-281 truncated beams 10, 21 - method 21-24 -- application 24-25 truncated Bessel-Gauss (TBG) beams 23 - 24truncated Gaussian (TG) beam 23 two-photon imaging 94 two-way dynamic focusing 147

и

ultrashort-pulsed Bessel beams spatiotemporal localization 257-258 - experimental techniques and results 260-263 - nondiffracting beams at low light level 259-260 - nondiffracting Young's interferometers 258 - 259- temporal information retrieval 263-264 - wave function and fringe contrast 264-266 ultrashort pulse diagnostics 271-272 - adaptive Shack-Hartmann sensors with localized waves 277-278 nonlinear wavefront autocorrelation 275 - 276- Shack-Hartmann sensors with microaxicons 273-275 - space-time coupling and spatially resolved pulse diagnostics 272-273 - spatially resolved spectral phase 276 - wavepackets diagnostics - - optical angular momentum of few-cycle wavepackets 281 -- time-wavefront sensing 278-280 -- travel-time mapping 280-281 ultrasound laser pulse filamentation 212-215 unidirectional decomposition 14 unidirectional modified focused X-wave 166 unidirectional optical pulse propagation equation (UPPE) 217-218

ν

vectorial non-diffracting beams 88–91 visibility 265–266

w

wave bullets 38 wave equation - generalized solutions 138-139 wavefront autocorrelation 276 wavefunction 288-290, 292, 293, 295, 298, 300 - 303- and fringe contrast 264-266 wave motion 287 wave optics 399, 401 wavevector 84-85, 87, 89, 93 Weibull function 225-226 Whittaker's integral 85, 89 Whittaker-Bateman method 171-173 Wiener-Khintchine theorem 309

x

X-shaped infinite energy localized wave 203 X-shaped pulses 11 140-141, 145, 321 - droplet shaped waves as causal counterparts 302 - ordinary 15-16 – zero-order 165–166 X-type waves, in ultrafast optics 109–110 - accelerating and decelerating quasi-Bessel-X pulses 120-121 - Cherenkov radiation versus superluminal X-type waves and causality versus acausality 118-120

- group velocity
- plane waves versus three-dimensional waves 110-111
- superluminal versus subluminal cylindrically symmetric wavepackets 111 - 116

- - versus energy transport velocity 116-117 -- versus signal velocity 117-118 - Sea Tadpole technique - - Bessel-X pulse new results 123-124 – boundary diffraction wave as decelerating guasi-Bessel-X pulse 127-129 - - grating-generated Bessel pulses 124-125 - - lens-generated accelerating and decelerating quasi-Bessel-X pulses 125 - 127 – lights fields spatiotemporal measurement 122 - 123 technology transfer to quantum optics 121 - 122X-wave-based option with Bessel beams 343-344 - Bessel annular arrays modeling and characterization 345-348 - Bessel arrays design 344-345 X-shaped waves 3, 12–15, 30, 72, 75, 77, 135, - broadband X-wave pulses for deriving Bessel arrays excitation 353-356 - characterization results 348-353 X-wave model 215-219 X-wave transform and X-wave expansion 234-235

Young's interferometers and nondiffraction 258-259

z

- z-axis 84, 85, 87, 112, 114, 115, 128, 215
- *z*-direction 6–7, 14, 85, 164, 166, 174, 193, 196, 197, 203, 234, 370
- zero-speed envelopes stationary solutions. See frozen waves (chapter 01) 33