

Index

a

- activation energy
 - for lattice self-diffusion *vs.* melting temperature 104
 - for vacancy diffusion 102
- active-passive cell 256
- advanced test reactor (ATR) 11
- aluminum alloy
 - fracture toughness and tensile strength 210
 - S-N curves for 229
- Andrade β -flow 215
- anisotropy 195, 333
 - crystallographic 195
 - elastic 142
 - mechanical 206
 - in tensile properties 195
- antiphase boundary (APB) 173
- Arrhenius equation 213
- atomic diffusion mechanisms 97–100
- atomic packing efficiency 51
- atomic theories, of diffusion 95–97

b

- Barba's law 184
- Bardeen–Herring mechanism 158, 159
- Basquin equation 232
- Bauschinger effect 232
- bending stresses 239
- beryllium (Be) 51
- binding energy 73, 74, 111, 115, 118, 269, 270, 274
- Bird–Mukherjee–Dorn (BMD) equation 214
- body-centered cubic (BCC) crystal 47, 48, 53, 129, 136, 166, 270, 272, 337
 - alpha-Fe 273
 - lattice, dislocation reaction in 165, 166
 - structure 47, 48
 - unit cell 47, 48, 60, 76, 124

body-centered tetragonal (BCT) lattice

- structure 174
- boron nitride nanotube 62
- Bragg's law 139
- breaking stress. *see* fracture, stress
- breeder reactors 5
- Brinell hardness number (BHN) 197
- Brinell hardness test 197, 199
- bulk modulus 173, 183
- Burgers vector 81–84, 133, 134, 136, 137, 141, 142, 146, 147, 151, 155, 161, 163, 165, 170, 175, 176, 272–274

c

- cantilever fatigue beam testing 229
- carbon nanotube 62
- cathodic reactions 252
- cellular substructure 168
- ceramic fuels 347
- ceramic materials 134, 245, 248, 350, 351
 - displacement energies 117
 - ceramic uranium fuels 347, 354
- Charpy and Izod tests, specimen configuration 204, 205
- Charpy V-notch energy *vs.* temperature behavior 204, 207
- chromium carbide formation 256
- classical slip concept, schematic representation 128
- cleavage fracture process 202
- closest-packed directions (CPDs) 127
- closest-packed planes (CPPs) 52, 127
- cluster formation 271
- Coble constant 223
- Coble creep. *see also* grain boundaries
 - diffusion of vacancies, occurrence through 223
 - equations, assumptions 223

- mechanisms 222
 - coefficient of thermal expansion 242, 244
 - cohesive stress 201
 - cold work, effect of 281
 - compact test specimen (CT) 209
 - composition cells, benefits 253
 - compression tests 196
 - compressive stresses 183, 222
 - concentration cells 253, 254
 - conventional/nominal stress 185
 - coolants 36
 - characteristics 37
 - corrosion 249–259
 - basics 249–253
 - cell, operation 250
 - composition cells 253
 - concentration cells 253, 254
 - couples, types 253–259
 - fatigue 258
 - intergranular corrosion 255, 256
 - mechanisms 255–258
 - prevention 258, 259
 - resistance 16, 22, 25, 32, 35, 169, 319, 328, 329, 341, 344, 345, 347
 - stress cells 254–255
 - stress corrosion cracking 256–258
 - corundum structure 66–68
 - crack growth 234–237
 - constitutive equation 212–214
 - mechanism 234–237, 256
 - tests 234
 - creep curve 215, 216
 - stages 212
 - stress effect 213
 - temperature effect 213
 - creep deformation, mechanism map 225
 - creep-fatigue interaction 239, 240
 - creep properties 211–227
 - creep constitutive equation 212–215
 - creep curve 215, 216
 - creep mechanisms 219–226
 - stress and creep rupture 216–218
 - creep rate equation 213
 - creep-resistant material, features 225
 - creep rupture 216–218, 302
 - creep strain 211, 212, 215, 216, 223, 304
 - creep tester 212
 - critical resolved shear stress (CRSS) 127, 130–133, 131
 - vs. theoretical shear strength 133
 - critical stress intensity factor 208
 - Crowdion 272, 273
 - CRSS. *see* critical resolved shear stress (CRSS)
 - crystal defects 69, 70
 - line defects 79–84
 - point defects 69, 70–77, 274
 - in ionic crystals 77, 78
 - Schottky defect/disorder 78, 79
 - surface defects 84–88
 - volume defects 88
 - crystal structure 43, 44
 - Bravais lattices 46
 - carbon 60
 - ceramics 62, 63
 - Euler's rule 46
 - lattice parameters 45
 - unit cell 45
 - CsCl structure 64, 65
 - cup-and-cone fracture
 - formation stages 204
 - cup-like depressions 203
 - curve fitting constants 243
 - cyclic hardening coefficient 232
 - cyclic stress-strain curve 232, 233
 - hysteresis loop 232, 233
- d**
- Darken–Manning relation 104
 - Debye's theory 241, 242
 - decoration technique 139
 - deformation
 - modes, schematic illustration 182
 - by slip in single crystals 127–140
 - Burgers vector magnitude determination 136, 137
 - dislocation velocity 137–140
 - Peierls–Nabarro (P–N) stress 133, 134
 - plastic strain, accumulation 134–136
 - types
 - anelastic 182
 - elastic 182
 - plastic 182
 - delayed neutrons 6
 - depleted zones 112
 - diamond 60
 - crystal structure 61
 - differential depth measurement technique 198
 - differential scanning calorimetry (DSC) curve 243
 - diffusion 89, 90
 - atomic theories of 95–97
 - carburizing/decarburizing 94, 95
 - coefficient 90–92, 105, 223, 302
 - in different microstructural paths 106–108
 - dislocation core diffusion 108
 - grain boundary diffusion 106, 107
 - surface diffusion 108
 - in multicomponent systems 105, 106

- Kirkendall couple 105
- phenomenological theories 90
- Fick's first law 90, 91
- Fick's second law 91–93
- as thermally activated process 101, 102
- thin-film solution 93, 94
- dislocation characteristics
 - force on dislocation 147–151
 - forces between dislocations 151–154
 - intersection 154–157
 - loops, types 140–142
 - origin and multiplication 157–160
 - strain energy 144–147
 - stress field 142–144
- dislocation density 83, 84, 134–138, 140, 145, 168–170, 177, 220, 223, 224, 281, 283, 291, 292
- dislocation–dislocation interactions 159
- dislocation glide–climb event 220
- dislocation loops 140–142, 275
 - glide loop 141
 - prismatic loop 141, 142
- dislocation networks 127, 154, 165, 281, 291
- dislocation pileup 159
- dislocation reactions 145
 - in BCC lattices 165, 166
 - in FCC lattices 160–165
 - Frank partials 162
 - Lomer–Cottrell barriers 163–165
 - Shockley partials 160–162
 - in HCP lattices 166
 - in ionic crystals 166, 167
- dislocation theory 127–177
- dislocation velocity 136–138
- dispersion strengthening 177
- displacement cascade 112
- displacement energies
 - calculation 115
 - ceramic materials 117
 - variation of 115
- displacement spike model 112, 113
- displacement threshold 114–118
- Dorn equation 214, 224
- ductile–brittle transition behavior 206, 207
- ductile–brittle transition temperature (DBTT) 170, 206

- e**
- edge dislocations 152
 - intersection 155
 - positions for 153
- Einstein's assumption 241
- elastic anisotropy 142
- elastic collision, characteristics 118
- elastic deformation 184
- elastic interaction 173
- elastic modulus 183, 186, 201, 213, 307
- elastic scattering 3, 4, 118
 - isotropic 119, 120
 - neutron–nucleus 120
 - process 118
- elastic stress 207
- electric charge effects 166
- electrochemical cell 250
- electrochemical series 251
- electrode potential 251, 252, 257
- electrolytic cell 249
- electronic cutoff energy 122
- elementary jogs 156
- endurance limit 229
- engineering strain 186
- engineering stress–strain curves 186, 194
 - vs. true stress–true strain curve 190
- enthalpy 71, 72, 80, 102, 240
- equicohesive temperature concept 171
- etch pit technique 138
 - optical micrograph 138
- extended dislocation 162, 165, 173

- f**
- face-centered cubic (FCC)
 - copper (FCC) 274
 - crystal 49
 - metals 49, 103, 104, 113, 128, 134, 136, 168, 221, 269, 271, 291
 - unit cell 49, 59, 60, 63, 75, 116, 128
- fatigue 258
- corrosion 258
- creep–fatigue interaction 239, 240
- curve 229–234
- cycle 236
- failure process 227, 230
- fracture, clamshell markings 235
- life, factors affecting 238
- life plot 231
- limit 229
- properties 227–239
- protection methods 238, 239
- testing 232, 258
- Fick's steady-state flow 246
- fine particle strengthening mechanism
 - dispersion strengthening 174
 - precipitation hardening 174
- fission chain reaction 5, 6, 11, 13, 33, 34, 323
- flow stress *versus* strain rate 193, 194
- fluorite structure 65

Fourier's law 246
 fracture 129, 131, 165, 171, 181, 188, 192,
 196, 200–203
 – critical normal stress for 202
 – metallographic aspects 202, 203
 – strain 231
 – stress 188
 – theoretical cohesive strength 201, 202
 – toughness 207–211
 – test procedure 209–211
 – types 200
 Frank loops 272, 274, 275
 – TEM images 277
 Frank partial dislocation 162
 – stacking sequence configuration 163
 Frank–Read mechanism 157, 158
 Frank's rule 145–147, 161, 163
 Frenkel pairs 115
 friction stress 171
 fuel cladding materials 36

g

galvanic series 252
 gas-cooled reactors 11
 glide-climb model 220
 glissile dislocations 162
 304-grade stainless steel, sensitized
 microstructure 256
 grain boundaries 84, 86
 – chromium content at 256
 – diffusion 106, 107
 – dislocation sources at 157
 – grain boundary sliding (GBS)
 model 224
 – helium bubbles 300, 301
 – sliding 339
 – temperature dependence 171
 grain boundary sliding (GBS) model 224
 grain size
 – effect of 281, 282
 – exponent 214
 – strengthening mechanisms 170–172
 graphene 62
 graphite 60
 Griffith's equation 201, 202, 257

h

Hall–Petch relation 160, 171, 172
 Hall–Petch strengthening 84, 168, 291
 hardness, defined 197
 hardness properties 196
 – macrohardness testing 197–200
 – microhardness technique 198–200
 hardness testing 197

Hartmann lines 187
 heat affected zone (HAZ) 255
 helium, effect of 283
 hexagonal close-packed (HCP)
 – crystal structure 49, 50
 – metals 129
 – unit cell 61
 high cycle fatigue (HCF) 230
 high-energy radiation
 – interactions of 111
 high-temperature graphite reactors
 (HTGRs) 62
 Hollomon's equation 190, 191
 Hooke's law 182, 191
 hysteresis loop 232

i

impact properties 203–207
 – ductile–brittle transition behavior 206, 207
 impact-testing techniques 203
 inelastic scattering 4
 infrared radiant heat transport 247
 interaction
 – forces 153
 – neutrons with matter 3
 – probability 121
 intergranular corrosion 255, 256
 interstitial clusters 271
 – TEM micrographs 272
 interstitial jog 156
 irradiation creep 303–305
 irregular prismatic loops, TEM
 micrograph 157
 isotropic elastic scattering 119, 120

k

KCl crystal, optical micrograph 139
 Kinchin–Pease model 121
 – assumptions 121, 122
 – derivation 122, 123
 – elastic collision cross section, depends on 123
 – total integrated neutron flux 123
 – weighted average energy of neutrons 123
 kinks 156
 Knoop hardness number (KHN) 199
 Knoop indenter 199

l

Larson–Miller parameter (LMP) 216, 219
 lattice atoms, binding energy 111
 lattice constant 116, 136
 light/heavy water reactors 11
 linear variable differential transformer
 (LVDT) 184, 211

line tension, curved dislocation line 149
 liquid metal-cooled reactors 11
 load-bearing structures 181
 load-crack displacement curves 210
 load-displacement curves 210
 loading cycles
 – crack length *vs.* number 235
 Lomer-Cottrell barriers 163–165, 221
 Lorenz number 246
 low cycle fatigue (LCF) 230
 lower yield point 187
 Ludwigson's equation 191
 Ludwik's equation 191

m

macrohardness testing 197, 198
 – Brinell hardness test 197
 – Rockwell hardness test 198
 – Vickers hardness test 197, 198
 MD simulations 271
 mechanical properties 181, 287
 – channeling, plastic instability 294, 295
 – effect of composition and fluence 297
 – effect of irradiation temperature 297–299
 – effect of thermal annealing 299, 300
 – helium embrittlement 300–302
 – radiation anneal hardening (RAH) 293, 294
 – radiation embrittlement 295–297
 – radiation hardening 287–292
 – friction hardening 291, 292
 – source hardening 291
 – saturation radiation hardening 292, 293
 melting temperature 103
 metal deformation processing 188
 metallic fuels 321
 metallic plutonium 335
 – alloying of plutonium 341
 – corrosion properties 339–341
 – crystal structure and physical
 properties 336–338
 – fabrication of plutonium 338
 – mechanical properties 338, 339
 metallic thorium fuel 341, 342
 – alloying of thorium 344–346
 – corrosion properties of thorium 344
 – crystal structure and physical
 properties 343
 – extraction of thorium and fabrication 342,
 343
 – mechanical properties 343, 344
 – radiation effects 345
 – thorium-based fuel cycles, pros and
 cons 346
 metallic uranium 321, 322

– alloying of uranium 328, 329
 – corrosion properties 327, 328
 – extraction of uranium 322, 323
 – fabrication of uranium 330
 – irradiation properties 331–335
 – mechanical properties 326, 327
 – nuclear properties 323
 – stress-strain curves of uranium 326
 – thermal cycling growth in uranium 330,
 331
 – uranium crystal structure, and physical
 properties 324–326
 microhardness technique 198–200
 mild steel, S–N curves 229
 Miller–Bravais indices 57–59
 Miller index 54–57, 129, 130
 Miners rule 234
 mobile clusters 274
 moderators 36, 120, 240
 – graphite 13
 modulus of resilience 189
 Monkman–Grant relationship 217–219
 – titanium tubing depicting validity 217

n

Nadai's analysis 193
 natural creep law 221
 Nernst equation 251, 253
 neutron flux 123
 neutron–lattice interactions 114
 neutron–nucleus elastic scattering 120
 neutron–nucleus interaction 119
 neutrons
 – classification 3
 – interactions with matter 3
 – sources 3
 N–H model 223
 Ni₃Al – MD simulation 271
 niobium-bearing zirconium alloy
 – stress *vs.* rupture time 217
 Norton's law 212
 nuclear energy 1, 2, 21
 nuclear fission energy 2
 nuclear fuel, basic requirements 319, 320
 nuclear fusion energy 2
 nuclear power, evolution 13
 nuclear reactors 11–13
 – boiling water reactor 16–20
 – generation-III and III+ reactors 22–24
 – generation-II reactors 15
 – light water reactors 15
 – pressurized water reactor 16
 – generation-I reactors 13–15
 – Magnox reactor 13–15

- generation-IV reactors 25, 27
- reflector 24
- liquid metal fast breeder reactor 21, 22
- materials selection criteria 28, 30, 31
- to reactor components 35–37
- mechanical properties 31–33
- neutronic properties 33–35
- pressurized heavy water reactor 20, 21
- test reactors 28
- nucleation 275

- o**
- octahedral planes 128
- ODS alloys 283
- Orowan bypassing mechanism 177
- Orowan looping 176
- Orowan's equation 134
- oxidation cell 254
- oxidation reaction 250
- oxidation-type concentration cells 254
- oxide ceramics 248
 - thermal conductivity 248

- p**
- packing efficiency 51
- Paris law 236
- particle-lattice atom interactions 112
- particle shearing mechanism 175
- particle strengthening 177
- Peach-Koehler formula 148, 149
- Peierls energy 134
- Peierls-Nabarro (P–N) stress 133, 134
- perfect dislocation 136, 160, 162, 163, 165, 166
 - loops 273
- permanent deformation. *see also* plastic deformation
 - pits 138
 - plastic deformation 84, 127
 - under compression 132
 - to create dislocation pileups 201–203
 - dislocations in 127
 - line defects 79
 - in single crystals 170
 - stress relaxation in one of grains by 330
 - time-dependent 32, 239
 - of uranium 326
 - plastic strain accumulation 134–136
 - plutonium-bearing ceramic fuels 354
 - Poisson's ratio 133, 144, 183, 189
 - polymorphism 53, 243
 - in ceramics 65
 - postnecking regime 190
 - potential energy 77, 116, 244

- q**
- quantum theory 241
- quasi-binary phase diagram 255
- quasi-static uniaxial tensile state 184

- r**
- radiation damage models 118–125. *see also* Kinchin-Pease model
 - displacement damage, expression of 121
 - elastic collision event, characteristics of 118
 - isotropic elastic scattering event 119
- radiation defects, induced by intense nuclear radiation 112
- radiation effects 111
 - corrodent 308, 309
 - hydriding 311
 - liquid metal embrittlement 313
 - LWR environment 309
 - oxidation 309–311
 - stress corrosion cracking 312, 313
 - on corrosion properties 308, 309
 - on fatigue properties 305, 306
 - irradiation-assisted stress corrosion cracking 313, 314
 - microstructural changes 267–271
 - on physical properties 306
 - density 307
 - thermal conductivity 307
 - thermal expansion coefficient 308
 - protective layer 308, 309
- radiation embrittlement 295–300
 - BCC metals/alloys 295
 - composition/fluence, effect 297
 - irradiation temperature, effect 297–299
 - thermal annealing, effect 299, 300
- radiation-enhanced creep 304, 305
- radiation hardening 287–295
 - annealing 293, 294
 - channeling 294, 295
 - friction hardening 291, 292
 - saturation 292, 293

- source hardening 291
- stress corrosion cracking 312, 313
- radiation-induced creep 303–305
- radiation-induced precipitation/
 - dissolution 287
- radiation-induced segregation (RIS) 286, 287
- radioisotopic energy 3
- Ramberg–Osgood relation 191
- rate-controlling process 220
- recombination process 162
- reflectors 36
- replacement collision 112
- repulsion potential 115
- rock salt structure 63, 64
 - edge dislocation configuration in 167
- Rockwell hardness test 198
- rotating-bending test 229
- rupture tests 216–218

- s**
- scattering angle 119
- Schmid's law 131
- screw dislocation 142
 - elastic distortion 143
- sensitization problems 256
- sessile dislocations.
 - see* Lomer–Cottrell barrier
- shear modulus 170, 173, 176, 183
- shear stress 132, 135, 137
- Sherby–Dorn parameter 218, 219
- Sherby plot 213
- shielding materials 37
- Shockley partials 160–162, 166
- short-range barriers 173
- simple reactor design 11, 12
- Single-crystals 131
- slip planes 128, 153
 - in ionic crystals 167
- slip systems 127, 130, 171
 - in beryllium 129
 - lines 127
- solid solution strengthening
 - mechanisms 172–174
 - elastic interaction 173
 - electrical interaction 173, 174
 - long-range order interaction 173
 - modulus interaction 173
 - stacking fault interactions 173
- solute–vacancy complex 104
- specific heat 240–243
- stacking fault interactions 173
- stair-rod dislocation 165
- steady-state flux 223
- stoichiometric fraction 117

- strain energy 144–147
- strain hardening 154, 162, 168–170, 175, 178, 187, 190–193, 195, 288, 296
- strain rate sensitivity (SRS) 193
- strength coefficient 191
- strengthening (hardening)
 - mechanisms 167–177, 225
 - from fine particles 174–177
 - precipitation strengthening 175–177
 - grain size strengthening 170–172
 - solid solution strengthening 172–174
 - strain hardening 168–170
- stress, and creep rupture 216–218
- stress corrosion cracking (SCC) 255–258
- stress field, of dislocations 142–144
 - edge dislocation 143, 144
 - screw dislocation 142, 143
- stress–strain curves 184–195
- stretcher strains 187
- superficial Rockwell test 198
- superjogs 156
- Suzuki effect 173
- swelling behavior 278, 280, 282–285. *see also* void swelling
 - effect of irradiation temperature 280
 - ferritic/martensitic steel *vs.* austenitic stainless steels 283

- t**
- tangled networks 168
- Taylor's factor 171
- tensile cycle 230
- tensile deformation 203
- tensile ductility 204, 230
- tensile properties
 - anisotropy in 195
 - strain rate effect on 192–195
 - stress–strain curves 184–192
 - temperature effect on 193–195
- tensile stress 132, 144, 183, 201, 211, 235, 287, 288
- tensile test 181, 184, 185, 193, 230, 257, 295, 302
- tensile toughness 189
- tension–compression stress cycle 228
- tension–compression test 229
- tension–compression-type loading 236
- tension test 185, 188
- thermal barriers 195
- thermal conductivity 246–248
 - of ceramic materials 248
- thermal expansion 244, 245
 - coefficient 169, 240, 244, 245
- thermal gradient 246

- thermal shock 245
- thermophysical properties 240–248
 - specific heat 240–243
 - thermal conductivity 246–248
 - thermal expansion 244, 245
- thorium-bearing ceramic fuels 354–356
- threshold energy 118
- transmutation, nuclei 4

- u**
- ultimate tensile stress (UTS) 188
- unit dislocation 136
- unit jogs 156
- upper yield point 187
- uranium carbide 352, 353
- uranium dioxide (urania) 347–352
 - crystal structure and physical properties 348–351
 - fabrication 347, 348
 - irradiation effects 351, 352
 - mechanical properties 351
- uranium nitride 353, 354

- v**
- vacancy clusters 273
- vacancy diffusion 82, 83
 - activation energy for 102
 - in metals 105
 - substitutional 102
- vacancy jog 156
- van der Waals interaction 62
- Vickers hardness number (VHN) 197, 198, 199, 329
- Vickers hardness test 197

- Vickers indenter 197, 199
- viscous flow 193
- void distribution function 279, 280
- void size distribution 281
- void swelling 35, 275, 278–280, 283
 - characteristics in 283
 - fluence dependence of 285, 286
 - generalized behavior, stages 285
 - temperature dependence of 280
- Volterra dislocation 142, 143
- volumetric coefficient 244

- w**
- Wiedemann–Franz law 246

- x**
- X-ray diffraction topography 140

- y**
- yield strength 80, 171, 174, 187, 188, 189, 195, 230, 290, 327, 339, 344, 345
- yield stress 81, 131, 167, 171, 174, 187, 207, 233, 290, 293, 296, 298
- Young's modulus 183, 186, 257, 338, 351

- z**
- Zener–Holloman parameter 218, 219
- zinblende structure 66
- zirconium alloys
 - for Gen-IV reactors, limitations 27
 - in LWRs 33
 - Nb-containing 310
 - for PWR fuel rod cladding 22, 25, 311