

Index

a

- aerosol 97
- aggregation 97, 126
- Airy stress function 31, 41, 185
- Alternating field (AC) 270
- aluminium 112
- ancient fossil peds 189
- anisotropic crack pattern 248
- apparent viscosity 210
- arching crack 154
- area–perimeter scaling 157, 158, 330
- argillitic horizon 156
- array of edge cracks 48
- auto-phobic polymers 123
- auto-stratification 123
- azimuthal stress 40

b

- Beltrami–Mitchell equation 31
- bending moment 50
- bentonite bentonite clay 112, 306
- biharmonic equation 31, 41
- Bingham fluid 242
- Bingham model 241
- Bingham model for 1D deformation 221
- Bingham model of plasticity 54, 214
- biofluid droplet 290
- Biot–Willis coefficient/parameter 81, 82
- birefringence 69
- Bjerrum length 104
- blood 290
- Boltzmann distribution 126
- box-counting method 329
- Bragg diffraction patterns 125
- brittle crack 44, 56, 159
- brittle fracture 45, 53, 55, 147, 159, 172, 173, 223
- brittle glass 39

brittle material 36, 39–41, 59, 158, 159,

170, 179, 180, 197, 224

brittle solid 36, 147, 207, 298

Brownian motion/isolated particles 70, 101

buckling 24, 53, 177, 296

bulk modulus 26, 28, 33, 79

c

- calcium carbonate 181, 227, 239, 242, 245, 258
- capillary interaction 97
- capillary number 185
- capillary pressure 87, 90, 93, 117–121, 127, 130–133, 149, 186, 280, 282, 287, 296
- carbon nanotube 286, 290
- Carman–Kozeny equation/model 139, 151
- Carnahan–Starling 109
- Cauchy stress tensor 18
- cell method 103
- cellular crack patterns 243
- ceramic 1, 3, 49, 98, 279–283
- channel cracking 47, 49, 90
- channelling 49
- chaotic branching 59
- circular hole 40
- clamped bar 59
- 1:1 clay 110
- 2:1 clay 110
- clay 2, 6, 36, 52, 54, 70, 73, 74, 97–114
- clay liners 286
- clay particles 268
- coffee-ring effect 136
- co-ions 102
- colloid 97
- colloid chemistry 152
- colloidal crystal 126

- colloidal dispersion 90
 colloidal gold 107
 colloidal stability 6, 98, 108
 columnar joints 48, 84, 154, 188
 composites 1, 170, 171, 191, 196, 277,
 279–290
 compressibility factor 70
 conductive zone 299
 constitutive equations 207, 210, 213
 contact line 117, 120–122, 136, 141, 290
 continuum models 135
 contraction cracks 53
 corona 293
 correlation length 56, 158–161, 165
 Coulomb–Mohr criterion 223
 Coulombic repulsive interaction 261
 counter-ions 101, 102
 covalent bond 35
 crack opening displacements 42
 crack opening mode 42
 crack path instability 63
 crack path prediction 60, 63
 crack patterns 1, 114
 crack propagation 59, 196, 223
 crack saturation 47
 crack spacing 49, 52
 crack speed/velocity 228, 233, 237
 crack tip splitting 59
 cracking number 52
 critical condition for cracking/fracture 39,
 47, 53, 58
 critical cracking conditions 53
 critical cracking stress 37
 critical cracking thickness (CCT) 52, 148
 280
 critical film thickness 151
 critical pore pressure 90
 critical strain energy release rate 39, 44
 critical stress intensity factor 44
 Crocodiles 309
- d**
- 2D spring model 195
 Darcy's law/for porous flow 70, 74–76, 84,
 139
 DC electrical field 269
 Debye length 103, 104, 107
 Debye–Hückel approximation 103, 105,
 108
 deca-hydronaphthalene (DHN) 288
 decay length of the stress 52
 delamination 89, 150, 176, 189, 197, 296
 democratic load sharing 191
 dendrite 182, 183
- depletion interaction 98, 110
 Derjaguin–Landau–Verwey–Overbeek
 (DLVO) 98
 desiccation crack 1, 48, 60, 172, 176, 227,
 271, 286
 desiccation crack pattern 238, 256
 desiccation fracture 3, 6, 84, 88, 118
 desiccation shrinkage 246
 deviatoric strain 17
 deviatoric stress 54, 220
 dialysis 102
 dielectric fluid/medium 100, 101
 diffusion equation 84, 86
 dilatational plastic deformation 222
 dilatational symmetry 327, 331
 2-dimensional network model of rheology
 237
 dipole–dipole interaction 97
 dipole–dipole potential 98
 direct field 268
 directional cracks 224
 directional drying 52, 59, 60, 154
 dislocations 54
 dispersion 70, 97
 dispersion force 101
 displacement 11
 dissipative fracture 54
 divider-step method 329
 DLVO 98–111, 127
 drained bulk modulus 80
 drained elastic moduli 87
 drained elasticity tensor 81
 drying droplet 271
 drying paste 54
 drying process 117
 drying rate 230
 drying starch 302
 drying stresses 87
 ductile material/metal 41, 54, 147
 dynamic fracture 58, 63
 dynamical crack instabilities 59
- e**
- edge crack 48
 Edinburgh hard spheres 97
 effect of magnetic field 274
 effective crack length 55
 effective stress 86, 91
 Einstein's equation for viscosity 209
 elastic energy density 219
 elastic energy release rate 59
 elastic instability 53
 elastic moduli 27, 28, 40
 elastic strain energy density 250

elastic wave 59
 elasticity tensor 24
 elastomers (gels) 180
 elastoplastic crack 55, 57
 elastoplastic linear decomposition 246
 elastoplasticity 216
 electric field 98, 99, 106–109, 182, 267–274
 electrical double layer 105, 106
 electrodes 268
 1-1 electrolyte solution 104
 electromagnetic field 97
 electrophoresis 105
 electrophoretic mobility 109
 electrostatic barrier 107
 electrostatic effects 103
 electrostatic potential 101
 3-element model of rheology 238
 elliptical crack 37
 elliptical hole 41
 emulsion 97
 en echelon cracks 174, 175
 energy dissipation 212
 energy dissipation rate 236, 237
 energy release rate 38–41, 44, 46–52, 55–62, 64, 89, 150, 173
 engineering shear strain 14
 entropy 23
 equation of motion for a crack 62
 Euler's theorem 164
 evaporation process 293

f

far-field stress 39, 45, 60
 far-field tension 41
 far-field uniaxial stress 37
 Faraday waves 255
 ferrofluid gel 274, 275
 fibre bundle model 191
 Fick's laws/for diffusion 73, 74, 287
 finite strain 14
 first law of thermodynamics 21, 44
 flocculation 97
 force balance equation 73
 forensic investigation 296
 Fourier's law 85
 fractal 56, 155
 fractal dimension 156–159, 185, 186, 327–332
 fractal structures 157
 fracture energy 35
 fracture speed 59
 fracture toughness 40, 44, 53

fragmentation process 164
 free energy 23, 37
 free energy density 78
 Frenkel model 283
 funicular-pendular transition 134

g

geometric charge 161
 Gibbs–Donnan effect 102
 Gibbs free energy 219
 Gibbs–Marangoni effect 292
 gradient percolation 171
 green bodies 98
 Green's function 47
 Green's theorem 56
 Griffith criterion 150, 179, 195
 Griffith energy 238
 Griffith's energy balance 57
 Griffith's energy release rate 44
 Griffith's energy-based fracture mechanics 40, 64
 Griffith's theory 48

h

H⁺ 101
 hackle 181, 189
 Haines jumps 133, 141
 halloysite nanotubes (HNTs) 286
 halloysite/PMMA films 287
 Hamaker constant 99, 119
 hard-sphere repulsion 108, 109
 hardening 221
 heated bimetallic strip 53
 height-averaged stress 52
 Hele–Shaw cell (HSC) 131, 183–185, 187
 Helmholtz free energy 219, 234
 Hertzian spring 9
 Hill–Mandel maximal-dissipation principle 220
 hindered settling coefficient 72
 Hooke's law 9, 10, 193
 Hooke's spring/Hookean spring 9, 25
 hoop stress 40, 42
 horizontal vibration 245, 254
 house-of-cards platelet/structure 74, 113, 126
 Hurst exponent 158, 331
 hydraulic conductivity 172
 hydraulic diffusivity 84
 hydrodynamic radius 72
 hydrogen bond 35
 hydrostatic compression 26, 80

i

- illite 111
- in-plane stress 88
- incompressibility condition 249
- index of refraction 100
- inertia 58
- infinitesimal deformation 208, 218
- Inglis crack 37
- interface crack 49, 50, 89, 90
- intermediate-field stresses 53
- internal free energy 44
- invasion percolation 182, 185, 187
- ionic bond 35
- irreversible strain 54
- Irwin's fracture mechanics 54, 61
- Irwin's near-field solution 43, 57
- Irwin's stress intensity factor 91
- Irwin's theory 35
- isoelectric point 101
- iterative conformal mapping 185

j

- J*-integral 56–58

k

- kaolin 258
- kaolinite 110
- Kelvin–Voigt model 211
- kinked crack 63
- Koch curve 328

l

- lacunarity 156
- Lagrangian strain 14
- Lamé parameter 26, 28, 81
- lamellar crack pattern 240
- Landau moduli 25
- Langer model 231
- Laponite/gel 74, 110, 156, 181
- leaf veins 309
- Lee decomposition 217
- Lennard-Jones potential 109
- lifting Hele–Shaw cell (LHSC) 184
- linear decomposition 218
- linear elastic deformation 25
- linear elastic fracture mechanics (LEFM) 160, 180
- linear elasticity 5, 24, 29, 43, 50, 53, 147
- linear isotropic theory 93
- liquid limit 222, 241, 260
- local load sharing 191
- London constant 99

- London dispersion/force 98, 100, 109
- loss modulus 213
- low permeability clays 190
- lubrication approximation 184
- Ludox 107, 129

m

- magnesium carbonate hydroxide paste 260
- Marangoni effect 178, 292
- mass fractal 328
- matric suction 122
- maximum energy release rate 63
- Maxwell–Boltzmann distribution 102
- Maxwell model 211
- Maxwell's relation 81, 85, 86
- mechanical energy release rate 38
- memory effect 62, 239
- memory effect of vibration 253
- memory of flow 258
- memory of vibration 240, 258
- menisci 132
- Minkowski number 165, 166
- misfit strain 49
- misfit stress 49, 52
- mixed mode fracture 43, 46, 57, 59, 224
- mobility 72
- mode I 42, 44
- mode I cracks 47, 54, 63, 224
- mode II 42
- mode-II crack 49
- mode III 42
- modified cam clay model 222
- moist clay 146
- momentum balance 58
- montmorillonite 111
- mud cracks 223, 304
- multi-fractal 160
- multi-phase 69, 97
- multiple channelling cracks 52

n

- nano-fabrication 276
- nanoscopic precursor film 121
- nanotubes 286
- natural clay 268
- Navier equations 51
- Navier–Stokes equations 139
- nematic gel 113, 114
- neo-Hookean elasticity 250
- network stress 82
- Nile crocodile 309
- non-linear analysis 254
- non-linear behaviour 56

- non-linear elastic effects 58
 non-linear Poisson–Boltzmann equation 108
 Non-Newtonian fluid 209, 210, 255, 291
 normality law 221
 normalized elastic strain energy density 250
 no-slip boundary condition 72
- o**
 OH^- ions 101
 Onsager's variational principle 213
 oscillating cracks 277
 oscillations of the crack tip 59
 osmotic pressure 70, 107, 110, 127
 osmotic stress 97
- p**
 Péclet number 124, 303
 paint 69
 paint cracks 1
 parallel channel cracks 52
 ped 148, 150, 153, 157, 161–163, 166, 176, 189, 190, 195, 285, 309
 peeling 50, 88
 pendular state 135
 percolation theory 169, 170
 percolation threshold 169, 170, 187
 periodic branching 59
 permafrost soils 305
 permeability 74, 86, 113, 123, 131, 139, 140
 pervadic pressure 70
 phase field model 59, 196
 phyllosilicate 110
 planar crack 63
 plane elasticity 30, 43
 plane strain 29, 30
 plane strain elastic modulus 44
 plane strain mode-I crack 57
 plane stress condition 36, 45
 plastic deformation 54, 152, 216
 plastic dissipation 58
 plastic horizontal shrinkage 253
 plastic limit 222, 242
 plastic relaxation 234, 237
 plastic work 39
 plastic yielding zone 55
 plumose structure 181, 223
 Poiseuille flow 139
 Poisson ratio 27, 30, 32, 46, 50, 59, 83, 302
 Poisson's equation 101
 Poisson–Boltzman cell (PBC) 101, 103, 108
 Poisson–Boltzman equation 104, 105, 108
 polar liquid 101
- poly(ethylene oxide)(PEO) 284
 poly(methylmethacrylate) (PMMA) 100
 polygonal terrain 311
 polymer 157, 280
 pore opening processes 132
 pore pressure 47, 74, 81, 84, 90, 92, 237
 poroelastic 59, 190
 poroelastic deformation 90
 poroelastic driving forces 59
 poroelastic expansion coefficient 83
 poroelastic moduli 78, 82
 poroelastic processes 133
 poroelasticity 23, 47, 69, 309
 porous materials 130
 potassium bentonite 112
 pottery glazes 48
 pre-crack strain energy density 49
 pre-crack tension 90
 principal axes 16
 principal strain 15, 16
 principle of local symmetry 62
 principle of maximum energy release rate 63
 process zone 39, 41
 pseudoscalar 63
- q**
 quasi-linear analysis 248
 quasi-static crack 62
 quasi-2 dimensional spring network model 193
- r**
 radial crack pattern 240
 Rayleigh wave 59, 179
 refractive indices 100
 relative humidity (RH) 135, 295
 relative permittivity 101
 relaxation equation 252
 relaxation time of plastic deformation 236
 residual tension theory 244, 245
 reversible deformation 53
 reversible process 22
 rheology 147, 207
 roughness 331
- s**
 Saffman–Taylor instability 184
 sand-box method 329
 scale-invariance 327
 scanning electron microscopy (SEM) 274
 screening layer 105
 sedimentation 69
 sedimentation factor 72

- self-affine 332
 self-similar 145, 155–160, 327–332
 separation of length scales 53, 54
 shear modulus 24, 27, 69, 81, 126, 148, 183,
 283
 shear rate 242
 shear strain 14
 shear stress 242
 shear thickening 209
 shear thinning 209
 simple shear 13
 simple shear deformation 207
 singularity of energy dissipation 216
 sinusoidal forcing function 246
 sliding mode 42
 slipping plane 105
 slit island method 331
 slow deformation 207
 small-scale inhomogeneities 61
 small-scale plastic yielding 56
 smectite clay 112
 smectites 111
 sol 97
 sol-gel transition 293
 solid mechanics 33
 solid volume fraction 70, 72
 solvation force 111
 spalling 88, 188
 spiral cracks pattern 176, 262
 spring constant 9
 spring network 148, 171, 192
 spring network model (SNM) 171, 193, 194
 spring network simulations 148
 starch paste 229
 steady shear flow 246
 steric stabilization 98, 109
 Stern layer 105
 stiffness 9
 Stoke's drag 70
 Stokes–Einstein diffusivity 74
 storage modulus 213
 strain energy 37
 strain energy density 47, 50, 52, 56, 57, 250
 strain energy release rate 38, 41, 46, 47, 58,
 89, 176
 strain rate 209
 strain tensor 9, 14–16, 26, 32, 50, 218
 stress 17, 19, 26, 70, 149
 stress concentration 35, 40
 stress continuity 54
 stress divergence 42
 stress equilibrium 19, 26, 31, 58, 72, 76, 84
 stress intensity factor 42, 48
 stress intensity function 47
 stress singularity 44, 57
 superficial fluid velocity 76
 surface energy 54
 surface fractal 328
 surface tension 36, 118
 surfactant 178, 182
 susceptibility 99
 swelling and non-swelling clay 111
 symmetry-breaking mechanism 61
 synchrotron radiation 132
- t**
- table-top experiments 60
 tangential force 17
 Taylor series approximation 79
 tearing mode 42
 tensor methods 7
 Terzaghi effective stress 82
 theory for the deformation of a porous
 medium 75
 theory of flocculation 127
 theory of poroelasticity 76
 theory of thermoelastic deformation 84
 thermal contraction 49, 53
 thermal diffusion equation 86
 thermal gradient 47
 thermal noise 61
 thermal quenching experiment 63
 thermodynamic pressure 23, 70, 75
 thermodynamics 6, 21
 thermoelastic 59, 85
 thermoelastic driving forces 60
 thermoelastic theory 85
 thermoelasticity 47, 83, 309
 thin-film assumption 52
 thin-film fracture 47, 59
 three modes of cracking 42
 through-thickness crack 48
 titration 105
 topological charge 161
 topology 161
 traction 20
 transient branching 59
 triboluminescence 53
- u**
- uniaxial stress 28, 41
 uniform shear deformation 207
- v**
- vadose zone transport rate 286
 van der Waals force 35, 97, 98, 100, 109,
 110, 119
 vapour deposition 53

variational approach 62

variational principle 61

variational principle to plasticity 216

vertical vibration 255

Vicsek fractal 328

viscoelastic viscoelasticity 6, 88, 176, 211

viscous fingering 183, 184, 198

volumetric strain 9, 15

von Mises failure criterion 54, 220

w

water-rich dilute colloidal suspension
239

wavelength selection 63

wavy cracks 62, 177

weight-function method 56

Westergaard function methods 42

wet paste 207, 214

Wiener–Hopf method 238

wrinkling of films 53

x

x-ray tomogram 130

y

yield condition 219

yield stress 54, 214, 242, 243, 260

yielding zone 54

Young's modulus 11, 27, 32, 50, 82, 128, 188

Young–Laplace equation 120

Young–Laplace law 235

z

zeta potential 105, 106, 109

zone of plastic yielding 54

zooming out process 145

