

## Index

### a

AC vs. DC electrowetting 151–156  
 adsorption equilibrium  
   general principles 96  
   Langmuir adsorption 96–101  
   reduction of surface tension 99, 101  
 adsorption kinetics 101–104  
 adsorption rate constant 97, 99  
 asymmetric electrowetting curve 148

### b

binding energy 3, 182  
 biofluid droplets 225  
 Boltzmann distribution 72, 116–118,  
 128  
 bond number 21–22, 166  
 boundary conditions 64–67, 70, 75, 79,  
 86, 91, 152  
   droplet's 258  
   hydrodynamic response 159  
   kinematic 164, 165, 190  
   Navier–Stokes equations 163–166  
   time-dependent 166  
   for velocity field 164  
 Bretherton problem 177  
 bulk chemical potential 128

### c

capacitive coupling 267  
 capacitors  
   charge and energy distribution for  
   90–91

  parallel plate 70, 71, 83, 87–90, 122,  
   137  
 capillary length 21–22  
 capillary wave  
   wavelength-dependence of 186  
 Cassie state 214  
 charge density 121  
 chemical conversion 150  
 chemical potential 108  
   energy density 127  
   reduce surface 109  
   of solute molecules 99  
   surface reference 99  
 chemical/surface potentials 206–207  
 Clausius–Mossotti factor 72  
 configurational entropy 99  
 contact angle 16, 123  
   discrete morphology transitions  
   38–43  
   electrowetting (EW) 272  
   saturation 135, 149–151  
   Gibbs criterion for 37–38  
 contact line dynamics  
   comparison to experimental results  
   183–185  
   Cox–Voinov law 181–182  
   molecular kinetic picture 182–183  
   spreading drops on macroscopic  
   scales 179–181  
   Tanner's law 179–181  
 continuous electrowetting 269  
 Coulomb forces 4  
 Coulombic force 266

Coulomb's law 76  
 Cox–Voinov law 181–182  
 critical micelle concentration (cmc)  
 101, 106  
 curtain-coating technology 185

**d**

Davies adsorption isotherm 129  
 DC vs. AC electrowetting 151–156  
 Debye–Hückel approximation  
 119–121  
 Debye parameter 118  
 Debye screening length 68, 208,  
 223  
 desorption rate constants 99  
 dielectric breakdown 149, 151  
 dielectric capacitance 210  
 dielectric constant 71, 121, 151, 268  
 dielectric failure 199–200, 202, 216  
 dielectric force 267  
 dielectric leakage 200  
 dielectric material 149, 265  
 dielectric polarization 266  
 dielectrics  
 electric fields 68–73  
 interfaces of 70  
 liquids and leaky 73–76  
 dielectric stack 219  
 dielectrophoresis 265–269  
 dielectrophoretic force 267  
 dielectrophoretic movement 267  
 dielectrophoretic wetting 267  
 dielectrowetting 265–269, 286  
 leaky dielectric behavior 265  
 disjoining pressure 31  
 droplet generation 249–250  
 droplet motion 236, 237  
 droplet oscillation 244–245  
 hysteresis 245–246  
 jumping 245  
 mixing 246–247  
 droplet splitting  
 dosing (dispensing) 243–244  
 droplet mixing 244  
 fundamentals of 241–243  
 droplet transport

basic force balance interpretation of  
 235–237  
 flow field 239–240  
 implementation of 240  
 threshold and velocity 237–239  
 dynamic beam attenuator 287  
 dynamic capacitance 204  
 dynamic contact angle  
 vs. contact line speed 184  
 electrowetting-induced reduction of  
 185  
 dynamic electrowetting 167, 192  
 dynamic equilibrium, adsorption and  
 desorption 97  
 dynamic wetting/spreading 285

**e**

E-field gradient 267  
 eigenfrequency 191  
 electric charges  
 continuity equation of 75  
 density 61  
 discrete and continuous 62  
 electric double layer (EDL) 68  
 capacitance of 126, 138  
 diffuse layer charge 121  
 electrostatic energy 148  
 electrowetting (EW) 122–123  
 formation of 123  
 Gouy–Chapman model 116–120,  
 124–125  
 Poisson–Boltzmann (PB) theory  
 116–120, 122, 124–125  
 properties of 147  
 solid–electrolyte interfaces 115–123  
 statistical mechanics derivation  
 127–129  
 teflon–water interfaces 125–127  
 total charge and capacitance  
 120–121  
 electric energy, storage of 148  
 electric fields  
 boundary conditions for 67  
 conductors 66–68  
 dielectric liquids and leaky dielectrics  
 73–76

- dielectrics 68–73
- distribution 63, 64, 77, 86
- electrostatic energy 76–82
- electrostatic potential 61–64
- materials in 66–76
- electrical capacitance
  - for electrowetting 214
  - vs. time 204
- electrical conductivity 68, 72, 73
- electrocapillarity 1
  - with direct metal
    - (mercury)–electrolyte interfaces 147
  - electrometers 115
  - EW vs. Lippmann’s 145–149
  - historic origins 113–115
  - Lippmann’s equation of 138
  - setup 114
- electrocapillary effect 113
- electrochemical potential 117, 128
- electrochemical reaction 213
- electrochemistry 115
- electrodes, 2D array of 258
- electrohydrodynamic instability 209
- electrohydrodynamic modeling 272
- electromagnetic field 85
- electromechanical force 215, 236, 265
- electrometers 115
- electrospraying 150
- electrostatic energy 77, 83, 123, 137, 147
  - capacitance coefficients 78–80
  - conductors 76–77
  - constant charge vs. constant potential 80–82
- electrostatic fields 128
  - energy density 77
  - local distribution of 83
- electrostatic forces 151
  - electric double layer (EDL) 124
  - electric fields 61–66
  - electrostatic potential 61–66
  - fundamental laws of 61–66
  - local forces 83–85
  - on rigid bodies 82–83
  - stress boundary condition 85–86
- electrostatic interactions 119
- electrostatic potential 61, 64–66, 75, 76, 78, 87, 115–119, 123, 125, 128, 129, 147, 187
- electrostatic stresses 82
- electrothermal flows 153
- electrowetting (EW)
  - AC voltage in 193
  - capacitor 228
  - charges into oil 202
  - chemical/surface potentials 206–207
  - for complex or integrated devices 226–227
  - conducting fluid 221–222
  - contact angle modulation 272
  - curves 134, 137
  - DC vs. AC 151, 155
  - definition 81
  - on dielectric 119, 123
  - dielectric (capacitor) 215–220
  - dielectric charging 201–202
  - displays 197
  - electrodes 167, 263
  - electromechanical interpretation of 145
  - electromechanical standard model of 133
  - electrostatic forces 19
  - frequency dependence of 153, 154
  - insulator-free 135
  - of GaInSn liquid metal alloys 269–270
  - lab-on-a-chip systems 159, 169, 197
  - vs. Lippmann’s electrocapillarity 145, 149
  - macroscopic EW response 136–138
  - number 237
  - pixels 257
  - principle of 95
  - reverse 258–260
  - standard model of 133–144
  - Young’s angle and low wetting hysteresis 210–215
- electrowetting array actuator 281
- electrowetting-on-dielectric (EWOD) 133, 278, 279

electrowetting optics 253  
 energy harvesting 258–260  
 energy minimization 2, 29, 129, 136  
 equilibrium constant 97–99  
 equilibrium contact angle 136  
 Euler–Lagrange equation 29, 128  
 Eyring’s microscopic model 182

**f**

Faradaic reactions 116  
 fiber wetting 54  
 film thickness 173  
 finite contact angle 14  
 fluid dynamics 161  
 fluid–fluid interfaces 165  
 fluoropolymers  
   dielectric failure 199–200  
   topcoats 219, 220  
   ultralow surface energy coatings  
     211–213  
 free energy, voltage dependence of  
   122–123

**g**

GaInSn liquid metal alloys 269–270  
 gallium-based liquid metal 270  
 Gauss’ law 61, 62, 67, 69, 70, 83, 84,  
   118  
 Gibbs adsorption equation 99, 100  
 Gibbs free energy 6, 7, 27, 34, 115  
 Gouy–Chapman model 113, 116–120,  
   124–125  
 Grahame’s equation 121  
 gravitational force 20

**h**

Hagen–Poiseuille law 169  
 Hamaker constant 32  
 Hele–Shaw approximation 159  
 heterogeneous surfaces  
   morphology transitions, instabilities  
     and symmetry breaking  
       50–55  
   optimum contact angle on 43–55

wetting of 48–50  
   Young–Dupré equation for 35–37  
 hydraulic resistance 168, 170  
 hydrodynamic instabilities 241  
 hydrodynamic response time 159  
 hydrophilic coatings 213  
 hydrophobic dielectric 213  
 hydrophobic–water interfaces 113,  
   125  
 hydrostatic pressure 20, 161

**i**

inertial forces 159  
 inorganic dielectric 219–220  
 interface localized liquid  
   dielectrophoresis 286  
 interface potential 30–31  
 interfacial adsorption  
   equilibrium aspects of 101  
   mechanics model of 107–109  
   physical principles 95  
 interfacial tension  
   definition of 18  
   of mercury–electrolyte 122, 147  
 ionic conductivity 74

**j**

Jurin’s law 25, 26, 114

**l**

lab-on-a-chip systems 159, 197  
 Lagrange parameter 27  
 Landau–Levich problem 177, 181  
 Langmuir adsorption  
   adsorption energy and barrier 100  
   adsorption equilibrium 96–101  
   isotherm 97, 98, 100, 107  
 Langmuir model of adsorption 97  
 Laplace equation 7, 66, 75, 152, 164,  
   189  
 Laplace pressure 8, 170, 236, 237, 240,  
   247–249, 251  
 law of mass action 98, 99  
 laws of Wenzel and Cassie 43, 55  
 leaky dielectric layer 74, 75

- Legendre polynomial 189, 190  
 Lippmann's electrocapillarity  
   vs. electrowetting (EW) 145,  
   149  
   equation 138  
 liquid dielectrophoresis 267, 279,  
   286  
 liquid-gas interfaces 165  
 liquid-liquid interface 5, 170, 177,  
   179  
 liquid marbles 286  
 liquid metal electrowetting 269–271  
 liquid metal interfacial surface tensions  
   270–271  
 liquid-vapor interface 15, 18, 23, 170  
 low potential electrowetting 218–219  
 lubrication flows  
   entrainment of liquid films 176–179  
   with free liquid surface 173–174  
   general 170–173  
   linear stability analysis 174–176
- m**  
 macroscopic EW response 136–138  
 Marangoni effects 86  
 Marangoni flows 165  
 mass flux density 160  
 Maxwell equations 61, 62  
 Maxwell stress tensor 83–85, 88, 89,  
   152, 153, 175, 176  
 mean curvature 8, 9, 50, 86, 164  
 meniscus curvature 252–253  
 mercury-electrolyte 114, 122, 147  
 metal-electrolyte interfaces 115, 122  
 molecular dynamics (MD) simulations  
   151, 160, 182, 208  
 molecular kinetic picture 182–183  
 multilayer dielectrics 218–219
- n**  
 nanoscale EW devices 135  
 nanoscale, wetting 29–35  
 Navier-Stokes equations 159–170  
   boundary conditions 163–166  
   general principles 160–163
- inertial and viscous effects 166  
 Reynolds number 166–170  
 Neumann triangle 19  
 Newtonian fluid 162, 163
- o**  
 Ohm's law 168  
 Ohmic resistance 155  
 oil-air (oa) interface 19  
 oil film entrapment and breakup  
   255–257  
 oil-water interface 175  
 optical luminescence 149  
 optofluidics 22, 287  
 organic dielectric 220
- p**  
 parallel plate capacitor 70, 71, 83,  
   87–90, 122, 137  
 parallel plate geometry 153–156  
 partial differential equation 174  
 partial wetting 14–16  
   Young equation 16–19  
 pendant drop method 24  
 permanent dipole moment 72  
 plano-concave/convex lenses 252  
 plasma frequency 68  
 point of zero charge (PZC) 115, 125  
 Poiseuille flow 167, 168, 171–173  
 Poisson-Boltzmann (PB) theory 113,  
   116–120, 124–125, 146  
 Poisson's equation 64, 77, 79, 129  
 polarization vector 69  
 potential distribution 120  
 potential energy 266  
 potential of zero charge 125  
 pressure gradient 13
- r**  
 radii of curvature 9, 12, 16, 242, 243  
 Rayleigh eigenfrequency 193  
 Rayleigh-Plateau instability 53  
 Rayleigh-Taylor instability 174, 175  
 reference electrodes 115, 123

reverse electrowetting 258–260  
 Reynolds number 166–170, 191

**S**

shear flow 162  
 shear forces 249  
 shear viscosity 167  
 shunt resistance 202  
 solid–electrolyte interfaces 115, 123  
 solid–liquid interface 15, 19, 23, 27,  
 147, 162, 164, 170, 180, 227  
 solid–vapor interface 15  
 solvation shell 96  
 static magnetic fields 61  
 Sterling’s formula 109  
 Stokes drift 247  
 stress boundary condition 85–86  
 stress tensor 55–56, 161  
 superhydrophobic coatings 213–215  
 superhydrophobicity 286  
 superhydrophobic surfaces 45–48,  
 210, 235  
 surface-active solutes  
 from surfactants to polymers  
 105–107  
 proteins and particles 105–107  
 surface energy  
 definition 5–7  
 conventional ultralow 211–213  
 microscopic origin of 2–5  
 surface fouling  
 in biological applications 224–226  
 Young’s angles 204, 205  
 surface free energy 2  
 surface pressure  $\Pi$  100, 101, 105  
 surface tension  
 by balancing capillary and gravity  
 forces 24  
 conducting vs. insulating fluids  
 236  
 definition 2, 5–7  
 intrinsic 100

liquid metal interfacial 270–271  
 to liquid spreading 13–16  
 reduction of 99, 101  
 relative strength of 137  
 water vs. bulk concentration 101  
 surface tension force 181  
 surface waves 187–188  
 and drop oscillations 185–194  
 electrowetting-driven excitation  
 192–193

**t**

Tanner’s law 179–181  
 Taylor cone 150  
 Teflon dielectric layer 206  
 teflon–water interfaces 125–127  
 tensile force 2  
 thermal equilibrium, Boltzmann  
 distribution in 116  
 thermodynamic equilibrium 105, 116  
 adsorbed and dissolved molecules  
 107  
 surfactant adsorption 107  
 thin film equation 176  
 Thomas–Fermi screening length 67  
 three-phase contact line 16, 34–35  
 time-dependent Stokes equations 167  
 trapped charge derivation 227–228  
 trapped charge potential 201

**u**

ultralow voltage EW 148

**v**

van der Waals interaction 3, 16, 32–33,  
 176  
 viscous forces  
 contact line 180  
 in dynamic wetting processes 178  
 shear stresses 161  
 viscous stresses 249

**W**

water–air (wa) interface 19  
Wenzel state 45–47, 214  
wetting hysteresis 205–206,  
210–215

**y**

Young–Dupré equation 1, 18, 21,  
26–29  
    basic law of wetting 13–17  
Young–Laplace equation 1, 8, 86  
    basic law of capillarity 7–13

Rayleigh–plateau instability 11–13  
Young–Lippmann equation 113, 123,  
135, 149, 152, 185  
Young’s angle 137, 267  
    dielectric charging 205  
    gravity effects 204  
    interfacial tension 210  
    surface and interface fouling 204,  
205  
Young’s equation 18, 23, 26, 27, 29, 31,  
36, 122, 136, 138, 211, 214  
Young’s law 43, 123, 228

