

Index

a

absorption, optical
 – attenuation coefficient, linear 180
 affinity factor, electron 144
 acceptor, ionized 199, 248
 angular momentum operator
 – eigenfunction
 – – atomic orbital 98–100
 – – spherical harmonics 90–91
 – – spatial quantization 90–93
 atom-field interaction 167
 – atom-dipole moment 176, 336
 – driven two level atom
 – – atom dipole 171
 – – Rabi flopping formula 170
 – – resonant interaction 170
 – – Schrodinger equation 170
 – Einstein A coefficient 169
 – quantum treatment
 – – annihilation/creation operator 171
 – – EM field quantization 174
 – – number operator 175
 – – spontaneous emission 175
 – semi-classical treatment 167
 – stimulated and spontaneous transitions 168

b

band, energy
 – band bending
 – – equilibrium and under bias 220–221
 – band gap 41
 – band-to-band excitation 209–210
 – conduction/valence bands 231, 232
 – subbands 34
 BioFET 269
 Biot-Savard law 128
 Bohr's theory, hydrogen atom 18

– electron orbits and standing waves 20
 – quantized orbits 19
 – quantum transition 19
 – Ritz combination rule 18
 Boltzmann distribution function 3
 – Boltzmann probability factor 4
 – equipartition theorem 4
 – mobility and conductivity 5
 – non-equilibrium distribution function 5
 – thermodynamic equilibrium 3
 bonding, chemical
 – ionic 144–145
 – covalent 146
 – Van der Waal's attraction 146–148
 Born-Oppenheimer approximation 152
 bound states
 – 2D and 1D densities of states 37
 – 3D density of states 37
 – electrons in solids 33
 – – energy eigenequation 33
 – – particle in 3D box 34
 – quantum well and wire 38, 40
 – – boundary conditions 39
 – – eigenfunctions 40
 – subbands
 Brillouin zone 69

c

carrier transport 203
 – band to band excitation 209
 – drift and diffusion currents
 – – mobility 204–205
 – – diffusion coefficient 205–206
 – – Einstein relation 206
 – equilibrium and non-equilibrium
 – – composite semiconductor system 207
 – – quasi-Fermi level 208
 – – single semiconductor system 206

- carrier transport (*contd.*)
 - generation and recombination currents 209
 - minority carrier lifetime 214
 - photon flux and e-h pairs 215, 348
 - quantum description 203
 - – diffusion coefficient 205
 - – mobility 204
 - recombination rate 212
 - steady state and equilibrium 211
 - steady state distribution function 212, 214, 347
 - trap assisted recombination and generation 210
 - trap profile 215, 350
 - chemical bonding 137
 - expansion coefficients 149, 325
 - Heitler-London theory 149, 326
 - H_2 molecule
 - – bonding energy 143
 - – Hamiltonian 141
 - – Heitler-London theory 142
 - – variational principle 142
 - ionic bond 144
 - ionized hydrogen molecule 137
 - – bonding and antibonding 140
 - – Coulomb interaction integral 139
 - – exchange integral 139
 - – Hamiltonian of 137
 - – overlap integral 138
 - polyatomic molecules and hybridized orbitals 148
 - – methane and sp hybridization 148
 - – spatial directionality 148
 - Van der Waals attraction 146
 - Van der Waals attractive energy 149, 330
 - classical theories 1
 - Boltzmann transport equation 3
 - Maxwell's equation
 - – Ampere's circuital law 6, 7
 - – Coulomb's law 6, 7
 - – displacement current 7
 - – Faraday's law of induction 6, 7
 - – plane waves and wave packets 7–9
 - – wave equation 7
 - solenoidal 11, 282
 - thermal velocity 11, 280
 - variance 11, 281
 - Compton scattering 16
 - Coulomb blockade 60
- d**
- dark conductivity 214, 347–348
 - de Broglie wave length 18
 - Debye length 248
 - degeneracy, quantum states 35
 - degenerate perturbation theory 109
 - density
 - carrier 191, 197–200, 206, 221, 225
 - energy 13, 169, 173, 176, 192
 - probability 29, 33, 34, 38–40, 46, 47, 51, 64, 68, 80, 82, 99–111, 124, 139–141, 144
 - of states, 1,2 and 3D 35–38, 41–43, 193–195, 253
 - dielectric interface and constant 47, 53
 - diodes
 - laser 38, 42, 185, 217, 231, 241–242
 - light emitting 231, 240
 - p-n junction 217–228, 231–242
 - photo 242
 - solar cell 235–238, 242
 - directional coupling of light 51, 52
 - direct tunneling 53
 - dispersion relation
 - E-k and EM wave 7–9, 172, 179–188, 231
 - Doppler shift 100
 - drift diffusion currents
 - diffusion coefficient 203, 205–206
 - diffusion length 205, 223, 224, 225, 235
 - mobility 5–6, 203–205, 246, 257
- e**
- electron - proton interaction
 - H-atom theory (see hydrogen atom)
 - – Bohr's H-atom theory 87, 97
 - – Schrödinger treatment 87–102
 - electron spin
 - electron paramagnetic resonance 117, 131–134, 161, 162
 - – spin flip 117, 118, 132, 134, 271
 - – $\pi/2$ and π pulses 134
 - spin -orbit coupling and fine structure 127–129
 - singlet and triplet states 120–121, 123
 - Pauli spin matrices 118, 274, 275
 - electron Zeeman effect 129–130
 - – weak and strong magnetic field 129, 160
 - two spin 1/2 system 117
 - – singlet and triplet states 120–121, 123
 - – He atom 120–125
 - – Slater determinant 119
 - emission of electron and hole 208, 214, 219, 224, 232
 - EM waves 179
 - atomic susceptibility 184, 189, 341

- density matrix 181
 - ensemble averaging 182
 - steady state analysis 184
 - attenuation and amplification 179
 - coupled equations 188, 339
 - dispersion 180
 - Fabry Perot type cavity 189, 342
 - laser device 185
 - frequency of operation 188
 - laser intensity 187
 - laser oscillator 185
 - modes of operation 188
 - oscillation condition 187
 - population inversion 186
 - threshold pumping 187
 - saturated population inversion 189, 341
 - energy
 - binding and bound state 33–42, 56, 65, 68, 72, 95, 97, 125
 - bonding 140, 143–145, 147
 - Fermi 193
 - Ionization 20, 97, 122, 125, 126, 198, 199
 - quantization 77
 - zero point energy 78, 147
 - energy band 63
 - dispersion relation 73, 303
 - E - k dispersion 67
 - Bloch wavefunction 68
 - characteristics 68
 - forbidden gaps 67
 - quantum states 70
 - K–P potential
 - Bloch wavefunction 63, 64
 - boundary conditions 65
 - dispersion relation 67
 - secular equation 66
 - Kramer’s rule 73, 301
 - motion of electrons 70
 - resonant tunneling 71
 - superlattice structure 73, 303
 - equations
 - Boltzmann transport 3–6, 14, 102, 157, 158, 167, 168, 192, 193, 203, 249, 260
 - Newton’s and Hamilton’s 1, 2, 23, 28, 173
 - Maxwell’s 6–10, 172, 175
 - Continuity 7, 223
 - Poisson 248, 261
 - Schrödinger 23, 24, 46, 94, 112, 132, 170, 274, 275
 - wave 7, 8, 23–31, 87, 172
 - equilibrium
 - distribution function
 - Boltzmann 3–6, 102, 192, 203
 - Fermi-Dirac 193, 203, 204, 211, 239
 - Bose-Einstein 193
 - contact 41, 207, 217, 218, 247
 - equipartition theorem 4–5, 206
 - exchange integral 123–124, 138, 139
 - excitation
 - band to band 200, 208–210, 231
 - trap assisted 210, 227
 - excited states 82, 123, 151, 152
 - extrinsic semiconductor 197–200
 - donors and acceptors 197
 - Fermi level 199–200
- f**
- Fabry-Perot laser cavity 50, 185, 240, 241
 - Faraday law of induction 7, 126, 172
 - fermion 119, 120, 192, 193–194, 274
 - Fermi’s golden rule 113, 114
 - field effect transistors (FETs) 245, 263
 - bio-sensors 268
 - cross-shell NW 278, 368
 - drain current 261, 362
 - Fermi potentials 262, 364
 - flash EEPROM cell 263
 - memory operation 263
 - NAND and NOR type 263
 - flat band voltage 261, 361
 - floating gate 277, 365
 - ground state energy 277, 365
 - MOSFET 245
 - NWFET 364 (*see also* silicon nanowire field effect transistor (NWFET))
 - ONO dielectric layer 277, 367
 - PMOS and NMOS 261, 362
 - quantum computing 273
 - advantages 274, 276
 - entanglement 274
 - NOT gate 275
 - Schrödinger equation 276
 - solar cells 266
 - e-h pairs, efficient collection 268
 - multi-junction 267
 - nanowires 267
 - planar solar cells 266
 - spin-FETs 271
 - stacked multi-junction solar cell 277, 367
 - field emission display 57
 - Fowler-Nordheim (F-N) tunneling
 - applications
 - EEPROM cell 263–266
 - scanning tunneling microscopy 57, 151–164
 - tunnel FET 245–261

forces

- Coulomb and central force 93, 142
- centrifugal force 19, 96, 99, 125
- London dispersion force 146

g

gate

- floating gate 263–265
- gate electrode of FETs 252, 269

generation current

- generation of e-h pairs
 - – band-to-band 209–210
 - – trap assisted 210–214
- ground state 20, 34, 35, 40, 78, 81, 84, 85, 97, 109, 121–123, 125, 131, 138, 140, 142, 144, 146, 147, 160, 161, 199
- group velocity 9, 70

h

- harmonic oscillator (HO) 1, 75
 - classical and quantum oscillator 86, 307
 - 3D eigenequation 85, 304
 - eigenfunctions 75
 - – energy quantization 77
 - – ground state energy 78
 - – Hermite polynomials 78
 - – orthogonality 79
 - – uncertainty relation 81
 - energy eigenequation 85, 303
 - linearly superposed state 81
 - operator treatment 83
 - – annihilation operator 84
 - – creation operator 84
 - – lowering operator 84
 - – number operator 84
 - – phonons 84
 - – raising operator 84
 - recurrence relations 85, 306
 - zero point energy 86, 308
- Heitler-London theory 142
- Hermit polynomial 78
- hydrogen atom
 - Bohr's H-atom theory
 - – angular momentum quantization 91, 96, 98
 - – Bohr radius 19, 97, 109, 198
 - – electron orbit and de Broglie wavelength 17–18, 21, 50, 69
 - – quantum transition and spectral lines 19, 20
 - – Ritz combination rule 18
 - Schrödinger treatment
 - – eigenequation and eigenvalue 90, 91, 94

- – eigenfunctions, angular and radial 91, 98, 100
- – atomic orbital and spectroscopy 87, 98100, 125, 126, 148
- – hierarchy of quantum numbers n, l, m 91, 98, 119, 124, 125, 129, 134, 147, 160

i

identical particles

- distinguishable/indistinguishable particles 192, 194
- imrefs 209
- integrals
 - Coulomb 138–139
 - Fermi 1/2 195, 196
 - overlap and exchange 123–124, 138–139
- interaction
 - atom–field 167–176
 - dipole 167
 - EM field - optical media 179–188
 - resonant 113, 132, 167, 170, 267, 268, 274
- interface
 - composite semiconductor 194, 207
 - dielectric 47, 53, 60
 - junction 218
- intrinsic semiconductor 194–197
 - intrinsic Fermi level 197
- inversion
 - channel inversion 246–247, 249, 254–255
 - population inversion 179, 185–187
- ionic bond 144–145
- ionization energy/potential 20, 97, 122, 125, 126, 198, 199
- ISFET 269, 270

j

junction interface

- in equilibrium 217, 238
- under bias 220–222, 224

k

- Kramer's rule 73
- Kronig-Penny (K-P) potential 63

l

- Laguerre/Legendre polynomials 91, 97, 122
- London dispersion force 146
- laser device
 - laser diode (LD) 38, 42, 185, 217, 231, 241–242
 - light emitting diode (LED) 240

- population inversion, threshold pumpingw
179, 185–185
- operation intensity 185, 188
- operation frequency 188
- operation modes 188
- light
 - absorption/amplification 231, 237, 268
 - attenuation/gain coefficients 179–179,
184, 233, 239
 - coupling with matter 17
- leakage current 252, 259, 261
- lowering operators 86
- Lyman series 18
- Laplacian operator 94
 - Cartesian and spherical coordinate frame
88, 95, 153
- m**
- magnetic moment 126–128, 130, 131, 158,
159, 161, 271–273
- majority carrier concentration 223, 224,
249
- matrices
 - density 181–183, 188
 - Pauli spin 118, 274, 275
 - transfer 54, 55, 207
- Maxwell's equations 6–10, 172, 175
- memory cells, EEPROM 263–265
- molecular spectra 151
 - binding force 333
 - Born approximation 163, 330
 - diatomic molecule 151
 - – Born-Oppenheimer approximation
152
 - – rotational spectra 154
 - – vibrational spectra 155
 - effective spring constant 165, 333
 - flip operators 334
 - hyperfine interaction 159
 - – of energy level 159
 - – with magnetic field 159
 - – Zeeman splitting 160
 - mass of vibration 164, 332
 - moment of inertia 164, 331
 - motion of oscillator 165, 332
 - NMR 162
 - nuclear spin 158
 - vibrational frequency 165, 334
 - zero point energy 165, 333, 334
- molecules
 - binding energy 17, 28, 31, 140
 - diatomic 2, 148, 151–158, 164
 - polyatomic 148
- MOSFET 245
 - I-V behavior 245
 - NMOS, channel inversion 246
 - scalability 252
 - subthreshold current 251
 - surface charge 248
 - threshold voltage and ON current 250
- n**
- nanometrology 57
- NMR and molecular imaging 163–165
- nondegenerate system 26, 107
 - carrier concentration 195–197, 200, 223
 - quantum states 35–37, 42, 70, 98, 124,
125, 168, 193, 207, 233
- nonvolatile memory cell 265
- normalized wavefunction 97
- n-type MOSFET/NMOS 252
- nuclear magnetic resonance (NMR) 161
- nuclear spin and magnetic moment
126–128, 130, 131, 158–161, 163,
271–273
- number operators 84
- o**
- occupation factor, electron/hole
 - laser diode 38, 42, 185, 217, 231,
241–242
 - carrier density 191
- off state, IOFF 251, 259, 272
- on state, ION 251, 272
- operators
 - angular momentum 87–89, 117, 128, 154
 - momentum 2, 16, 28, 102
 - annihilation/creation 84–85, 173
 - Hermitian 25–27, 31
 - Laplacian 94
 - lowering/raising 83, 84
 - number 83, 84
 - spin flip 117, 118
- optical excitation
- optical gain/loss 238, 240, 241
- orbitals, atomic and molecular 99–100,
148–149
- overlap integral 123, 138, 140
- p**
- Pauli exclusion principle 119, 192
- Pauli spin matrices 118, 274, 275
- perturbation theory 105
 - anharmonic oscillator 115, 314
 - coupled equation 115, 317
 - harmonic electric field 115, 319
 - interaction Hamiltonian 115, 317
 - perturbing Hamiltonians 115, 318

- perturbation theory (*contd.*)
 - time-dependent 111
 - time-independent 105
- phase velocity 8, 9, 184
- phonons and photons 83, 84, 192
- photoelectric effect 15
- pinch-off voltage 251
- Planck constant 13, 17
- P-N junction diode 217, 231
 - charge injection and extraction 221
 - depleted approximation 228, 352
 - donor and acceptor doping levels 242, 358
 - in equilibrium 217
 - band bending 217
 - built-in potential 220
 - carrier profiles 220
 - depletion depth 220
 - potential energy 218
 - space charge field 218
 - forward and reverse biases 228, 355
 - ideal diode I-V behavior 223
 - diffusion length 225
 - forward current 223
 - reverse current 224
 - Shockley theory 223
 - junction band bending 228, 351
 - junction parameters 228, 351
 - light attenuation/amplification 242, 359
 - non-ideal I-V behavior
 - generation and recombination currents 226
 - junction breakdown 227
 - optical absorption 231
 - attenuation coefficient 233
 - Bloch wavefunction 231, 232
 - conduction and valence bands 231
 - Fermi's golden rule 232
 - optical fiber communication
 - advantages 238
 - attenuation and gain 239
 - laser diodes 241
 - LED 240
 - photocurrent 234
 - photodiode 233
 - photovoltaic effect 235
 - R_S effect 242, 357
 - solar cell 242, 357
 - steady state diffusion 242, 356
 - Zener breakdown 228, 356
- Poisson equation 248
- Polysilicon 245, 246
- positronium 103
- Poynting vector 8
- probability
 - Boltzmann factor 4, 14, 157, 158, 168, 249, 260
 - Density 29, 33, 39, 46, 47, 51, 64, 80, 82, 99, 124, 139, 140
 - current density 6, 46–48, 60
 - tunneling 51–57, 59–61, 260, 264
- q**
- quantization
 - angular momentum/momentum 91, 96, 98
 - atomic orbits 20–21
 - energy 33, 72, 75–78, 97
 - field 171–175
 - spatial 87, 90–93
- quantum computing 273–277
 - quantum entanglement 274, 275, 277
- quantum mechanics milestones 13
 - Balmer series 285
 - blackbody radiation 13
 - Compton scattering 16
 - de Broglie wavelength 17, 21, 283
 - duality of matter 17
 - ground and excited state 21, 286
 - hydrogen atom, Bohr's theory 18
 - electron orbits and standing waves 20
 - quantized orbits 19
 - Ritz combination rule 18
 - photoelectric effect 15, 21, 285
 - photon energy calculation 21, 282
 - Planck's theory 21, 284
 - quantum of energy 13
 - scattered radiation 21, 286
 - Schrödinger wave equation 23
- quantum numbers, n, l, m 91, 98, 119, 124, 125
- quantum well and wire
 - bound states (*see also* bound states)
 - energy eigenfunction 43, 290, 291
 - ground state energy 43, 291
 - scattering of the 1D particle 48
- quasi equilibrium approximation 221
- quasi-Fermi level, electron and hole 209, 221
- quasi neutral region 221–225, 234, 235
- r**
- Rabi flopping formula 170
- recombination, e-h pairs
 - band to band 191, 200, 203, 208–210, 227, 231
 - radiative/nonradiative 210

- recombination current 203, 209–214, 226–227
- recombination lifetime 210, 212
- trap-assisted 203, 210–211, 214, 226, 227, 267
- reduced probability density 99
- reduced mass 94, 145, 147, 154, 164
- relaxation time, longitudinal 5, 6, 163, 182, 203, 205
- resonant transmission 50
- resonant tunneling 53, 71
- S**
- scattering of the 1D particle 45
 - F-N tunneling 61, 298
 - probability current density 46
 - quantum well 48
 - reflection and transmission 47
 - resonant transmission 50
 - Schrödinger equation 60, 294
 - square potential barrier 61, 297
 - step potential 45
 - total reflection 48
 - transmission and reflection coefficients 60, 293
 - traveling wave representation 60, 294
 - tunneling 50
 - direct 53
 - field emission display 57
 - F-N tunneling 53
 - nanometrology 57
 - resonant 53
 - SET 58
 - tunneling probability 61, 299
- Schrödinger treatment, H-atom 87
 - angular momentum operator 87
 - electron-proton interaction 93
 - spatial quantization 91
 - spherical harmonics 90
- Schrödinger wave equation 23
 - eigenfunction and eigenvalues
 - time-dependent equation 24
 - time-independent equation 24
 - Hamiltonian operator 23
 - bra and ket vectors 24
 - postulates 23
 - Hermitian operator 31, 288
- semiconductor statistics 191
 - 1D electron density 201, 345
 - 2D electron density 201, 346
 - extrinsic semiconductors 197
 - Fermi level 199
 - Fermi potentials 200
 - hole occupation factor 201, 343
 - intrinsic semiconductors 194
 - electron concentration 194
 - Fermi level 197
 - hole concentration 196
 - intrinsic concentration 196
 - thermal equilibrium 194
 - non-degenerate statistics 201, 344
 - n-type and p-type GaAs 201, 344
 - quantum statistics
 - bosons 192
 - fermions 193
 - insulators 191
 - metals/conductors 191
 - semiconductors 191
 - silicon nanowire field effect transistor (NWFET) 252
 - ballistic NWFET 257
 - channel inversion 254
 - long channel I-V behavior 255
 - n-channel 252
 - short channel I-V behavior 256
 - SS and thermionic emission 260
 - subband spectra 252
 - surface charge 253
 - tunneling NWFET 260
 - single electron transistor (SET) 58
 - solar cell
 - p-n junction 217–228, 231–242, 245, 251, 267
 - planar/multi-junction/nanowire 266–268
 - spin FETs (SFET) 271
 - Datta-Das SFET 272
 - ON and OFF states 273
 - operation principle 271
 - technical difficulties 273
 - transistor action 272
 - spin - orbit coupling 117, 127–129, 159, 160
 - fine structure of spectral lines 128–129
 - steady state
 - steady state and equilibrium 211
 - steady state distribution function 212
 - subbands and sublevels
 - quantum well 38, 40–42
 - quantum wire 42
 - symmetrized wavefunctions
 - anti-symmetrized wavefunctions 120, 123, 124, 141, 142, 144, 149
 - singlet and triplet spin states 120–124

t

- thermodynamic equilibrium 3, 168, 194, 203
 - blackbody radiation 13–14
- time-dependent perturbation theory
 - Fermi's golden rule 113
 - harmonic interaction 113
 - interaction Hamiltonian 111
- time-independent perturbation theory 105
 - degenerate theory 109
 - non-degenerate theory 105
 - – first order analysis 106
 - – H-atom polarizability 108
 - – second order analysis 107
 - – Stark shift 108
- transfer characteristics
 - MOSFET I-V behavior 246
- transistors
 - ballistic and short channel 256–257
 - field effect transistor
 - – MOSFET 245–251
 - – NWFET 252–259
 - – tunnel FET 260–261
 - NMOS and PMOS 245, 246, 251, 252, 254, 255
 - single electron 45, 58–60
 - spin FET 271–273
- transition
 - induced and spontaneous 168–169
 - radiative and non-radiative 210, 240
 - transition rate
 - – Fermi's golden rule 105, 113–114, 131, 132, 167, 176, 232
- transmission
 - transmission coefficient 51
 - resonant transmission 45, 48, 50, 51
- transport equation
 - Boltzmann 3–6, 14, 102, 157, 158, 168, 192, 193, 203, 249, 260
 - Quantum 19–20
- tunneling
 - applications 56–61, 268
 - – field emission display 57–58
 - – nanometrology 45
 - – single electron transistor 45, 58–60
 - – non-volatile EEPROM cell 263–266
 - Fowler-Norheim tunneling 52–53

- direct tunneling 52, 53
 - tunneling probability 51–57, 60, 61, 260, 264
- two-electron system 118
- fermions and bosons 119
 - He-atom 120
 - – first excited state 123
 - – ground states 121
 - – ionization energy 122
 - – overlap and exchange integrals 123
 - – singlet and triplet states 120
 - multi-electron atoms and periodic table
 - – electron affinity 125
 - – electron configuration 124
 - – ionization energy 125
 - Slater determinant 119

u

- ultraviolet catastrophe 13
- uncertainty relation
 - canonically conjugate variable 2, 28, 173
 - in position and momentum 29–30
 - in energy and time 30–31

v

- Van der Waals attraction 146
- variational principle 142
- velocity
 - drift velocity 6, 203, 246, 257
 - group velocity 9, 70
 - phase velocity 8, 9, 184
- vibrational motion, molecules 151, 152
 - energy level and frequency 156

w

- wave equation
 - EM waves
 - – plane and wave packet 7–10
- work function 15, 21, 61

y

- Young's double slit experiment 10

z

- Zener breakdown 227, 228
- zero point energy 78, 86, 147, 165