

Index

a

accelerometers 6, 14, 17, 158
 acceptor impurity 10, 109
 acetylene 139, 260
 acids 155
 acrosomal process 30
 actin filaments 28, 31
 – fluorescently labeled 33
 adiabatic compression of gas bubble, effect
 on temperature 292
 adjacent nodes 61
 ADP 30
 AFM Arrays 167
 AFM cantilever 22
 AFM tip173
 AgBr crystals 16
 – conventional photography 146
 air-bag, acceleration sensor for 14
 aligned filaments 29
 alkali etch 155
 allowed energy bands 6, 102, 104
 allowed frequencies 19
 allowed values 64
 alteration, of viruses 279
 amino acids, unconventional 281
 Ampere's law 56
 angular momentum 75, 76
 – allowed orientations 77
 – orbital 186
 – spin 187
 – total 187
 angular momentum wave functions 75
 angular rotation sensors 6
 annealing 158
 anomalous current 109
 anthracene 140
 anti-node 287
 antiparallel spins 85

antisymmetric exchange 84–86
 anti-symmetry under exchange 290
 applications, completely different 4
 array, of C_{60} molecules 149
 arrays of nanowires 15
 artemisinin, anti-malaria drug, as produced
 in synthetic biology 281
 artificial atom 3, 10
 artificial intelligence 279
 artificial virus 279
 assembler breakthrough 1
 assembling a ring 40
 assembling organic molecules 172
 assembly of dna-templated field effect
 – transistor FET 48
 – schematic showing electrode attachment
 48
 – single wall nanotube (SWNT) for field
 effect transistor fet 48
 assembly processes, nature 275
 20-atom nanowire 169
 Atomic Force Microscope (AFM) 48, 167
 atomic scale 2
 ATP 30, 35
 ATP Synthase (F_0F_1) 33
 attractive interactions 86
 Avogadro's number 3, 27, 174

b

bacteria 2, 15, 36, 148, 277, 281
 – magnetotactic 124, 293
 – typical 293
 ballistic electron motion, vs diffusive motion
 220
 band curvature 111
 band structures
 – for GaAs 108
 – for Si 108

- band theory 102
 - bandgap 289, 290
 - effective masses 10
 - insulator 5
 - of the nanotube 143
 - semiconductor 5
 - bandgap energy 70, 88
 - bandgap of semiconductor 111, 112
 - bands of energy 6, 102, 104
 - barrier tunneling 51, 65
 - basic microscopic properties, condensed matter 5
 - beams, one electron atoms 187
 - benign areas
 - of nanophysics 280
 - of nanotechnology 280
 - benzene 140
 - bi-crystal defect 147
 - big bang 137
 - Big Blue, not human 280
 - biological cellular engines 31
 - biological rotary motors 24
 - biological sensors
 - cones 2
 - rods 2
 - biology 1, 28
 - molecular 2
 - synthetic 281, 282
 - bio-molecular rotary motor 35
 - biotechnology 153, 277, 280–281
 - bacteria 277
 - viruses 277
 - bits 11
 - black body spectrum 27
 - blue shift 11, 289
 - Bohr magneton 79, 123
 - Bohr radius 112
 - Corrected 112
 - Scaled 112
 - Bohr's semi-classical model 81, 111
 - Boltzmann thermal occupation factor 79
 - Boltzmann's constant 4, 292
 - bonding interaction 87
 - bonds 76
 - Bose–Einstein distribution 81
 - Bosons 81, 85
 - boundaries, allowed bands 105
 - boundary conditions 18, 63
 - boxes of free electrons 97–101
 - Bragg reflection 104, 105, 290
 - Bragg scattering, electron waves 105
 - Brass 18
 - Brillouin function 123
 - Brownian motion 23, 289
 - Bubble, surface tension and pressure difference 290
 - bubbles in dense liquids
 - collapse of bubble causes light emission “sonoluminescence” 132
 - generation by ultrasound from piezoelectric transducers 132
 - bubonic plague 278
 - Buckyball 138
 - building-up principle 83
 - bulk modulus 5
 - bulk speed of sound v_s , 5
 - buried layer 158
 - buried oxide layer (BOX) 158, 162, 163
- c**
- ^{60}C (Buckminsterfullerene) 16
 - C_{60} molecule 270, 274
 - cantilever 20, 168
 - cantilever arrays 173–174
 - carbon arc discharge 141–142
 - carbon black 16
 - carbon bonds 138
 - carbon nanotube 71, 140–141, 273
 - chemicapacitor 228
 - conductive network produced by chemical vapor deposition 223–224
 - crossbar array 228
 - electric field, inherently large 227–228
 - energy for deflection 231
 - latching tunnel junction switch 231–232
 - random access memory element 228–232
 - sensor device for polar molecules 227–228
 - voltage dependent binding of polar molecule 231
 - carbon nanotube crossbar array
 - electrostatic energy 229, 230
 - fabrication 232
 - junction capacitance 229
 - spring constant for deflection 229–230
 - switching configuration 230
 - tunnel junction resistance 229
 - carbon–carbon bond, delocalized 140
 - Carnot cycle 30–31
 - Casimir force 92–95
 - Ca^{++} gated potassium channel 36
 - catalyst 143, 262
 - cavitation in liquid 127
 - relation to pitting of metal surface 128
 - CdS nanowire
 - cleavage to provide optical cavity 118
 - injection laser 118

- light emission spectrum 121
- synthesis method 120
- CdSe 70
- CdTe 70
- cells 2
- cellular telephone 157
- cellular telephone transmitting stations 166
- centripetal acceleration 21
- change in capacitance 14
- change in conformation 31
- changes in physical behavior 6
- charge oscillation, in double well 235
- charge qubit
 - analogy to spin based qubit 238
 - initialization of charge in molecule-ion 237, 238
 - readout of charge location 238
 - shallow donor electron state 234
 - silicon based 238–239
- charged AFM (atomic force microscope)
 - tip, as basis of electron mode imaging 221
- chemical bonds as tunnel barriers 241
- chemical synthesis, of C₆₀ 273
- chemical table, elements 83
- chemical vapor deposition 141–142, 155, 157
- chip dissipation 287
- CIP spin valve magnetic sensor 197
- circular motion 21
- circular orbit 52
- circular ripples 41
- classical Newtonian physics 4
- classical oscillator 288
- classical probability distribution 64
- classical range of scaling 4, 5, 6
- classical turning points 73
- clock speed 164
- clockwise rotation 34
- closed channel 2
- cmol: complementary molecular vs
 - complementary metal-oxide-semicond (cmos) 232
- cmol: ultra-dense nanowire crossbar
 - molecules epitaxially located above CMOS
 - aspects of self assembly 273
- CO molecule 20
- coated quantum dot 11
- coercive field 121
- cohesive energy U_0 5
- coiled spring 20
- collapse, of atoms 52
- collapse of bubble in dense liquid
- adiabatic condition leads to increase in gas pressure and temperature 131
- light emission analyzed to reveal 15,000 K gas temperature 132
- compact low power refrigerators 164
- comparison of action of single electron transistor (SET) and resonant tunnel diode (RTD)
- possible use of single molecules 244
- role of capacitance vs dimensionality 244
- complementary molecular (CMOL) vs
 - complementary metal-oxide-semicond (CMOS) 232
- complete wave function 86
- complex numbers 55, 66
- computation, gigahertz rates 153
- computer chip 7
- computer hard disk 7
- computer technology 153,
 - superconducting 186
- computers, capacity exceeding human brain 157
- concepts of nanophysics 5
- concepts of solid state physics 6, 10
- condensed matter, basic microscopic properties 5
- conformations, protein molecules 2
- connections with biology 2
- constant energy surfaces 98
- continuity of $\psi(x)$ 66
- controlled chemical etching 15
- controlled precipitation chemistry 16
- conventional silver halide photography 16, 146
- cooperative bulk effect 123
- copper-catalyzed transformation 172
- copy, of itself 175
- Coulomb constant 53
- Coulomb force 52, 94
- Coulombic repulsion 30
- covalent bond 84, 86
 - di-hydrogen 289
 - of di-atoms 84
- covalent bonding, of carbon 140
- critical current density for laser action 119
- critical temperature T_c , ferromagnetism 121
- crossed nanotubes as random access memory element
- capacitance 228
- electrostatic force between two tubes 229
- Curie's law 79

- current hump, in tunnel diode 9
 current loop 78
 current-in-plane cip geometry 197
 curvature, of energy band 108
- d**
- dangerous organisms
 – bacteria 277
 – viruses 277
 dangling bonds 24, 124
 Darwinian evolution 2
 data storage 161, 173
 d-bands 195
 DDT 137
 DeBroglie relation 54, 61
 decomposition temperature
 – diamond 274
 – graphite 274
 deep reactive ion etching 39
 deflection of cantilever 168, 169
 degenerate metallic semiconductor layer 116
 delocalized electron gas 97
 delocalized electron states 106
 density 69
 – elemental carbon (diamond) 3
 – elemental carbon (graphitic) 3
 – of electron states 99
 – of information 13
 – of water 3
 depletion region 9, 109, 125
 depth, potential well 97
 deuterium, field emission probability 291
 devices
 – human designed working 1
 – molecular scale 2
 – scale 1
 – size 1
 diamagnetic susceptibility 140
 diamond 88, 138
 diamond and zincblende crystal structures 106
 “diamondoid” covalently bonded materials 24
 “diamondoid” nanostructures, proposed 271
 diatomic molecules 5, 72
 di-atoms 84
 dielectric constant 53, 109, 111
 dielectric spheres 45–46
 dielectric susceptibility ϵ 5
 diffusion length 23
 di-hydrogen 86–87
 di-hydrogen vibrations 289
 dipolar field 89
 dipolar fluctuations 90–92
 dipole interaction energy 40
 dipole–dipole force 89
 directed bonds 106
 discharge, of non-reactive ions 156
 dispersion relation 19
 displacement current 57
 distinct electron propagation modes, analog to optical modes 221
 distinct quantum states, number 76
 DNA 2, 137
 DNA polymerase 96
 DNA polymerase engine 96
 DNA strand 46–48
 DNA template 47
 DNA-directed assembly 42
 DNAP engine 96
 domain walls 121
 domains 121, 122
 – magnetic, walls 194
 donor impurity 10, 53, 109, 111
 doping of silicon 108, 120
 double covalent bonds 140
 double helix DNA 275
 double-well charge qubit 242, 245–253
 – charge oscillation 246
 – creation of wave-packet 235
 – electron wave function combinations 247
 – electron wave functions 244
 – energy bands 257
 – formed by implantation of single donor ions 234, 235
 – information contained 237
 – initialization method 246
 – readout method 242
 – resonance condition 235, 243
 – symmetric and anti-symmetric states 236
 doubly clamped beams 20
 drain contact 143
 drugs 16
 dry etching 156
- e**
- E. coli*, single cell bacterium 36
 e-beam writing 293
 economy of scale 7
 ecosystem 137
 effective density of states in semiconductor band 113, 114
 effective mass 6, 53, 70, 102, 108, 111, 170, 290

- effective spring constant 17, 20
 – for cantilever 20
 efficiency 35
 – motor 36
 electric dipole moment 40, 65, 227
 electric field 21
 electric field ionization of deuterium (hydrogen) 129–131
 – estimate of lifetime by Oppenheimer 129
 – simpler tunneling estimate of field needed 129
 electric polarizability 89–90
 electrical barrier layer 9, 109, 125
 electrical capacitance 3
 electrical charging energy 4
 electrical devices 29
 electrical resistivity ρ 5
 electrically pumped laser 145
 electromagnetic field 59
 electromagnetic fluctuations 93
 electromagnetic waves and speed c 58
 electron, spin-dependent scattering 194–196
 electron effective mass 195
 electron interference devices 220–226
 electron modes in point contact
 constriction 222
 electron pairs 85
 electron ripples 69
 electron spin 175–177
 – freely rotating 190
 – imaging, by magnetic resonance force microscope (MRFM) 176, 177
 – precessing 190
 electron tunneling 129
 electron wave length $\lambda = h/p$ 219
 electronbeam gun (e-gun) 157
 electron-beam lithography 159–160
 electron–hole pairs 53
 electronic conductivity, ferromagnet 195–196
 electronic gyroscope sensors 293
 electronic parameters, of important semiconductors 109
 electronic states of an atom 3
 electrons, indistinguishable
 nature 84
 electrostatic energies 290
 electrostatic exchange interaction 121
 electrostatic forces 30
 emission 65
 emission wave lengths, photons 10
 end of the classical scaling range 6
 energy bands 5, 102, 106
 – bending 125
 energy density 39, 59
 energy density of states, spin polarized electron 195
 energy gaps 53, 102, 104, 105
 energy levels 51
 energy of transition 289
 envelope function 60–61
 enzyme 2, 295
 enzyme RNA polymerase (RNAP) 43
 epitaxial film growth 145
 Esaki tunnel diode 9–10, 111
 etchant
 – anisotropic 155
 – isotropic 155
 ethane 139–140
 ethylene 140
 evaporation 156
 exchange interaction 87
 – equivalent magnetic field 186
 exchange splitting $2J$ 198
 exchanging the two electrons 84
 excitons 54, 74–80
 existence proof, nanotechnology 2
 expectation value 64–65, 86, 185
 – energy 65
 expectations, of nanotechnology 271

f

- F1-adenosine triphosphate synthase 30
 fabricate a diamond structure 174
 fabrication methods, of semiconductor physics 6
 “Fabry–Perot interference” optical analog 225
 Faraday induction effect 175
 Faraday’s law 57, 216
 Fermi energy 5, 69, 81, 97, 112
 – location of 113, 114
 Fermi function 99
 fermi particles 290
 Fermi temperature 99, 100
 Fermi velocity 99
 Fermi–Dirac distribution 81
 fermions 81, 85
 ferroelectric 126
 ferroelectric (insulating crystal)
 – critical temperature, and relation to pyroelectricity 127
 – distortion of ionic lattice 127

- ferroelectric (insulating crystal) (*contd.*)
 - surface charge density, and electric field 127
- ferromagnet
 - hard 193–4
 - hysteretic 122
 - internal magnetization of 193
 - majority spins 193
 - minority spins 193
 - soft 193–4
- ferromagnet nickel 123
- ferromagnetic bits 11, 12
- ferromagnetic domain 13
- ferromagnetic transition 122
- ferromagnetism 87, 121–4, 290
- ferromagnets 84
- FET device 266
- fiberoptic communication 5
- field effect transistor (FET) 143, 156
- field ionization
 - electron tunneling model 290
 - hydrogen and deuterium 129–131
 - rate under applied electric field 129
- filled band 104, 106, 290
- filters (Anapore) 15
- first zone 106
- flagella (propellers) 24, 28, 34
- flexible mask 43
- flight of the bumblebee 24
- fluctuating electric dipole 90
- fluorescent emission 289
- fluorescent light 10
- fluorescent markers 54, 145
- flying in air 23
- forbidden energy gaps 67, 102, 107
- force constant 174
- forward bias 109, 110
- four assumptions, analyzed by Brooks 280
- frequency of light 5
- friction-free molecular bearing 24, 274
- fringe magnetic field 202, 203
- full shell configuration 83
- fundamental frequency 287
- fusion reaction releasing neutrons 129
- future 271–84

- g**
- GaAs 107
- gaps 104
- Gauss's law 56
- Gaussian function 73
- 100 Gb disk memories 8
- genetic code 137
- genetic engineering 278, 283, 284
- bacteria 278
- viruses 278
- genetically engineered corn 153
- genetics, nanotechnology, robotics (GNR) 276
- Giant Magnetoresistance Effect (GMR) 11–13
- giant magnetoresistance gmr 194–6
- Gigahertz range 4
- GMR magnetoresistive sensor, sensitivity 13
- gmr spin valve 197–8
- grandfather clock 17
- granularity of nature 27
- graphene sheet 140, 141
- graphite 25, 138, 140
- graphite vaporization 274
- graphitic nanotubes 16
- “gray goo” myth 175
- greigite 147–9
- grid in the vacuum triode 4
- group velocity 58, 105, 290
- grown silicon dioxide SiO_2 155
- Gunn oscillators 4, 10
- gyromagnetic ratio 79
 - electron 189
 - nucleon 189

- h**
- Hamaker constant 91
- hard disk 11
- harmonic oscillator equation 63
- heat capacity 22
- heat dissipation 163–7
- heat engine 30
- heavily doped pn junction 111
- heterostructure 161
- hexagonal ring 140
- high-temperature superconductor (HTS) 157
- hole 70, 107, 263, 289
 - nature of 113
- HTS films 157
- HTS superconductors 166
- human condition, substantially change 282
- human germline 283
- human slavery 283
- humans, breeding 282
- hybrid ferromagnet-semiconductor
 - Hall-effect device 200, 202–3
- hybrid molecular/silicon devices (CMOL) 226
- hybridization 139
- hydrogen bond 88–97

hydrogen molecule 86
 hydrogenic acceptors 110–121
 hydrogenic donors 110–121
 hydrogenic electrons 53
 hydrolysis 36
 hydrolysis of ATP 30

i

IBM Millipede storage device 295
 ideal gas law 292
 – modification in adiabatic case 132
 Image of step in localization of nanotube in device 48
 imaging, magnetic resonance mri 177
 imaging of single electron spin by magnetic resonance force microscope (MRFM) 175–7
 implant oxygen ions 158
 implantation damage 158
 inadequacy of rate 273
 InAs quantum dot 145–6
 inclusions 146
 incommensurability 25
 indirect bandgap 108
 individual locations of atoms 41
 induced dipole 89, 90
 inductive time constant 21
 inductor 21
 information 7
 injection laser 116–21, 145
 – single-nanowire 119–21
 InP 71
 InP nanowires 72, 173
 interaction
 – contact hyperfine 189
 – dipole–dipole 188
 – electron spin with nuclear spin 188
 – electron–nuclear spin 188
 – expectation value 189
 – hyperfine 189
 interaction energy 86, 293
 interaction of charge qubits binding energy vs barrier height effects 249
 – electron pairs (Cooper pairs)
 in a box 250
 – parallel and orthogonal geometries 249
 interaction of the tip 40
 interactions between electrons 83
 interatomic spacing 5
 interior locations, inaccessible 273
 internal exchange field 122
 intrinsic semiconductor 114
in-vitro fertilization 282
 iodobenzene 172

ion channels 2, 36–8
 ion implantation 156, 158
 ion trap produced in GaAs
 – demonstrated trapping of single Cd ion 253, 254
 – fabrication steps in photolithography 254
 – micrometer scale electromagnetic trapping cavity 253
 – possibility of a qubit 253
 ion-beam gun 156
 ionic bond 41
 ionizing α particles 15
 isolated double quantum dot as qubit 246
 isotropic scale reduction, one or two dimensions 3
 isotropic scaling 21

j

Johnson–Silsbee effect 203, 205
 Johnson–Silsbee effect in aluminum 194
 Josephson effect 85
 – alternating current (AC) 216
 – maximum supercurrent 210
 – phase difference ϕ 210
 – tunnel junction 210
 Josephson junction
 – non-latching 215
 – resistively shunted 215
 Josephson tunneling junctions 164
 Julliere model of tunnel valve sensor 199

k

kinesin 2, 28–30
 kinetic energy 21, 52
 Klystrons 4
 Kronig–Penney model 101–107, 290

l

Langevin equation 23
 large quantum numbers 65
 larger issues of human existence 271
 laser ablation 142, 144, 157
 laser assisted catalytic growth 71, 72, 142,
 144
 laser beam 43
 laser hetero-junction 145
 laser (Light Amplification by Stimulated Emission of Radiation) 85, 141
 latent image 146
 life
 – artificial 279, 280
 – patents on 282

- lifetime of carrier against scattering 110
- lift forces 23
- light emission from single bubble collapse 134
- limit of improvements 8
- limit of large quantum number 65
- limiting vibration frequencies 5
- linear and rotary engines 30
- linear chain of masses 19
- linear combination 60, 76
 - solutions 62
- linear oscillator 289
- linear paths 15
- linear vibration frequency, CO molecule 288
- lipid wall 2
- liquid helium 164
- localization 61
- locking tendencies 25
- long solenoid 21
- longitudinal resonant frequency 18
- longitudinal vibration frequency 292
- lubricating properties 24
- luminescent labels 11

- m**
- machine assembly 167, 272
- machine tools 38
- macroscopic magnetization 87
- magic numbered (stable) 141
- magnet, soft 184
- magnetic bit 7, 13
- magnetic dipole-dipole interaction in hydrogen atom 294
- magnetic disk 13, 173
- magnetic disk data density 123
- magnetic field 78, 175
 - effective, related to exchange interaction 279
 - gradient 176, 186
 - local, in material medium 80
 - nuclear 183–217
 - resonant, microwave 174, 175
 - resonant rotating 190
 - “resonant slice” for imaging single spin 175, 176
 - rotating 175
- magnetic field mapping 148
- magnetic field sensor 13
- magnetic logic device
 - as incorporated into silicon chip 199
 - planar nanomagnets in 211
 - quantum cellular automaton 203
- summary of logic states 211
- three-input inverting majority function 205
- magnetic moment 78, 176
- magnetic permeability 80
- magnetic quantum number 75
- magnetic random access memory mram
 - bit line 201
 - cross-bar array 228–232
 - nonvolatile 228–232
 - tunnel barrier 205
- magnetic resonance force microscope (MRFM) 175–177
- relation to atomic force microscope (AFM) 173–177
- magnetic resonance imaging, MRI 187–189
- magnetic susceptibility 79–80
- magnetic susceptibility κ 5
- magnetic technology 7
- magnetic vector potential A 207
- magnetite 124, 147–149
- magnetization 79–80, 87
 - remanent 194
 - saturation 194
- magnetized domain 13
- magnetoresistance mr (ratio) defined 194–196
- Magnetospirillum magnetotacticum* 147
- majority universal logic gate 203–206
- markers 11
- masking layers 155
- masks 154–155
- mass action law for carrier concentrations 116
- mass density 5
- massive rapid computation 167
- Maxwell's equations 56–57
- Maxwell's wave equation 61, 62
- Mean free path, gas molecules 290
- mean free paths 292
- measurement of the electron charge 28
- mechanical resonance frequencies 17
- melting points, of molecular solids 91
- melting temperatures, of strong solids 273
- MEMS (Micro-electromechanical Systems) 6, 161
 - microelectromechanical 42
- mesoscopic size range 2
- messenger RNA 43
- metallic conduction 106
- methane 139–140
- microelectromechanical (MEM) device 13
- microelectronics 1

- microelectronics fabrication process 39
- micromachined planar capacitor plates 94
- microtechnology 1
- microtubules 31
- Millikan "oil drop experiment" 288
- Millipede cantilever array storage device
 - 22, 161
- millipede project 173, 174
- minerals, antiferromagnetic 147
- miniaturization 1, 8
- minimum radius of collapsing bubble 132
- minority carrier in semiconductor 112
 - relation to reverse current in pn junction 115
- misconceptions, of nanotechnology 257–268
- mobility μ 107, 142
- modification
 - genes 276
 - viruses 276, 277
- modifying certain molecules of biology 137
- modifying natural processes 153
- modulation of the bandgap 142
- molar mass 3
- molecular assembler 169–172, 275–276
- molecular assembler tip 41
- molecular beam epitaxy (MBE) 145, 157–158
- molecular bearing structure 24
- molecular building blocks 46
 - nanotubes, buckyballs, nanowires 46
 - small and of reliable dimensions 46
- molecular electronic devices 244
 - latching 245
- molecular scale motors 2
- molecules
 - state of rotation 150
 - synthesized 137
- moment of the area in the direction of the bending 19
- monoatomic step 172
- Moore's Law 7–9, 51, 85, 159, 264–266
- motion of the bar 161
- mri, receiver coil 188
- muscle myosin 31
- myosin 28, 30
- myosin movement 32
- myth, gray goo 175

- n**
- nanocrystals 10
 - superparamagnetic 148
- nanofabrication
 - AFM 174–175
- guided by dna strands 46
- self-assembly of complementary single strands of DNA 47
- using building blocks 46
- nanoharp 20
- nanolithography 173
- nanometer scale motors 28
- nanometer-scale physics 1
- nanonewton 20
- nanophysical effects 9, 87
- nanophysical rules 51
- nanophysical tunneling 162
- nanophysical tunneling effect 67
- nanophysics 1, 2
 - concepts 2
- nanopore (Nuclepore) filters 15
- nanopropeller 35
- nano-relicas, common mechanical devices 272
- nanoscale machines 1
- nanoscale magnets 2
- nano-symmetry 84
- nanotechnology 1, 9, 13, 257
 - viable complex 2
- nanotransistors 36–37
- nanotube
 - capacitance per unit length 294
 - diameter dependent on chiral coefficients 295
 - effective spring constant for length L, clamped at each end 288, 289
 - electric current density 295
 - resonant frequency for section of length L, clamped at each end 295
 - Young's modulus 295
- nanotube based FET 143
- nanotube, carbon 141–144, 262
 - armchair 142–143
 - ballistic 293
 - chiral 142
 - multi-walled 141
 - single-walled 141–143
- nanowire 3, 144–145, 169
 - CdS 144
 - silicon 144–145
 - silicon, coated with oxide 145
- nanowires of indium phosphide 71, 72
- naphthalene 140
- nearest neighbors 122
- negative resistance range 10, 110
- negative slope 9
- NEMS (Nano-electromechanical Systems) 36, 161
- nerve impulses 37

- nested carbon nanotubes 24
 neuron 37
 neutral density filters 15–16
 neutron generation by pyroelectric
 field-ionizing device
 – measurement of 100 keV x-ray emission 130
 – measurement of ion-current 130
 – measurement of neutron rate 130
 neutron generator
 – based on pyroelectric crystal 128
 – field-ionizing 128
 Newton's laws of motion 14, 17
 nodes 61, 268
 normalization constant 64
 NPN transistor 156
N-type semiconductor 107
 nuclear spin 175
 – isolation 185
 – orientation 186
 nucleon, magnetic moment 187
 nucleotides 43
 nucleus of the atom 52
 nudge the atoms 40
- o**
- octane 139–140, 292
 off-axis electron hologram 148
 Ohmic contacts, Silicon 125
 one-dimensional box 289
 one-electron atoms 74
 one-electron wave functions 75
 open channel 2
 optical cavity mode viewed as simple
 harmonic oscillator 118
 optical fiber 59–60
 optical lithography 158
 optical spectra 52
 optical tweezers 43–45
 optically trapped structures 45
 orbital angular momentum quantum number 75
 orbital wave functions 87
 order parameter, of coherent distortion 126, 127
 orders of magnitude 4
 organic chemistry 138
 organic molecules, bonded 87
 oscillations of conductance di/dv vs gate
 – voltage 225, 226
 – influence of nanotube length, relate to
 Fermi velocity 226
 – slight irregularity of 225
- p**
- parallel plate capacitor 21
 partially covalent 88
 partially ionic 88
 particle
 – associated wave property 51
 – barrier penetration of 51
 particle of light 27
 passivation 124
 patents
 – on DNA and RNA 282
 – on “life” 282
 patterning 154
 Pauli exclusion principle 76, 81, 97, 98, 106
 pentagonal carbon ring 140
 Pentium chip 8
 period of pendulum oscillator 17
 periodic arrangement, charged
 ions 97
 periodic nature of the potential 102
 periodic structure 6
 periodicity 6, 110
 Permalloy 80
 permanent electric dipole moment 88
 permeability, magnetic 194, 199
 petaflop computer 165
 – operating cost 165
 – power 165
 phase velocity 56
 phenomena of nanophysics 271
 photoelectric effect 288
 photoelectrons 28
 photoemission 288
 photographic development 16
 photographic emulsion 146
 photolithography 154, 173–174, 293
 – intrinsically planar 42
 photoluminescence 72
 photons 27–28, 59–60, 288
 – energy 288
 photoresist 44
 photoresist polymer 154
 physical constraints 66
 physical laws
 – classical 2
 – quantum-mechanical 2
 physical requirements on wave function 63
 piezoelectric 126, 167–168
 piezoelectric material
 – coefficient relating strain (distortion) to
 electric field 126
 – example PZT, lead zirconate-titanate 126

- relation to operation of scanning probe microscope 126
- use as transducer to produce sound wave 127
- piezoresistance 169
- pitch of nanotube 143–144
- Planck's constant 10, 18, 27, 52, 288
- plant cost, microelectronic 9
- plasma 155
- plasma formation in collapsing bubble 133, 134
- PMMA polymer film 173
- PN junction in semiconductor 116–117
 - action as injection laser 116–117
 - capacitance of junction, dependent on voltage 117
 - current-voltage relation 116
 - diffusion current of minority carriers 117
 - thermionic current 116
 - width of depletion region 116
- PN junction injection laser 118–119
 - critical current density, formula 119
 - optical cavity 118
 - reflection coefficient of cleaved semiconductor 118
 - relation to nature of bandgap, as direct vs indirect 119
 - single-nanowire, CdS 119–121
- point contact gate design 220
- polar molecules 89
- polarization, P, of electron spins 199
- polarization P of spins 79
- polio virus 278
 - as synthesized from “mail order” materials 281
- polycarbonate 15
- polycrystalline silicon (polysilicon) 155
- polymethylmethacrylate (PMMA) 7
- polystyrene 16
- pore sizes 15
- positive bias 111
- post-human beings 283
- posthuman future 277, 282
- potassium channel 29
- potential differences 38
- potential energy 18, 52
- potential step 65–67
- power, needed for information technology 165
- power absorption 287
- power consumption, RSFQ technology 166
- power density 21
- principal quantum number 83
- probability 55, 64, 291
- probability cloud 75
- probability density 55, 74
- probability distribution 64, 73
- production, profitable 1
- projections, robotics/artificial intelligence 280
- propeller 35
- properties, of some common ferromagnets 125
- proposed sleeve bearing 272
- protein polymers 31
- proteins, not present in nature 281
- prototype “Molecular Assembler” 169–172
- pulling, Au atoms 169
- pulse
 - π 191
 - $\pi/2$ 190
- P-type semiconductor 107
- pyroelectric 126
 - example is lithium tantalate 129
- pyroelectric neutron generator
 - compact 128
 - electric field near tungsten tip 129
 - field-ionizing 128
 - fusion of deuterons 129
 - with release of energy and neutrons 130
- q**
- quantization of angular momentum 51–53
- quantized conductance 221
- quantum computing 183–186
 - algorithm advantage 237
 - conceptual questions 237
 - relation to encryption 237
- quantum condition 53
- quantum dot fluorescent 5
- quantum dots (QDs) 3, 4, 10–11, 34, 54, 70
 - coated 11
- quantum interference of electrons in carbon nanotube FET 223–226
- quantum limit 2
- quantum mechanics 1
- quantum nanophysics, probabilistic 2
- quantum number n 18, 52, 74, 289
- quantum of conductance 221
- quantum rules 51
- quantum sensitivity limit 16
- quantum size effect 289
- quantum states 61–74, 184
 - linear combinations 184
- quantum superposition, coherence 190–193

- quantum system, two-level 185
- quantum well structure 146
- quantum wire 71
- quarks 188
- qubit 118, 188
 - charge 193
 - isolated double quantum dot 246
 - electron spin 190
 - information content 184
 - isolation 185
 - linear array 192
 - nuclear spin 191
 - reading value 185
 - susceptibility to decohere 184
- r**
- radial inflow turbine 39
- radiation
 - 21.1 cm wave length 188
 - big bang 189
- radiative collapse 83
- radiative efficiency for carrier recombination in the junction 119
- radiative recombination 10
- radio-frequency single electron transistor (RFSET)
 - relation to charge qubit readout 239
 - response to 30kHz signal of 5.5 electrons on island 243
 - schematic of apparatus 243
- radius of nanotube 141, 143
- rapid single flux quantum (RSFQ)
 - analog-digital conversion (ADC) 217
 - counting rate 750 GHz 217
 - direct-current (DC) squid 216
 - high temperature superconductor (HTS) 217
 - tri-layer niobium technology 217
- Rapid Single Flux Quantum (RSFQ) superconducting technology 163
- rare gas core 83
- rate of computer operation 275
- reactive ions 157
- read head, for magnetic disk 11–13
- real decay constant 66
- real wave functions 78
- receiver coil 191
- recombination of electron and hole 10
- reflection probabilities 65, 66
- refrigeration, for superconducting computer 164, 166
- regions of localization 61
- relaxation times 191
- remanent magnetization 121–122
- repulsive interaction 86
- repulsive overlap force 25
- resistive electrical power 21
- resistive time constant 21
- resistivity 110
- resistor 21
- resonant frequency 161, 174, 260
- resonant tunnel diode, as compared to single electron transistor 231
- resonant tunneling diode
 - action as “energy filter” 232
 - electron bound state 232
 - incorporation in transistor 232–233
 - tunnel barrier 232
- resonant tunneling transistor (TBRTD)
 - bound state electron wave function 234
 - current voltage relation with multi-stability 232
 - double gated 233
 - energy bands 234
 - triple barrier, double well 233
- response time of accelerometer 17
- retina 2
- Reynolds number 22
- rigidity parameter 18
- ripples of electron density 67
- RNA 2
- RNA polymerase engine 43, 96
- RNAP engine 43
- RNAP molecule 45
- Roadmap 159, 162, 166
- robotic technology 278–281
- robotics 279
 - independent 280
 - willful 280
- role of quantum dot in increasing radiative efficiency 119
- “room at the bottom” 4
- rotary motors 30
- rotation sensors 293
- roughness of gas/liquid interface 134
- RSFQ counting circuit 163
- RSFQ technology 163–167
- rules of nanophysics 83
- s**
- sacrificial layers 160–162
- saturation magnetic moment 123
- saturation magnetization 122, 194
- scale range 3, 8
- scaling of gas temperature with bubble radius 132, 133
- scan, 3-d raster 187
- scanning probe microscope 153

- Scanning Tunneling Microscope (STM) 20, 38–41, 167–173
- Schottky barrier 124, 125
- Schrödinger's equation 1, 58, 62–63, 73–74
- time-dependent 62, 63
- sediment 149
- Segway Human Transporter 293
- self-assembled monolayers 149–150
- self-assembly 42, 46–48, 138
- self-consistency equation 123
- self-replicating machines 1
- self-replicating molecular assembler 154, 275
- semiconductor 117
- carrier concentration in 112–115
 - concentrations of electrons and holes 109
 - degenerate 115, 116
 - density of states 168
 - effective mass of electron or hole 171
 - electrical neutrality 113
 - heavily doped 115
 - metallic 116
 - metallic doping, P⁺ or N⁺ 112
 - minority carrier diffusion length 117
 - minority carrier lifetime 117
 - recombination of carriers 117
 - valence band 113
- semiconductor electronics 1
- semiconductor QD crystal 11
- servo loop 167
- sharp absorption 10
- shear modulus 20
- shell structure, atoms 83
- Si 106
- silicon carbide nanorods 142
- silicon computer technology, future 162
- silicon lithographic microtechnology 13
- silicon nanoelectronics
- 45 nm photolithographic process 219
 - wave optics (vs geometrical optics) in mask design 219
- silicon nanowire 71
- silicon technology 154–158
- simple harmonic motion 21
- simple harmonic oscillation (SHO) 17, 18, 72, 73
- simple pendulum 17
- simulations and approximate solutions 7
- single electron transistor (SET) 4, 161
- single magnetic domain 101, 148
- single mode laser action 118
- single molecules, as circuit elements 244
- single molecules as computing elements 253
- single-C₆₀ transistor (SET) 240
- fabrication by electromigration induced breaking of nanoelectrode 240
 - I(V) curves vs gate voltage 240
 - schematic diagram 240
- single-crystal-silicon bars, vibrational motions 287
- single-electron transistor (SET) 239–245
- analog of field effect transistor (FET) 239
 - as compared to resonant tunnel diode 243
 - fabrication from single nanotube 241
 - half-integer electron charge of island 239
 - localization of charge by tunnel barrier 239
 - room-temperature operation 241
 - twice-kinked nanotube 241
 - use of C₆₀ molecule as island 239, 240
- single-nanowire injection laser 119
- single-point probes 167
- skyscrapers 3
- Smalley's refutation 272–274
- smallness, limits to 27–48
- sonoluminescence 132
- soot 16
- sophisticated robots 280
- source contact 143
- sources of GHz radiation 4
- sp bond, angle 139
- space part of wave function 85
- space wave functions 86
- spasmoneme 29
- spasmoneme spring 29
- spatial resolution 167, 293
- spectrum of glowing light 286
- speed of light 10, 62
- speed of sound *v* 18
- spherical polar coordinates 73
- spin alignment 121
- spin echo 191
- spin flip length in carbon nanotube 196
- spin flip scattering
- length 196
 - time 196
- spin injection 203
- spin injection device 204
- spin injection in carbon nanotube 203, 209
- spin part of wave function 85–86
- spin quantum number 76
- spin singlet 86, 87
- spin triplet 85, 87
- spin valve 194

- spin-down electrons 124
- spins, coupled set 189
- spin-up electrons 124
- splitting, hyperfine 188
- spring constant 286
- spring motor 30
- sputtering 156, 157
- square well potential 289
- stability (constancy) of concepts of solid state physics under scaling 6
- stained glass windows 15
- standing waves 67, 98, 105
- star-stuff 137
- Stern-Gerlach experiment 183, 186–187
- stimulated emission of photon 145
- STM 167
- stm as quantum computer readout 191
- stm current, modulation by spin precession 192–193
- stochastic diffusive (Brownian) motion 23
- Stokes' Law 22–23, 28
- strain 21
- strained crystalline layer 146
- strained InGaAs quantum-well structure 145
- string, stretched 18
- strong wave effects with long electron mean free path 220
- stubbed quantum electron wave guide 222–223
- stubbed quantum electron wave guide device
 - conductance plateaus 222
 - four-electrode gate 223
 - sharp interference minima 223
- sub-band index 71
- succeeding conformations 139
- superconducting double qubit
 - capacitive coupler 250
 - demonstration of charge oscillations 251
 - schematic of device (Cooper pair boxes) 250
 - splittings reveal coupling of qubits 250
- superconducting ground state, of electron pairs 85
- superconducting logic elements rapid single flux quantum (rsfq) 214–217
 - voltage pulse 215
- superconducting quantum interference
 - detector (squid) 210
 - DNA molecule attachment 212, 213
 - DNA-templated 212, 213
- nanoscale version 212, 213
- superconductive RSFQ computing technology 163
- superconductor
 - electron pair wave function 207
 - macroscopic quantum state 206–207
 - magnetic flux quantum 206
 - pair wave-function phase θ 207
 - penetratration depth 207
 - type I 207
 - type II 207
- super-human beings 282–284
- supernova explosions 137, 138
- superparamagnetic limit 13, 123, 124
- superpositions 98
- surface, non-commensurate 274
- suspended bridges 160–162
- suspended silicon plate 160
- SWNT 142
- symmetric 84, 85
- symmetric covalent bond 84
- symmetric exchange 85
- symmetry, exchange of particles 185
- symmetry of the wave function 121
- symmetry-driven electrostatic force 84
- synthesis 144
 - of polio virus 279
 - silicon nanowire, via laser assisted catalytic growth 142, 144
 - use of laser ablation 142, 144
- Synthetic biology 281–282
 - proteins not present in nature 281
 - unconventional amino acids 281
 - use of *E. coli* to produce artemisinin, anti-malaria drug 281
- t**
- technologies quantum 183
- technology 1
- TEM observation 147
- tensile strength 142
- terminal velocity 288
- “terminator gene” 279
- tetrahedral bonding 107, 111, 271
- tetrahedral covalent bond orbitals 107
- tetrahedral sp^3 bond 88, 139
- thermal conductivity 5, 22, 142
- thermal diffusion 156
- thermal excitation energy kT 4, 25, 134, 270
- thermal link 22
- thermal time constant 22

- thermal vibration 288
 – of atoms 138
 thermistor 117
 thermomechanical memory device 22
 thiols 149
 threat 154
 – perceived 154
 threat to life 271
 three-dimensional method 42
 time constant 21
 time-independent Schrodinger's equation 63
 tip, access 252
 tip bias voltage 40
 tip heater 22
 tip heater time constant 174
 tips, vibrate excessively 41
 titanium carbide 143
 Tobacco Mosaic Virus (TMV) 278
 topograph 167
 torque 293
 tracks, for linear engines 30–33
 transistor 108, 156
 – function 3
 transistors per chip 9
 transmembrane proteins, 36
 transmission electron microscopy, 16
 transmission line, 6
 transmission probabilities, 66
 transverse mechanical oscillations, 4
 trap, optical, 43
 – self-organizing, 46
 trap position, optical tweezers 43–45
 trapped particles 68–70
 traveling wave 55
 trenches in silicon surface 156
 trigonal sp^2 bond 139
 triphosphate synthase (F1-ATPase) 30
 triple covalent bonds 140
 triplet state 76
 tubulins 33
 tunability, of light emission wave length 145
 tungsten tip to produce high electric field 129
 tunnel magnetoresistance (TMR) 198
 tunnel valve 193
 tunnel valve magnetoresistance sensor 198–200
 tunneling barrier penetration 9, 51, 65–67
 tunneling diode 9–10, 109
 tunneling model of hydrogen field ionization – approach frequency 273
 – barrier potential 290
 – average value 291
 – escape frequency 291
 – transmission probability 259
 turbine wheel 39
 two nanowire squid detector
 – DNA adhesion 212
 – DNA templated 212, 213
 – flux penetration 207
 – magnetic flux oscillations 207
 – thermal phase slip process as source of resistance 212
 – weak links 212
 – wire cross section 1500 atoms 214
 two-dimensional electron gas (2DEG) 220
 two-level system 183
 two-particle wave function 65
- u**
- Ullman reaction 172
 ultrasonic range 18
 Ultrasound in water and other liquids
 – amplitude of pressure wave 127
 – negative pressure 127
 – possibility of initiating bubble (cavitation) 127
 uncertainty principle 60, 73, 289
 unit of viscosity 22
 unstrained bond 273
- v**
- valence electrons 97
 van der Waals 25
 van der Waals (dispersion) forces 88, 258, 274
 vapor pressure 156
 velocity-dependent drag forces 22
 vibrating beam 161
 vibrational frequency, H_2 289
 molecule 289
 vibrations on a linear atomic chain 19
 violin string 18
 virus 15, 276, 277, 296
 viscosity 22
 viscous drag forces 22, 29
 voltage-gated potassium ion channel 36
- w**
- wave and particle natures of light 51
 wave function 55, 60, 74, 75, 76, 83, 84
 – linear combination 139
 – normalization 184
 – spin part 183

- wave guide modes 56
 - metallic wave guide, transverse electric TE 58
 - optical fiber 58
- wave guide modes for electromagnetic wave
 - calculated, cylindrical dielectric wave guide 59
 - similarity to probability plots for matter waves, via Schrodinger eqn 58
- wave length
 - electrons 53
 - visible light 3
- wave nature of light 54
- wave nature of matter 41, 54
- wave number 19
- wave packet 61
- wave velocity 19
- wet etches 155
- width, depletion region 109
- widths, finest wires 158
- work function 5, 28, 97, 268
- working machines
 - scale 1
 - size 1
- x**
 - x-ray lithography 158–159
- xylophone 4, 5
- y**
 - Young's modulus 5, 18, 19, 142
- z**
 - zero heat dissipation 142
 - zero point energy 73, 93
 - di-hydrogen 289
 - zero-dimensional 3
 - zero-point motion 289
 - zone-boundary 290
 - z-piezo 168

