

Contents

List of Contributors XIII

1	Introduction	<i>1</i>
	<i>Yang Gao, Elie Allouis, Peter Iles, Gerhard Paar, and José de Gea Fernández</i>	
1.1	Evolution of Extraterrestrial Exploration and Robotics	<i>1</i>
1.2	Planetary Robotics Overview	<i>4</i>
1.3	Scope and Organization of the Book	<i>6</i>
1.4	Acknowledgments	<i>9</i>
2	Planetary Robotic System Design	<i>11</i>
	<i>Elie Allouis and Yang Gao</i>	
2.1	Introduction	<i>11</i>
2.2	A System Design Approach: From Mission Concept to Baseline Design	<i>12</i>
2.2.1	Mission Scenario Definition	<i>14</i>
2.2.2	Functional Analysis	<i>14</i>
2.2.3	Requirements Definition and Review	<i>15</i>
2.2.4	Design Drivers Identification	<i>17</i>
2.2.5	Concept Evaluation and Trade-Off	<i>17</i>
2.3	Mission Scenarios: Past, Current, and Future	<i>19</i>
2.3.1	Lander Missions	<i>19</i>
2.3.1.1	Luna Sample-Return Landers	<i>20</i>
2.3.1.2	Viking Landers	<i>21</i>
2.3.1.3	Mars Surveyor Lander Family and Successors	<i>23</i>
2.3.1.4	Huygens Lander	<i>25</i>
2.3.1.5	Beagle 2 Lander	<i>28</i>
2.3.1.6	Philae Lander	<i>29</i>
2.3.2	Rover Missions	<i>30</i>
2.3.2.1	Lunokhod 1 and 2 Rovers	<i>31</i>
2.3.2.2	Prop-M Rover	<i>33</i>
2.3.2.3	Sojourner Rover	<i>34</i>
2.3.2.4	Spirit and Opportunity Rovers	<i>36</i>

2.3.2.5	Curiosity Rover	39
2.3.2.6	Chang'E 3 Rover	42
2.3.2.7	ExoMars Rover	43
2.3.2.8	Mars 2020 Rover	46
2.3.3	Future Mission Concepts	46
2.3.3.1	Toward New Business Models	46
2.3.3.2	Medium-Term Mission Concepts	47
2.3.3.3	Long-Term Mission Ideas	47
2.4	Environment-Driven Design Considerations	47
2.4.1	Gravity	49
2.4.2	Temperature	49
2.4.3	Atmosphere and Vacuum	51
2.4.4	Orbital Characteristics	52
2.4.4.1	Distance to the Sun	53
2.4.4.2	Length of Days	53
2.4.5	Surface Conditions	54
2.4.5.1	Rocks	54
2.4.5.2	Dusts	55
2.4.5.3	Liquid	56
2.4.6	Properties of Planetary Bodies and Moons	56
2.5	Systems Design Drivers and Trade-Offs	56
2.5.1	Mission-Driven System Design Drivers	58
2.5.1.1	Mass	59
2.5.1.2	Target Environment	59
2.5.1.3	Launch Environment	59
2.5.1.4	Surface Deployment	60
2.5.1.5	Surface Operations	63
2.5.2	System Design Trade-Offs: A Case Study	63
2.5.2.1	Mission Scenario Definition: MSR/SFR	63
2.5.2.2	SFR System Design Drivers	64
2.5.2.3	SFR Subsystem Design Drivers	65
2.5.2.4	SFR Design Evaluation	68
2.6	System Operation Options	72
2.6.1	Operation Sequence	72
2.6.2	Operational Autonomy	75
2.6.2.1	Autonomous Functions	76
2.6.2.2	Autonomy Levels: Teleoperation versus Onboard Autonomy	77
2.7	Subsystem Design Options	79
2.7.1	Power Subsystem	79
2.7.1.1	Power Generation	80
2.7.1.2	Power Storage	84
2.7.2	Thermal Subsystem	90
2.7.2.1	Sizing Warm/Cold Cases	92
2.7.2.2	Heat Provision	92

2.7.2.3	Heat Management (Transport and Dissipation)	94
2.7.2.4	Trade-Off Options	96
	References	96
3	Vision and Image Processing	105
	<i>Gerhard Paar, Robert G. Deen, Jan-Peter Muller, Nuno Silva, Peter Iles, Affan Shaukat, and Yang Gao</i>	
3.1	Introduction	105
3.2	Scope of Vision Processing	108
3.2.1	Onboard Requirements	110
3.2.2	Mapping by Vision Sensors: Stereo as Core	112
3.2.3	Physical Environment	113
3.3	Vision Sensors and Sensing	114
3.3.1	Passive Optical Vision Sensors	116
3.3.2	Active Vision Sensing Strategies	117
3.3.3	Dedicated Navigation Vision Sensors: Example Exomars	118
3.3.3.1	Navigation (Perception/Stereo Vision)	119
3.3.3.2	Visual Localization and Slippage Estimation	119
3.3.3.3	Absolute Localization	120
3.4	Vision Sensors Calibration	120
3.4.1	Geometric Calibration	121
3.4.2	Radiometric Calibration	124
3.4.3	The Influence of Errors	125
3.5	Ground-Based Vision Processing	128
3.5.1	Compression and Decompression	129
3.5.2	3D Mapping	129
3.5.3	Offline Localization	133
3.5.4	Visualization and Simulation	135
3.6	Onboard Vision Processing	138
3.6.1	Preprocessing	138
3.6.2	Compression Modes	138
3.6.3	Stereo Perception Software Chain	139
3.6.4	Visual Odometry	140
3.6.5	Autonomous Navigation	141
3.7	Past and Existing Mission Approaches	142
3.7.1	Lunar Vision: Landers and Rovers	142
3.7.2	Viking Vision System	143
3.7.3	Pathfinder Vision Processing	144
3.7.4	MER and MSL Ground Vision Processing Chain	145
3.7.5	ExoMars Onboard Vision-Based Control Chain	150
3.7.6	ExoMars Onboard Vision Testing and Verification	151
3.7.7	ExoMars PanCam Ground Processing	152
3.7.8	Additional Robotic Vision Systems	155
3.8	Advanced Concepts	157
3.8.1	Planetary Saliency Models	157

3.8.2	Vision-Based Rover Sinkage Detection for Soil Characterization	162
3.8.3	Science Autonomy	166
3.8.4	Sensor Fusion	166
3.8.5	Artificial Intelligence and Cybernetics Vision	169
	References	170
4	Surface Navigation	181
	<i>Peter Iles, Matthias Winter, Nuno Silva, Abhinav Bajpai, Yang Gao, Jan-Peter Muller, and Frank Kirchner</i>	
4.1	Introduction	181
4.2	Context	181
4.2.1	Definitions	182
4.2.2	Navigating on Extraterrestrial Worlds	182
4.2.3	Navigation Systems on Current and Past Flight Rovers	183
4.2.3.1	Lunokhod I and II	183
4.2.3.2	Apollo Lunar Roving Vehicle	184
4.2.3.3	Sojourner Microrover	184
4.2.3.4	Mars Exploration Rovers	185
4.2.3.5	Mars Science Laboratory/Curiosity	188
4.2.3.6	Yutu/Jade Rabbit	190
4.3	Designing a Navigation System	190
4.3.1	Requirements	191
4.3.1.1	Performance Requirements	191
4.3.1.2	Environmental Requirements	192
4.3.1.3	Resource Requirements	193
4.3.1.4	Other Requirements	193
4.3.2	Design Considerations	194
4.3.2.1	Functional Components	194
4.3.2.2	Sensors	194
4.3.2.3	Software	196
4.3.2.4	Computational Resources	198
4.3.2.5	Rover Control Strategy	199
4.4	Localization Technologies and Systems	201
4.4.1	Orientation Estimation	201
4.4.1.1	Sun Finding	202
4.4.1.2	Star Trackers	203
4.4.1.3	Inertial Measurement Units	203
4.4.1.4	Vision Techniques	204
4.4.1.5	Antenna Null-Signal Technique	204
4.4.2	Relative Localization	205
4.4.2.1	Wheel Odometry	205
4.4.2.2	Visual Odometry	205

4.4.2.3	Other Vision-based Techniques	208
4.4.2.4	3D Visual Odometry	208
4.4.2.5	Speed Sensing	208
4.4.3	Absolute Localization	209
4.4.3.1	Rover-to-Orbiter Imagery Matching	209
4.4.3.2	Rover-to-Orbiter Horizon Matching	211
4.4.3.3	Rover-to-Orbiter Digital Elevation Model Matching	211
4.4.3.4	Orbiting Asset- or Earth-based Localization	212
4.4.3.5	Fixed Assets/Beacons Localization	213
4.4.3.6	Celestial Localization	214
4.4.4	Combining Localization Sources	214
4.4.4.1	Gaussian Filters	215
4.4.4.2	Particle Filters	216
4.4.4.3	Simultaneous Localization and Mapping	216
4.4.5	Example Systems	218
4.5	Autonomous Navigation	219
4.5.1	Sensing	219
4.5.2	Mapping	220
4.5.3	Terrain Assessment	222
4.5.4	Path Planning	223
4.5.4.1	Local Path Planning and Obstacle Avoidance	224
4.5.4.2	Global Path Planning	225
4.5.5	Control	227
4.6	Future of Planetary Surface Navigation	228
4.6.1	Planned Flight Rovers	228
4.6.1.1	ExoMars Rover	229
4.6.1.2	Mars 2020 Rover	233
4.6.2	Future Rover Missions	234
4.6.2.1	Mars Precision Lander	234
4.6.2.2	Resource Prospector Mission	234
4.6.3	Field Trials as Proving Grounds for Future Navigation Technologies	235
4.6.3.1	RESOLVE/Resource Prospector Mission (NASA/CSA)	236
4.6.3.2	SEEKER and SAFER (ESA)	239
4.6.3.3	Teleoperation Robotic Testbed (CSA)	240
4.6.3.4	Other Field Trials	241
4.6.4	Future Capabilities	242
4.6.4.1	SLAM Systems	242
4.6.4.2	Cooperative Robotics and New Mobility Concepts	242
4.6.4.3	Enhanced Processing Capabilities	244
4.6.4.4	New Sensors	244
4.6.4.5	New Applications of Orbital Imagery	245
	References	247

5	Manipulation and Control	255
	<i>José de Gea Fernández, Elie Allouis, Karol Seweryn, Frank Kirchner, and Yang Gao</i>	
5.1	Introduction	255
5.1.1	Review of Planetary Robotic Arms	255
5.1.1.1	Mars Surveyor '98/'01	256
5.1.1.2	Phoenix	258
5.1.1.3	MARS Exploration Rovers (MERs)	259
5.1.1.4	Beagle 2	260
5.1.1.5	Mars Science Laboratory	261
5.2	Robotic Arm System Design	263
5.2.1	Specifications and Requirements	263
5.2.1.1	Performance Requirements	264
5.2.1.2	Design Specifications	264
5.2.1.3	Environmental Design Considerations	267
5.2.2	Design Trade-Offs	268
5.2.2.1	Arm Kinematics	268
5.2.2.2	Structure and Material	269
5.2.2.3	Sensors	269
5.3	Robotic Arm Control	270
5.3.1	Low-Level Control Strategies	271
5.3.1.1	Position Control	271
5.3.1.2	Force Control	273
5.3.1.3	Dynamic Control	278
5.3.1.4	Visual Servoing	283
5.3.2	Manipulator Trajectory Generation	284
5.3.2.1	Trajectory Interpolation	285
5.3.2.2	On-Line Trajectory Generation	286
5.3.3	Collision Avoidance	287
5.3.3.1	Self-Collision Avoidance	288
5.3.4	High-Level Control Strategies	289
5.3.4.1	Path Planning	289
5.3.4.2	Telemanipulation	290
5.3.4.3	Higher Autonomy (E2–E4)	293
5.4	Testing and Validation	294
5.4.1	Testing Strategies	295
5.4.2	Scope of Testing Activities	297
5.4.2.1	Kinematic Calibration	298
5.4.2.2	Beyond Calibration	299
5.4.3	Validation Methods	299
5.4.3.1	Use of ABTs	301
5.5	Future Trends	304
5.5.1	Dual-Arm Manipulation	304
5.5.2	Whole-Body Motion Control	306
5.5.3	Mobile Manipulation	309

5.5.3.1	Mobile Manipulators as Research Platforms	309
5.5.3.2	DARPA Robotics Challenge (DRC)	310
5.5.3.3	Mobile Manipulators for Space	311
	References	313
6	Mission Operations and Autonomy	321
	<i>Yang Gao, Guy Burroughes, Jorge Ocón, Simone Fratini, Nicola Policella, and Alessandro Donati</i>	
6.1	Introduction	321
6.2	Context	323
6.2.1	Mission Operation Concepts	323
6.2.2	Mission Operation Procedures	326
6.2.3	Onboard Segment Operation Modes	329
6.3	Mission Operation Software	330
6.3.1	Design Considerations	331
6.3.2	Ground Operation Software	332
6.3.3	Onboard Operation Software	336
6.3.4	Performance Measures	341
6.4	Planning and Scheduling (P&S)	343
6.4.1	P&S Software Design Considerations	343
6.4.2	Basic Principles & Techniques	343
6.4.2.1	Classical Methods	344
6.4.2.2	Neoclassical Methods	344
6.4.2.3	Solving Strategies	346
6.4.2.4	Temporal Planning	347
6.4.2.5	Scheduling	350
6.4.2.6	Handling Uncertainties	350
6.4.2.7	Planning Languages	351
6.4.3	P&S Software Systems	354
6.4.4	P&S Software Development Frameworks	357
6.5	Reconfigurable Autonomy	362
6.5.1	Rationale	362
6.5.2	State-of-the-Art Methods	363
6.5.3	Taxonomy	365
6.5.4	Design Examples: Reconfigurable Rover GNC	367
6.5.4.1	Application Layer	369
6.5.4.2	Reconfiguration Layer	370
6.5.4.3	Housekeeping Layer	372
6.5.4.4	Ontology Design	372
6.5.4.5	Rational Agent Design	374
6.5.4.6	Impact on Mission Operations	376
6.6	Validation and Verification	377
6.6.1	Simulation Tools	379
6.6.2	Model Checking	381
6.6.3	Ontology-based System Models	383

6.7	Case Study: Mars Rovers' Goal-Oriented Autonomous Operation	384
6.7.1	Design Objectives	385
6.7.2	Onboard Software Architecture	385
6.7.3	Implementation and Validation	388
6.7.4	Integration with Ground Operation	392
6.7.5	Design Remarks	394
6.8	Future Trends	394
6.8.1	Autonomic Robotics	395
6.8.2	Common Robot Operating System	395
6.8.3	MultiAgent Systems	396
	References	396

Index 403