

Contents

Preface *xiii*

Part I Continuous wave VECSEL 1

- 1 History of Optically Pumped Semiconductor Lasers – VECSELS 3**
Mark E. Kuznetsov
 - 1.1 Introduction 3
 - 1.2 OPS-VECSELS: Concept and History 4
 - 1.3 Micracor 8
 - 1.4 OPSL Development at Micracor: First Steps 11
 - 1.5 OPS Development at Micracor: Pushing Forward 14
 - 1.6 OPS Development at Micracor: Final Chapter 16
 - 1.7 VECSELS beyond Micracor 20
 - References 22

- 2 VECSELS in the Wavelength Range 1.18–1.55 μm 27**
Antti Rantamäki and Mircea Guina
 - 2.1 Introduction 27
 - 2.2 Overview of GaAs-based Gain Mirror Technologies for Long-wavelength Infrared VECSELS 28
 - 2.2.1 InGaAs QWs 28
 - 2.2.2 GaInNAs QWs 28
 - 2.2.3 InAs QDs 30
 - 2.2.4 GaAsSb QWs 31
 - 2.3 Overview of InP-based Gain Mirror Technologies for Long-wavelength Infrared VECSELS 32
 - 2.3.1 Monolithic InP-based DBRs 32
 - 2.3.2 Dielectric and Metamorphic DBRs 33
 - 2.3.3 Semiconductor-dielectric-metal Compound Mirrors 34
 - 2.3.4 Wafer-bonded GaAs-based DBRs 37
 - 2.3.4.1 Direct Wafer Bonding 39

- 2.3.4.2 Low Temperature Bonding 44
- 2.3.5 Gain Structures in Transmission 47
- 2.4 Conclusion 50
- References 50

3 Single-frequency and High Power Operation of 2–3 Micron VECSEL 63

Marcel Rattunde, Peter Holl, and Joachim Wagner

- 3.1 Introduction 63
- 3.2 Semiconductor Lasers for the MIR Range 64
- 3.3 III-Sb Material System 66
- 3.4 2–3 μm VECSEL Design 68
 - 3.4.1 Standard Barrier Pumped Structures 68
 - 3.4.2 In-well Pumping 69
 - 3.4.3 Low Quantum Deficit Barrier Pumping 70
- 3.5 Mounting Technologies 72
 - 3.5.1 Intracavity Heatspreader 74
 - 3.5.2 Thin Device 76
 - 3.5.3 Double-sided Heatspreader 77
- 3.6 Single-frequency Operation (SFO) of 2–3 μm VECSEL 78
 - 3.6.1 Key Parameters for Single-Frequency Operation 79
 - 3.6.2 SFO with Intracavity Heatspreader 81
 - 3.6.2.1 Laser Cavity Setup 82
 - 3.6.2.2 Wavelength Tuning 83
 - 3.6.2.3 Emission Linewidth 85
 - 3.6.2.4 Active Stabilization and Influence of Sampling Time 88
 - 3.6.2.5 Conclusion 90
 - 3.6.3 SFO with Wedged Heatspreader 91
 - 3.6.4 SFO with Microcavity VECSELS 92
 - 3.6.5 SFO without Intracavity Heatspreader 94
- 3.7 Conclusion 99
- References 101

4 Highly Coherent Single-Frequency Tunable VeCSELS: Concept, Technology, and Physical Study 109

Mikhael Myara

- 4.1 Introduction: Lasers for Applications 109
- 4.2 The “Ideal” Laser 111
- 4.3 Toward Single-Mode Operation 113
- 4.4 Toward High Coherence 118
- 4.5 The VeCSEL in the State of the Art 121
- 4.6 Highly Coherent, Tunable VeCSEL Design 122
- 4.7 Limits and Solutions 125
- 4.8 Highly Coherent, Tunable VeCSEL: Main Characteristics 127

4.9	Ultrahigh-Purity Single-mode Operation	129
4.10	Spatial Coherence	131
4.11	Time Domain Coherence and Noise	131
4.11.1	Noise in Photonics: Basics	131
4.11.2	Intensity Noise of a VeCSEL	135
4.11.3	Phase Noise, Frequency Noise, and Linewidth of a VeCSEL	136
4.12	Conclusion	139
	Acknowledgements	140
	References	140
5	Terahertz Metasurface Quantum Cascade VECSELS	145
	<i>Benjamin S. Williams and Luyao Xu</i>	
5.1	Introduction	145
5.1.1	Waveguides for THz QC-Lasers	146
5.1.2	Overview of Metasurface QC-VECSEL Concept	148
5.2	Metasurface Design	149
5.3	QC-VECSEL Model	152
5.3.1	Confinement Factor	156
5.3.2	Metasurface and Cavity Optimization	157
5.4	THz QC-VECSEL Performance: Power, Efficiency, and Beam Quality	159
5.4.1	Effect of Metasurface on Spectrum	160
5.4.2	Effect of Output Coupler	161
5.4.3	Focusing Metasurface VECSEL	162
5.4.4	Intra-cryostat Cavity QC-VECSEL	165
5.5	Polarization Control in QC-VECSELS	166
5.6	Conclusion	169
	References	170
6	DBR-free Optically Pumped Semiconductor Disk Lasers	175
	<i>Alexander R. Albrecht, Zhou Yang, and Mansoor Sheik-Bahae</i>	
6.1	Introduction	175
6.2	DBR-free Semiconductor Disk Lasers	176
6.2.1	Opportunities and Advantages	177
6.2.2	Thermal Analysis	178
6.2.3	Longitudinal Mode Structure and Broadband Tunability	180
6.3	Device Fabrication	182
6.4	DBR-free SDL Implementation	185
6.4.1	High Power Operation	185
6.4.2	Broad Tunability	187
6.4.3	Wafer-scale Processing	189
6.5	Novel Concepts	189
6.6	Conclusions	192
	References	193

7	Optically Pumped Red-Emitting AlGaInP-VECSELs and the MECSEL Concept	197
	<i>Hermann Kahle, Michael Jetter, and Peter Michler</i>	
7.1	Introduction	197
7.2	Direct Red-Emitting AlGaInP-VECSELs and Second-Harmonic Generation	199
7.2.1	GaInP Quantum Wells and the AlGaInP Material System	199
7.2.2	GaInP Quantum Well VECSELs: A Comparison	201
7.2.2.1	Architecture of the Semiconductor Structures	202
7.2.2.2	Experimental Setup	203
7.2.2.3	Characterization Results	204
7.2.2.4	Internal Efficiency	204
7.2.3	Power Scaling via Quantum Well and Multi-Pass Pumping	208
7.2.3.1	Quantum Well Pumping	208
7.2.3.2	Multi-Pass Pumping	210
7.2.4	Second-Harmonic Generation into the UV-A Spectral Range	211
7.3	The Membrane External-Cavity Surface-Emitting Laser (MECSEL)	212
7.3.1	The Semiconductor Active Region Membrane	213
7.3.2	MECSEL Setup	215
7.3.3	MECSEL Characterization	216
7.3.3.1	Output Power Measurements	216
7.3.3.2	Beam Profile and Beam Quality Factor	218
7.3.3.3	Spectra	218
7.4	Conclusions	221
	References	221

Part II Mode-Locked VECSEL 229

8	Recent Advances in Mode-Locked Vertical-External-Cavity Surface-Emitting Lasers	231
	<i>Anne C. Tropper</i>	
8.1	Introduction	231
8.1.1	Ultrafast Lasers	232
8.1.2	Ultrafast Semiconductor Lasers; Diodes, VECSELs, and MIXSELs	233
8.2	Ultrafast Pulse Formation in a Surface-Emitting Semiconductor Laser	235
8.2.1	Surface-Emitting Gain Chip Design	235
8.2.2	Gain Filtering	238
8.2.3	Gain Saturation and Recovery	239
8.2.4	Saturable Absorbers for ML-VECSELs and MIXSELs	241
8.3	Performance of Passively Mode-Locked Semiconductor Lasers	244
8.3.1	Pulse Duration	244
8.3.2	Pulse Repetition Rate	246
8.3.3	Mode-Locked VECSELs: Visible to Mid-Infrared	248

8.3.4	Simulation and Modeling	249
8.3.5	Noise	251
8.4	Applications	252
8.4.1	Biological Imaging	252
8.4.2	Quantum Optics	253
8.4.3	Supercontinuum Generation and Frequency Combs	253
8.4.4	Terahertz Imaging and Spectroscopy	254
8.5	Summary and Outlook	255
	References	256
9	Ultrafast Nonequilibrium Carrier Dynamics in Semiconductor Laser Mode-Locking	267
	<i>I. Kilen, J. Hader, S.W. Koch, and J.V. Moloney</i>	
9.1	Introduction	267
9.2	Background Theory	269
9.2.1	Pulse Propagation	269
9.2.2	Microscopic Theory	273
9.3	Domain Setup/Modeling	277
9.3.1	The VECSEL Cavity	277
9.3.2	The Gain Region	278
9.3.3	The Relaxation Rates and the Round Trip Time	280
9.3.4	Noise Buildup to Pulse	281
9.4	Numerical Results	282
9.4.1	Single-Pass Investigation of QWs and SAMs on the Order of Second Born–Markov Approximation	282
9.4.1.1	Inverted Quantum Well	282
9.4.1.2	Saturable Absorber	285
9.4.2	Mode-Locked VECSELS	288
9.4.2.1	Gain, Absorption, and Dispersion	288
9.4.2.2	Pulse Buildup and Initial Conditions	290
9.4.2.3	Self-Phase Modulation from QWs	290
9.4.2.4	Mode-Locked Pulse Family	291
9.4.2.5	Influence of Loss on the Mode-Locked Pulse	294
9.4.2.6	Limits on the Shortest Possible Pulse and the Hysteresis Effect	296
9.5	Outlook	299
	References	300
10	Mode-Locked AlGaInP VECSEL for the Red and UV Spectral Range	305
	<i>Roman Bek, Michael Jetter, and Peter Michler</i>	
10.1	Introduction	305
10.2	Epitaxial Layer Design of AlGaInP-SESAM Structures	306
10.2.1	Quantum Well SESAMs	306
10.2.2	Quantum Dot SESAMs	307
10.3	Temporal Response of AlGaInP SESAMs	307

10.4	Cavity Designs	309
10.5	Characterization Methods	310
10.6	Mode-Locking Results	311
10.6.1	Quantum Well Mode-Locked AlGaInP VECSELS	311
10.6.1.1	High Output Power	311
10.6.1.2	Femtosecond Operation	312
10.6.2	Quantum Dot Mode-Locked AlGaInP VECSELS	314
10.7	Second Harmonic Generation into the UV Spectral Range	315
10.8	Summary and Outlook	317
	References	318
11	Colliding Pulse Mode-locked VECSEL	321
	<i>Alexandre Laurain</i>	
11.1	Introduction	321
11.2	Principle of Colliding Pulse Modelocking	322
11.3	Requirements for Stable Colliding Pulse Modelocking	324
11.3.1	Pulse Timing	324
11.3.2	Gain Recovery and Pumping Rate	324
11.3.3	Polarization	326
11.3.4	Mode Waist and Saturation Fluence	326
11.4	Design of an Ultrafast CPM VECSEL	327
11.4.1	The Optical Cavity	327
11.4.2	The Gain Structure	328
11.4.3	The SESAM	333
11.5	Modelocking Results	335
11.5.1	Robustness of the Modelocking Regime	335
11.5.2	Cross Correlation of the Output Beams	336
11.5.3	Pulse Duration Optimization	338
11.5.4	Multipulse Regime	340
11.6	Pulse Interactions in the Saturable Absorber	341
11.6.1	Field Intensity Distribution	341
11.6.2	Saturable Absorption Model	343
11.6.3	Dynamics of the Carrier Density Distribution	345
11.6.4	Absorption Losses and Pulse Shaping	347
11.6.5	Saturation Fluence of the Absorber	349
11.6.6	Power Balance in CPM Operation	350
11.7	Summary and Outlook	352
	Acknowledgments	353
	References	353
12	Self-Mode-Locked Semiconductor Disk Lasers	357
	<i>Arash Rahimi-Iman</i>	
12.1	Introduction	357
12.2	Mode-Locking Techniques for Optically Pumped SDLs at a Glance	358
12.3	History of Saturable-Absorber-Free Pulsed VECSELS	360

12.3.1	Self-Mode-Locked Optically Pumped VECSELS	360
12.3.1.1	Once Upon a Time – Beyond Magic	361
12.3.1.2	Mode Competition – A Struggle for Acceptance	363
12.3.1.3	More Than a Flash in the Pan – Triggered Wave of Results	364
12.3.2	Harmonic Self-Mode-Locking	366
12.3.3	Self-Mode-Locking Quantum-Dot VECSEL	368
12.3.4	SML Cavity Configurations	369
12.3.5	SML VECSEL at Other Wavelengths	371
12.4	Overview on SESAM-Free Mode-Locking Achievements	373
12.4.1	Spotlight on SML VECSELS	373
12.4.1.1	Pulse Duration	373
12.4.1.2	Peak Power	374
12.4.1.3	Repetition Rate	375
12.4.2	SESAM-Free Alternatives to SML VECSEL	375
12.4.2.1	Graphene or Carbon Nanotube Saturable Absorber Mode-Locked VECSELS	375
12.4.2.2	SESAM-Free VECSEL Design with Intracavity Kerr Medium	375
12.5	Investigations into the Mechanisms and Outlook	376
12.5.1	First Studies Concerning the Mechanisms Behind SML	376
12.5.2	Z-Scan Measurements of the Nonlinear Refractive Index in a VECSEL Chip	377
12.5.3	Applications and Expected Advances	380
	Acknowledgments	381
	References	382
	Index	387

