

## Contents

<b>List of Abbreviations</b>	xv
<b>Preface to the Second Edition</b>	xix
<b>Preface to the First Edition</b>	xxi
<b>1 Introduction</b>	1
<b>2 Image Acquisition</b>	5
2.1 Illumination . . . . .	5
2.1.1 Electromagnetic Radiation . . . . .	5
2.1.2 Types of Light Sources . . . . .	7
2.1.3 Interaction of Light and Matter . . . . .	8
2.1.4 Using the Spectral Composition of the Illumination . . . . .	10
2.1.5 Using the Directional Properties of the Illumination . . . . .	12
2.1.5.1 Diffuse Bright-Field Front Light Illumination . . . . .	13
2.1.5.2 Directed Bright-Field Front Light Illumination . . . . .	14
2.1.5.3 Directed Dark-Field Front Light Illumination . . . . .	15
2.1.5.4 Diffuse Bright-Field Back Light Illumination . . . . .	16
2.1.5.5 Telecentric Bright-Field Back Light Illumination . .	17
2.2 Lenses . . . . .	18
2.2.1 Pinhole Cameras . . . . .	18
2.2.2 Gaussian Optics . . . . .	19
2.2.2.1 Refraction . . . . .	19
2.2.2.2 Thick Lens Model . . . . .	20
2.2.2.3 Aperture Stop and Pupils . . . . .	22
2.2.2.4 Relation of the Pinhole Model to Gaussian Optics .	24
2.2.3 Depth of Field . . . . .	25
2.2.4 Telecentric Lenses . . . . .	28
2.2.4.1 Object-Side Telecentric Lenses . . . . .	28
2.2.4.2 Bilateral Telecentric Lenses . . . . .	30
2.2.4.3 Image-Side Telecentric Lenses . . . . .	31
2.2.4.4 Projection Characteristics of Lenses . . . . .	32

2.2.5	Tilt Lenses and the Scheimpflug Principle . . . . .	32
2.2.6	Lens Aberrations . . . . .	36
2.2.6.1	Spherical Aberration . . . . .	36
2.2.6.2	Coma . . . . .	36
2.2.6.3	Astigmatism . . . . .	37
2.2.6.4	Curvature of Field . . . . .	37
2.2.6.5	Distortion . . . . .	37
2.2.6.6	Chromatic Aberration . . . . .	39
2.2.6.7	Edge-Spread Function . . . . .	39
2.2.6.8	Vignetting . . . . .	40
2.3	Cameras . . . . .	41
2.3.1	CCD Sensors . . . . .	41
2.3.1.1	Line Sensors . . . . .	41
2.3.1.2	Full Frame Array Sensors . . . . .	43
2.3.1.3	Frame Transfer Sensors . . . . .	43
2.3.1.4	Interline Transfer Sensors . . . . .	44
2.3.1.5	Readout Modes . . . . .	46
2.3.2	CMOS Sensors . . . . .	46
2.3.2.1	Sensor Architecture . . . . .	46
2.3.2.2	Rolling and Global Shutters . . . . .	47
2.3.3	Color Cameras . . . . .	48
2.3.3.1	Spectral Response of Monochrome Cameras . . . . .	48
2.3.3.2	Single-Chip Cameras . . . . .	49
2.3.3.3	Three-Chip Cameras . . . . .	50
2.3.3.4	Spectral Response of Color Cameras . . . . .	50
2.3.4	Sensor Sizes . . . . .	50
2.3.5	Camera Performance . . . . .	52
2.3.5.1	Noise . . . . .	52
2.3.5.2	Signal-to-Noise Ratio . . . . .	53
2.3.5.3	Dynamic Range . . . . .	54
2.3.5.4	Nonuniformities . . . . .	54
2.4	Camera–Computer Interfaces . . . . .	55
2.4.1	Analog Video Signals . . . . .	56
2.4.1.1	Analog Video Standards . . . . .	56
2.4.1.2	Analog Frame Grabbers . . . . .	58
2.4.2	Digital Video Signals . . . . .	60
2.4.2.1	Camera Link . . . . .	61
2.4.2.2	Camera Link HS . . . . .	62
2.4.2.3	CoaXPress . . . . .	64
2.4.2.4	IEEE 1394 . . . . .	65
2.4.2.5	USB 2.0 . . . . .	67
2.4.2.6	USB3 Vision . . . . .	68
2.4.2.7	GigE Vision . . . . .	69
2.4.3	Generic Interfaces . . . . .	72
2.4.3.1	GenICam . . . . .	72

2.4.3.2	GenICam GenTL . . . . .	77
2.4.4	Image Acquisition Modes . . . . .	79
2.5	3D Image Acquisition Devices . . . . .	82
2.5.1	Stereo Sensors . . . . .	82
2.5.2	Sheet of Light Sensors . . . . .	84
2.5.3	Structured Light Sensors . . . . .	86
2.5.3.1	Pattern Projection . . . . .	87
2.5.3.2	Gray Codes . . . . .	88
2.5.3.3	Fringe Projection . . . . .	90
2.5.3.4	Hybrid Systems . . . . .	91
2.5.4	Time-of-Flight Cameras . . . . .	91
2.5.4.1	Continuous-Wave-Modulated Time-of-Flight Cameras . . . . .	92
2.5.4.2	Pulse-Modulated Time-of-Flight Cameras . . . . .	93
<b>3</b>	<b>Machine Vision Algorithms</b>	97
3.1	Fundamental Data Structures . . . . .	97
3.1.1	Images . . . . .	97
3.1.2	Regions . . . . .	98
3.1.3	Subpixel-Precise Contours . . . . .	101
3.2	Image Enhancement . . . . .	101
3.2.1	Gray Value Transformations . . . . .	102
3.2.1.1	Contrast Enhancement . . . . .	102
3.2.1.2	Contrast Normalization . . . . .	102
3.2.1.3	Robust Contrast Normalization . . . . .	103
3.2.2	Radiometric Calibration . . . . .	105
3.2.2.1	Chart-Based Radiometric Calibration . . . . .	105
3.2.2.2	Chartless Radiometric Calibration . . . . .	106
3.2.3	Image Smoothing . . . . .	110
3.2.3.1	Temporal Averaging . . . . .	111
3.2.3.2	Mean Filter . . . . .	112
3.2.3.3	Border Treatment of Filters . . . . .	113
3.2.3.4	Runtime Complexity of Filters . . . . .	114
3.2.3.5	Linear Filters . . . . .	115
3.2.3.6	Frequency Response of the Mean Filter . . . . .	116
3.2.3.7	Gaussian Filter . . . . .	117
3.2.3.8	Noise Suppression by Linear Filters . . . . .	118
3.2.3.9	Median and Rank Filters . . . . .	119
3.2.4	Fourier Transform . . . . .	120
3.2.4.1	Continuous Fourier Transform . . . . .	120
3.2.4.2	Discrete Fourier Transform . . . . .	123
3.3	Geometric Transformations . . . . .	126
3.3.1	Affine Transformations . . . . .	126
3.3.1.1	Projective Transformations . . . . .	127

3.3.2	Image Transformations . . . . .	128
3.3.2.1	Nearest-Neighbor Interpolation . . . . .	128
3.3.2.2	Bilinear Interpolation . . . . .	129
3.3.2.3	Bicubic Interpolation . . . . .	130
3.3.2.4	Smoothing to Avoid Aliasing . . . . .	132
3.3.3	Projective Image Transformations . . . . .	133
3.3.4	Polar Transformations . . . . .	133
3.4	Image Segmentation . . . . .	135
3.4.1	Thresholding . . . . .	135
3.4.1.1	Global Thresholding . . . . .	135
3.4.1.2	Automatic Threshold Selection . . . . .	136
3.4.1.3	Dynamic Thresholding . . . . .	138
3.4.1.4	Variation Model . . . . .	141
3.4.2	Extraction of Connected Components . . . . .	144
3.4.3	Subpixel-Precise Thresholding . . . . .	147
3.5	Feature Extraction . . . . .	149
3.5.1	Region Features . . . . .	149
3.5.1.1	Area . . . . .	149
3.5.1.2	Moments . . . . .	150
3.5.1.3	Ellipse Parameters . . . . .	151
3.5.1.4	Enclosing Rectangles and Circles . . . . .	153
3.5.1.5	Contour Length . . . . .	154
3.5.2	Gray Value Features . . . . .	154
3.5.2.1	Statistical Features . . . . .	154
3.5.2.2	Moments . . . . .	155
3.5.2.3	Ellipse Parameters . . . . .	155
3.5.2.4	Comparison of Region and Gray Value Moments .	155
3.5.3	Contour Features . . . . .	158
3.5.3.1	Contour Length, Enclosing Rectangles and Circles .	158
3.5.3.2	Moments . . . . .	158
3.6	Morphology . . . . .	159
3.6.1	Region Morphology . . . . .	159
3.6.1.1	Set Operations . . . . .	159
3.6.1.2	Minkowski Addition and Dilation . . . . .	161
3.6.1.3	Minkowski Subtraction and Erosion . . . . .	163
3.6.1.4	Region Boundaries . . . . .	166
3.6.1.5	Hit-or-Miss Transform . . . . .	167
3.6.1.6	Opening and Closing . . . . .	168
3.6.1.7	Skeleton . . . . .	172
3.6.1.8	Distance Transform . . . . .	173
3.6.2	Gray Value Morphology . . . . .	175
3.6.2.1	Minkowski Addition and Dilation . . . . .	175
3.6.2.2	Minkowski Subtraction and Erosion . . . . .	176
3.6.2.3	Opening and Closing . . . . .	177
3.6.2.4	Morphological Gradient . . . . .	179

3.7	Edge Extraction . . . . .	180
3.7.1	Definition of Edges . . . . .	180
3.7.1.1	Definition of Edges in 1D . . . . .	180
3.7.1.2	Definition of Edges in 2D . . . . .	181
3.7.2	1D Edge Extraction . . . . .	183
3.7.2.1	Discrete Derivatives . . . . .	184
3.7.2.2	Smoothing Perpendicular to a Profile . . . . .	185
3.7.2.3	Optimal Edge Filters . . . . .	186
3.7.2.4	Pixel-Accurate Edge Extraction . . . . .	188
3.7.2.5	Subpixel-Accurate Edge Extraction . . . . .	189
3.7.3	2D Edge Extraction . . . . .	189
3.7.3.1	Discrete Derivatives . . . . .	190
3.7.3.2	Optimal Edge Filters . . . . .	191
3.7.3.3	Non-Maximum Suppression . . . . .	192
3.7.3.4	Hysteresis Thresholding . . . . .	194
3.7.3.5	Subpixel-Accurate Edge Extraction . . . . .	194
3.7.4	Accuracy and Precision of Edges . . . . .	196
3.7.4.1	Definition of Accuracy and Precision . . . . .	197
3.7.4.2	Analytical Edge Accuracy and Precision . . . . .	198
3.7.4.3	Edge Accuracy and Precision on Real Images . . . . .	199
3.8	Segmentation and Fitting of Geometric Primitives . . . . .	203
3.8.1	Fitting Lines . . . . .	204
3.8.1.1	Least-Squares Line Fitting . . . . .	204
3.8.1.2	Robust Line Fitting . . . . .	205
3.8.2	Fitting Circles . . . . .	208
3.8.2.1	Least-Squares Circle Fitting . . . . .	208
3.8.2.2	Robust Circle Fitting . . . . .	209
3.8.3	Fitting Ellipses . . . . .	210
3.8.3.1	Least-Squares Ellipse Fitting . . . . .	210
3.8.3.2	Robust Ellipse Fitting . . . . .	210
3.8.4	Segmentation of Contours . . . . .	211
3.8.4.1	Segmentation of Contours into Lines . . . . .	211
3.8.4.2	Segmentation of Contours into Lines, Circles, and Ellipses . . . . .	213
3.9	Camera Calibration . . . . .	215
3.9.1	Camera Models for Area Scan Cameras with Regular Lenses . . . . .	216
3.9.1.1	Exterior Orientation . . . . .	217
3.9.1.2	Projection From 3D to 2D . . . . .	219
3.9.1.3	Lens Distortions . . . . .	219
3.9.1.4	Image Coordinates . . . . .	221
3.9.2	Camera Models for Area Scan Cameras with Tilt Lenses . . . . .	222
3.9.2.1	Lens Distortions . . . . .	222
3.9.2.2	Modeling the Pose of the Tilted Image Plane . . . . .	222
3.9.2.3	Image-Space Telecentric Lenses . . . . .	223
3.9.2.4	Image-Space Perspective Lenses . . . . .	224

3.9.3	Camera Model for Line Scan Cameras . . . . .	225
3.9.3.1	Camera Motion . . . . .	225
3.9.3.2	Exterior Orientation . . . . .	226
3.9.3.3	Interior Orientation . . . . .	227
3.9.3.4	Nonlinearities of the Line Scan Camera Model . . . . .	229
3.9.4	Calibration Process . . . . .	230
3.9.4.1	Calibration Target . . . . .	230
3.9.4.2	Single-Image Camera Calibration . . . . .	232
3.9.4.3	Degeneracies When Calibrating With a Single Image	233
3.9.4.4	Multi-Image Camera Calibration . . . . .	234
3.9.4.5	Degeneracies Occurring With Tilt Lenses . . . . .	234
3.9.4.6	Excluding Parameters From the Optimization . . . . .	235
3.9.5	World Coordinates from Single Images . . . . .	235
3.9.5.1	Telecentric Cameras . . . . .	236
3.9.5.2	Perspective Cameras . . . . .	236
3.9.5.3	Line-Scan Cameras . . . . .	238
3.9.5.4	Image Rectification . . . . .	238
3.9.6	Accuracy of the Camera Parameters . . . . .	238
3.9.6.1	Influence of the Number of Calibration Images on the Accuracy . . . . .	239
3.9.6.2	Influence of the Focus Setting on the Camera Parameters . . . . .	240
3.9.6.3	Influence of the Diaphragm Setting on the Camera Parameters . . . . .	240
3.10	3D Reconstruction . . . . .	241
3.10.1	Stereo Reconstruction . . . . .	241
3.10.1.1	Stereo Geometry . . . . .	242
3.10.1.2	Stereo Calibration . . . . .	243
3.10.1.3	Epipolar Geometry . . . . .	244
3.10.1.4	Image Rectification . . . . .	247
3.10.1.5	Disparity . . . . .	249
3.10.1.6	Stereo Matching . . . . .	250
3.10.1.7	Effect of Window Size . . . . .	252
3.10.1.8	Robust Stereo Matching . . . . .	253
3.10.1.9	Spacetime Stereo Matching . . . . .	254
3.10.2	Sheet of Light Reconstruction . . . . .	254
3.10.2.1	Extraction of the Laser Line . . . . .	255
3.10.2.2	Sensor Calibration and 3D Reconstruction . . . . .	256
3.10.3	Structured Light Reconstruction . . . . .	257
3.10.3.1	Decoding the Stripes . . . . .	257
3.10.3.2	Sensor Calibration and 3D Reconstruction . . . . .	258
3.11	Template Matching . . . . .	262
3.11.1	Gray-Value-Based Template Matching . . . . .	263
3.11.1.1	Similarity Measures Based on Gray Value Differences . . . . .	263

3.11.1.2 Normalized Cross-Correlation . . . . .	264
3.11.1.3 Efficient Evaluation of the Similarity Measures . . . . .	266
3.11.2 Matching Using Image Pyramids . . . . .	267
3.11.2.1 Image Pyramids . . . . .	268
3.11.2.2 Hierarchical Search . . . . .	270
3.11.3 Subpixel-Accurate Gray-Value-Based Matching . . . . .	271
3.11.4 Template Matching with Rotations and Scalings . . . . .	272
3.11.5 Robust Template Matching . . . . .	273
3.11.5.1 Mean Squared Edge Distance . . . . .	274
3.11.5.2 Hausdorff Distance . . . . .	276
3.11.5.3 Generalized Hough Transform . . . . .	277
3.11.5.4 Geometric Hashing . . . . .	281
3.11.5.5 Matching Geometric Primitives . . . . .	283
3.11.5.6 Shape-Based Matching . . . . .	286
3.12 3D Object Recognition . . . . .	292
3.12.1 Deformable Matching . . . . .	293
3.12.1.1 Principle of Deformable Matching . . . . .	293
3.12.1.2 Model Generation . . . . .	295
3.12.1.3 Similarity Measure . . . . .	295
3.12.1.4 Hierarchical Search . . . . .	297
3.12.1.5 Least-Squares Pose Refinement . . . . .	297
3.12.1.6 3D Pose Estimation . . . . .	297
3.12.1.7 Recognition of Locally Deformed Objects . . . . .	300
3.12.2 Shape-Based 3D Matching . . . . .	302
3.12.2.1 View-Based Approach . . . . .	303
3.12.2.2 Restricting the Pose Range . . . . .	306
3.12.2.3 Hierarchical Model . . . . .	307
3.12.2.4 2D Model Generation . . . . .	308
3.12.2.5 Perspective Correction . . . . .	310
3.12.2.6 Least-Squares Pose Refinement . . . . .	311
3.12.2.7 Examples . . . . .	312
3.12.3 Surface-Based 3D Matching . . . . .	313
3.12.3.1 Global Model Description . . . . .	314
3.12.3.2 Local Parameters . . . . .	316
3.12.3.3 Voting . . . . .	318
3.12.3.4 Least-Squares Pose Refinement . . . . .	319
3.12.3.5 Extension for Recognizing Deformed Objects . . . . .	321
3.12.3.6 Extension for Multimodal Data . . . . .	321
3.13 Hand-Eye Calibration . . . . .	323
3.13.1 Introduction . . . . .	323
3.13.2 Problem Definition . . . . .	325
3.13.3 Dual Quaternions and Screw Theory . . . . .	327
3.13.3.1 Quaternions . . . . .	327
3.13.3.2 Screws . . . . .	329
3.13.3.3 Dual Numbers . . . . .	330

3.13.3.4 Dual Quaternions . . . . .	330
3.13.4 Linear Hand–Eye Calibration . . . . .	331
3.13.5 Nonlinear Hand–Eye Calibration . . . . .	334
3.13.6 Hand–Eye Calibration of SCARA Robots . . . . .	335
3.14 Optical Character Recognition . . . . .	337
3.14.1 Character Segmentation . . . . .	338
3.14.2 Feature Extraction . . . . .	339
3.15 Classification . . . . .	342
3.15.1 Decision Theory . . . . .	343
3.15.1.1 Bayes Decision Rule . . . . .	343
3.15.1.2 Classifier Types . . . . .	345
3.15.1.3 Training, Test, and Validation Sets . . . . .	345
3.15.1.4 Novelty Detection . . . . .	345
3.15.2 Classifiers Based on Estimating Class Probabilities . . . . .	346
3.15.2.1 $k$ Nearest-Neighbor Classifiers . . . . .	347
3.15.2.2 Gaussian Mixture Model Classifiers . . . . .	347
3.15.3 Classifiers Based on Constructing Separating Hypersurfaces . . . . .	350
3.15.3.1 Single-Layer Perceptrons . . . . .	350
3.15.3.2 Multilayer Perceptrons . . . . .	352
3.15.3.3 Support Vector Machines . . . . .	358
3.15.3.4 Convolutional Neural Networks . . . . .	365
3.15.4 Example of Using Classifiers for OCR . . . . .	369
<b>4 Machine Vision Applications</b> . . . . .	371
4.1 Wafer Dicing . . . . .	371
4.1.1 Determining the Width and Height of the Dies . . . . .	372
4.1.2 Determining the Position of the Dies . . . . .	374
4.1.3 Exercises . . . . .	376
4.2 Reading of Serial Numbers . . . . .	377
4.2.1 Rectifying the Image Using a Polar Transformation . . . . .	377
4.2.2 Segmenting the Characters . . . . .	380
4.2.3 Reading the Characters . . . . .	382
4.2.4 Exercises . . . . .	382
4.3 Inspection of Saw Blades . . . . .	383
4.3.1 Extracting the Saw Blade Contour . . . . .	384
4.3.2 Extracting the Teeth of the Saw Blade . . . . .	385
4.3.3 Measuring the Angles of the Teeth of the Saw Blade . . . . .	386
4.3.4 Exercise . . . . .	388
4.4 Print Inspection . . . . .	388
4.4.1 Creating the Model of the Correct Print on the Relay . . . . .	389
4.4.2 Creating the Model to Align the Relays . . . . .	390
4.4.3 Performing the Print Inspection . . . . .	391
4.4.4 Exercises . . . . .	392
4.5 Inspection of Ball Grid Arrays . . . . .	392
4.5.1 Finding Balls with Shape Defects . . . . .	393

4.5.2	Constructing a Geometric Model of a Correct BGA . . . . .	395
4.5.3	Finding Missing and Extraneous Balls . . . . .	397
4.5.4	Finding Displaced Balls . . . . .	398
4.5.5	Exercises . . . . .	400
4.6	Surface Inspection . . . . .	400
4.6.1	Segmenting the Doorknob . . . . .	401
4.6.2	Finding the Surface to Inspect . . . . .	402
4.6.3	Detecting Defects . . . . .	405
4.6.4	Exercises . . . . .	407
4.7	Measurement of Spark Plugs . . . . .	408
4.7.1	Calibrating the Camera . . . . .	409
4.7.2	Determining the Position of the Spark Plug . . . . .	410
4.7.3	Performing the Measurement . . . . .	411
4.7.4	Exercises . . . . .	413
4.8	Molding Flash Detection . . . . .	414
4.8.1	Molding Flash Detection Using Region Morphology . . . . .	414
4.8.2	Molding Flash Detection with Subpixel-Precise Contours . .	418
4.8.3	Exercise . . . . .	421
4.9	Inspection of Punched Sheets . . . . .	421
4.9.1	Extracting the Boundaries of the Punched Sheets . . . . .	422
4.9.2	Performing the Inspection . . . . .	424
4.9.3	Exercises . . . . .	425
4.10	3D Plane Reconstruction with Stereo . . . . .	425
4.10.1	Calibrating the Stereo Setup . . . . .	426
4.10.2	Performing the 3D Reconstruction and Inspection . . . . .	428
4.10.3	Exercise . . . . .	432
4.11	Pose Verification of Resistors . . . . .	432
4.11.1	Creating Models of the Resistors . . . . .	433
4.11.2	Verifying the Pose and Type of the Resistors . . . . .	436
4.11.3	Exercises . . . . .	438
4.12	Classification of Non-Woven Fabrics . . . . .	438
4.12.1	Training the Classifier . . . . .	438
4.12.2	Performing the Texture Classification . . . . .	440
4.12.3	Exercise . . . . .	443
4.13	Surface Comparison . . . . .	443
4.13.1	Creating the Reference Model . . . . .	443
4.13.2	Reconstructing and Aligning Objects . . . . .	445
4.13.3	Comparing Objects and Classifying Errors . . . . .	445
4.13.4	Exercise . . . . .	450
4.14	3D Pick-and-Place . . . . .	451
4.14.1	Performing the Hand-Eye Calibration . . . . .	452
4.14.2	Defining the Grasping Point . . . . .	455
4.14.3	Picking and Placing Objects . . . . .	457
4.14.4	Exercises . . . . .	458

<b>References</b>	461
<b>Index</b>	475