

## Index

Note: Page numbers in *italics* and **bold** refers to figures and tables respectively.

### a

accelerating field 172, 188, 193  
 accelerators  
     circular 178  
     electrostatic 11–18  
     evolution of 5–6  
     FFAG 28–30  
     particle 6–9, 177, 257  
     wakefield 30–36  
 acceptance 66–68, 93, 203  
 achromatic condition 75, 135  
 achromatic magnets 134  
     dipoles bending in opposite directions 135  
     dipoles bending in same directions 135  
 alternating current (AC)  
     signal 204  
 alternating gradient (AG)  
     focusing 21, 28, 79  
 Alvarez structure 191–193, 192  
 Ampere's law 94, 118, 249  
     for magnet design 101  
     with Maxwell's Addition (Maxwell's fourth equation) 11  
 antinodes 176–177  
 arithmetic average velocity 223  
 atmosphere (atm) 222  
 atmospheric air 223  
 average current 203

### b

Bayard–Alpert gauge 239, 241  
 BCT. *see* beam current transformer (BCT)  
 beam-based alignment algorithm 243

beam bunching 173, 175, 210  
 beam conceptual visualization 39, 39  
 beam current 15, 47, 53, 63, 96, 201, 203, 212–213  
     dynamic feedback of 16  
     ion 62  
     parallel 94  
 beam current transformer (BCT) 207–208  
 beam diagnostics 201  
     beam current transformer 207–208  
     beam position monitors 204–207  
     beam profile monitors 204, 204  
     capacitive pick-up probes 208–209  
     energy spread measurements 217  
     Faraday cups 203  
     fast Faraday cups 209–211  
     ion bunch width using detectors 217–218  
     longitudinal beam emittance 215–217  
     numerical problems 219  
     phase detector cavity 212–213  
     transverse beam emittance 214–215, 214  
 beam divergence 64, 66  
 beam-driven plasma wakefield acceleration (PWFA) 34–35  
 beam matrix 72, 83–84, 105, 214  
 beam optics 63, 152, 154

betatron phase advance and tune 86–89  
 brightness 68–69  
 chromaticity 89–91  
 co-moving coordinate system, equation of motion in 76–79  
     using COSY Infinity 164  
 of dipole magnet using COSY Infinity 111  
 for electrostatic quadrupole triplet 157  
 emittance and acceptance 66–68  
 Hill's equation and Twiss parameters formalism 79–84  
 horizontal and vertical root mean square beam sizes 84–86  
 luminosity 69–71  
 matrix formalism 71–76  
 numerical problems 96–97  
 phase space and Liouville's theorem 64–66  
 for quadrupole triplet magnet 119  
 RMS emittance 91–93  
 simulation tools 243  
 for solenoid magnet 126  
 space charge effects on ion beam 93–95  
 beam pick-up signal 205, 205  
 beam position monitors (BPMs) 204–207  
 beam profile monitors 204, 204  
 beam pulse duration 202  
 beam pulse width 201

*Charged Particle Beam Physics: An Introduction for Physicists and Engineers*, First Edition.

Sarvesh Kumar and Manish K. Kashyap.

© 2025 Wiley-VCH GmbH. Published 2025 by Wiley-VCH GmbH.

Companion Website: [https://www.wiley.com/go/Kumar\\_1e](https://www.wiley.com/go/Kumar_1e)

- beam rotation matrix 120
  - beam waist 63, 82, 84, 86, 168
  - bending angle 106, 113
  - betatron 5, 10, 25–26
    - frequency 26
    - oscillations 87
    - phase advance 86–89
    - tune 86
  - Bourdon gauge 239, 241
  - BPMs. *see* beam position monitors (BPMs)
  - brightness 68–69
  - bunch(ing) 202
    - beam 173, 175
    - charge 202
    - collision frequency 27
    - compression 68, 173
    - ion 218
    - particle 64, 215
    - particle density of 69
    - period 202
    - structures 245
  - buncher scan method 215–217
  - bunch length 71, 94, 202, 215–216
    - measurements 216–217
    - root-mean-square 202
    - spatial 208
  - button BPM 205–206, 206
- C**
- capacitance manometer 239
  - capacitive pick-up probes 208–209
  - cathode ray tube (CRT) 5
  - cesium (Cs) 53–54
  - charged particle motion
    - in electric field 151–152
    - in magnetic field 100
    - in RF field 180
  - Child–Langmuir law 61, 253–254
  - chromaticity 89–91
  - circular accelerators 5, 28–29, 29, 86–87, 136, 173, 178, 181, 256
  - circular colliders 26–28
  - Cockcroft–Walton accelerator 11–14, 12
  - coefficient of viscosity 226–229
  - cold cathode ionization gauge 240
  - cold electrons 46–47
  - collision cross-section 226
  - co-moving coordinate system, equation of motion in 76–79, 77, 101–103
  - conductance 221, 229–231
  - continuous wave (CW) LINAC 181
  - cosine  $\phi$  factor 183
  - cosine-like transfer function 102
  - Courant–Snyder parameters 82, 84–85
  - crab crossing scheme 71
  - crossbar H-type structure (CH) 198
  - CRT. *see* cathode ray tube (CRT)
  - cryogenic pumps 235
  - cryopump 238
  - C-type magnet 111–112, 111
  - cyclotrons 5, 10, 18–21, 44. *see also* betatron
    - frequency 3, 19–20, 45
    - radius 134
    - resonance 19
  - cylindrical dipoles 152
- d**
- deflection angle 136, 148, 155, 169, 189, 200
  - diaphragm pump 236–237
  - diffusion pumps 235, 238
  - dipole magnets 22, 28, 99, 106. *see also* quadrupole magnets
    - beam optics of 111
    - design of 110–116
    - edge effects in 114–116, 114
    - radial and vertical motion inside dipole magnets 106–110
    - steps for designing 113
  - dispersion function 85–86, 102–103
  - dispersion trajectory 80
  - divergence 60, 64, 91, 166–167
    - angles 66
    - angular 94
    - beam 66
    - in cylindrical coordinates 158
    - of electric field 10, 186
    - of Lorentz force 249
    - of magnetic field 10
  - drift 104–106, 215
    - instabilities 46
    - space 71, 190, 215
    - tubes 56, 191, 197–199
  - drift-in-field 160
  - drift tube LINACs (DTL) 44, 191, 197–199
  - drive beam 34–35
  - dry pumps 234–235
  - DTL. *see* drift tube LINACs (DTL)
  - duoplasmatron 54–55, 55
  - dynamic viscosity 227–228
- e**
- Earnshaw’s theorem 179
  - EAT. *see* electrostatic accelerating tube (EAT)
  - EBIS. *see* electron beam ion sources (EBIS)
  - EBIT. *see* Electron Beam Ion Trap (EBIT)
  - ED. *see* electrostatic dipole (ED)
  - edge effects in dipole magnet 114–116, 114
  - EEDF. *see* electron energy distribution function (EEDF)
  - Einzel lens (EL) 52, 158–164, 164, 170
    - in decelerating accelerating mode 162
    - focal length of 163
    - focusing term in 163
  - EL. *see* Einzel lens (EL)
  - electric field 5, 9, 11, 21, 27, 55, 196, 204, 245, 255
    - accelerating 32
    - divergence of 10
    - index 153
    - induced 25–26
    - longitudinal 35
    - motion of charged particle in 151–152
    - peak 30–31, 35
    - threshold electric field for breakdown 246
    - transverse 141
  - electromagnets 110
  - electron beam ion sources (EBIS) 55–57, 56
  - Electron Beam Ion Trap (EBIT) 56
  - electron cyclotron resonance (ECR) ion source 44, 45
  - electron energy distribution function 47
  - Geller scaling laws 51–52
  - magnetic confinement by mirror field 47–49
  - modes of ECR cavity and plasma frequency 49–50
  - plasma potential 50
  - electron energy distribution function (EEDF) 47
  - electrostatic accelerating tube (EAT) 165–169, 168
  - electrostatic accelerators 11, 165
    - Cockcroft–Walton accelerator 11–14, 12
    - tandem/Pelletron accelerators 14–18, 15
  - electrostatic devices 151

- charged particle motion in electric field 151–152
- electrostatic accelerating tube 165–169
- electrostatic dipole 152–154
- electrostatic quadrupoles 155–158
- electrostatic septum 169–170
- electrostatic steerer/deflector 165
- electrostatic thin lens and Einzel lens 158–164
- numerical problems 170
- electrostatic dipole (ED) 152, 170
- radial and vertical motion inside electric field 153–154
- electrostatic quadrupoles (EQs) 10, 155–158
- beam optics for 157
- focusing and defocusing scheme 156
- electrostatic quadrupole triplet (EQT) 157–158, 157, 170
- electrostatic rigidity 153–154
- electrostatic septum 169–170
- electrostatic spherical deflector (ESD) 154, 155
- electrostatic thin lens 158–164
- electrostatic X-Y beam steerers 165, 165
- Elkind's problem 168
- emittance 66–68, 85
- beam 68, 73
- geometric 92
- longitudinal 201, 215
- normalized 67
- rms 84, 91, 93
- transverse 67–68, 214
- two-dimensional horizontal and vertical 64
- energy 1, 15, 172
- analyzer 132
- deviation 87
- exchange 141–143
- gain 20, 27, 31, 47, 180, 196, 199
- impact 194
- kinetic 159
- loss 256
- oscillations 172
- of synchronous particle 183
- energy spread 64, 147, 173–174
- beam 17, 69, 128
- measurements 217
- entrance kick 160
- envelope equation 94
- EQs. *see* electrostatic quadrupoles (EQs)
- EQT. *see* electrostatic quadrupole triplet (EQT)
- ESD. *see* electrostatic spherical deflector (ESD)
- exit kick 160
- f**
- Faraday cups (FC) 60, 203
- Faraday's law of electromagnetic induction (Maxwell's third equation) 10
- fast Faraday cups (FFC) 209–211, 210
- fast valves 231
- FC. *see* Faraday cups (FC)
- FELs. *see* free-electron lasers (FELs)
- FFC. *see* fast Faraday cups (FFC)
- field index 107, 109
- field-induced breakdown in accelerator technologies 245–248
- Paschen's law for breakdown voltage of gases 247–248
- filling factor 22
- fine-structure constant 256
- fixed-field alternating gradient (FFAG) accelerator 6, 28–29
- focal length of solenoid magnet 123–126, 126
- focal strength of Einzel lens 162
- foil strippers 17–18
- Fowler Nordheim relation 246
- fractional tune 86–87
- fractional velocity deviation 173
- free-electron lasers (FELs) 68–69, 141, 145
- F-type sextupole 128
- full width at half maximum (FWHM) 211
- FWHM. *see* full width at half maximum (FWHM)
- g**
- gas strippers 17
- Gauss's law for electricity (Maxwell's first equation) 10
- Gauss's law for magnetism (Maxwell's second equation) 10
- Geller scaling laws 51–52
- getter pump 236
- Glaser lens 137–141, 138
- Green's function 80
- h**
- half-wave resonator (HWR) 193–195
- HCI. *see* highly charged ions (HCIs)
- Heisenberg uncertainty principle 66
- helium leak detector 221, 241
- steps for leak detection 242–243
- higher-order multipoles 100
- highly charged ions (HCIs) 46, 50, 55–57, 60
- High Voltage Engineering in Amersfoort 52
- Hill's equation 79–84, 125
- horizontal root mean square beam sizes 84–86
- hot electrons 45–47, 52
- H-type magnet 111–112, 112
- HWR. *see* half-wave resonator (HWR)
- i**
- ideal gas law 224–226
- integer tune 86–87
- integrated sextupole strength 129
- interaction rate 69–70
- interdigital H-type structure (IH) 198
- intermediate electrode (IE) 54, 55
- ion beam 4, 17, 44, 56, 59, 63, 66, 203–204. *see also* particle beam
- formation and transport 54
- metal 61
- negative 52–53
- space charge effects on 93–95
- striking aluminium 217–218
- ion bunch width using detectors 217–218
- ionization gauge 239
- ion pumps 231, 235–236
- ion sources 43, 44
- duoplasmatron 54–55
- EBIS 55–57, 56
- ECR ion source 44–52
- laser ion sources 59–60, 59
- numerical problems 61–62
- Penning ion sources 57–59, 57
- SNICS 52–54
- vacuum arc ion source 61
- iris aperture 158
- isochronous condition 75

**k**

kicker magnets 136–137, 136, 148, 246  
 Kilpatrick criterion 245  
 kinetic energy 2, 15, 27, 32, 40, 152, 180  
     of particle 19, 133, 152  
     per nucleon 20  
     perpendicular 48  
 klystron 178  
 Knudsen number (Kn) 226–229  
 KONUS beam dynamics 197

**l**

Laplace's equation 158, 179  
 Large Hadron Collider (LHC) 5, 21  
 Larmor formula 255–256  
 Larmor orbit 47  
 laser ion sources 59–60, 59  
 laser plasma wakefield accelerator (LWFA) 30–34  
 Lawson–Woodward theorem 31  
 leak rate 241–242  
 LHC. *see* Large Hadron Collider (LHC)  
 LINAC. *see* linear accelerator (LINAC)  
 linear accelerator (LINAC) 5–6, 172, 175, 178, 204, 256  
     drift tube 245  
     low-velocity 193  
     phase stability in 181–186  
     radio frequency 172  
     Stanford 178  
 linear colliders 27  
 linear matrix 167  
 Liouville's theorem 64–66, 74, 82  
 longitudinal beam dynamics 172–175  
 longitudinal beam emittance 215  
     bunch length measurements 216–217  
 longitudinal emittance 64, 66, 173–174, 201, 215  
     determination of 216  
     units of 173  
 longitudinal phase space 64, 66, 173–174  
     using coordinates 173  
     finite length in 172  
 longitudinal restoring forces 172  
 Lorentz factor 2, 21, 87, 95, 142–144, 146, 169, 256  
 Lorentz force 26–27, 32, 95, 100, 120, 132, 137, 146  
     components 138  
     curl of 250

    equation for particle of charge 78  
     impulse 187  
     law 249  
     on test particle within beam 95  
 Lorentzian axial magnetic field distribution 141  
 luminosity 69–71, 96  
     of collider 27  
     with crossing angle 71  
 LWFA. *see* laser plasma wakefield accelerator (LWFA)

**m**

magnetic confinement  
     by mirror field 47–49  
     of plasma 45  
 magnetic fields 10–11, 25, 66, 99, 255  
     pulsed 6  
     for relativistic beam 95  
     scaled 50  
     in TE mode 250  
 magnetic isobars 45  
 magnetic rigidity 3–4, 4, 129  
     of bending magnet 22  
     of particle 147  
 magnetohydrodynamic (MHD) instabilities 45  
 magnetostatic devices 99. *see also* electrostatic devices  
     charged particle motion in magnetic field 100  
     multipoles and effects on particle motion **100**  
 magnetostatic steerer/deflector 130–132, 130  
 magnets 9, 18, 99, 202  
     achromatic 134–135  
     dipole 22, 99, 106–116  
     kicker 136–137  
     quadrupole 22, 87, 99, 116–119  
     sextupole 128–129  
     solenoid 120–128  
     steerer 130–132  
 mass flux 64–65, 65  
 matrix formalism 71–76, 141  
     symplecticity 73  
     transfer matrix elements, significance of 75–76  
 Maxwell's equations 9–10, 154, 175, 187  
     Ampère's law with Maxwell's addition 10–11  
     Faraday's law of electromagnetic induction 10  
     Gauss's law for electricity 10

    Gauss's law for magnetism 10  
 Maxwell's first equation. *see* Gauss's law for electricity (Maxwell's first equation)  
 Maxwell's second equation. *see* Gauss's law for magnetism (Maxwell's second equation)  
 Maxwell's third equation. *see* Faraday's law of electromagnetic induction (Maxwell's third equation)  
 MC-SNICS. *see* multi cathode sputter-type negative ion source (MC-SNICS)  
 McLeod gauge 239–240  
 mean free path 226–229  
 metallic gaskets 233  
 metal vapor vacuum arc (MEVVA) ion source 61  
 microchannel plate (MCP) detectors 218  
 microtron 6, 27–28  
 microwave technology 178  
 "minimum-B" (min-B) configuration 45–46  
 momentum 1, 4, 22, 64, 68, 74, 172, 236  
     angular 120, 138  
     change in radial 187  
     of colliding particles 27  
     coordinates 66  
     flux 228  
     longitudinal 67  
     particle 89, 104  
     relativistic 2  
 most probable velocity 223  
 multi cathode sputter-type negative ion source (MC-SNICS) 53, 53

**n**

National Electrostatic Corporation (NEC) 52  
 NEC. *see* National Electrostatic Corporation (NEC)  
 Newton's second law 146, 151–152  
 nodes 176–177  
 noise power 207  
 noise voltage 207–208  
 nondestructive monitors. *see* beam profile monitors (BPM)  
 nonscaling FFAG 6, 29  
 normalized emittance 67, 91, 215

**O**

oil-sealed rotary vane pumps 235  
 optical transition radiation (OTR) monitor 219  
 orbit correction algorithm 243  
 outgassing in vacuum systems 229–231

**P**

Panofsky–Wenzel theorem 249–251  
 parallel beam current 94, 94  
 parallel plates 152  
 parallel-to-parallel focusing 75  
 parallel-to-point focusing 75  
 partial pressure 222–223  
 particle accelerators 1, 5, 178, 202  
     history of 6–9  
     radiation physics in 36–39  
     Stefan–Boltzmann law and applications in 257–258  
 particle beam 1, 104, 136, 176, 203, 250, 257  
     defined 1, 3  
     deflection of 249  
     dynamics 2  
     high-energy 6, 34  
 particle colliders 6, 26  
     high-energy 178  
     microtron 27–28  
 Paschen's law 245  
     for breakdown voltage of gases 247–248  
 Paul trap 155  
 peak current 202  
 Pelletron accelerator. *see* tandem accelerators  
 Penning gauge 239–240  
 Penning ion sources 57–59, 57  
 percentage by volume (% by volume) 222  
 phase detector cavity 212–213  
 phase space 63–66, 64  
     coordinates 89–90  
     density in Hamiltonian system 66  
     distribution of beam 73  
     ellipse 81, 82  
     in longitudinal plane 174  
 phase spread 173–174, 198  
 phase stability  
     behavior of T with geometrical parameters and incoming velocity 182  
     drift tube arrangement inside LINAC 184  
     in LINACs 181, 185–186

principle of 23  
 radial and longitudinal field plot along gap 187  
 transit time factor 181–182  
 voltage across RF gap 182  
 pickups 204–205  
 pillbox cavity 175  
 Pirani gauge 239  
 pitch angle 49  
 Planck's law 257  
 plasma frequency 31–32, 34–35, 49–50  
 plasma potential 50  
 plasma wavelength 30–32, 34–35  
 point-to-parallel focusing 75  
 point-to-point focusing 75  
 Poisson's equation 253  
 ponderomotive phase 142  
 positive-displacement pumps 237  
 Poynting vector 255–256  
 pulse current 202  
 pumping speed 229–231, 234–235  
 PWFA. *see* beam-driven plasma wakefield acceleration (PWFA)

**Q**

QF. *see* quick-flange (QF)  
 quadrupole ion traps 155  
 quadrupole magnets 21–22, 87, 96, 99, 116. *see also* solenoid magnets  
     beam optics for 119  
     configuration for vertical focusing and horizontal defocusing 116  
     design of 118–119  
 quadrupole scan technique 214–215  
 quality factor (Q) 50, 191  
 quarter-wave resonator (QWR) 193–195  
 quick-flange (QF) 232  
 QWR. *see* quarter-wave resonator (QWR)

**R**

radial impulse and deflection in RF gap 186–188, 187  
 radial motion 107, 139  
     inside dipole magnets 106–110  
     inside electric field 153–154  
 radial-sector FFAG 28  
 radiation physics 36–39  
 radioactive decay 37–38

radioactivity 6, 36–37  
 radio frequency (RF) 9, 172  
     acceleration 190–193  
     accelerators 212  
     buncher 189–190, 189  
     capture 173  
     cavity 216  
     chopper 188–189  
     devices 171, 178  
     discharge 43  
     drift tube LINACs 197–199  
     HWR 193–195  
     longitudinal beam dynamics 172–175  
     numerical problems 199–200  
     phase stability in LINACs 181–186  
     pillbox cavity 175  
     QWR 193–195  
     radial impulse and deflection in RF gap 186–188  
     standing wave structures 176–180  
     traveling wave structures 175  
 radio frequency acceleration 190  
     Alvarez structure 191–193, 192  
     Sloan–Lawrence structure 191  
     Wideroe structure 190, 191  
 radio frequency quadrupole (RFQ) 191, 195–196  
 RE. *see* reflector electrode (RE)  
 reference orbit 76–77, 79, 101, 109  
 reflected waves 176, 211  
 reflector electrode (RE) 54  
 relative momentum deviation 85, 102, 107, 173  
 resonant wavelength 143  
 Reynolds number 226–229  
 RF. *see* radio frequency (RF)  
 RFQ. *see* radio frequency quadrupole (RFQ)  
 Richardson's law 253–254  
 ROGOWSKI pole profile 113  
 root-mean-square (RMS) bunch length 202  
     emittance 83, 91–93  
     for gases 224  
     velocity 223  
 roots blower 237  
 rotary vane pumps 234–235  
 rough to medium vacuum range 238, 240  
 rubber gaskets 232–233

**S**

scaling FFAG 29  
 screw vacuum pumps 237–238  
 scroll pump 237  
 sensitivity 213  
   of helium leak detector 242  
   of particle position to momentum deviation 84–85  
   of phase detector cavity 212  
 septum 19, 136–137, 136  
 sextupole magnets 128–129  
 sigma matrix 72, 83–84  
 signal-to-noise ratio (SNR) 207  
 simple harmonic motion 67, 88, 154  
 sine-like transfer function 102  
 sinusoidal oscillations 67, 68  
 Sloan–Lawrence structure 191  
 SNICS. *see* sputter-type negative ion source (SNICS)  
 SNR. *see* signal-to-noise ratio (SNR)  
 solenoid magnets 120  
   design of 126–128  
   focal length 123–126  
   horizontal displacement 121  
   longitudinal field mapping 127  
   off-diagonal elements 122  
   2D field configuration 127  
 solid-state barrier detector (SSBD) 217  
 sorption pump 238  
 space charge  
   effects on ion beam 93–95  
   forces 94  
 spherical dipoles 152  
 sputter-type negative ion source (SNICS) 52–54  
 SSBD. *see* solid-state barrier detector (SSBD)  
 standing wave (SW) 176  
   charged particle motion in RF field 180  
   Earnshaw's theorem 179  
   inherent transverse defocusing effect 179  
   modes 192  
   in RF cavity 176–177  
   RF devices 178  
   structures 176  
 Stanford Linear Accelerator 178  
 stationary observer 143  
 stationary pattern 177  
 steering magnet 130–132  
 Stefan–Boltzmann constant 257  
 Stefan–Boltzmann law 257–258  
 SW. *see* standing wave (SW)

symplecticity 73  
 synchrocyclotron 23–25  
 synchrotron radiation 21  
   damping 67–68  
   facilities 145  
 synchrotrons 5, 10, 21–23, 178  
   oscillations 173, 181  
   resonance 23  
   tune 87–89

**T**

tandem accelerators 5, 14–18, 15, 52  
 theodolites 243  
 thermocouple gauge 239–240  
 three-aperture Einzel lens 164  
 throughput 229–231  
 time spread 173–174  
 time-varying electric fields 174, 181  
 Townsend ionization coefficients 247  
 transfer function 102–103  
 transfer matrix 72, 157, 167, 174  
   elements, significance of 75–76  
   for quadrupole 214  
 transit time factor (TTF)  
   180–182, 192–193, 196, 199, 213  
 transverse beam emittance 214–215, 214  
 transverse electric (TE) modes 49–50, 175, 177, 249  
 transverse electromagnetic (TEM) modes 177, 193  
 transverse magnetic (TM) modes 49–50, 175, 177  
 transverse momentum 120, 169  
 transverse velocity 141, 169  
 traveling wave structures 175  
 TTF. *see* transit time factor (TTF)  
 tune 86–89  
 turbomolecular pump 235–236  
 turbo pumps 234–235  
 Twiss parameters 63, 73, 216–217  
   formalism 79–84  
   transformation 125

**U**

undulators 141–145

**V**

vacuum 31, 221  
   accessories and subcomponents 231–234

arc ion source 61  
 bellows 232  
 coefficient of viscosity 226–229  
 conductance 229–231  
 flanges and adapters 233–234  
 gauges 238–241  
 helium leak detector 241–243  
 ideal gas law 224–225  
 Knudsen number 226–229  
 mean free path 226–229  
 numerical problems 243–244  
 outgassing in vacuum systems 229–231  
   pumping speed 229–231  
   pumps 221, 234–238, 234  
   Reynolds number 226–229  
   throughput 229–231  
   units in 222–224  
 Van de Graaff accelerator 5, 11, 14  
 Van der Waals equation 225  
 vector potential 255  
 velocity factor 202  
 vertical motion  
   inside dipole magnets 106–110  
   inside electric field 153–154  
 vertical root mean square beam sizes 84–86  
 viscosity 228. *see also* luminosity  
   dynamic 227–228  
   gas 229  
   Newton's law of 227  
 voltage ratio 159  
 voltage reflection coefficient 211  
 voltage standing wave ratio (VSWR) 211  
 VSWR. *see* voltage standing wave ratio (VSWR)

**W**

wakefield accelerators 30  
   beam wakefield acceleration 34–35  
   laser wakefield acceleration 30–34  
 warm electrons 47  
 Wideroe structure 190, 191  
 Wien filter 132–134, 133, 134  
 wigglers 145–147  
 window-frame magnet 111–112, 112  
 wire scanner-type monitors. *see* beam profile monitors (BPM)  
 witness beam 34–35