

Index

- acceptors, 153
- acoustic branch, 57
- Ag, 86
- air, 206
- Al, 42, 62, 65, 74, 86, 90, 92, 125, 127
- Al₂O₃, 42
- allotropic phase transitions, 76
- amorphous solids, 1
- anharmonic vibrations, 74
- antiferromagnetic ordering, 187
- atomic form factor, 15
- atomic polarizability, 206, 207, 210
- Au, 65

- band gap, 102, 115, 117, 127
- band gap (direct), 127, 148, 166
- band gap (indirect), 127, 149, 166, 252
- band structure, electronic, 117
- basis, 2, 15
- BaTiO₃, 214, 215
- BCS theory, 230–235
- Be, 42, 86
- Bi, 86, 157
- Bitter method, 195
- Bloch oscillations, 130
- Bloch theorem, 111–114, 121
- Bloch walls, 195, 255
- body-centered cubic structure, 4
- Bohr magneton, 179
- Born–Oppenheimer approximation, 99, 227, 230
- Bohr–van Leeuwen theorem, 177

- Born–von Kármán boundary conditions
 see periodic boundary conditions
- Bragg condition, 8, 118
- Bragg theory (X-ray diffraction), 7–8, 16
- Bravais lattice, 2
- Brillouin zone, 56, 62
- brittle (definition), 38
- brittle fracture, 47
- bulk modulus, 39, 40

- C₆₀, 25
- carbon nanotubes, 25, 42
- carriers (in a semiconductor), 148
- cast iron, 42
- CdSe, 146, 152, 206
- chemical potential, 105, 146
- Clausius–Mossotti relation, 207
- Co, 187
- coefficient of thermal expansion, 74
- coercive field, 196
- coherence length, 230, 241
- cohesive energy, 25, 28, 76
- concrete, 42
- conduction band, 147
- conduction electron density (metals), 86, 104
- conduction electrons, 32
- Cooper pair, 232
- coordination number, 5
- core electrons, 23
- covalent bonding, 25
- critical current density, 224, 235
- critical magnetic field, 224, 235

- critical temperature, 222
- crystal momentum, 119, 165, 212
- Cs, 86
- CsCl, 4
- Cu, 65, 71, 74, 86
- Curie's law, 185
- Curie temperature, 214
- Curie–Weiss law, 192
- cyclic boundary conditions *see* periodic boundary conditions
- cyclotron resonance, 152

- Debye frequency, 70
- Debye model (heat capacity), 68–71
- Debye temperature, 70, 134, 234, 242
- defect (interstitial), 45
- defect (substitutional), 45
- defects, 45, 72, 134, 241
- density of occupied states, 106
- density of states (electrons), 105, 127, 146, 150, 232
- density of states (phonons), 69
- density of states at E_F , 107, 109, 183, 234
- depletion layer, 159
- diamagnetism, 176, 179, 182, 225
- diamond, 6, 25, 29, 42, 62, 66, 71, 73, 76, 146, 206, 209
- dielectric breakdown, 216
- dielectric constant, 154, 204, 206, 209
- dielectric function, 91, 208, 212
- diffusion current, 161
- diode, 158
- dislocations, 45
- dispersion (optical), 91
- dispersion relation (electrons), 117
- dispersion relation (vibrations), 54
- donors, 153
- doped semiconductors, 153–158
- drift current, 161
- ductile (definition), 38
- Dulong–Petit rule, 65, 94

- easy axis of magnetization, 256
- easy-glide region, 46
- edge dislocation, 45
- effective mass, 133, 149, 152, 183, 252
- Einstein model (heat capacity), 66–68
- Einstein temperature, 67
- elastic constants, 39
- elastic deformation, 38
- electrical conductivity, 87–88, 130–134, 157–158
- electrical resistivity, 88
- electron affinity, 25
- electron diffraction, 17
- electronic band structure, 117, 125
- electron–phonon interaction, 134, 231
- equipartition theorem, 52, 65, 75, 86
- ethanol, 206
- Ewald construction, 15
- exchange interaction, 31, 187–189
- extrinsic region, 156

- face-centered cubic structure, 4, 34
- Fe, 65, 76, 187
- Fermi energy, 105
- Fermi velocity, 105
- Fermi wave vector, 105
- ferrimagnetic ordering, 187
- ferroelectricity, 214
- ferromagnetic ordering, 187
- flux quantum (magnetic), 239, 241
- Fourier series, 12
- fracture (mechanical), 47–48
- free electron approximation, 86, 103, 114
- freeze-out region, 156
- Fresnel equations, 219

- Γ point, 62
- GaAs, 7, 29, 127, 145, 146, 151, 152
- Ge, 7, 145, 146, 152
- Gibbs free energy, 76
- Ginzburg–Landau theory, 230, 241
- glass, 206
- glass fiber, 42
- grain boundaries, 1
- graphene, 6, 25, 42, 83, 129
- graphite, 6, 25, 29, 34, 42, 76
- group velocity, 54

- H_2 , 25, 100, 181
 H_2^+ , 26, 100, 120
 Hall coefficient, 89
 Hall effect, 89–90, 157
 harmonic approximation, 51
 harmonic oscillator, 51, 209
 heat capacity, electrons, 94, 107, 237
 heat capacity, lattice, 64–71
 Heisenberg model, 189–190, 193
 Heitler–London model, 30, 189
 hexagonal close-packed structure, 5
 high-temperature superconductivity, 242–243
 hole, 148, 149
 Hooke’s law, 39, 63
 hopping integral *see* transfer integral
 Hund’s rules, 181
 hydrogen bonding, 33
 hysteresis, 196, 214

 InAs, 146, 152
 independent-electron approximation, 29, 85, 230
 index of refraction, 90
 InP, 7, 29
 InSb, 146, 152
 insulator, definition, 145
 interatomic potential, 23, 41, 75
 intrinsic region, 156
 intrinsic semiconductors, 146–153
 inversion layer, 164
 ionic bonding, 24–25
 ionization energy, 25
 isotope effect, 227, 234

 K, 86, 92
 Kerr effect, 195
 kinematic approximation, 7
 k-space, 56

 Landé splitting factor, 180
 lattice constant, 2
 lattice energy, 25
 lattice plane, 8
 Laue condition, 14

 Laue theory (X-ray diffraction), 9–16
 law of mass action, 151, 156
 LED *see* light-emitting diode
 Li, 86, 92
 LiF, 209
 light-emitting diode, 165
 Lindemann criterion, 77
 linear combination of atomic orbitals, 26, 120
 local field, 207–208, 214
 London equations, 227
 London penetration depth, 229, 238, 241
 Lorenz number, 93, 108

 Madelung constant, 24
 magnetic domains, 195, 256
 magnetic ordering, 187–198
 magnetite, 187
 magnets, hard, 197
 magnets, soft, 197
 majority carriers, 156, 163
 mean field approximation, 190
 mean free path (electrons), 86
 Meissner effect, 225
 melting, 76
 metal, definition, 128
 metal/insulator distinction, 128
 metallic bonding, 32, 110
 metal oxide field-effect transistor (MOSFET), 163, 205, 214
 metastable structures, 76
 Mg, 42, 86, 92
 MgF_2 , 146
 Miller indices, 9, 12
 minority carriers, 157, 163
 Mo, 42, 77
 mobility of the carriers, 88, 157
 modulus of rigidity, 39, 43

 Na, 86
 NaCl, 4, 24, 42, 206, 209
 n doping, 153
 nearly-free electron model, 114–119
 necking, 47
 Néel temperature, 193

- neutron diffraction, 17, 187
- Ni, 187
- normal mode, 54, 59
- nylon, 42

- Ohm's law, 88
- one-electron approximation, 100
- optical phonon, 57, 63, 209

- paramagnetism, 176, 179, 184, 185, 256
- Pb, 64, 65, 71, 74
- p doping, 153
- periodic boundary conditions, 58, 69, 103, 112, 122, 249
- permeability (of vacuum), 176
- permeability, relative, 176, 204
- permittivity (of vacuum), 203
- permittivity, relative, 204
- PET, 42
- phase problem, in X-ray diffraction, 14
- phase velocity, 54
- phonon, 60, 72, 231
- piezoelectricity, 215
- plasma frequency, 92, 109
- plastic deformation, 38, 43
- pn junction, 158–163, 165
- point defects, 45
- point symmetry, 3
- Poisson's ratio, 40–41
- polarization (electronic), 206, 209
- polarization (ionic), 206, 209
- polarization (orientational), 206
- polycrystalline solids, 1
- potential well, 251

- quantum confinement, 250
- quantum dot, 252
- quenching of the orbital angular momentum, 185

- Rb, 86
- reciprocal lattice, 11
- reciprocal space, 56
- recombination of carriers, 156, 167
- reflectivity (metals), 90

- relaxation time, 86, 131, 228
- remanent magnetization, 196
- rubber, 42, 206

- screening (metals), 108–110
- semiconductor, definition, 145
- semimetal, 130
- shear stress, 37
- Shockley–Queisser limit, 168
- Si, 7, 42, 71, 73, 77, 126, 127, 145, 146, 151, 152, 206
- SiC, 7, 42, 145, 146
- simple cubic structure, 4
- simple metals, 6, 33, 77
- SiN, 42
- singlet state, 30, 233
- SiO₂, 163, 205, 206
- slip plane, 45
- solar cell, 166–168
- sp² orbitals, 6, 25, 29, 42, 129
- sp³ orbitals, 6, 25, 29, 42, 102, 145, 153, 253
- speed of sound, 54, 68
- SrTiO₃, 206, 214
- steel, 42
- Stoner–Wohlfarth model, 194
- strain, 37
- stress, 37
- superconducting quantum interference devices (SQUIDs), 239
- superexchange, 193
- superparamagnetism, 256
- surface state, 253
- susceptibility (electric), 203
- susceptibility (magnetic), 176

- teflon, 42
- thermal conductivity (electrons), 93, 108
- thermal conductivity (lattice), 71–74
- thermal expansion, 74–75
- Thomas–Fermi screening length, 110
- tight-binding model, 119–124
- TiO₂, 209
- topological insulator, 254
- transfer integral, 122
- transistors, 163–164

- transition metals, 6, 33, 42
- translational symmetry, 3
- triplet state, 30, 233
- type II superconductor, 239–242

- unit cell, 2
 - primitive, 2

- vacancy, 45
- valence band, 147
- valence electrons, 23
- van der Waals bonding, 33
- vector potential, 177, 238

- W, 42, 77
- water, 206
- WC, 42
- Weiss field, 191
- Wiedemann–Franz law, 93, 108
- Wigner–Seitz cell, 2, 62
- work hardening region, 46
- X-ray diffraction, 7–16

- yield strain, 38
- yield stress, 38, 43
- Young’s modulus, 39, 40, 52, 63

