

## Index

### **a**

Abaqus 284  
 absolute error control 204  
 action research 140  
 activation function 99  
 adaptive mesh refinement 275  
 adaptive stepsize 193  
 adjusted coefficient of determination 75, 83  
 algebraic equation model 37  
 allegory of the cave 42  
 allometric function 361, 363  
 alternative hypothesis 63  
 analysis 4  
 analysis of variance 67, 76  
     factor 67  
     fixed-effects model 69  
     homogeneity of variance 69  
     multiway 69  
     one-way 69  
     post hoc test 69  
     random effects models 69  
 analytical model 40  
 analytical solution 175, 190  
 anisotropy 245  
 ANN model 97, 98  
 anova *see* analysis of variance  
 applanation tonometry 326  
 approximation error 204  
 archeology analogy 143  
 arithmetic mean 46  
 Arrhenius function 389  
 artificial intelligence 139  
 artificial neural network 97

asparagus ridge 323  
 asymptotic growth 365  
 atol 203, 204  
 autonomous model 40  
 autonomous ODE 168  
 auxiliary variables 22  
 average deviation 47, 51

### **b**

backward-facing step problem 332  
 BDF method 197  
 Beer–Lambert equation 373  
 best model 4  
 Beuys, J., xv  
 bias 98  
 big data 109  
 binomial distribution 60  
 Biot number 160, 161  
 black box model 31, 32, 34, 37  
     example exploration of 164  
 Black–Scholes equation 316  
 body force 324, 329, 346  
 book software 396, 428, 434  
 Boolean operations 287  
 boundary condition 156, 162, 170, 179, 288,  
     289, 299, 300, 332, 336, 337, 340, 347  
     flatness 327  
     heat flux 280  
     homogeneous 254  
     inhomogeneous 254  
     no displacement 327  
     no flow 243  
     no-slip 332, 337

boundary condition (*contd.*)

periodic 258

Robin 254

slip 333

symmetry 258, 332, 337, 347

boundary element method 274

boundary value problem 169, 170

solvability 170

Box–Behnken design 134

boxplot 50

Breusch–Pagan test 76

BTCS method 267

## C

C++ 369, 433

CAD software 239, 275, 290, 359

Calc 30, 44–47, 85, 126

AVEDEV() 47

AVERAGE() 46

Chart menu 47

compared to R 48

CORREL() 47

formula 46

Function Wizard 46

GEOMEAN() 46

graphical capabilities 48

introduction 46

MAX() 47

MEDIAN() 46

MIN() 47

ods 45

RAND() 126

sorting data 126

STDEV() 47

case study approach 140

cellular automata 353

central difference approximation 263, 267,  
279, 280

central limit theorem 57

CFD *see* computational fluid dynamics (CFD)

CfdOF 239, 284, 332, 335, 336, 345, 347

analysis container 335, 336, 347

case 341

CFD boundary condition window 336

CFD mesh 336, 337

decimal separator 337

Fluid boundary 336

fluid properties 336, 340, 348

meshCase 337, 339

mesh refinement 336–339

multiphase flow 347

postprocessing 342, 350

Solver job control 336, 340, 341

surface mesh representation 338

toolbar 335, 336

units 337

characteristics of plant organs 362

area 362

azimuth orientation 362

budburst 387

diameter 362

elevation angle 363

fruit growth 384

geometric 361

height 362

length 362

mass 365

phyllotaxis 367

rates of photosynthesis 374

rotation angle 367

specific leaf area 365

volume 362

classification 117

clustering 118

of mathematical models 36

of PDE's 250

clipping plane 288

closed form model 40

closed form solution 176, 190

compared with numerical solution  
187

*vs.* numerical solution 187, 189

of PDE 259

“well-known functions” 175

Code Aster 284

Code Saturne 284

coefficient of determination *see*  $R^2$

coefficient of variation 47

Cohen's  $d$  66

collocation method 171

compartment model 234

completely randomized design (CRD) 125

- complexity challenge 2
  - compressible flow 329
  - computational fluid dynamics (CFD) 238, 239, 279, 284, 285, 294, 316, 328
    - body force 329
    - fluid flow 238, 328
    - incompressibility 329, 340
    - Navier–Stokes equations (*see* Navier–Stokes equations)
    - numerical artifacts 333
    - steady-state 313, 340
    - turbulence models 340, 348
  - computation time 174, 199
  - computed tomography (CT) 144
  - computer algebra 15
  - computer science 139
  - Comsol Multiphysics 284
  - conceptual model 7, 149
  - conceptual system 38
  - conditional operations 422
  - confidence intervals 60, 208
  - conservation equations 276, 279, 282, 330
  - conservation law 263
  - conservation of energy 242, 243, 276, 280
  - conservation of mass 276, 279, 329, 330
  - conservation of momentum 330
  - conservation principles 243
  - contingency table 51
  - continuous model 40
  - continuous random variables 54
  - continuous system 39
  - control 37, 39
  - control problem 39, 354
  - control volume 245, 276, 277, 279, 317, 319
  - convection 279, 317
  - convection–diffusion equation 318
  - convective derivative 329
  - convergence order 195
  - Conway’s game of life 353
  - copper, material properties 300
  - cornea 326
  - corne-scleral shell 327
  - correlation 47, 51
  - correspondence analysis 114
  - Courant number 282, 304, 349
  - Crashcourse Maxima 426
  - Crashcourse R 395
  - CRD *see* completely randomized design (CRD)
  - critical ethnography 140
  - cross-validation 84, 107
  - csv data 48
  - CT *see* computed tomography (CT)
  - cylindrical coordinates 258
- d**
- DAE *see* differential-algebraic equation (DAE)
  - Darcy 106
  - Darcy, H. 318
  - Darcy’s law 318, 330
  - Darcy velocity 318
  - Darwin, C. 354
  - data
    - conversion to function 231
    - importance of 164
  - data compression 120
  - data-driven model 32
  - datasets 362
  - deal.II FEM-library 284
  - decision tree 111
  - Delaunay triangulation 275
  - density 55, 300, 332
  - dependent variable 70
  - derivative 364
  - descriptive model 32
  - descriptive statistics 45
  - design 37, 40
  - design of experiments (DOE) 124, 125
    - blocked design 128
    - completely randomized design (CRD) 125
    - D-optimal design 135
    - experimental units 126
    - factor 126
    - factorial designs 130, 131
    - fractional factorial designs 132
    - full factorial design 130
    - Graeco–Latin square design 130
    - hybrid factorial designs 130
    - I-optimal design 135
    - Latin square design 129
    - level 126

design of experiments (DOE) (*contd.*)

$m^n$  design 130

$m^{n-k}$  design 132

nuisance factors 125

optimal designs 135

optimal sample size 132

randomized balanced incomplete block  
design 130

randomized complete block design (RCBD)  
128

response surface designs 130

screening designs 133

treatments 126

two-level factorial designs 130

workflow 133

deterministic model 38

deterministic system 38

difference equation 41, 352

differential-algebraic equation (DAE) 262,  
356

differential equation 37, 364

boundary condition 156

discretization 193, 262

distinguished role of 142

initial condition 155, 156

natural approach 142, 154

ordinary 143

partial 143

uniqueness of solution 156, 170

diffusion 279, 317

diffusion equation 317

digitization technology 358

laser scanning 358

3D-digitization 358, 360, 386

tomography 358

dimension 37

dimensionality 243, 254

dimensionless ODE/PDE 219

direct problem 39

direct solution method 268

Dirichlet boundary condition 253, 281, 301

discrete distributions 60

discrete event simulation 6, 140

software 140

OpenModelica 141

Plant Simulation 141

simecol 141

simul8 141

discrete model 40

discrete random variables 54

discrete system 39

discretization method 193, 262, 303

discriminant 250

dispersion 46

displacement vector 325

DISPO filter 120

distributed 36

distribution 55

discrete 60

Gamma 59

Gaussian 57

normal 57

Student's 59

uniform 56

DOE *see* design of experiments (DOE)

donor-cell method 279

Don'ts of mathematical modeling 41

D-optimal design 135

dummy variable 84, 113

dynamical systems theory 218, 234

dynamic viscosity 318, 325, 332

## e

effective quantity 153

effect size 66

Einstein, A. 43

elasticity, linear static 326

empirical model 32

environmental factor

light 364

temperature 364

equations

system of linear 23

transcendental 25

error

approximation 204

global 203

local 203

in numerical computations

203

roundoff 204

truncation 204

- error function 175
- Euler equations 329
- Euler method 193, 278, 282, 303, 313, 315, 364
- Euler–Tricomi equation 250
- event 53
  - simple 53
- everything deforms 324
- everything flows 324
- evolutionary algorithms 139
- evolutionary computation 139
- evolution theory 354
- examples
  - alarm clock 146, 208
  - asparagus cultivation 235, 241, 322
  - backward-facing step 332
  - beer filtration 331
  - body temperature 144
  - car 2–4
  - chemical reactor 130
  - cleaning of bottles 331
  - composite material 34
  - diapers 323
  - drip irrigation 322
  - electrical insulations 319
  - electrostatic potential 267
  - eye tonometry 326
  - fermentation 317
  - filtration processes 331
  - financial mathematics 26
  - fluid mixtures 21
  - fungicides 67
  - GAG urine concentration 77
  - game of life 353
  - hardness testing 127
  - herbicide resistance 354
  - host-parasite interaction 352
  - house paint 124
  - hygienic materials 323
  - Martian 13
  - mean age 12
  - mechanical spring 33
  - medical imaging 357
  - metal rod 169
  - oil exploration 106
  - oil recovery 321
  - option pricing 316
  - paper machine 323
  - pharmacokinetics 232
  - planetary motion 37
  - plant gas exchange 354
  - plant growth 234
  - plant maintenance 354
  - portfolio optimization 139
  - potatoes 131
  - predator–prey interaction 40, 216
  - relativistic mechanics 11
  - reservoir simulation 321
  - rose wilting 34, 84
  - seashells 354
  - soil moisture 323
  - soil pollutant transport 318
  - soil water dynamics 321
  - stormer viscometer 91
  - survival of the fittest 354
  - system 1 30
  - system 2 33
  - tank 12, 14
  - tank labeling 24
  - technical textiles 323
  - therapeutic drugs 232
  - tin 12, 14
  - two-phase flow 346
  - washing machine 140
  - wear resistance 34
  - wine fermentation 222, 354
- Excel 45, 46
  - comparison with Calc 45
- expected value 58
- experiment(s)
  - importance of 15, 164
  - in-silico* 38, 360, 379, 388
  - vs. mathematical model (*see* mathematical model)
- experimental design 90, 125 *see also* design of experiments (DOE)
- experimental units 126
- explanatory variable 70
- explicit FD method 267
- explicit ODE 356
- exponential function 154, 374

exponential growth model 234  
 eye tonometry 326

## **f**

factor 126  
 factor analysis 114  
 factorial designs 130, 377  
 factor level 126  
 FAIR data 402  
 FD method (FDM) 171, 262, 263  
   comparison with FE method 270  
   computation time 174, 254  
   stability 266  
   von Neumann stability analysis 266  
 feature selection 117  
 feed-forward neural network 98  
 FE method (FEM) 262, 268–270, 274, 276  
   CAD software 275  
   comparison with FD method 270  
   computation time 174, 254  
   Delaunay triangulation 275  
   finite element 270  
   geometry definition 274  
   grid 270  
   idea 271, 272  
   instationary case 275  
   knot 270  
   locally refined mesh 270  
   main steps 274  
   mesh 270  
   mesh generation 275  
   mesh quality 275  
   mesh refinement 275  
   nonlinear case 275  
   nonlinear PDE 275  
   a posteriori error estimate 275  
   software 284  
   triangulation 270  
   unstructured grid 270, 282  
   weak problem formulation step 275  
 fermentation 222  
 Fick's first law 317  
 filter 120  
 filtration 331  
 filtration velocity 319  
 financial mathematics example 26

financing problem 26  
 finite difference approximation 263  
 finite difference method *see* FD method (FDM)  
 finite element 270, 274  
 finite element method *see* FE method (FEM)  
 finite volume method *see* FV method (FVM)  
 finite volumes 277  
 FiPy FVM solver 284  
 fitting an ODE to data 208  
 floor() 60  
 Fluent 284  
 fluid-structure interaction 316, 330  
 formal definition 3  
 Fortran 201  
 Fourier analysis 120, 261  
 Fourier's law 241, 242  
 fractional factorial designs 132  
 FreeCAD 239, 284, 285, 332, 335, 345  
   3D navigation 334  
   CfdOF (*see* CfdOF)  
   Combo View 333  
   geometry definition 333, 347  
   new study 333  
   parametric design 335  
   Part 347  
   Part Design 333, 335, 347  
     extrusion 335  
     Pad 335  
   Sketcher 333, 336  
     background grid 334  
     constraints 335  
     Polyline 334  
   workbenches 334  
 FTCS method 267  
 full factorial design 130  
 functional-structural plant model 238, 370  
   berry sunburn 393  
   cucumber 379  
   fruit growth 384  
   grapevine 386  
   horizontal leaf movement 383  
   internode growth 381  
   leaf removal 390  
 fuzzy model 139  
 fuzzy subset 140

FV method (FVM) 262, 276, 285, 302  
 advantages 282  
 boundary conditions 283  
 boundary fluxes 279  
 cell-centered discretization 277  
 computation time 254  
 control volume 276  
 Courant–Friedrichs–Lewy Condition (*see*  
 Courant number)  
 disadvantages 282  
 discretization 277  
 divergence 282  
 geometry definition 286, 333, 335, 346,  
 347  
 instability 282  
 mesh 277  
 mesh generation 291, 335, 348  
 node-centered discretization 277  
 numerical schemes 291  
 ODE coupling 278  
 oscillations 279, 282  
 postprocessing 308, 342, 350  
 sample session (*see* OpenFOAM, sample  
 session)  
 software 284  
 solution step 301, 341, 348  
 stability 279, 282  
 time step 282  
 unstructured grid 282  
 weak formulation 277

## g

GAG *see* glycosaminoglycans (GAG)  
 Galerkin method 274  
 Gamma distribution 59  
 gas flow 329  
 gastrointestinal tract (GI tract) 232, 234  
 Gates argument 156, 162  
 Gauss, C.F. 57  
 Gaussian distribution 57  
 Gaussian elimination 268  
 Gauss–Seidel method 268  
 Gauss’s theorem 277  
 Gear method 197  
 generalization property 105  
 genetic algorithm 139  
 software 139

geometric mean 46, 49, 50  
 glaucoma 326  
 global error 203  
 control of 204  
 glycosaminoglycans (GAG) 77  
 GmLinux 48, 284, 286, 333, 337, 359, 401,  
 427, 434  
 OpenFOAM 290  
 Gnuplot 307  
 golden angle 367  
 Goldmann applanation tonometry 326  
 Graeco–Latin square design 130  
 grapevine 360  
 CO<sub>2</sub> enrichment impacts of 392  
 internode length 364  
 leaf removal 390  
 model budburst 393  
 model of plant architecture 387  
 natural variability 386  
 phyllotaxis 367  
 sunburn of berries 391  
 temperature effects 389  
 graphical user interface (GUI) 48, 239  
 gray box model 33, 34  
 greenhouse cucumber 360  
 canopy photosynthesis 378  
 internode length 364  
 leaf area index 373  
 light distribution 372  
 light interception efficiency 372  
 optical properties 373  
 phyllotaxis 368  
 salt stress 378  
 shade avoidance 380  
 yield 384  
 grid *see* mesh  
 growth function 361, 363  
 growth model *see* plant growth model  
 growth rate 217, 226, 235, 364, 381, 384, 393  
 GUI *see* graphical user interface (GUI)

## h

hammer-and-nail allegory 42  
 hat function 273  
 heat equation 160, 161, 238, 276, 279, 299  
 general form 249  
 problem 1 239

- heat equation (*contd.*)
  - problem 2 239
  - problem 3 255
  - problem 4 256
  - problem 5 257
  - problem 6 285
  - with sinks/sources 276
  - weak formulation 280
- heat flow rate 244
- Heaviside step function 233, 236
- HelyxOS 351
- Heraclitus 324
- Hessian matrix 102, 104
- heteroscedasticity 76
- heuristic error control 146, 198, 230, 266
- histogram 55, 58, 76
- holdout validation 84
- homogeneous boundary condition 254
- homoscedasticity 75, 76
- Hooke's law 325
- host-parasite interaction model 40
- hybrid factorial designs 130
- hydraulic conductivity 321
- hypothesis test 62
  - false positive/negative 65
  - power 65
  - type I error 65
  - type II error 65
- i**
- ill posed 357
- image processing 120
- implicit FD method 267
- implicit ODE 356
- implicit solution 183
- impregnation processes 319
- incompressible flow 319, 329, 340
- independent variable 70, 237
- indirect measurement technique 216
- inertia in modeling 43
- inferential statistics 62
- inhomogeneous boundary condition 254
- initial condition 155–159, 162, 166, 168, 170, 178, 179, 291, 300, 340, 348
  - why? 170
- initial value problem 159, 162, 166, 168, 169
  - definition 168
  - definition for ODE system 172
- input–output system 8
- instationary 39
  - PDE 275
- integral equation 41, 274
- interval scale of measurement 49
- intraocular pressure 326
- inverse problem 39, 216, 356, 357
- inviscid flow 329
- I-optimal design 135
- isoline 311
- isosurface 310, 350
- isotropy 245, 246, 325
- iteration 250, 268
  - nested 268
- iterative methods 268
- j**
- Jacobi method 268
- Java 369
- jitter plot 417
- Jupyter 433
- k**
- kinematic viscosity 332
- Krylov subspace methods 274
- l**
- Lame's constant 325
- Lame's equations 326
- Laplace operator 241
- Latin square design 129
- law of inertia 43
- leap frog scheme 266
- least squares filter 120
- level 126
- levels of measurement 49, 67
- Levene test 69
- LibreOffice 283, 399, 406
- LIDAR 358
- limit cycle 234
- Lindenmayer-system 365, 387
  - alphabet 366
  - axiom 366



- communication modules 369
- example 367
- example leaf removal 391
- generated string 368
- lpfg-language 369
- parametric 369
- rewriting rules 366
- simulation software 369
- XL-language 369, 387
- linear equations
  - arising from PDE's 268
  - direct solution 268
  - Gaussian elimination 268
  - Gauss–Seidel method 268
  - iterative methods 268
  - iterative solution 268
  - Jacobi method 268
  - LU decomposition 268
  - relaxation methods 268
- linear model 40
- linear optimization 29
- linear programming 28, 29
  - example 28
  - solution using Maxima 29
- linear regression 52, 70, 364
  - diagnostic plots 76
  - as hypothesis test 69
  - information matrix 137
  - model matrix 137
  - normality assumption 76
  - QQ plot 76
- linear static elasticity 326
- Lipschitz continuity 168, 172
- local error 203
- local mesh refinement 270, 296, 335, 338
- logical variable 102
- logistic function 99, 363
- logistic growth model 234
- loop 265
- Lotka–Volterra model 191
- low pass filters 120
- LS-DYNA 284
- lsoda 197, 201
- LU decomposition 268
- lumped model 36, 39, 234
- m**
  - magnetic resonance imaging (MRI) 144
  - management model 39
  - Markdown 397, 427 *see also* Quarto
  - mass balance 233
  - material derivative 329
  - material law 324
  - Mathematica 184
  - mathematical model 10
    - algebraic equation 37
    - careful interpretation 164
    - check units 19
    - classification 36
    - differential equation 37
      - as door opener 18
      - experiments 15, 34
      - generalization property 105
      - heuristic procedure 20, 21
        - as hypothesis generator 152, 164
      - law of inertia 43
      - limitations 164
      - main benefit 13
      - mechanistic vs. phenomenological 33
      - naturalness 9
      - practical recommendations 19
      - pragmatic approach 32
      - in three steps 18
      - virtualization 358
      - to visualize data 108
- matrix
  - determinant 137
  - transpose 137
- Maxima 15
  - : 428
  - = 428, 429
  - := 429
  - [...] 21
  - Android app 427
  - animated plot 430
  - append 430, 432
  - arithmetical operations 428
  - assign variable 428
  - batch 427
  - batch mode 427
  - book software 426
  - code examples 426

- Maxima (*contd.*)
  - command options 428
  - constants 178
  - Crashcourse 426
  - create\_list 198
  - CSV data import 431
  - data plot 144
  - decimal results 23
  - define 429, 431
  - derivative 429
  - desolve 184, 431
  - diff 16, 178, 429, 431
  - differential equations 431 (*see also*
    - ordinary differential equation (ODE))
  - documentation 427
  - dollar sign &dollar 428
  - draw 430
  - draw3d 430
  - draw2d 430
  - %e 181
  - else 432
  - elseif 432
  - equations with parameters 429
  - ev 432
  - expand 180
  - find\_root 25, 429
  - float 428
  - for 25, 194, 430, 432, 433
  - formatted output 432
  - fpprintprec 431
  - function design 433
  - functions 429
  - gr2d 430
  - ic1 179
  - ic2 179
  - if 432, 433
  - initial condition 179
  - installation 427
  - integral 430
  - integrate 180, 187, 189, 430
  - interaction with CALC/Excel 28
  - interactive mode 427
  - iterations 194
  - limit 190
  - linear programming 29
  - list 21, 428
  - load 29, 429
  - logical values 432, 433
  - loops 25, 194
  - mac file format 427
  - Markdown 427
  - vs. Mathematica 184
  - matrix 428
  - matrix product A.B 428
  - min/max-analysis  $f(x)$  433
  - min/max-analysis  $f(x,y)$  433
  - mnewton 429
  - nonlinear equations 429
  - noun form 430, 431
  - numer 23, 428
  - numerical integration 181, 430
  - ODE 431
    - analytical solution 431
    - initial value 431
    - numerical solution 431
    - ODE system 431
    - plot solution 431
  - ode2 178
  - online interface 427
  - operator 146
  - package
    - draw 430
    - mnewton 429
    - simplex 29
  - packages 429
  - parametric line 430
  - parametric surface 430
  - plot
    - animated 430
    - animated gif 430
    - data 430, 431
    - discrete 431
    - draw 430
    - draw3d 430
    - draw2d 430
    - gr2d 430
    - legend 430, 431
    - plot3d 430
    - plot2d 430
    - style 431
    - vector 430
    - wxplot3d 430

- wxplot2d 430
  - xlabel 430
  - ylabel 430
- plotdf 221
- pred 432
- print 26, 432
- printf 432
- QUADPACK package 181
- quad\_quags 430
- Quarto 427
- Quarto procedure 399
- read\_nested\_list 431
- rhs 198, 431
- rk 179, 196, 197, 431
  - limitations 196
- scalar product 146
- semicolon 428
- significant digits 431
- simplex 29
- solution of ODE's 178, 179
- solve 16, 21, 429
- ssubst 28, 433
- string 28
- string operations 433
- symbols %, %e, %i, %pi 428
- terminal operation 427
- text processing 433
- user interfaces 427
- vector 430
- vector operations
  - inner product  $a \cdot b$  428
  - vector product  $a \times b$  428
- verb form 431
- wxMaxima 427
  - wxMaxima file format 427
- maximum likelihood estimate 71
- measurement errors 52, 57, 75
- measures of position 46
- measures of variation 46
- mechanics
  - Newtonian 11
  - quantum 43
  - relativistic 11
- mechanistic model 32–34, 142, 369
  - analogy with archeology 143
  - “a priori information” 33, 34
  - comparison with phenomenological approach 33
  - interpretable parameters 160
  - “strange effects” 148
- median 46, 50
- mesh 270, 277, 312, 335, 337, 338, 348
  - aspect ratio 339
  - generation 274
  - non-orthogonality 339
  - quality 275, 298, 339, 348
  - refinement 275, 279, 296, 313, 333, 335, 337–339
  - refinement study 339
  - resolution 338
  - skewness 339
  - unstructured 282
- method of lines 262
- Michaelis–Menten kinetics 225, 376
- Microsoft Office 45
- Minsky's model definition 3
- mirror symmetry 257
- mode 50
- model
  - analytical 40
  - autonomous 40
  - best 4
  - black box 32
  - conceptual 7
  - continuous 40
  - data-driven 32
  - definition 3
  - descriptive 32
  - deterministic 38
  - discrete 40
  - distributed 36
  - dynamic 36
  - empirical 32
  - gray-box 33, 151
  - instationary 39
  - linear 40
  - lumped 36
  - management 39
  - mechanistic model 32–34, 142
  - nonautonomous 40
  - nonlinear 40
  - numerical 40

- model (*contd.*)
  - phenomenological 32, 33, 125, 142, 358
  - physical 7
  - plant architecture 360
  - regression 44
  - research 39
  - semi-empirical 33, 151
  - shape 361
  - static 36
  - stationary 39
  - statistical 32
  - virtual plant 238, 359
    - dynamic 365
    - static 360
  - white box 32, 37
- modeling 3, 5
  - effective quantities, using 153
  - idea 1
  - simplification 346
  - and simulation project 5
  - and simulation scheme 4
    - car example 3, 4
    - engine example 7
    - fermentation example 222
    - room temperature example 147
- modulus of elasticity 325
- modulus of rigidity 325
- moving average approach 120
- MRI *see* magnetic resonance imaging (MRI)
- Mualem/van Genuchten model 321
- mucopolysaccharidosis 77
- multiphase flow 321–323
- multiple regression 80
- Multiple R Squared 75
- multiple shooting method 171
  
- n***
  - nabla operator 242
  - narrative analysis 140
  - naturalness of mathematical models 9
  - natural system 38, 238
  - Navier’s equations 326
  - Navier–Stokes equations 283, 316, 329
  - nested sampling experiments 133
  - Neumann boundary condition 253, 301
  - neural network 39, 97, 117, 118
    - activation function 99
    - applications 97
    - approximation property 100
    - bias 98, 99, 102
    - biological interpretation 98
    - feedforward 44
    - fitting criterion 103
    - Hessian matrix 104
    - hidden layer 98
    - input layer 99
    - layer 97
    - nnet 99
    - node 97
    - vs. nonlinear regression 103
    - output layer 99
    - overfitting 101, 104, 105
    - regularization 105
    - roughness 105
    - scaling of inputs 107
    - skip-layer connections 100
    - software 139
    - topology 100
    - to visualize data 108
    - weight decay 106
    - weights 99
  - Newtonian
    - fluid 329
    - mechanics 11
  - Newton method 250, 432
  - Newton’s law of cooling 160
  - Newton’s second law 330
  - Nicholson–Bailey model 40, 352
  - no flow boundary condition 243
  - nominal level of measurement 67
  - nominal scale of measurement 49
  - nonautonomous model 40
  - nondimensionalization 219
  - nonlinear model 40, 376
  - nonlinear regression 87
  - non-newtonian fluid 329
  - normal distribution 57, 387
    - probability density 56
  - no-slip condition 337
  - notation convention 12
  - null hypothesis 63
  - numerical data 49

- numerical differentiation 119
- numerical mathematics, significance of 192
- numerical model 40
- numerical solution 175, 262, 364
  - vs. closed form solution 187
- O**
- observed significance level 63
- ODE *see* ordinary differential equation (ODE)
- ODE numerical
  - solution
    - adaptive stepsize 193
    - step size 193
- odepack 201
- ods file format 45
- oil recovery 321
- one-dimensional model 169
- one-dimensional problem 256
- Open CasCade 286
- OpenFOAM 239, 276, 279, 283–286, 315, 330, 332
  - blockMesh 292, 294, 337
    - blocks 294
    - vertices 294
  - blockMeshDict 292, 337
  - boundary conditions 300, 332, 347
  - boundaryField 300
  - boundary layers 298
  - boundary patches 296
  - C++ 313
  - cell-centered grid 291
  - CfdOF (*see* CfdOF)
  - cfMesh 333
  - checkMesh 298, 339, 348
  - codeStream 292
    - calc 292
  - constant directory 291
  - controlDict 291, 303, 348
    - adjustTimeStep 304
    - writeInterval 305
  - convergence 291, 304, 307, 314
  - Courant number (*see* Courant number)
  - dimensions 300
  - Dirichlet boundary condition 301
  - discretization method 303
  - divergence 304
  - fixedValue 301
  - foamCloneCase 291
  - foamGet 291, 305
  - foamMonitor 305, 307, 341
  - FV method 302
  - fvSchemes 291, 303
    - ddtScheme 313
    - steadyState 303
  - fvSolution 291, 341
    - nNonOrthogonalCorrectors 302
    - relTol 302
    - residualControl 302, 305
    - tolerance 302
  - gmsh 333
  - HelyxOS GUI 351
  - initial conditions 291, 300
  - instability 304
  - internalField 300, 340
    - uniform 300
  - kOmegaSST 340
  - laplacianFoam 302, 305–307, 313
  - mesh 312
  - mesh generation 291
  - mesh quality 298
  - meshQualityDict 291
  - mesh refinement 296, 313, 333, 337–339
  - monitor residuals 305
  - multiphase flows 345
  - Neumann boundary condition 301
  - numerical schemes 291
  - output precision 300
  - paraFoam (*see* ParaView)
  - ParaView (*see* ParaView)
  - polyMesh directory 298
  - postprocessing 308, 342, 350
  - potentialFoam 340
  - residuals 302, 303, 314
  - sample session 285, 332, 345
    - heat equation 285
    - single-phase flow 332
    - two-phase flow 345
  - SIMPLE algorithm 302
  - SI units 300
  - snappyHexMesh 291, 292, 295, 298, 333, 337, 348
  - snappyHexMeshDict 295, 337

- OpenFOAM (*contd.*)
  - addLayersControls 298
  - boundaries 296
  - boundary layers 298
  - castellatedMeshControls 296
  - geometry 295
  - nCellsBetweenLevels 297
  - refinementRegions 297
  - refinementSurfaces 296, 339
  - snap 295
  - solution step 301, 306, 341, 348
  - stability 304
  - stationary solution 302
  - steady-state 302, 303, 313
  - STL file 290, 292
  - surfaceFeatures 294, 312, 348
    - eMesh 295
  - surfaceFeaturesDict 292, 295
  - system directory 291, 302
  - terminal 287, 290, 294, 307, 315
  - time discretization 313
  - time step 304, 313
  - transient solution 303, 346, 347
  - transportProperties 291, 299
    - SI units 300
  - turbulence models 340, 348
  - tutorial cases 290
  - user guide 292
  - volume of fluid (VOF) method 345
  - 0 directory 291
  - zeroGradient 301
- optimal control problem 354, 355
- optimal designs 135
- optimal sample size 132
- optimization 12, 354
  - qualitative 226
  - using simulations 240
- option pricing model 316
- order
  - of ODE 157
  - of PDE 248
- ordinal scale of measurement 49
- ordinary differential equation (ODE) 35, 37, 142, 143, 237, 278
  - abbreviated notation 165
  - absolute error control 204
  - autonomous 168
  - boundary value problem 169
    - solution methods 171
  - as a challenge 155, 156, 174
  - coupling 188, 191, 278
  - dimensionless 219
  - explicit 356
  - family of solutions 177
  - first order 166, 167, 172
    - definition 167
  - first order system
    - definition 171
    - definition i.v.p. 172
  - fitting to data 208
  - general solution 177
  - hand calculation methods 187
  - higher order, reformulation as first order 167
  - implicit 356
    - solution 183
  - initial condition 166
  - initial value problem
    - definition 168
    - naturalness 171
  - limitations 237
  - linear 173, 184, 185
  - nonautonomous 230
    - numerical solution 230
  - nonlinear 173–175
  - notation 166
    - convention 177
  - numerical solution
    - Adams method 197, 221
    - BDF method 197
    - choice of stepsize 193
    - vs. closed form sol. 187
    - convergence order 195
    - Euler method 193
    - Gear method 197
    - global error 203, 204
    - heuristic error control 198, 199
    - local error 196, 199, 203
    - nonautonomous case 230
    - order of a method 196
    - Runge–Kutta method 196
    - validation 194

- order 157, 166
  - parameter estimation 208
    - boundary value approach 211
    - convergence region 211
    - as indirect measurement procedure 216
    - initial value approach 211
  - particular solution 177
  - phase plane plot 219, 220
  - relative error control 204
  - second simplest 170
  - separation of variables 181, 182, 185, 186, 190
  - setup 161
    - phenomenological approach 161
    - rate of change approach 161
  - simplest 170
  - state variables 237
  - stiff 196
  - structural stability 220, 221
  - theoretical approach 161
  - unique solvability 170
  - used everywhere 174
  - variation of constants 185, 188, 190
  - variation of parameters 185
  - well-posed 252
  - Orthogonal array design 134
  - outlier 50
  - overfitting 101, 104
- p**
- P()** 54
  - paired t-test 64
  - panta rhei 318, 324, 328
  - parallel computation 341
  - parallel coordinates plot 51
  - parameter estimation 361
    - hand tuning 164, 208
    - heuristic 146
    - initial values 207
    - as inverse problem 216
    - in ODE's 208
      - general problem formulation 213
      - sensitivity analysis 175
  - parameter estimation problems 357
  - parameter identification 39
  - ParaView 285, 294, 308, 312, 338, 342, 348, 350
    - Annotate Time 350
    - cell values 309
    - clip 312
      - crinkle clip 312, 313
    - Color Map Editor 309
    - contour 310
    - Decomposed Case 342
    - export 343
    - Fields 308
    - isoline 311
    - isosurface 310
    - line chart 343
    - line integral convolution 343
    - Mesh Parts 308
      - internalMesh 308
    - .OpenFOAM file 310
    - Pipeline Browser 309
    - plot over line 343
    - point-interpolated values 309–311
    - Save animation 350
    - slice 309
    - streamlines 342
    - Stream Tracer 342
  - partial differential equation (PDE) 17, 36, 143, 238, 328
    - boundary condition 301
      - Dirichlet 253, 301
      - Neumann 253
      - no flow 243
      - periodic 258
      - Robin 254
      - role of physical intuition 253
      - symmetry 254
    - as a challenge 174
    - classification 250
    - closed form solution 259
    - computation time 174
    - conservation law 263
    - from conservation principles 243
    - coupled problems 241
    - coupling 316
    - definition 247
    - dimensionality 254
    - discriminant 250

- partial differential equation (PDE) (*contd.*)
- elliptic 250
  - example derivation 243
  - first order 248
  - homogeneous boundary condition 254
  - hyperbolic 250
  - importance of 247
  - importance of 1st and 2nd order 248
  - inhomogeneous boundary condition 254
  - initial/boundary conditions 252
    - “rule of thumb” 252
  - instationary case 275
  - linear 249
    - general form 250
    - vs. nonlinear 249
  - linearization 249
  - nonlinear 249, 283, 330
    - general form 249
  - nonlinear solution 249
  - numerical solution 261
    - error control 266, 282
    - stability 266, 282
  - one-dimensional problem 256
  - order 248
  - parabolic 250
  - second order 249
  - separation of variables 260
  - shock wave 249
  - solution
    - BTCS method 267
    - computational efficiency 269
    - existence 252
    - explicit FD method 267
    - finite difference method 262
    - finite element method 262, 269
    - finite volume method 262
    - FTCS method 267
    - implicit FD method 267
    - leap frog scheme 266
    - method of lines 262
    - spectral method 262
    - stability 252, 282
    - uniqueness 252
  - standard form 251
  - stationary solution 169, 240, 286, 302, 338, 349
  - steady-state solution 302, 338
  - symmetry 254
  - three-dimensional problem 256
  - two-dimensional problem 256
  - variational formulation 271
  - weak formulation 271, 274
  - well-posed 252
- PCA *see* Principal component analysis (PCA)
- PDE *see* partial differential equation (PDE)
- periodic boundary condition 258
- periodicity 246
- periodicity cell 320
- permeability 40, 245, 322
- pharmacokinetics 232
- phase plane plot 219, 220
- phenomenological model 32, 33, 125, 142
  - vs. mechanistic model 151
- photosynthesis 374
  - CO<sub>2</sub> limited rates 376
  - FvCB-model 376
  - light-limited rates 375
  - limitation 375
  - quantitative limitation analysis 376
- phyllotaxis 367
  - alternate 367
  - distichous 367
  - opposite 367
  - opposite-decussate 368
  - spiral 367
- physical model 7
- physical system 38
- Plackett–Burman design 133
- plant architecture 359
- plant growth model 234
  - exponential 234
  - logistic 234
- plant organ
  - apex 367
  - bud 387
  - cane 387
  - internode 361, 367, 388
  - lamina 361, 388
  - leaf 361, 367, 388
  - node 367
  - petiole 361, 388
  - phytomer 367



- roots 371
- stem 361
- trunk 387
- Plato 42
- plotly 418–420
  - plot\_ly 420
- Poisson equation 270, 274
- Poisson's ratio 325
- polynomial regression 78
- Pontryagin's principle 355
- population 47
- population dynamics 220, 352
- poroelasticity 323
- porosity 319
- porous medium 40, 322, 331
- power function 365
- power of a test 65
- pragmatic approach 32
- predator-prey model 40, 174, 216
- predicted-measured plot 82, 83
  - vs. conventional plot 83
- prediction 33, 42, 363
- predictor variable 70
- Principal component analysis (PCA) 114
- probabilistic networks 139
- probability 52, 54, 55
  - axiomatic definition 54
  - relative frequency approximation 54
- probability density 55
- probability density function 56
- probability distribution 56
- probability function 54
- problem 1 239
- problem 2 239
- problem 3 255
- problem 4 256
- problem 5 257
- problem 6 285, 289
- process optimization, industrial 133
- programming language 28, 399, 427–429, 433
  - interpreted vs. compiled 433
- pseudo- $R^2$  74, 93, 145
- pseudorandom numbers 87
- p-value 63
- Python 121, 286, 399, 433

**q**

- QQ plot 64, 76
- qualitative models 140
- qualitative optimization 226
- quantile 60
  - sample 50
- quantum mechanics 43
- quartiles 50
- Quarto 427
  - chunk options 426
  - compilation 398
  - compilation without RStudio 399
  - documentation 426
  - figure size 426
  - header section 399
  - html 398
  - Maxima 399
  - Maxima code chunks 399
  - Python 399
  - Python code chunks 399
  - quarto1.qmd template 397
  - quarto2.qmd template 398, 426
  - R chunk 398
  - template 397
  - writing/formatting text 399
- queuing analysis 59
- QUICK-scheme 278

**r**

- R 45, 48, 134, 283, 416
  - ? 401
  - %>% 423
  - %in% 413
  - abbreviate 424
  - ablines 414
  - abs 51
  - absolute paths 403
  - agricolae library 127
  - AlgDesign library 137
  - animated plots 419
  - arrange 410
  - array 405
  - as.data.frame 202, 407
  - as.Date 411, 412
  - as.factor 409, 418
  - as.numeric 409

- R (*contd.*)
  - as.POSIXct 412
  - assignment 404
  - as\_tibble 407
  - axis.POSIXct 414
  - backtick notation 408
  - barplot 413
  - base R 60, 106, 114, 404, 410, 415
    - plots 413
  - BHH2 library 132
  - bind\_cols 410, 417
  - bind\_rows 410
  - book software 396
  - boxplot 50, 418
    - grouped 418
  - c()** 405
  - calculator mode 397
  - cat 404, 422, 424
  - character 408
  - class 404, 408
  - CO2 406
  - code examples 396
  - code style 423
  - colon notation 405
  - color brewer 417
  - color interpolation 416
  - color palettes 415
    - colorblind-friendly 416
    - perceptually uniform colors 416
    - scico 416
    - scientific colors 416
    - viridisLite 416
  - colorRampPalette 416
  - colors 415
  - column names 399, 406, 407
    - non-standard 408
  - comments 421
  - compared to Calc 48
  - confint 62, 90
  - console mode 396
  - contour 134
  - cor 52
  - counter in output 397
  - course data 396
  - Crashcourse 395
    - Updates 396
  - curve 58, 414, 422
  - cut\_interval 409
  - cut\_number 409
  - data 403
    - character 404
    - CSV2 format 403
    - CSV export 404
    - CSV format 403
    - Excel export to CSV 403
    - general pure text format 403
    - import and export 403
    - logical 404
    - numeric 404
    - text 404
    - XLSX export 404
    - XLSX format 403
  - data based selection 411
  - data formats 419
  - data.frame 406
    - manual creation 406
  - data frames 202
  - data operations 409
  - data selection 406
  - datasets 406
  - datasets::rock oil exploration data 106
  - data transformations 409
  - data types 408
  - date and time processing 411
    - unplugged 412
  - date formatting codes 412
  - date plots 414, 419
  - decompose 120
  - density 60
  - design.ab 131
  - design.bib 130
  - design.crd 127
  - design.graeco 130
  - design.rcbd 128
  - deSolve 202
  - dnorm 60
  - documentation 401
  - documentation mode 397
  - DoE.base 134
  - &dollar 406
  - dollar sign 406
  - dplyr 400, 409

- dt 60
- DT 407
- Ecdat::Klein investment data 87, 101
- Ecdat library 87
- else 422
- environment 404
- eval(parse(...)) 426
- everything() 410
- Excel 399, 406 (*see also* spreadsheet data)
- exists 404
- expand.grid 130, 138
- factor 409
- factor recoding 411
- FALSE 412
- fct\_recode 411, 415
- ffDesMatrix 132
- fft 120
- filter 410, 412
- for 265, 422
- forcats 411
- formula notation 85, 91
- FrF2 134
- full\_join 411
- function plot 414, 419, 422
- functions 202, 421
  - conversion from data 231
- genalg 139
- generic commands 406
- getwd 402
- gganimate 419
- ggplot2 400, 412, 416
  - axis labels 417
  - barplot 416
  - colors 417
  - facet\_wrap 418
  - frame 419
  - function plot 419
  - geom\_bar 416
  - geom\_boxplot 418
  - geom\_function 419, 422
  - geom\_jitter 417
  - geom\_line 419
  - geom\_point 418
  - geom\_text 417
  - geom\_tile 420
  - ggplot 416
  - labels 417
  - legend 417
  - multiline plot 419
  - play button 419
  - plot development 416
  - plot variable approach 416
  - scale\_color\_brewer 417, 418
  - scale\_color\_manual 418, 419
  - scale\_fill\_brewer 418
  - scale\_fill\_gradientn 420
  - scale\_x\_continuous 419
  - scale\_x\_date 419
  - scale\_x\_datetime 419
  - scale\_y\_continuous 419
  - scatter plot 419
  - theme 418, 419
  - tile plot 420
  - xlab 417
  - ylab 417
- GmLinux 397
- grep 424
- group\_by 410, 420
- grouped tibble 410
- gsub 424
- head 406
- heatmap plot 420
- help 401
- hist 58, 60
- I() 79, 91
- if 405, 422
- ifelse 422
- Inf 407
- inner\_join 411
- inner product 405
- installation 395
- integer 408
- interactive plot 417
- interactive table 407
- Internet search strategy 401
- is.na 409
- jitter 415
- jitter plot 50, 415
- left\_join 411
- legend 414
- length 405
- library 421

- R (*contd.*)
  - LibreOffice 399, 406
  - linear regression 71, 72, 77
  - line plot 419
  - lines 414
  - lists 413
  - lm 138
  - load 404
  - log 106
  - logical data 409, 412
  - logical operators 412
  - logical variable 102
  - loops 265
  - loop variable 422
  - lsoda 197, 198, 201–203, 207
    - hmax 231
  - lubridate 400, 411
    - epiweek 411
    - hour 412
    - isoweek 411
    - mday 411
    - minute 412
    - month 411
    - quarter 411
    - second 412
    - wday 411
    - week 411
    - yday 411
    - year 411
  - lwd 48
  - magrittr 423
  - Markdown 397
    - documentation 426
  - MASS::GAGurine data 77
  - MASS library 77, 91
  - MASS::stormer data 91, 97
  - matrix 405
  - max 405
  - Maxima
    - maximize\_lp 29
    - minimize\_lp 29
  - mean 400
  - min 405
  - missing data 409
  - mtcars 420
  - multinom 117
  - multiple linear regression 80
  - mutate 86, 410
  - n() 410
  - NA 399, 409
  - nchar 424
  - nls 89, 91, 209
    - starting values 89
    - weights 232
  - nls.control 91
  - nlsTolDef 209
  - nnet 99, 101
    - normalization 101
    - scaling 101
    - starting values 102
  - nonlinear regression plot 415
  - numeric 408
  - nycflights 13, 412
  - online 403
  - optFederov 138
  - order 410
  - outer product 405
  - package installation 395
  - packages 421
    - double colon notation 421
    - initialization 421
    - package manager 421
    - pacman 421
    - readxl 400
  - pacman library 421
  - palettes 415
  - par 48
  - parallel coordinates plot 420
  - paste 424
  - pie 415
  - pipe 410, 423
    - base R operator 424
    - curly braces 424
    - dot operator 423
  - plot 48, 414, 415
    - col 414
    - pch 414
    - type 414
    - xaxt 414
    - xlab 414
    - xlim 414
    - ylab 414

- plot3d 422
- plotly
  - ggplotly 417
  - layout 418, 420
  - plot\_ly 420
- plot\_ly 422
- plots 413
- pmax 417
- pnorm 57, 60
- points 414
- POSIXct data 411
- power.anova.test 132
- power.prop.test 132
- power.t.test 132
- predefined datasets 406
- predict 86
- predicted-measured plot 415
- preprocessing 399
- print 404, 407
- programming 421
- programming mode 397
- prp 112
- pt 60
- qnorm 60
- qt 60
- quantile 50
- Quarto (*see* Quarto)
- rainbow 415
- randomForest 112
- Rattle 403
- R chunk 398, 399
- RColorBrewer 415, 417
- R-Commander 403
- RData 402, 404
- reactable 407
- read\_csv 403
- read.csv 404
- read\_csv2 403
- read.csv2 404
- readr 403, 404
- regression, residuals 67
- relative paths 402
- rep 405
- repeated operations 422
- residuals 67, 72
- reticulate 123
- rgl 420
  - plot3d 420, 421
- RGui 397
- right\_join 411
- rim package 399
- RKward 403
- rm 404
- R Markdown 397
  - Quarto 397
- rnorm 58
- rpart 112
- rsm 134
- RStudio 395, 401
  - alternatives to 403
  - online access 402
  - programming mode 397
  - project 402
  - Rproj 402
  - Source window 48
  - Subwindows/panes 401
  - workspace restoration 402
- RStudio project workflow 402
- rtol, rule of thumb 204
- sample 86
- sapply 69, 423
- save 404
- scale 114
- scatter plot 48, 414, 418
- scatter plot, generalized 420
- scico 416
- Script 48
- seecol 415
- select 410, 412
- semicolon 421
- seq 405, 414
- set.seed 87, 102, 127
- shiny 426
- short names recommendation 400
- show variable values 404
- simecol library 141, 353
- skpr library 138
- slice 410
- slice\_head 410
- slice\_tail 410
- SoPhy 318
- sort 112, 410

- R (*contd.*)
  - spreadsheet data 399
    - missing values 399
    - preprocessing 399
    - read into R 400
  - str 400, 405, 406, 408
  - string 408
  - strptime 419
  - sub 424
  - subset 406
  - substr 404, 423, 424
  - sum 90
  - summarize 410, 420
  - summary 400, 406
  - table 413, 416
  - tail 406
  - tbl 407
  - text 408, 414, 415
  - text annotation 415
  - theft 433
  - 3D function plot 420
  - 3D scatter plot 420
  - tibble 400
    - data selection 408
    - first/last rows 407
    - grouped 410
    - improved print method 407
    - print options 407
    - transposed 408
  - tibbles 400, 407
    - manual creation 408
  - tibble::tibble 408
  - tidyverse 400, 407
    - code style 423
  - time processing 411
  - tolower 424
  - toupper 424
  - tribble 408
  - TRUE 412
  - t.test 64
  - ungroup 410
  - unikn 415
  - variables 404
  - vector element selection  $x[i]$  405
  - viridisLite 416
  - volcano 421
  - wavelets library 120
  - waveslim library 120
  - wavethresh library 120
  - weather.xlsx 399
  - webr 426
  - Wickham, Hadley 400, 407
  - working directory 396, 402
  - write\_csv, write\_csv2 404
  - write.csv 404
  - write.csv2 404
  - xtabs 51
- $R^2$  74
  - adjusted 75, 83
  - negative values 74
  - pseudo- $R^2$  74, 93, 145
- Radon transform 357
- random forest 111, 112
- randomized balanced incomplete block
  - design 130
- randomized complete block design (RCBD)
  - 128
- random processes 52
- random sampling 47
- random sampling experiments 133
- random variable 53
  - continuous 54
  - discrete 54
- range 47, 50
- rapid prototyping 38
- rate of change 242
- ratio scale of measurement 49
- RCBD *see* randomized complete block design (RCBD)
- recirculation zone 338
- rectangular hyperbola 375
- recurrence relation 352
- reduced system 13
- refined mesh 270
- regression 39, 363
  - analysis 52
  - assumptions 75, 76
  - closeness condition 73
  - coefficients 70, 72
  - dependent variable 70
  - explanatory variable 70
  - formula notation 85, 91

- function 70
  - independent variable 70
  - line 73, 89, 121, 123, 201
  - linear 30, 69
    - general form 78
  - multiple (linear) 79, 99
    - graphical interpretation 98
  - nonlinear 87
    - general form 87
  - polynomial 78
  - predicted-measured plot 83
  - prediction 73
  - predictor variable 70
  - residuals 72
  - response variable 70
  - spline 79, 97
  - regularization 105
  - relative error control 204
  - relative paths 402
  - relative permeability 321
  - relativistic mechanics 11
  - relaxation methods 268
  - reproducible research 48, 402
  - research model 39
  - reservoir simulation 321
  - residuals 67, 72, 302, 340, 341
  - residual sum of squares (RSQ) 70, 80, 214
  - residual water content 321
  - resin transfer molding (RTM) 120, 320
  - response function 361, 363, 375
  - response surface designs 130
  - response surface model 134
  - response variable 70
  - Reynolds-averaged Navier–Stokes (RANS)
    - equations 330, 340, 348
  - Reynolds number 332
  - Richard’s equation 322
  - R Markdown *see* Quarto
  - Robin boundary condition 254
  - role of mathematics 18, 19
  - room.csv 150
  - rotational symmetry 258
  - rough sets 139
  - roundoff error 204
  - RSQ *see* residual sum of squares (RSQ)
  - RStudio 48, 395 *see also* R
  - RTM *see* resin transfer molding (RTM)
  - rtol 203, 204
  - Runge–Kutta method 196, 278
- S**
- Salome 284–286, 332, 345
    - batch mode 286
    - Boolean operations
      - cut 289
      - fuse 347
    - box construction 286, 287
    - CAD study 290
    - Create Group 289
    - geometry definition 286, 346
    - geometry module 286
    - object browser 286
    - OCC viewer 286, 287
      - clipping plane 288
      - shading mode 288
      - transparency 288
      - wireframe mode 288
    - point construction 287
    - Python console 286
    - SHAPER module 334
    - sphere construction 287
    - STL file 290
    - translation 347
  - Salome-Meca 284
  - sample 47
    - random sampling 47
    - stratified sampling 47
  - sample correlation coefficient 47, 51
  - sample size 76, 132
  - sample space 53, 54
  - sample standard deviation 47, 51
  - saturated water content 321
  - saturation function 375
  - Savitzky–Golay filter 120
  - scale 40
  - scaling 114
  - scatter plot 51
  - sclera 327
  - screening design 133
  - seepage velocity 319
  - sensitivity 175
  - sensitivity analysis 175

- separation of variables
  - ODE's 181, 182
  - PDE's 260
- Shapiro–Wilk test 64, 76
- shear modulus 325
- shock wave 249
- shooting method 171
- signal processing 120
- signal processing software 120
- significance
  - level 63
  - statistical 63
- SimScale 284
- simulation 6, 358
  - definition 6
  - discrete event 6
  - multiscience 359
- single-phase flow 332
- singular point 221
- SI units 300
- skip-layer connections 100
- slip condition 333
- sluggish fermentation 222
- smoothing splines 94
- Sobolev space 177, 271, 272, 274
- soft computing 139
  - software 139
- software 434
  - advantages of commercial FEM/FVM software 283
  - advantages of open-source FEM/FVM software 284
  - role of 17
- soil moisture simulation 323
- source term 318
- space step 263
- sparse matrix 273
- specific heat capacity 241, 300
- spectral method 262
- speculation 37, 40
- spline regression 79
- splines 94
- spreadsheet data 45
- SQM space 37
- stability 252, 266, 282
- standard deviation
  - of random variable 58
- sample 47, 51
- standard normal distribution 61
- state variable 14
  - instantaneous changes 227
- stationary 39
- stationary model 39
- stationary solution 240, 251, 302, 338
- statistical dispersion 46
- statistical model 32
- statistical significance 63
- statistical tests 62, 63, 76
  - assumptions 76
- statistics 31
  - descriptive 45
  - inferential 62
- stepsize 193
- stiff ODE 196
- stochastic system 38, 388
- stormer viscometer 91
- strain 324
- stratified sampling 47
- streamlines 342
- stress tensor 325
- structural mechanics 323
  - software solution 326
- stuck fermentation 222
- Student's t-distribution 59, 76
- SU2 CFD-suite 284
- substantive derivative 329
- superficial velocity 319
- supersonic flow 249
- support of a function 273
- support vector machine methods 118
- survival of the fittest 139, 354
- symmetry 254, 346
  - mirror 257
  - rotational 258
  - translational 256
- symmetry boundary condition 254
- symmetry condition 332
- system 1, 2, 4–7, 11, 13, 14, 21
  - conceptual 38
  - continuous 39
  - definition 7
  - deterministic 38



- discrete 39
  - input–output 8
  - natural 38
  - parameters 14
  - physical 38
  - reduced 14
  - stochastic 38
  - technical 38
  - systems analysis 4, 5, 360, 364
  - systems archeology 143
- t**
- t distribution 62, 76
  - technical system 38
  - temperature sum 365, 387
  - tensor 325
  - test data 84
  - thermal conductivity 241, 242, 280, 300
  - thermal diffusivity 300
  - thermal time 365
  - three-dimensional problem 256
  - three-step modeling procedure 19
  - time series analysis 120
  - time step 263, 282, 304
  - trace of a matrix 325
  - training data 84
  - transcendental equation 25
  - translational symmetry 256
  - transonic flow 251, 282
  - treatments 126
  - triangulation 270
  - truncation error 204
  - tsfresh 121, 433
  - t-test 63
    - one-sample 64
    - one-sided 64, 132
    - paired 64
    - two-sample 63
    - two-sided 64
  - Tukey test 69
  - turbulence 340
  - turbulent flow 340
  - two-dimensional problem 256
  - two-level factorial designs 130
  - two-phase flow 321, 345, 347
- type I error 65
  - type II error 65
- u**
- unconditionally stable 267
  - uniform distribution 56
  - unstructured grid 270, 282, 299
  - Upwind-scheme 278, 279
- v**
- validation 4, 5
    - holdout 84
    - importance of 31
    - qualitative 5, 151
    - quantitative 5
  - variational formulation of PDE 271
  - variation of constants 185
  - variation of parameters 185
  - virtual engineering 37
  - virtual geometry 358
  - virtualization 358
  - virtual plant 36, 38, 238, 359
    - leaf shape model 363
    - light model 369, 374
    - model 359
    - plant architecture 359
  - virtual prototyping 38
  - viscosity 318–320
  - visualization of datasets 108
  - volume fraction 348
  - volumetric flux density 319
  - volumetric water content 321
  - von Neumann stability analysis 266
  - Voronoi diagram 277
- w**
- water retention curve 321
  - wave equation 253
  - wavelet transform 120
  - weak derivative 271
  - weak formulation of PDE 271, 274, 277
  - weak solution 271
  - weight decay 106
  - weighting factors 214
    - in ODE system 232
  - weights 100, 102

well-posed problem 252  
what-if studies 38  
white box model 32, 37  
wine fermentation 222  
wxMaxima 178

**y**

Young's modulus of elasticity 325

**z**

Z88 FE-analysis 284