

Index

a

- Abbe invariant 4, 6, 23, 66, 73, 88, 97, 118, 300
- Abbe number 66, 70, 108, 409, 412, 683–685, 688, 690, 692, 709
 - diffractive elements 683
 - equivalent 69–70
- aberration expansion 19–33
 - convergence 354–255
 - quasi-invariant 353–354
- aberrations
 - achromatization 108
 - afocal systems 98
 - air lens 115–118
 - anamorphic systems 559–567
 - Andersen's approach 383–384
 - angle 36
 - aplanatic 275–277
 - aplanatic surface 51
 - Araki's expansion 462–463
 - aspheres 653–660
 - astigmatism 47, 51–54
 - axial 33
 - balancing 239–240
 - Berek's notation 97
 - biconic surfaces 563–565
 - Bow-Sutton condition 85–86
 - caustic 727
 - centre 530–534
 - chromatical 63–73, 570–577
 - coefficients 23, 88–98, 373
 - coma 47, 58–59
 - coma at mirrors 483–484
 - coma number 307
 - conjugate shift equations 84–86
 - conjugation parameter 99–101
 - Conrady's G formula 103
 - cylindrical lenses 381–383, 660
 - definition 1
 - description 2
 - diffractive elements 680–690
 - distortion 47, 60–61, 583–608
 - distortion and intensity 719–720
 - edge spread function 268–271
 - encircled energy 268
 - expansion 25
 - expansion by quasi-invariant 353
 - expansion convergence 354–355
 - expansion for reduced symmetry 33
 - extrinsic 359
 - field curvature 47, 54–58, 486–494
 - field dependence 308–310, 505
 - fifth order 347–348
 - fifth order expansion 356
 - Fresnel lenses 666–671
 - full field display 507
 - full field spot diagram 42
 - general expansion 504
 - general wave aberrations 504
 - grazing incidence 662–666
 - gradient index lens 695–713
 - gratings 671–680
 - Haferkorn's notation 96–97
 - higher order 333–355
 - higher order chromatical 403, 405, 406
 - higher order lens contribution 393
 - image curvature 519–520
 - image plane tilt 518
 - induced 359–367
 - intensity 719
 - intrinsic 359
 - keystone 677
 - keystone distortion 510
 - lens bending 100
 - line spread function 271
 - longitudinal 33–34
 - low order wave aberrations 517
 - Mahajan's notation 94–96
 - medial image shell 56
 - Miks' simplified Seidel terms 106–107
 - mirrors 483–484
 - misalignment 567–570
 - monocentric systems 619–621
 - nodal aberration theory 527
 - nodal point calculation 533–534
 - nodal points 510
 - non-circular pupil 506–507
 - non-circular systems 499
 - OTF 258–261
 - parabasal reference 502
 - pegel diagram 74–75
 - Petzval curvature 54
 - Petzval formula 58
 - Petzval law 55
 - phase space representation 510–516
 - plane plate 115
 - polarization 740–761
 - primary 23, 27, 47
 - PSF 205–232
 - pupil 275–294
 - pupil coma 283–284
 - pupil distortion 284–290
 - pupil imaging 75–77
 - ray sampling 38–42
 - reduced expansion 33
 - reference sphere 28
 - references 501–504
 - representation 47
 - sagittal image shell 55
 - Seidel 27, 47
 - Seidel coefficients 22
 - Seidel pupil 279–280
 - sixth order 28
 - sixth order waves 367–375
 - skew spherical 301–302
 - Slyusarev's notation 97
 - smile 677
 - spherical 47–51, 633–639
 - spherical after Delano 384–387
 - spherical mirror 113–115
 - spherical surface contribution 49
 - spherochromatism 421
 - spot diagram 36–42
 - spot shapes 61–63
 - spot size 37–38
 - statistical 242
 - stop Aldis theorem 375–383
 - stop shift 78–80, 373–374
 - structural coefficients 89–91
 - surface contributions 74–76
 - tangential image shell 55
 - thick lens 108–113, 434–435
 - thin lens contributions 98–108

- aberrations (*contd.*)
 - third order 27
 - transverse 30–36
 - types 4
 - vectorial 499–577
 - vectorial wave aberrations 505
 - wave aberration conventions 505
 - wave aberrations 121–199
 - wave definition 28
 - Welford's notation 97
 - Zernike field dependence 510, 511
 - Zernike wave aberrations 520–527
- achromate 33, 41, 103, 108, 115, 155, 198, 354, 381, 565, 648, 689–690, 709
 - Schupman 413–415
 - spherical aberration 399–403
 - split 424–425
 - zonal spherical aberration 401
- achromatization 69, 70, 108, 110–113, 429, 620, 683, 686–689, 692
- afocal system aberrations 98
- air lens aberrations 115–117
- Airy function 211, 739
- Aldis theorem 354, 359, 375–383, 525, 526, 563
 - Brewer's representation 378–379
 - derivation 376–378
- amplitude response matrix 754–757
- anamorphic systems 155–158, 517, 559
 - aberrations 559–562
 - biconic surfaces 563–565
 - cylindrical lenses 661–662
 - factor 517
 - nodal points 565
 - ratio 517
- anastigmatism
 - Zinken-Sommer condition 82–83
- Andersen's approach of aberrations 383–384
- angle aberrations 36
- angle-angle eikonal 17
- angle mapping 605
- angle-point eikonal 16–17
- aplanatic
 - aspheres 318
 - lenses 313
 - surfaces 51, 310–311
 - systems 315–318
 - two-surface systems 315–318
- aplanatism 275, 310–318
 - higher order 314–315
- apochromate 415
- apodization 41, 124, 144, 182, 236–237, 243, 247, 285, 298, 583, 692, 720, 745, 749, 754, 756
- apodization of wave aberrations 182
- Araki's expansion 462–463
- Argand diagram 261–262
- ARM matrix 756
- aspheres 188, 310, 315, 318, 336, 375, 379, 527, 530, 546, 570
 - aberrations 653–660
 - astigmatism 656–660
 - Coddington equations 656
 - plate diagram 657–660
 - see-saw-diagram 657–660
 - Seidel aberrations 654–655
 - structural coefficients 655
- astigmatism 47, 51–54
 - caustic 52
 - circle of least confusion 52
 - Coddington equations 464–470
 - grating 675
 - medial image shell 56
 - reference 477–478
 - Schiefspiegler 480–481
 - skew mirrors 479–480
 - spherical mirror 478–479
- atmospheric turbulence 186, 187, 190
- axial chromatical aberration 64–70
 - vectorial 572
- axial magnification 4
- b**
- balancing of wave aberrations 550–551
- ball lenses
 - monocentric systems 622–623
 - vignetting 618–619
- barrel distortion 61, 62, 585, 604, 720
- bending 6, 47, 100
- Berek's criteria 322
- Berek's notation 97–98
- biconic surfaces
 - aberrations 563–565
- Bouwer corrector 623–624
- Bow-Sutton condition 85–86, 598
- Buchdahl's quasi-invariant 353–354
- c**
- calibration
 - distortion 606–607
 - Scheimpflug 607–608
- cartesian form of Zernikes 167
- caustic
 - Airy integral 739
 - calculation 730–735
 - catastrophe theory 735–737
 - diffraction 739–740
 - Legendre transform 737
 - Pearcey integral 739
 - phase shift 730
 - phase space 737–739
 - ray envelopes 727, 729
 - spot extrema 733
 - wave picture 729–730
- Cerny-Turner spectrometer 678–680
- changed condition Zernike expansion 171–172
- Chebychev polynomials 137, 175, 177
- chief ray 4, 7–9, 28, 30, 33, 35, 36, 51, 58, 60, 63–65, 71, 72, 79–81, 278, 295, 301, 472, 502, 503, 572–574, 588, 589, 591, 592, 609
- chromatical aberrations 63–64, 570–572
 - achromatization 69
 - apochromate 415
 - axial vectorial 572
 - Conrady approach 67–69
 - colour fringes 64
 - doublet 412–413
 - Gabor telescope 413
 - high aperture 419–420
 - higher order 403–429
 - induced terms 419
 - lateral 70–73
 - lateral surface contribution 72
 - lens contributions 409–410
 - localization 70
 - longitudinal 64
 - Münz-Sacks decomposition 66–67
 - pupil 71, 284
 - Schupman achromate 413–415
 - secondary spectrum 407–409
 - Seidel axial 66
 - Seidel longitudinal 66
 - spherochromatism 420–425
 - split achromate 424–425
 - surface contributions 410–411
 - thick lens 110
 - transfer term 407
 - transverse 64, 69, 71–73, 418
 - transverse vectorial 574
 - variation of field curvature 429
 - variation of primary aberrations 425
 - wave picture 419–420
- chromatical change of magnification 63, 72, 127, 284, 419
- chromatical wave aberrations 126–127
- circle of least confusion 52, 53, 143, 507, 518, 572
- circular polarization 742
- Coddington equations 308–310, 439, 464–470, 472, 474, 479, 482, 503, 574, 630, 669, 675, 676, 678
 - arbitrary azimuth 469–470
 - aspheres 656
 - derivation 466–468
- coincidence criterion 322
- colour fringes 64, 72, 73
- coma 47, 58
 - defocusing 59, 61, 62, 593
 - mirrors 483–484
 - PSF peak curve 205, 210, 211

- confocal plane-symmetric systems 558–561
- conjugate shift equations 84–86, 359, 427
- conjugation parameter 5–6, 89, 99–102, 105, 106, 343, 344, 393, 395, 396, 662, 670, 694
- Conrady 305, 387–388
- d-D-method 67–69
- G-formula 103
- OPD-formula 388–390
- spherical aberration formula 388
- convergence of aberration expansion 354–355
- corner cube reflector 749, 758, 761
- cosine invariant 324–325
- cubic phase mask 262–265
- curved image 55, 491–492, 519, 587, 617
- distortion 492–493
- curved object 489–490
- cylindrical lenses
- aberrations 381–383, 660–662
 - anamorphic coefficients 662
- d**
- d-D-method 67–69
- defocus wave aberration 128–129, 158
- Delano 341, 361, 384–388, 390, 392, 421, 599, 670
- relation 5, 306
 - spherical aberration 384, 598
- depth of focus 327, 409, 492, 493, 639
- field dependence 647
- geometrical 642
- Rayleigh length 642
- second moment diameter 646
- visual seeing 643–644
- derivatives of Zernikes 168–170
- diattenuation 743, 745–752, 754, 757, 760, 761
- difference operator 8
- differential raytrace 439, 440, 443
- diffraction 1, 9, 183, 212–215, 224–225, 583, 640, 641, 666, 668
- caustic 642, 739–740
- diffractive elements 464
- Abbe number 683
 - aberrations 680–681
 - chromatical aberrations 682–689
 - efficiency 686
 - efficiency achromatization 686–688
 - hybrid lens 684–686
 - multi order 688–689
 - Seidel aberrations 681–682
- digital projector lens
- keystone distortion 604, 605
- distortion 47, 583
- angle mapping 605
- barrel 61–63, 289, 293, 584, 585, 604, 720, 721
- calibration 606–607
- centroid based 584, 588–589
- chromatical magnification difference 35, 599
- coma 593
- curved image 492–493, 587
- digital projector lens 604
- f*-theta definition 586–587
- finite object depth 595–596
- fisheye lens 605, 607
- general geometry 600, 601
- intensity 719–720
- keystone 290, 500, 510, 584, 600, 603–605, 676, 677
- magnification dependence 596–598
- mapping function 605–608
- orthographic mapping 606, 607
- OTF description 593, 595
- pincushion 61–63, 288, 289, 293, 304, 584, 585
- PSF based 592–593
- pupil aberration 596–598
- pupil shift 597
- rectilinear mapping 605
- Scheimpflug model 607–608
- Scheimpflug setup 603–604
- smile 604, 676, 677
- stereographic mapping 606, 607
- surface contribution 598–599
- tangent condition 596
- telecentricity 588–591
- TV definition 587–588
- types 584
- vector Zernike representation 601
- vignetting 588–589
- wave aberration 128, 129, 591–592
- wave description 591
- double-pass systems 611–614
- doublet 620, 761
- chromatical aberrations 412–413
- double Zernike expansion 154–155
- Duffieux integral 258, 262
- e**
- eccentricity parameter 77–78
- edge spread function 1, 268–271
- aberrations 269
 - criteria 269
 - definition 269
- eikonal 14–15, 23, 134, 358
- angle-angle 17, 20–21
 - angle-point 16–17
 - definitions 14
 - equation 9, 10, 12
 - expansion 20–21
 - paraxial 19–20
 - point-angle 16, 308
 - point-point 15–16
- refractive surface 19–20
- relationships 17–18
- ellipticity 246–248, 486, 752, 756, 757, 761
- encircled energy with aberrations 268–269
- entropy diameter 225, 248
- equivalent Abbe number 69–70
- exact aberrations 375–390, 392, 500, 696
- Aldis theorem 375–383
- extrinsic aberrations 359, 364, 366, 419
- f**
- Fermat principle 9–14, 17, 20–22, 67, 68, 243, 296, 298, 303, 308, 312, 321, 325, 341, 390–394, 430, 671, 673, 691, 692, 697, 698
- field curvature 27, 30, 34, 35, 47, 48, 54–58, 98, 109, 129, 130, 153, 158, 159, 286, 347, 479, 486–494, 522, 541, 551, 557, 703–705
- chromatical variation 429
 - freeforms 493–494
 - higher order 490–491
 - Petzval formula 57–58
 - wave aberration 129
- field dependence
- wave aberrations 505
 - Zernike 152–156, 510, 521–522
- fifth order aberrations
- Buchdahl's representation 356–357
 - classification 347–348
 - Cox' representation 358
 - Denby's representation 359
 - Herzberger's representation 358
 - monochromatic 355–359
 - Rimmer's representation 356–357
 - spot shapes 348–350
- fill factor segmented pupil 225
- filtering Zernike spectra 162
- fisheye lens 293, 607
- distortion 605
- focal curves 675, 676, 678–680
- focus criteria
- depth of focus 642–648
 - Fisher criterion 641
 - geometrical 640–641
 - OTF 641
 - spherical aberration 638
 - Strehl 641
 - types 638, 640
 - wave aberration 641
- Fourier spectrum of Zernikes 147–149
- freeforms 485
- field curvature 493–494
 - mirror systems 485–486
- frequency ranges of random wave aberrations 187

Fresnel coefficients 742, 745, 760
polarization 746–747

Fresnel lenses
aberrations 666–667
approximations 667, 668
astigmatism 669
line coma 671
Seidel aberrations 670–671

f-theta
distortion 586–587
systems 586–587
full-field display of aberrations 507, 508

g

Gabor telescope 406
chromatical aberrations 413
Gauss-Legendre calculation of Zernikes 149, 150
geometrical approximation 9–10, 183, 209, 719
geometrical PSF 224, 225
intensity 724
grazing incidence
aberrations 662–663
Kirkpatrick-Baez setup 663
Montel setup 663
Wolter telescopes 663–665

gradient index lens
aberration calculation 697–699
aberrations 695, 696
astigmatism 702–703
axial 706–708
field curvature 703–705
freeformed 708
Hamiltonian 698
inhomogeneous aberrations 696, 699–701
paraxial 696–697
radial 702–705
reference 696–697
Seidel aberrations 696–702
transfer aberrations 696
Wood lens 703–705
Gram-Schmidt procedure 144, 151–152, 173, 174
gratings
aberrations 671–680
astigmatism 675
concave 673–676
focal curves 675
groove function 672
plane 672–673
spectrometer 676–677

h

Hamilton function 10, 15
Helmholtz-Lagrange invariant 4, 77, 89, 97, 275

Herschel condition 326–327
higher order aberrations 333
Andersen's approach 383–384
chromatical 403–429
classification 338–340
correction 403
expansion variable 340–343
Fermat principle 390–392
field curvature 490–491
fifth order 347–348
lens 344
lens spherical aberration 393–396
pupil imaging 374
ray height 340, 343–346
sixth order waves 367–375
spot shapes of fifth order 348–350
stop shift 373–374
structural representation 429–430
system reversibility 430–435
transverse chromatical 418
von Rohr's approach 392
Zernike 337, 338
high-NA
chromatical aberrations 419, 420
Zernike expansion 158
high spatial frequency range 187
Hopkins factor 254, 260

i

image/imaging
anamorphic 559–568
curvature 519–520
field curvature 518, 520
tilt 518, 555
image irradiance 723, 725
induced aberrations 359
calculation 361–363
Delano formula 387
stop position 365
wave picture 363–365
intensity 719
aberration coefficients 722
distortion 719–720
exit pupil 723
image irradiance 723–724
Jacobian matrix 722
spot 724–727
intrinsic aberrations 360–362, 373, 392, 427, 433
invariant
Abbe 4
cosine 324–325
Helmholtz-Lagrange 4
Herschel condition 326–327
rotational 9
sine condition 326
skew 325–326
Smith cosine 324–325
symmetry 24–27

Welford's 323–324
isoplanatism 306, 318–320
condition 320–321
definition 294–295
patch size 322–323
Staeble/Lihotzky condition 320–321

j

Jacobian matrix 443, 723, 725, 732
intensity 722
Jacobi-polynomial calculation of Zernikes 149, 150
Jones
matrix 741–743
matrix surface decomposition 750–751
pupil 747, 749

k

Karman turbulence 190, 191
Kerber's formula 386, 392
spherical aberration 390
Kerber's transfer formula 350–353
keystone distortion 500, 510, 558, 584, 600, 603–608
kidney bean effect 77, 284, 290–291
Kingslake diagram 43–44
Kingslake H^2 -L-plot 83
Kirkpatrick-Baez setup 662, 663, 665
Kolmogorov turbulence 190, 191
kurtosis 246, 247
Kutter Schiefspiegler 480–481

l

Lagrange function 11
lateral aberrations 14, 31, 43, 511, 512, 526, 574, 641
lateral chromatical aberration 63, 70–73, 128, 418, 501, 503, 571, 574
law of refraction 1, 2, 4, 5, 11, 12, 21, 49, 295, 311, 316, 318, 377, 385, 407, 451, 452, 460, 466, 467, 617, 691
Legendre polynomials 137, 175, 176, 709
Legendre transform 15–17
caustic 737
lens bending 6, 47, 100
lens contribution 69, 72, 99, 104, 117, 344, 393, 394, 399, 432, 662, 707
secondary spectrum 409–410
linear polarization 219, 220, 742
line coma 671
line spread function 271
local perturbation Zernike expansion 162–165
Lommel functions 226, 227

- longitudinal aberrations 1, 29, 33–34, 51, 56, 131, 135, 205, 341, 350, 394, 401, 403, 407, 410, 422, 464, 685, 689, 690
 chromatical 63–64
 longitudinal chromatical aberration vectorial 410
 low order wave aberrations 516
 low spatial frequency range 187, 188
- m**
 magnification
 axial 4
 lateral 4
 pupil 6, 283–284
 Mahajan's notation 94–96
 Malus-Dupin's law 12, 130
 Marechal approximation 234, 235, 243, 267
 Marechal criterion 179, 642
 marginal ray 4–9, 20, 47, 54, 58, 64, 66, 68, 69, 73, 77–80, 89–90, 108, 112–114, 198, 275, 294–297, 299, 300, 303, 305, 306, 308–311, 319–321, 333, 341–344, 361, 365, 367, 375–381, 386–389, 400–403, 406, 409–411, 420–421, 423–426, 428, 430, 481, 483, 484, 487, 533, 626, 633, 698–699, 707
 medial image shell 56, 507, 541, 572–574, 629
 Merte surface 196, 199
 spherical aberration higher order 396–398
 meta surfaces 690–691
 aberrations 691
 achromate 692
 chromatical aberrations 692
 negative index 693–695
 microscope lens 192–194, 196, 198, 199, 210, 287, 288, 291–293, 307, 323, 367
 reversibility 435
 spherical aberration higher order 398
 mid spatial frequency range 187
 mirror 58, 113–115, 222, 293, 315, 318, 411, 413, 443, 461, 462, 464, 465, 478–486, 499, 510, 519, 527, 550, 558, 570, 586, 611–614, 622, 623, 629–630, 635, 660, 663–666, 678, 751, 758
 spherical aberration 392–393
 misaligned surfaces 624–625
 astigmatism 628
 coma 628
 parabolic mirror 630
 Seidel aberrations 625–626
 spherical mirror 629–630
 spherical surface 628–629
 wave-optical model 626–628
 misalignment aberrations 567–570
 misalignment test 303–305
 moment criteria 245–247
 monocentric systems 615–617
 aberrations 619–621
 arrays 624
 ball lenses 622–623
 Bouwer corrector 623–624
 invariant 617–618
 Montel setup 663
 Münz-Sackschromatical aberration approach 66–67
- n**
 negative index lens 693–695
 nodal aberration theory 520, 524, 527–553
 limitations 551–553
 nodal lines 518, 531, 532, 536, 541, 542, 544, 549–550
 nodal points 521–524, 527, 530, 533–541
 aberration field dependence 529, 530
 anamorphic systems 565
 aspheres and freeforms 544–547
 astigmatism 538–548
 coma 536–538, 542–543
 distortion 540–541
 field curvature 541
 misalignment 569–570
 plane symmetric systems 555–556
 pupil shift 544–545
 Zernike pupil 547–549
 non-circular area polynomials 173–177
 non-circular pupil aberrations 506–507
 non-circular systems
 aberrations 499
- o**
 offence against sine condition 288, 303, 305–308, 320
 Offner system 338, 622
 optical axis ray 444, 462, 474, 493, 500–502, 530, 533, 600
 optical path difference 9, 16, 67, 71, 122–123, 134, 296, 303, 321, 324, 341, 390, 391, 701
 optical path length 9–17, 19, 67, 122, 123, 132, 275, 303, 304, 312, 391, 393, 526, 654, 687, 707, 719, 746
 orientation Zernikes 753–755
 orientator 752–753
 orthographic mapping 606, 607
 OTF 1, 253, 255
 aberrations 256–262
 approximation 259–260
 area criteria 256
 cubic phase mask 262–263
 definition 253
 diffraction limit 260–261
 Duffieux definition 258
 field dependence 256
 Hopkins factor 254–255, 260
 phase 261
 polychromatic 253–254
 scattering 267
 Siemens star 255–256
 SQF criterion 256
 test charts 255
 overlaid phase aberrations 243
- p**
 parabasal rays 443–444, 450, 474–476, 502–503, 525, 526, 571, 572
 paraxiality 1, 454, 489–490
 partial coherent point resolution 252
 Pauli spin matrix 745, 746
 performance criteria of wave aberrations 179–183
 performance criteria of Zernikes 180–182
 perturbation frequency ranges
 HSF 187
 LSF 187
 MSF 187
 Petzval
 curvature 47, 54
 formula 58
 law 55, 487
 phase histogram 240–242
 phase space
 aberration representation 510–516
 caustic 737–739
 phase transfer function 261, 583
 photometry 722
 pupil distortion 285
 pincushion distortion 61, 62, 288, 585, 589, 720
 plane plate 90–92, 382, 487, 488
 aberrations 115
 spherical aberration 638
 plane-symmetric systems 33, 506
 aberrations 553–555
 image plane tilt 555
 nodal points 555–556
 structural aberration coefficients 556–558
 plate diagram 657, 660
 point-angle eikonal 16, 19–21, 308
 point-point eikonal 15–17
 point symmetry 609
 polarization
 aberrations 740–747
 amplitude response matrix 754–757
 circular 742

- polarization (*contd.*)
 corner cube reflector 758–761
 diattenuation 745–746
 eigenfunction 743
 ellipse 740, 741
 Fresnel coefficients 746–747
 Jones calculus 741–743
 Jones decomposition 745–746
 Jones pupil 747–749
 linear 742
 orientator 752–753
 PSF 761
 raytrace 743–744
 retardance 743, 745–752
 rotation 742
 Seidel aberrations 749–750
 spin matrix 745
 surface decomposition 750–751
 transmission 742
 polychromatic PSF 217–218
 polynomial orthogonalization 173
 polynomials non-circular areas 173
 primary aberrations
 chromatical variation 425
 principal curvature 440–441, 470–472,
 727, 732, 733
 principle of Fermat 9, 11, 470
 propagation of wave aberrations
 183–186
 proportionality condition 282, 322
 proximate raytrace 449–464
 PSF
 aberration caustic 228
 aberrations 205–232
 aberrations at high NA 218–220
 aberrations with defocussing 228
 anisotropic pupil 215–216
 astigmatism 208–210
 coma 210–212
 criteria 243–253
 ellipticity 246–248
 encircled energy 268
 entropy diameter 247–249
 geometrical intensity 724–727
 Guoy shift 231
 high NA 218–220
 kurtosis 246, 247
 Lommel functions 226, 227
 phase 230–232
 polarization 759–761
 polychromatic 217–218
 Rayleigh criteria 249
 reference ray 216–217
 resolution 213, 249–250
 resolution partial coherence
 252–253
 second moment 245–246
 segmented pupil 220–226
 skewness 247
 Sparrow criteria 249
 spectral weighting 217, 218
 spherical aberration 207–208
 spot relation 212–215
 Strehl ratio 232–243
 PTF 583, 595
 aberrations 261–262
 Argand diagram 261, 262
 definition 261
 pupil
 aberrations 75–77, 275–294
 aplanatic 277
 chromatical aberrations 284
 coma 283–284
 distortion 277–279, 284–290
 fish-eye lens 293
 imaging 6, 275
 kidney bean effect 285
 magnification 6, 275, 283–284
 non-circular 506–507
 photometry 285
 ray aiming 285, 287–288
 segmented 222–224
 Seidel aberrations 279–280
 sine condition 277, 294–310
 Slyusarev effect 285
 sphere 277, 293
 tangent condition 281–283
 telecentricity 290, 291
 walk 293
 wave aberrations 280–281
 pupil aberrations 29, 71, 123, 132,
 275–294
 distortion 596–598, 720–721
 higher order 373
 kidney bean effect 77
 Slyusarev effect 77
 PV value of wave aberrations 178–179
- q**
 quasi-invariant of Buchdahl 353–354
- r**
 random wave aberrations 186–190
 atmospheric turbulence 190
 frequency ranges 187
 roughness 187
 Zernike expansion 190
 ray aiming
 pupil distortion 285, 288
 Rayleigh criterion 178–179, 237, 249,
 250
 Rayleigh length 409, 642, 705
 ray pencils 439
 ray sampling
 aberration curves 42–43
 artefacts 40
 density 40
 equidistant 39
 errors 39
 options 38
 raytrace
 Coddington equations 464–470
 differential 439–440
 expansion 443–449
 Jacobian 443
 parabasal 472
 polarization 743
 proximate 443, 449–459
 surface curvature 440–443
 ray tubes 470, 473
 rectilinear mapping 605
 references in non-circular systems 501
 retardance 743, 745–752, 754, 756, 757,
 760, 761
 phase 742
 reverse system Zernike expansion 168
 reversibility of systems 430–435
 microscope lens 435
 rotational invariants 9, 124, 354, 383
 Rowland spectrometer 677, 678
- s**
 sagittal image shell 55, 479
 sampling
 of rays 38–42
 of Zernikes 149–151
 Sasian's symmetry parameter 614–615
 scaling of spatial frequency ranges 189
 scattering degradation 267
 Scheimpflug 84, 86, 156, 509, 518, 534,
 555
 distortion 604
 distortion model 607
 system 152
 Schiefspiegler 439, 443, 462, 480–483,
 499, 535
 with conics 483
 Schupman achromate 413–415
 field lens 415
 second moment diameter 639, 646
 second moments 43, 245
 secondary spectrum 64, 112, 405,
 407–409, 689
 aberration 403
 lens contributions 409
 see-saw-diagram 657
 segmented pupil 222
 fill factor 225
 gap size 225
 geometry 225
 PSF 220, 222
 tip-tilt perturbation 226
 Seidel aberrations
 aspheres 654
 coefficients 88
 conjugate shift equations 84
 Fresnel lenses 670

- gradient index lens 696, 697
- Miks' formula 106
- misaligned surfaces 626
- pegel diagram 74
- polarization 750
- pupil 75, 279
- stop shift formula 80, 82
- surface contributions 73
- Shack's vector product 355
- Siemens star 255, 256, 263, 265, 266
 - aberrations 265
 - coherence 267
- sine condition
 - afocal systems 298–299
 - aplanatism 310–318
 - apodization 298
 - coma 300–302
 - coma number 307
 - definition 294
 - derivation 296
 - generalized 302–303, 306
 - isoplanatism 306, 318–323
 - misalignment test 303–305
 - offense against 305–308
 - principal sphere 297–298
 - pupil sphere 277, 293
- skewness 123, 246–248
- skew spherical aberration 83, 301–302, 310, 318, 319, 339, 609, 610
- Slyusarev 89, 103, 285
 - effect 77, 285, 722
 - notation 97
 - spherochromatism 423–424
 - thin lens aberrations 106
- Smith invariant 324–325
- Sparrow criterion 249, 250
- spatial frequency range scaling 189
- spectrometer
 - aberrations 676
 - Cerny-Turner 678, 680
 - distortion 676
 - keystone 677
 - Rowland 677–678
 - smile 677
- spherical aberration 47
 - achromate 399–403
 - chromatical variation 420
 - Condady's OPD formula 388–390
 - Conrady's formula 387–388
 - Delano formula 384–387
 - higher order 396–403
 - higher order thin lens system 394
 - Kerber's formula 386, 390
 - lens bending 47
 - lens contribution higher order 393–396
 - lens spot size 635–636
 - Merte surface 396–398
 - microscope lens 398
 - mirror 392–393
 - plane plate 638, 639
 - spherical surface 633–639
 - surface contribution 49
 - zonal contribution 401
- spherical corrected lenses 51, 312
- spherical mirror aberrations 113
- spherochromatism 421, 686
 - Slyusarev approach 423–424
 - splitted achromate 424–425
 - surface contributions 423
- spin matrix 741, 745, 746, 749
- split achromate
 - chromatical aberrations 424–425
- spot
 - intensity 724
 - vs. PSF 212
 - size 37–38
- spot diagram 37
 - full field 42
- spot size
 - second moment diameter 646
 - spherical aberration 635–636
 - stopping down lens 637–638
- SQF criterion 255, 256
- Staeble/Lihotzky condition 306, 320–322
- stationary phase principle 14, 217
- statistical aberrations 242
- stereographic mapping 605
- stop shift
 - higher order aberrations 373–374
 - parameter 78
 - Seidel formula 78
- Strehl ratio
 - aberration balancing 239–240
 - apodization 236
 - approximations 233–235
 - calculation by Wigner function 242–243
 - definition 232–233
 - defocus 239
 - failure 233, 235
 - limitations 235–236
 - Marechal 234
 - OTF relation 233
 - overlay of perturbations 243
 - phase histogram 240–242
 - statistical aberrations 242
- structural
 - representation higher orders 429–430
- structural aberration coefficients 89–94
 - aspheres 655
 - plane-symmetric systems 556–558
- surface
 - contributions of aberrations 73
 - curvature 440–443
 - principal curvature 440
- symmetry
 - double-pass systems 611–614
 - invariants 24
 - plane 611
 - principle 608–609
 - Sasian's parameter 614–615
 - types 608
- t**
 - tangent condition 281–283, 596, 597
 - tangential image shell 54, 56, 83, 403, 404
 - Tatian polynomials 175, 176
 - telecentricity
 - angle error 589
 - distortion 589–591
 - pupil distortion 290
 - telescopes
 - Wolter 662–665
 - x-ray 662
 - test charts
 - types 255–256
 - thick lens
 - aberrations 434–435
 - chromatical aberrations 110–111
 - field curvature 109
 - Seidel aberrations 108–113
 - thin lens aberrations
 - axial chromatical 107–108
 - Conrady formula 103
 - contributions 99
 - different media 105–106
 - higher order spherical aberration 394–396
 - Slyusarev's formulation 106
 - validity range 102
 - Thomas criterion 269, 270
 - tilt wave aberration 128
 - transverse aberrations 34–36
 - characteristics 35
 - chromatical 64, 69–73, 418
 - chromatical lens 418
 - chromatical vectorial 574
 - TV-distortion 587–588
 - two-point resolution
 - definition 249
 - partial coherence 252–253
 - Rayleigh criterion 249
 - Sparrow criterion 249–250
- v**
 - vectorial aberrations 499–500
 - aberration center 530
 - chromatical 570–577
 - expansion 504–506
 - nodal points 527, 530–553
 - Shack/Thompson 505
 - surface contributions 524–527

vectorial Zernikes 170, 601, 603, 751–753
 vector product of Shack 355, 532, 538
 vector Zernike function 601, 752
 vignetting
 monocentric ball lenses 618–619
 pupil Zernike expansion 162
 visual depth of focus 643–644
 volume imaging 327
 von Rohr's approach
 spherical aberration 392, 399

W

wave aberrations
 anamorphic systems 562–563
 atmospheric turbulence 190
 balancing 550
 chromatical 126–127, 570–571
 confocal plane-symmetric systems 558
 conventions 124, 505
 conversion to rays 125–126, 130–136
 coordinate choice 132–133
 definition 122–123
 defocus 128–129
 distortion 128, 591–592
 energetic weighting 182–183
 expansion 123, 504, 505
 field curvature 129, 158
 field dependence 152, 153
 low orders 516–518
 Marechal criterion 179
 performance 179–180
 plane-symmetric systems 553
 power spectral density 187
 propagation 183–186

pupil 280–281
 pupil grid distortion 124
 PV value 177–178
 random perturbations 186–190
 Rayleigh criterion 178–179
 reference sphere 122, 132
 representations 192–194
 rms value 129, 179
 tilt 128
 variance 129
 vectorial 505
 Zernike representation 137
 wave equation 4, 9–10, 23
 waviness of random wave aberrations 187
 Welford's notation 97
 wide field Zernike expansion 160
 Wigner function 242–243
 Wolter telescopes 662–665

X

x-ray telescopes 662

Y

Yolo telescope 159, 523, 524

Z

Zernike
 apodization 182
 calculation 145–147
 cartesian representation 167
 change of normalization radius 171
 changed conditions 171–173
 conventions 145, 146
 decentering 172–173
 derivatives 169

expansion 137, 141–143
 expansion of field dependence 155
 expansion of local perturbations 162, 164–165
 field dependence 152–156, 521–522
 Fourier spectrum 147–149
 Fringe 145
 Gauss-Legendre calculation 149, 150
 Gram-Schmidt procedure 151–152
 grid distortion 288–290
 high NA 158, 160
 higher order 338
 indexing 140, 145
 ordering indices 137
 orientation 752–754
 orthogonality 143, 151
 performance criteria 180, 182
 polynomials 137–141
 primary aberrations 156, 158
 random wave aberrations 190
 recurrence formula 141
 relation to Jacobi polynomials 149
 representations 198–199
 reversed systems 168
 ring pupil 175
 rms balancing 143
 robust calculation 149
 sampling 149–151
 spectrum 162
 standard convention 145
 surface contributions 524–527
 Tatian 175, 176
 vectorial 170–171, 752
 vignetting 162
 wide field 160
 Zinken-Sommer condition 82–83











